

# **2019 5th International Conference on Electric Power Equipment – Switching Technology (ICEPE-ST 2019)**

**Kitakyushu, Japan  
13-16 October 2019**



**IEEE Catalog Number: CFP1977P-POD  
ISBN: 978-1-7281-5219-6**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP1977P-POD      |
| ISBN (Print-On-Demand): | 978-1-7281-5219-6 |
| ISBN (Online):          | 978-1-7281-5218-9 |
| ISSN:                   | 2639-2364         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|   |    |
|---|----|
| <b>HYBRID THERMOFLUID SIMULATION WITH CHEMICALLY NON-EQUILIBRIUM AND EQUILIBRIUM CALCULATIONS FOR DECAYING SF<sub>6</sub> ARCS</b> .....  | 1  |
| <i>Yasunori Tanaka ; Takanori Iijima</i>  |    |
| <b>CRITICAL ELECTRIC-FIELD STRENGTH OF HIGH-TEMPERATURE SF<sub>6</sub> MIXTURE GAS WITH ABLATED PTFE/BN VAPOR AT TEMPERATURES OF 300–4000 K</b> .....   | 7  |
| <i>Tatsuya Ishii ; Masanao Terada ; Yasunobu Yokomizu ; Yuki Kojima ; Mami Kuroda ; Hajime Urai</i>   |    |
| <b>RESEARCH ON THE PRESSURE CHARACTERISTICS OF 550KV SINGLE-BREAK SELF-BLASTING CIRCUIT BREAKER DURING THE BREAKING PROCESS</b> .....   | 12 |
| <i>Ruisong Li ; Xin Lin ; Yu Song ; Jianyuan Xu ; Yalong Xia ; Zhenxin Geng</i>   |    |
| <b>INVESTIGATIONS ON THE THERMAL INTERRUPTING CAPABILITY OF A SELF-BLAST TYPE SF<sub>6</sub> CIRCUIT BREAKER</b> .....  | 18 |
| <i>Jin Guo ; Xu Jiang ; Wenjuan Du ; Yuanjing Lu ; Haibin Wang</i>  |    |
| <b>INVESTIGATION OF ABLATION GAS TRANSPORTATION WITH OPTICAL EMISSION SPECTROSCOPY FOR GAS CIRCUIT BREAKER</b> .....  | 22 |
| <i>Toshiaki Sakuyama ; Hiroyuki Kobayashi ; Hideyuki Kotsuji ; Katsuhiko Shiraishi ; Hajime Urai</i>  |    |
| <b>EVALUATION OF GAS FLOW BY MULTI-POINT PRESSURE MEASUREMENT USING A SELF-BLAST GAS CIRCUIT BREAKER MODEL</b> .....  | 26 |
| <i>Hideyuki Kotsuji ; Toshiaki Sakuyama ; Masanao Terada ; Hajime Urai</i>  |    |
| <b>IMPROVEMENT OF DIELECTRIC RECOVERY PERFORMANCE FOR SELF BLAST CIRCUIT BREAKER</b> .....  | 30 |
| <i>Myoung-Hoo Kim ; Kyong-Hoe Kim ; Ho-Jung Jeong ; Amer Smajkic ; Mahir Muratovic ; Mirsad Kapetanovic</i>   |    |
| <b>SENSITIVITY OF DYNAMIC RESISTANCE OF GAS CIRCUIT BREAKERS TO THE ARC-INDUCED CONTACT EROSION</b> .....   | 34 |
| <i>Milad Mohammadhosein ; Kaveh Niayesh ; Amir A. Shayegani Akmal ; Hossein Mohseni</i>   |    |
| <b>INFLUENCE OF ARCING CONTACTS EROSION ON DECOMPOSITION PRODUCTS UNDER ARC DISCHARGE IN SF<sub>6</sub> CIRCUIT BREAKER</b> .....   | 38 |
| <i>Ren Yang ; Mengyuan Xu ; Jing Yan ; Yingsan Geng</i>   |    |
| <b>TEMPERATURE RISE PREDICTION OF CONDUCTOR AND ENCLOSURE IN A GIS COMPONENT CONSIDERING CONTACT RESISTANCE</b> .....   | 42 |
| <i>Jeong Ahn Ko ; Seungbo Lee ; Gwang Hyeon Ryu ; Seung Boong Jeong</i>   |    |
| <b>DESIGN OF DUAL MOTION MECHANISM MOVING ALONG OPTIMIZED STROKE CURVE TO IMPROVE CAPACITIVE CURRENT SWITCHING PERFORMANCE FOR GAS CIRCUIT BREAKER</b> .....  | 46 |
| <i>Masanao Terada ; Yuki Nakai ; Hiroaki Hashimoto ; Daisuke Ebisawa ; Hajime Urai ; Yasunobu Yokomizu</i>  |    |
| <b>NUMERICAL CALCULATION AND ANALYSIS OF UHV GIL HSGS DURING BREAKING PROCESS</b> .....   | 50 |
| <i>Ying Zhu ; Xin Lin ; Jia Zhang ; Shengwu Tan ; Yu Song ; Yingjie Sun</i>   |    |
| <b>CALCULATION OF THERMODYNAMIC PHYSICAL PARAMETERS OF C<sub>5</sub>F<sub>10</sub>O/CO<sub>2</sub> AND C<sub>6</sub>F<sub>12</sub>O/CO<sub>2</sub> MIXTURES</b> .....   | 55 |
| <i>Xin Lin ; Zhaoxuan Cui ; Zhenxin Geng ; Jia Zhang ; Zhen Zhang ; Jianyuan Xu</i>   |    |
| <b>NUMERICAL THERMOFLUID SIMULATION OF DECAYING ARC BEHAVIOR IN CO<sub>2</sub>/O<sub>2</sub>/C<sub>5</sub>F<sub>10</sub>O (C5-PFK) AND CO<sub>2</sub>/C<sub>4</sub>F<sub>7</sub>N(C4-PFN) CONSIDERING MORE THAN NONA-ATOMIC MOLECULES</b> ..... | 60 |
| <i>Yuki Demura ; Yasunori Tanaka ; Yusuke Nakano ; Yoshihiko Uesugi ; Tatsuo Ishijima</i>   |    |
| <b>SIMULATION AND COMPARISON OF ARC CHARACTERISTICS IN C<sub>4</sub>F<sub>7</sub>N,CO<sub>2</sub> AND SF<sub>6</sub></b> .....  | 66 |
| <i>Jianying Zhong ; Sumin Pang ; Yanwei Nan ; Hao Sun ; Wenkui Liu</i>  |    |
| <b>INTRODUCTION AND TEST ANALYSIS OF THE DISCONNECTOR AND EARTHING SWITCHES OF SF<sub>6</sub>/N<sub>2</sub> MIXED GAS IN GIS</b> .....  | 70 |
| <i>Guangwei Fan ; Shi Huang ; Gang Li ; Sili Yao ; Haojun Liu</i>   |    |
| <b>COMPARISON OF DECOMPOSITION BY-PRODUCTS OF C<sub>4</sub>F<sub>7</sub>N/CO<sub>2</sub> MIXED GAS UNDER AC DISCHARGE BREAKDOWN AND PARTIAL DISCHARGE</b> .....   | 82 |
| <i>Yongyan Zhou ; Chenwei Li ; Nian Tang ; Boya Zhang ; Li Li ; Xingwen Li ; Xiaodian Li</i>  |    |
| <b>A NEW PREDICTION MODEL OF SF<sub>6</sub> ALTERNATIVE GASES IN ELECTRICAL STRENGTH</b> .....  | 86 |
| <i>Luqi Liang ; Yi Wu ; Hao Sun ; Mingzhe Rong ; Chunlin Wang ; Haodong Chang</i>   |    |
| <b>SF<sub>6</sub> ALTERNATIVE GAS LIGHTNING IMPULSE INSULATION BREAKDOWN CHARACTERISTIC IN MEDIUM VOLTAGE</b> .....   | 90 |
| <i>Ryul Hwang ; In-Seok Choi ; Jae-Hong Koo ; Yu-Min Kim ; Bang-Wook Lee</i>  |    |

|   |     |
|---|-----|
| <b>THEORETICAL DETERMINATION OF TOTAL ELECTRON-IMPACT IONIZATION CROSS SECTIONS OF DICHLORODIFLUOROMETHANE (R12) AND TETRAFLUOROETHANE (R134)</b> ..... | 94  |
| <i>Feng Tang ; Jiayu Xiong ; Boya Zhang ; Qishen Lv ; Xingwen Li</i>  |     |
| <b>DEPENDENCE OF CRITICAL ELECTRIC FIELD STRENGTH IN HIGH TEMPERATURE CO<sub>2</sub> GAS ON CONTAMINATION OF PTFE VAPOR</b> .....                       | 97  |
| <i>Toshiya Yokoi ; Akihiro Tsusaka ; Toshiro Matsumura ; Kazuto Yukita ; Yasuyuki Goto ; Yasunobu Yokomizu</i>  |     |
| <b>BREAKING AND SWITCHING PERFORMANCE WITH FLUORONITILE (C<sub>4</sub>F<sub>7</sub>N) MIXTURES ON 170KV 50KA 60HZ GIS</b> .....                         | 101 |
| <i>Hae Eun Jung ; Je Uk Yeun ; Hee Sub Ahn ; Jong Woong Choi ; Young Geun Kim ; Maxime Perret ; Karim Bousoltane</i>                                    |     |
| <b>POST-ARC DIELECTRIC RECOVERY CHARACTERISTICS OF FREE-BURNING ULTRAHIGH-PRESSURE NITROGEN ARC</b> .....   | 105 |
| <i>Fahim Abid ; Kaveh Niayesh ; Nina Støa-Aanensen</i>  |     |
| <b>EXPERIMENT STUDY ON THE INFLUENCE OF GAS HUMIDITY AND PURITY ON THE PROPERTY OF 40.5 KV N<sub>2</sub> INSULATED SWITCHGEAR</b> .....                 | 109 |
| <i>Yuyou Long ; Feng Zhu ; Shixin Xiu ; Fengxiang Ma ; Zepeng Chen ; Zhenxi Su</i>  |     |
| <b>TRANSITION PROCESS OF VACUUM ARC TO DIFFUSION STAGE UNDER TRANSVERSE MAGNETIC FIELD</b> .....  | 113 |
| <i>Shixin Xiu ; Zixi Liu ; Tao Liu ; Rui Li ; Dingyu Feng</i>   |     |
| <b>RESEARCH ON THE INTERRUPTION CHARACTERISTICS OF WAN-TYPE TRANSVERSE MAGNETIC FIELD CONTACTS</b> .....  | 117 |
| <i>Li Zhao ; Shixin Xiu ; Jiashuo Cui ; Zepeng Chen ; Mengru Li ; Bo Yuan</i>   |     |
| <b>FEASIBILITY OF TIME-RESOLVED INTEGRAL FIELD SPECTROSCOPY FOR VACUUM ARC OBSERVATION</b> .....  | 122 |
| <i>Yoshihiko Matsui ; Akihiro Suwa ; Kazuya Kato</i>  |     |
| <b>INVESTIGATION ON THE INFLUENCE OF THE DYNAMIC CHARACTERISTICS ON THE DC VACUUM ARC</b> .....   | 126 |
| <i>Xingyu. Guo ; Deshi. Liang ; Jiyan. Zou ; Huang Zhihui ; Liu Ruitong</i>   |     |
| <b>SUITABILITY OF VACUUM CIRCUIT BREAKERS FOR GENERATOR SWITCHING APPLICATIONS ACCORDING TO DUAL LOGO STANDARD IEC/IEEE 62271-37-013</b> .....          | 130 |
| <i>Karthik Reddyvenna ; Andreas Lawall ; Dietmar Gentsch ; Martin Leusenkamp</i>  |     |
| <b>INFLUENCE OF OPENING VELOCITY ON ARCING TIME WINDOWS OF FAST VACUUM CIRCUIT BREAKER IN DUTIES OF TERMINAL FAULT TEST T100S</b> .....                 | 140 |
| <i>Wen Shi ; Bojian Zhang ; Chen Guan ; Jian'Gang Ding ; Xiaofei Yao ; Zhiyuan Liu ; Jianhua Wang ; Yingsan Geng</i>                                    |     |
| <b>TWO DIMENSIONAL DISTRIBUTION DIAGNOSTIC OF COPPER VAPOR IN A VACUUM ARC BY LASER-INDUCED FLUORESCENCE</b> .....                                      | 144 |
| <i>Jiankun Liu ; Ziru Zha ; Zhenxing Wang ; Liqiong Sun ; Jianhua Wang ; Yingsan Geng ; Zhiyuan Liu</i>   |     |
| <b>3-D RECONSTRUCTION OF VACUUM ARC MOTION UNDER TRANSVERSE MAGNETIC FIELDS</b> .....   | 148 |
| <i>Yi Li ; Guan Wang ; Jiankun Liu ; Zhenxing Wang ; Jianhua Wang ; Yingsan Geng ; Zhiyuan Liu</i>  |     |
| <b>EVALUATION OF THE IMPACT OF OUT-OF-PHASE FAULTS ON GENERATORS AND GENERATOR CIRCUIT-BREAKERS IMPLEMENTING VACUUM INTERRUPTION TECHNOLOGY</b> .....   | 152 |
| <i>Fabian Rademacher ; Karthik R. Venna</i>   |     |
| <b>VACUUM BREAKDOWN VOLTAGE DISTRIBUTIONS BETWEEN DIFFERENT CONTACT ARRANGEMENTS AND MATERIALS</b> .....  | 157 |
| <i>Erik D. Taylor ; Jörg Genzmer ; Andreas Schulz</i>   |     |
| <b>AN ARC-LESS DC VACUUM CIRCUIT BREAKER TECHNOLOGY BASED ON CAPACITOR ABSORBING ENERGY</b> .....   | 162 |
| <i>Kun Yang ; Lei Gao ; Bin Xiang ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang</i>   |     |
| <b>EXPERIMENTAL STUDY ON THE INFLUENCE OF DIFFERENT OPENING SPEED ON POST-ARC CURRENT IN DCCB</b> .....   | 166 |
| <i>Fengfeng Jiang ; Hao Sun ; Yi Wu ; Fei Yang ; Chunping Niu</i>   |     |
| <b>COMPARISON OF VACUUM ARC CURRENT TRANSFER CHARACTERISTICS OF A NOVEL AMF-TMF CONTACT UNDER DIFFERENT OPENING VELOCITIES</b> .....                    | 170 |
| <i>Zihan Wang ; Yuanzhao Li ; Qifeng Zhang ; Hui Ma ; Jianhua Wang ; Yingsan Geng ; Zhiyuan Liu</i>   |     |
| <b>VACUUM ARC CHARACTERISTICS OF A NOVEL CONTACT CONSISTS OF ARCING CONTACT AND MAIN CONTACT</b> .....  | 174 |
| <i>Yuanzhao Li ; Zihan Wang ; Qiming Li ; Yingsan Geng ; Jianhua Wang ; Zhiyuan Liu ; Xiaomin Zhao ; Yinghua Bi</i>                                     |     |

|  |     |
|--|-----|
| <b>EVALUATION OF DC INTERRUPTION PERFORMANCE OF VCB IN VARIOUS ELECTRODE MATERIALS</b> .....   | 179 |
| <i>Akihiro Suwa ; Kazuya Kato ; Yoshihiko Matsui ; Masayuki Sakaki</i>   |     |
| <b>NUMERICAL MODELLING OF VAPOR DYNAMICS IN VACUUM ARCS BETWEEN ELECTRODES WITH METAL SHIELD WALL USING MOVING PARTICLE METHOD</b> .....                       | 183 |
| <i>Takamitsu Miyazaki ; Yasunori Tanaka ; Yusuke Nakano ; Yoshihiko Uesugi ; Tatsuo Ishijima ; Gaku Asanuma ; Toshiyuki Onchi</i>                              |     |
| <b>INVESTIGATION ON THE INFLUENCE OF NON-SYNCHRONOUS MAGNETIC FIELD CONTROL ON THE DYNAMIC VOLTAGE DISTRIBUTION OF VACUUM CIRCUIT BREAKERS IN SERIES</b> ..... | 189 |
| <i>Yifan Fu ; Minfu Liao ; Hao Zhang ; Huaqing Dong ; Xiaoli Zhang ; Lu Jiang</i>  |     |
| <b>DETECTING VACUUM DEGREE CONDITION OF VACUUM INTERRUPTER BY PARTIAL DISCHARGE MEASUREMENT</b> .....  | 193 |
| <i>Achmad S. Habibie ; Masayuki Hikita ; Masahiro Kozako ; Yusuke Nakano ; Suwarno ; Umar Khayam ; Masato Kobayashi</i>  |     |
| <b>STUDY ON DIELECTRIC RECOVERY CHARACTERISTIC OF VACUUM INTERRUPTER AFTER HIGH FREQUENCY INTERRUPTION</b> .....   | 197 |
| <i>Yu Xiao ; Yi Wu ; Yifei Wu ; Fei Yang ; Mingzhe Rong ; Yuan Wei ; Sunhonghao Peng</i>   |     |
| <b>RESEARCH ON INTERMEDIATE-FREQUENCY VACUUM ARC AND VOLTAGE CHARACTERISTICS OF SINUSOIDAL CURVED CONTACT</b> .....  | 205 |
| <i>Ziang Tong ; Jianwen Wu ; Miao Cheng ; Yuan Jiang ; Bowen Jia</i>   |     |
| <b>AIR ARC SQUEEZED INTO INSULATING SLITS - AC/DC INTERRUPTION</b> .....   | 211 |
| <i>Tengyu Huo ; Chunping Niu ; Hailong He ; Yi Wu ; Longlong Wang ; Mingzhe Rong</i>   |     |
| <b>SIMULATION OF FREE BURNING ARCS AND ARCS INSIDE CYLINDRICAL TUBES INITIATED BY EXPLODING WIRES</b> .....  | 216 |
| <i>Ali Kadivar ; Kaveh Niayesh</i>   |     |
| <b>THERMODYNAMIC AND TRANSPORT CHARACTERISTICS OF HIGH TEMPERATURE ATMOSPHERIC AIR ARCS CONTAINING TWO DIFFERENT METAL VAPOR OF CU, FE AND AL</b> .....        | 221 |
| <i>Yusuke Nakano ; Yasunori Tanaka ; Yoshihiko Uesugi ; Tatsuo Ishijima</i>  |     |
| <b>ARC PLASMA SIMULATION METHOD IN DC RELAY WITH CONTACT OPENING PROCESS</b> .....   | 226 |
| <i>Keyao Huang ; Chunping Niu ; Yi Wu ; Mingzhe Rong ; Fei Yang ; Hao Sun</i>  |     |
| <b>OPTIMIZATION OF BREAKING SPEED FOR MINIATURE CIRCUIT BREAKERS USING IMPROVED PARTICLE SWARM OPTIMIZATION ALGORITHM</b> .....                                | 230 |
| <i>Zhihong Xu ; Mingjie Shi</i>  |     |
| <b>CALCULATION OF THE SWITCH ARC IN LOW VOLTAGE CIRCUIT BREAKER CONSIDERING THE INTERACTION BETWEEN THE CONTACT MOVEMENT AND THE ARC FORCE</b> .....           | 235 |
| <i>Hao Sun ; Hyun-Woo Joo ; Yi Wu ; Mingzhe Rong ; Chae-Yoon Bae ; Young-Geun Kim</i>  |     |
| <b>3D SIMULATION OF AIR ARC IN THE MOLDED CASE CIRCUIT BREAKER</b> .....   | 239 |
| <i>Keewon Kim ; Hyun Woo Joo ; Chae Yoon Bae ; Jongung Choi ; Young Geun Kim</i>   |     |
| <b>APPROACH TO MECHANISM INTERPRETATION OF ARC VOLTAGE RISE BY POLYMER CYLINDER INSTALLATION IN SILICA-SAND</b> .....  | 243 |
| <i>Naoto Kodama ; Yasunobu Yokomizu ; Koya Nakamura ; Asato Takahashi ; Yusuke Kondo</i>   |     |
| <b>INFLUENCE OF OSCILLATING FREQUENCY OF EXTERNAL TRANSVERSE MAGNETIC FIELD ON DC VACUUM ARC EVOLUTION</b> .....   | 249 |
| <i>Jingyi Wang ; Hui Ma ; Shaowei Liu ; Feiliang Hu ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang</i>  |     |
| <b>CURRENT INJECTION CIRCUIT BREAKERS FOR HVDC: OVERVIEW ON IMPROVED INJECTION CIRCUITS</b> .....  | 253 |
| <i>Tim Schultz ; Patrik Herzog ; Christian M. Franck</i>   |     |
| <b>SYNTHESIS TEST CONTROL OF HVDC CIRCUIT BREAKER</b> .....  | 263 |
| <i>Shijia Wang ; Yongxing Wang ; Enyuan Dong ; Jiyan Zou ; Chao Sun ; Lu Jiang</i>   |     |
| <b>RESEARCH ON THE FACTORS INFLUENCING THE POST-ARC CURRENT IN VACUUM DC INTERRUPTION</b> .....  | 267 |
| <i>Enyuan Dong ; Yuxuan Dai ; Taotao Qin ; Yongxing Wang ; Bo Shao ; Kai Liang</i>   |     |
| <b>EXPERIMENTAL STUDY ON COMMUTATION PARAMETER OF HVDC VACUUM CIRCUIT BREAKER</b> .....  | 272 |
| <i>Ziying Zhang ; Miaozhong Cai ; Jiyan Zou ; Zhihui Huang ; Ruitong Liu</i>   |     |
| <b>RESEARCH ON COMPOSITE MAGNETIC FIELD CONTACT OF DC VACUUM CIRCUIT BREAKER AND ITS ARC BEHAVIOR</b> .....  | 276 |
| <i>Miaozhong Cai ; Ziying Zhang ; Jiyan Zou ; Zhihui Huang ; Ruitong Liu</i>   |     |

|  |            |
|--|------------|
| <b>A MINIATURE DC SWITCH BASED ON LIQUID METAL DROPLETS .....</b>  | <b>280</b> |
| <i>Xiaonan Zhu ; Hang Lei ; Fei Yang ; Yifei Wu ; Yi Wu ; Mingzhe Rong</i>   |            |
| <b>CURRENT LIMITING WITH LIQUID ARC FOR HVDC CIRCUIT BREAKER .....</b>   | <b>284</b> |
| <i>Xiuyang Ou ; Tomoya Fujita ; Takumi Yokoyama ; Yosuke Baba ; Shota Tenjin ; Minoru Hara ; Takeshi Shinkai ; Tadashi Koshizuka</i>   |            |
| <b>HIGH-FREQUENCY CURRENT INTERRUPTION OF VACUUM INTERRUPTERS IN AN EXPERIMENTAL DC CIRCUIT BREAKER .....</b>  | <b>288</b> |
| <i>Nadew A. Belda ; René P. P. Smeets ; Roy M. Nijman ; Michalis Poikilidis ; Cornelis A. Plet</i>   |            |
| <b>DIELECTRIC RECOVERY OF ULTRAFAST-COMMUTATING SWITCHES USED FOR HVDC AND FAULT CURRENT LIMITING APPLICATIONS .....</b>   | <b>295</b> |
| <i>Ali Kadivar ; Kaveh Niayesh</i>   |            |
| <b>RISE EFFECT OF DC ARC VOLTAGE IN SILICA SAND: VARIOUS INTERELECTRODE DISTANCES AND ARRANGEMENT OF PA66-CYLINDER.....</b>  | <b>300</b> |
| <i>Asato Takahashi ; Naoto Kodama ; Yasunobu Yokomizu ; Yusuke Kondo</i>   |            |
| <b>NUMERICAL ANALYSIS OF ELECTRICAL DISCHARGE IN DC SWITCHES UNDER EXTERNAL CIRCUIT PARAMETER VARIATIONS .....</b>   | <b>305</b> |
| <i>Kyung Sik Seo ; Myung Ki Baek ; Il Han Park</i>   |            |
| <b>ARC CONDUCTANCE AND CONTACT EROSION IN LIQUID NITROGEN UNDER DC CURRENT INTERRUPTION.....</b>   | <b>309</b> |
| <i>Hongxu Li ; Bin Xiang ; Muhammad Junaid ; Yingsan Geng ; Zhiyuan Liu ; Jianhua Wang</i>   |            |
| <b>EFFECTS OF CURRENT LIMITING CHARACTERISTICS OF RESISTIVE TYPE SUPERCONDUCTING FAULT CURRENT LIMITER ON FLEXIBLE DC TRANSMISSION SYSTEM OF OFFSHORE OIL PRODUCTION PLATFORM.....</b> | <b>313</b> |
| <i>Jinkun Tu ; Bin Xiang ; Lei Gao ; Jianhua Wang ; Zhiyuan Liu ; Yingsan Geng</i>   |            |
| <b>CURRENT SHARING CHARACTERISTICS STUDY OF PARALLEL IGCTS MODULE IN A DC CIRCUIT BREAKER .....</b>  | <b>324</b> |
| <i>Yifei Wu ; Zhihui Zhang ; Wentao Liu ; Yi Wu ; Mingzhe Rong ; Fei Yang ; Nan Shi ; Lincui Zeng</i>  |            |
| <b>DEVELOPMENT AND TESTING OF EHV MECHANICAL DC CIRCUIT BREAKER.....</b>   | <b>329</b> |
| <i>Sho Tokoyoda ; Takashi Inagaki ; Hitoshi Sadakuni ; Tadao Minagawa ; Daisuke Yoshida ; Hiroki Ito</i>   |            |
| <b>THE ANALYSIS OF LOW-VOLTAGE DC ARC BEHAVIOR ON THREE INTERRUPTING PHASES BASED ON AC BLACK-BOX ARC MODEL .....</b>  | <b>335</b> |
| <i>Kyu-Hoon Park ; Ho-Yun Lee ; Bang-Wook Lee</i>  |            |
| <b>HIGH VOLTAGE GRADIENT ZNO-BASED VARISTORS FROM ZNO NANO-POWDERS FOR DC CURRENT SWITCHING APPLICATION .....</b>  | <b>339</b> |
| <i>Xiangjun Zeng ; Wenfeng Liu ; Lei Zhang ; Zhi Wang ; Shengtao Li ; Fuzeng Zhang ; Tingting Wang ; Yifan Liao</i>  |            |
| <b>DESIGN OF BISTABLE PERMANENT MAGNET-REPEAT MECHANISM FOR MEDIUM VOLTAGE DC HIGH SPEED SWITCH.....</b>   | <b>344</b> |
| <i>Xiaomin Zhao ; Mingfei Wang ; Yi Wu ; Yu Xiao ; Yifei Wu ; Xiao Gu ; Wenkui Liu</i>   |            |
| <b>ANALYSIS ON THE INFLUENCE OF STRAY INDUCTANCE ON OVERVOLTAGE OF HYBRID DC CIRCUIT BREAKER DURING BREAKING PROCESS.....</b>  | <b>350</b> |
| <i>Shushan Luo ; Fu Wan ; Yaxiong Tan ; Weigen Chen ; Lin Du ; Han Yan</i>   |            |
| <b>AN EXPERIMENTAL STUDY ON ARC DISCHARGE OCCURED BY BREAKING OF LINE IN LOW-VOLTAGE PV SYSTEMS .....</b>  | <b>354</b> |
| <i>Akihiro Tsusaka ; Toshiya Yokoi ; Toshiro Matsumura ; Kazuto Yukita ; Yasuyuki Goto ; Atsushi Miyamoto ; Hiroyuki Ito</i>   |            |
| <b>STUDY ON PERFORMANCE OPTIMIZATION OF IGCT DEVICE FOR DC CIRCUIT BREAKER .....</b>   | <b>358</b> |
| <i>Fanglin Chen ; Xuejun Pan ; Hong Zeng ; Yongmin Chen ; Yi Wu ; Yifei Wu ; Yi Jiang</i>  |            |
| <b>ASYNCHRONOUS CONTROL METHOD OF PARALLEL IGCT COMPONENTS IN HYBRID DC CIRCUIT BREAKERS .....</b>   | <b>364</b> |
| <i>Qiang Yi ; Fei Yang ; Yifei Wu ; Wentao Liu ; Yi Wu ; Mingzhe Rong ; Shijun Bai</i>   |            |
| <b>RESEARCH ON PRESSURE CONTROL MATERIAL BASED ON GRANULAR SYSTEM IN CURRENT TRANSFER.....</b>   | <b>369</b> |
| <i>Yu Zhu ; Enyuan Dong ; Mingjie Li ; Huan He ; Zirong Zhang ; Xinghai Guo</i>  |            |
| <b>A NEW DC CURRENT LIMITING DEVICE BASED ON MEDIUM FREQUENCY TRANSFORMER .....</b>  | <b>374</b> |
| <i>Lin Zou ; Zhihui Huang ; Daizhong Zhu ; Yongxing Wang ; Jiyan Zou</i>   |            |
| <b>RESEARCH ON VOLTAGE SAG CONTROL SCHEME BASED ON FAST VACUUM SWITCH.....</b>   | <b>378</b> |
| <i>Jianghua Yu ; Zhu Liu ; Lin Zou ; Zhihui Huang ; Yongxing Wang</i>  |            |

|  |            |
|--|------------|
| <b>BARRIER EFFECT ON THE DC BREAKDOWN CHARACTERISTICS OF CRYOGENIC NITROGEN GAS FOR THE DESIGNING OF THE SUPERCONDUCTING FAULT CURRENT LIMITER .....</b>                   | <b>382</b> |
| <i>Lei Gao ; Bin Xiang ; Jinhui Luo ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang ; Satoru Yanabu</i>  |            |
| <b>STUDY ON DYNAMIC CURRENT DISTRIBUTION CHARACTERISTICS OF NON-UNIFORM SUPERCONDUCTING TYPES IN PARALLEL CONNECTION.....</b>  | <b>387</b> |
| <i>Mingqian Wen ; Quan Zhou ; Yaxiong Tan ; Shushan Luo ; Jiajun Pan</i>   |            |
| <b>NUMERICAL THERMOFLUID SIMULATION ON 10 KA-CLASS HIGH CURRENT FAULT ARCS IN AIR CONTAMINATED WITH METAL VAPOR FROM EVAPORATION OF METAL ELECTRODES IN OPEN AIR .....</b> | <b>392</b> |
| <i>Toru Takeshima ; Yasunori Tanaka ; Yusuke Nakano ; Yoshihiko Uesugi ; Tatsuo Ishijima</i>   |            |
| <b>INTRODUCTION OF AN ACTIVE TRIGGERED LIQUID METAL FAULT CURRENT-LIMITING METHOD .....</b>  | <b>398</b> |
| <i>Hailong He ; Jiaze Li ; Yi Wu ; Peng Zhao ; Lingxiao Li</i>   |            |
| <b>INVESTIGATION OF A LIQUID METAL FAULT CURRENT LIMITER BASED ON CURRENT INJECTION METHOD .....</b>   | <b>403</b> |
| <i>Beibei Wang ; Hailong He ; Yi Wu ; Chungping Niu ; Mingzhe Rong ; Longlong Wang</i>   |            |
| <b>INVESTIGATION OF LIQUID METAL CURRENT LIMITER FOR MVDC POWER SYSTEM .....</b>   | <b>408</b> |
| <i>Mingzhe Rong ; Zhuo Yang ; Qing Wan ; Hailong He ; Yi Wu ; Longlong Wang</i>  |            |
| <b>INVESTIGATION ON FAULT CHARACTERISTICS AND INTELLIGENT DIAGNOSIS OF A DC SUPERCONDUCTING FAULT CURRENT LIMITER .....</b>  | <b>412</b> |
| <i>Yaxiong Tan ; Jiajun Pan ; Chao Sheng ; Leishi Xiao ; Quan Zhou ; Jian Li</i>   |            |
| <b>FUNDAMENTAL STUDY ON CHARGING POTENTIAL OF FLOATING ELECTRODE MODELED ON VACUUM INTERRUPTER UNDER AC VOLTAGE APPLICATION.....</b>                                       | <b>417</b> |
| <i>Hideaki. Fukuda ; Kenta. Yamamura ; Ryutarou. Kusa ; Issei. Fujita ; Yasushi. Yamano</i>  |            |
| <b>IMPULSE BREAKDOWN CHARACTERISTICS OF DOUBLE VACUUM GAPS IN SERIES WITH ASYMMETRIC DISTRIBUTION.....</b>   | <b>421</b> |
| <i>Jingyu Shen ; Hui Ma ; Xiangwen Xiao ; Yingsan Geng ; Zhiyuan Liu ; Jianhua Wang</i>  |            |
| <b>3-D HYBRID SIMULATION OF LOW-CURRENT VACUUM PLASMA JETS UNDER AXIAL MAGNETIC FIELDS .....</b>   | <b>425</b> |
| <i>Zhiyuan Cao ; Yuwei Du ; Zhenxing Wang ; Yudong Xu ; Feng Chen ; Yingsan Geng ; Jianhua Wang ; Zhiyuan Liu</i>  |            |
| <b>STUDY ON BREAKDOWN STABILITY OF GAS SPARK SWITCHES .....</b>  | <b>429</b> |
| <i>Wenlong Yan ; Boyang Chen ; Zhenxing Wang ; Liqiong Sun ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang</i>   |            |
| <b>RELATIONSHIP BETWEEN MORPHOLOGY FEATURE OF CONTACT SURFACES AND IMPULSE BREAKDOWN VOLTAGE IN VACUUM GAP UNDER A NON-UNIFORM ELECTRIC FIELD.....</b>                     | <b>437</b> |
| <i>Guoqin Li ; Hui Ma ; Jiangang Ding ; Zhiyuan Liu ; Jianhua Wang ; Yingsan Geng</i>  |            |
| <b>ANALYSIS OF FERROMAGNETIC RESONANCE IN 550 KV GIS ELECTROMAGNETIC VOLTAGE TRANSFORMER .....</b>   | <b>441</b> |
| <i>Shuang Leng ; Sha Hao ; Xin Lin ; Chen Cao ; Xiaolong Li</i>  |            |
| <b>TWO-DIMENSIONAL OBSERVATION OF SINGLE CATHODE SPOT COPPER VAPOR IN VACUUM ARCS BY LASER-INDUCED FLUORESCENCE .....</b>  | <b>445</b> |
| <i>Liqiong Sun ; Yuecheng Li ; Jiankun Liu ; Yi Li ; Zhenxing Wang ; Jianhua Wang ; Yingsan Geng ; Zhiyuan Liu</i>   |            |
| <b>PARTICLE-IN-CELL MONTE CARLO COLLISION SIMULATION OF THE BREAKDOWN INITIATING PROCESS IN VACUUM .....</b>   | <b>449</b> |
| <i>Haruki Ejiri ; Takashi Fujii ; Akiko Kumada ; Kunihiko Hidaka</i>   |            |
| <b>DISCHARGE PATH MEASUREMENT OF A VACUUM INTERRUPTER WITH FIXED BREAK AFTER SUFFERING HIGH INRUSH CURRENT .....</b>   | <b>453</b> |
| <i>Jian'Gang Ding ; Xiaofei Yao ; Hui Ma ; Jiali Chen ; Guoqin Li ; Xue Liu ; Wen Shi ; Xiaojun Wang ; Kai Liu ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang</i>             |            |
| <b>CHARACTERISTICS OF FIELD EMISSION PHENOMENA OF SINGLE MICRO-PROTRUSION ON VACUUM GAP CATHODE BASED ON FRACTAL THEORY .....</b>  | <b>457</b> |
| <i>Yingyao Zhang ; Shaojie Chen ; Manman Ma ; He Yang ; Biao Hu ; Xiaojun Wang</i>   |            |
| <b>COMPARISON OF NON-CHEMICAL EQUILIBRIUM EFFECTS IN THE DECAYING ARC IN DIFFERENT GASES AND CONDITIONS .....</b>  | <b>461</b> |
| <i>Hao Sun ; Yi Wu ; Yasunori Tanaka ; Kentaro Tomita ; Mingzhe Rong</i>   |            |
| <b>SUPPRESSION OF CONDITIONING EFFECT IN VACUUM BY MICRO-PROTRUSIONS FROM ANODE.....</b>   | <b>467</b> |
| <i>Fuminori Kondo ; Hiroki Kojima ; Hideaki Fukuda ; Masayuki Sakaki ; Naoki Hayakawa</i>  |            |

|  |            |
|--|------------|
| <b>PREDICTION OF DIELECTRIC STRENGTH OF NITROGEN BY COUPLING BOLTZMANN ANALYSIS AND TRANSPORT CALCULATION AT ROOM TEMPERATURE.....</b>                     | <b>472</b> |
| <i>Yanwei Nan ; Mingzhe Rong ; Yi Wu ; Hao Sun ; Luqi Liang</i>  |            |
| <b>DEVELOPMENT OF THERMOPLASTIC MATERIALS FOR THE APPLICATION OF ECO-FRIENDLY .....</b>  | <b>476</b> |
| <i>Dong Hoon Jeong ; Jung Woo Park ; Young Jun Jeon ; Joo Hyun Lee</i>   |            |
| <b>BREAKDOWN MECHANISM OF DOUBLE BREAKS IN AIR UNDER LIGHTNING IMPULSE VOLTAGE .....</b>   | <b>480</b> |
| <i>Jiali Chen ; Jiangang Ding ; Zhiyuan Liu ; Xue Liu ; Xiaofei Yao ; Liqiong Sun ; Xiuguang Li ; Feiyue Ma ; Xiu Zhou ; Yingsan Geng ; Jianhua Wang</i>   |            |
| <b>EXTERNAL DIELECTRIC PERFORMANCE OF VARIOUS VACUUM INTERRUPTER ENVELOPE CONSTRUCTIONS .....</b>  | <b>484</b> |
| <i>Wangpei Li ; Louis G. Campbell ; Daniel J. Pruden ; Xin Zhou</i>  |            |
| <b>INFLUENCE OF FIELD RELAXATION RING LENGTH ON VACUUM FLASHOVER VOLTAGE IN MODEL SAMPLE OF VACUUM INTERRUPTER .....</b>                                   | <b>490</b> |
| <i>Ryutaro Kusa ; Issei Fujita ; Yasushi Yamano ; Hideaki Fukuda ; Kenta Yamamura</i>  |            |
| <b>EXPERIMENTAL INVESTIGATION OF DIELECTRIC BREAKDOWN STRENGTH AND THERMAL STABILITY OF MICRO-ARC OXIDATION CERAMIC COATING ON ALUMINUM WINDING .....</b>  | <b>494</b> |
| <i>Lianke Wang ; Zehua Gao ; Li Lei ; Hui Ma ; Yingsan Geng ; Zhiyuan Liu ; Jianhua Wang</i>   |            |
| <b>EVALUATION OF CREEPING FLASHOVER CHARACTERISTICS OF DIELECTRIC-COATED VACUUM INTERRUPTER IN AIR.....</b>  | <b>498</b> |
| <i>Chihiro Tateyama ; Naoki Asari ; Akira Daibo ; Hiromitsu Hirai ; Takeshi Yoshida</i>  |            |
| <b>MICROSCOPIC ELECTRIC FIELD ENHANCEMENT ON CONTACT SURFACE IN VACUUM INTERRUPTERS WITH CONTACT GAP 10-60MM .....</b>                                     | <b>502</b> |
| <i>Yingyao Zhang ; Haoyu Wang ; Xinye Xu ; Manman Ma ; He Yang ; Biao Hu ; Xiaojun Wang</i>  |            |
| <b>SIMULATION ON THE COUPLED FLUID-MECHANICAL DYNAMIC ANALYSIS OF HIGH-VOLTAGE SELF-BLAST CIRCUIT BREAKERS .....</b>                                       | <b>506</b> |
| <i>Jee-Yong Park ; Ming Cui ; Chae-Yoon Bae ; Young-Geun Kim</i>   |            |
| <b>THREE-DIMENSIONAL MODELING AND OPTIMIZATION ANALYSIS OF INTERNAL ELECTRIC FIELD IN 40.5 KV SWITCHGEAR .....</b>   | <b>516</b> |
| <i>Yanzhe Zhang ; Shixin Xiu ; Rui Li ; Tao Liu ; Min Zhang ; Quan Li</i>  |            |
| <b>HEAT DISSIPATION IMPROVEMENT OF MEDIUM-VOLTAGE SWITCH-GEAR: SIMULATION STUDY AND EXPERIMENTAL VALIDATION .....</b>                                      | <b>522</b> |
| <i>Zengbin Wang ; Rui Wang ; Chao Yan ; Lijun Wang ; Ji Wu</i>   |            |
| <b>SIMULATION STUDY ON WIND LOAD AND MECHANICAL CHARACTERISTICS OF HIGH VOLTAGE DIS-CONNECTOR.....</b>   | <b>527</b> |
| <i>Liuhuo Wang ; Jinwei Ma ; Xiaofeng Pang ; Tong Jiang ; Lijun Wang ; Zengbin Wang</i>  |            |
| <b>ANALYSIS OF THE CHARACTERISTICS OF PRESSURE RISE AND EXHAUSTED HOT GAS DUE TO INTERNAL ARC FAULTS IN SF<sub>6</sub>-INSULATED POWER EQUIPMENT .....</b> | <b>531</b> |
| <i>Masashi Kotari ; Tomo Tadokoro ; Shin-Ichi Tanaka ; Mikimasa Iwata ; Hiroki Kojima ; Naoki Hayakawa</i>   |            |
| <b>A NOVEL METHOD FOR CALCULATING RESIDUAL MAGNETIC FLUX OF DC CONTACTORS .....</b>  | <b>535</b> |
| <i>Baiqiang Li ; Shaohua Ma ; Zhiyuan Cai ; Yahong Zheng</i>   |            |
| <b>RELATIONSHIP BETWEEN ARC BEHAVIOR AND PARAMETERS OF THE ARC ROOT MODEL IN THE ARC GAS FLOW ANALYSIS.....</b>  | <b>539</b> |
| <i>Misato Shibata ; Yoshiaki Enami ; Masayoshi Sakata</i>  |            |
| <b>SIMULATION STUDY ON CURRENT-ZERO PERIOD PHENOMENON AND ANALYSE OF HIGH VOLTAGE GAS CIRCUIT BREAKER.....</b>   | <b>543</b> |
| <i>Yuanjing Lu ; Jin Guo ; Xu Jiang</i>  |            |
| <b>FATIGUE EVALUATION AND FLEXIBLE MULTIBODY DYNAMIC ANALYSIS OF 550KV HIGH VOLTAGE CIRCUIT BREAKER.....</b>   | <b>547</b> |
| <i>Hyun Woo Kim</i>  |            |
| <b>EVALUATION OF DIELECTRIC INTERRUPTION PERFORMANCE IN GAS CIRCUIT BREAKER WITH ABLATED PTFE/BN VAPOR .....</b>   | <b>551</b> |
| <i>Mami Kuroda ; Hajime Urai ; Masanao Terada ; Tatsuya Ishii ; Yuki Kojima ; Yasunobu Yokomizu</i>  |            |
| <b>NUMERICAL SIMULATION OF RESIDUAL VOLTAGE MONITORING DEVICE FOR 220KV METAL OXIDE ARRESTERS.....</b>   | <b>555</b> |
| <i>Guanghui Yu ; Yongxing Wang ; Hao Zhu ; Enyuan Dong ; Hanbing Li ; Guannan Liu ; Renhan Liu</i>   |            |
| <b>MECHANICAL CONDITION MONITORING OF ON-LOAD TAP CHANGER BASED ON TEXTURAL FEATURES OF RECURRENCE PLOTS OF VIBRATION SIGNALS .....</b>                    | <b>560</b> |
| <i>Fenghua Wang ; Dongxu Zhou ; Song Zhang</i>   |            |



|   |     |
|---|-----|
| <b>STUDY ON GAS DECOMPOSITION CHARACTERISTICS OF SF<sub>6</sub> WITH MOISTURE AFTER CURRENT INTERRUPTION</b> .....  | 565 |
| <i>Xianhai Pang ; Li Zhen ; Yuyou Long ; Kun Yu ; Shixin Xiu</i>  |     |
| <b>INFLUENCE OF GREASE ON CHARACTERISTICS OF GAS DECOMPOSITION PRODUCT AFTER BREAKING CURRENT OF SF<sub>6</sub> CIRCUIT BREAKER</b> .....   | 570 |
| <i>Xianhai Pang ; Boyan Jia ; Zhiheng Sun ; Yuyou Long ; Shixin Xiu ; Tao Liu</i>   |     |
| <b>RELIABILITY PREDICTION OF PERMANENT MAGNETIC ACTUATOR UNDER THE INFLUENCE OF MULTI-FACTORS</b> .....   | 576 |
| <i>Yongxing Wang ; Fangyuan Lv ; Enyuan Dong ; Jiyan Zou ; Huan He ; Hanbing Li</i>   |     |
| <b>±535KV HIGH VOLTAGE DC CIRCUIT BREAKER INSULATION TEST ANALYSIS</b> .....  | 580 |
| <i>Chen Liu ; Qiang Li ; Chunqiang Su ; Meng Shen ; Yongcheng Wang ; Xingping Gou ; Xiaoyan Guo</i>   |     |
| <b>RESEARCH ON SUPPRESSION METHODS OF OVERSHOOT AND POWER-FREQUENCY VOLTAGE DROP DURING LIGHTNING IMPULSE TEST OF UHV SWITCHGEAR</b> .....  | 585 |
| <i>Meng Shen ; Chunmin Zhang ; Bo Wang ; Chen Liu ; Lei Zhong ; Xiaoyan Guo</i>   |     |
| <b>DEVELOPMENT AND TEST OF A 252 KV MULTI-BREAKS BUS-TIE FAST VACUUM CIRCUIT BREAKER</b> .....  | 590 |
| <i>Kui Ma ; Xiaofei Yao ; Shaogui Ai ; Shuhong Wang ; Zhiyuan Liu ; Jianhua Wang ; Bojian Zhang</i>   |     |
| <b>INTERMEDIATE-FREQUENCY EXTERNAL AXIAL MAGNETIC FIELD FOR CURRENT INTERRUPTION EXPERIMENT</b> .....   | 594 |
| <i>Yuan Jiang ; Jianwen Wu ; Bowen Jia ; Ziang Tong ; Xiaowu Luo ; Chao Xin</i>   |     |
| <b>FEATURE EXTRACTION OF UHF PD SIGNALS BASED ON DIODE ENVELOPE DETECTION AND LINEAR DISCRIMINANT ANALYSIS</b> .....  | 598 |
| <i>Luyao Han ; Jing Yan ; Shishi Fan ; Mengyuan Xu ; Zhiyuan Liu ; Yingsan Geng ; Chen Guan</i>   |     |
| <b>MECHANICAL CONDITION ASSESSMENT OF HIGH VOLTAGE CIRCUIT BREAKERS BASED ON IMPROVED DEMPSTER-SHAFER THEORY</b> .....  | 603 |
| <i>Shishi Fan ; Jing Yan ; Luyao Han ; Mengyuan Xu ; Zhiyuan Liu ; Yingsan Geng ; Chen Guan</i>   |     |
| <b>LOCATION OF BREAKDOWN DISCHARGE OF GIS USING ACOUSTIC SIGNALS</b> .....  | 607 |
| <i>Wenjia Ma ; Fenghua. Wang ; Song Zhang</i>   |     |
| <b>THE FORMATION MECHANISM AND REACTION PATHWAYS OF SOF<sub>2</sub>, SO<sub>2</sub>F<sub>2</sub>, SO<sub>2</sub> AND HF UNDER LOCAL OVERHEATING FAULT IN SF<sub>6</sub> INSULATED POWER EQUIPMENT</b> ..... | 618 |
| <i>Mengyuan Xu ; Luyao Han ; Jing Yan ; Yingsan Geng ; Chen Guan</i>  |     |
| <b>STUDY OF CONDITION MONITORING BY OPERATING SOUND DIAGNOSIS FOR CIRCUIT BREAKER IN SUBSTATION</b> .....   | 622 |
| <i>Toshifumi Sugimoto ; Masahito Shimizu</i>  |     |
| <b>INVESTIGATION OF TRV MEASUREMENT FOR SLF ARTIFICIAL LINE</b> .....   | 626 |
| <i>Kyoya Nonaka ; Tadashi Koshizuka ; Takeshi Shinkai ; Eiichi Haginomori ; Hisatoshi Ikeda</i>   |     |
| <b>PRINCIPLES AND PARAMETER CALCULATION OF 1 200 KV UHV SYNTHETIC TEST CIRCUIT</b> .....  | 631 |
| <i>Delin Hu ; Min Zhang</i>   |     |
| <b>SIMULATION RESEARCH ON DRIVING TECHNOLOGY AND INFLUENCE FACTORS OF DOUBLE-LAYER COIL TYPE RAPID REPULSIVE MECHANISM OF 40.5KV VACUUM CIRCUIT BREAKER</b> .....   | 637 |
| <i>Lijun Wang ; Jinwei Ma ; Jing Jiang ; Shenli Jia ; Shengbin Wu ; Feng Pan ; Haibo Su ; Yong Wang</i>   |     |
| <b>DESIGN METHOD OF ELECTROMAGNETIC MECHANISM FOR VACUUM CONTACTORS BY USING TWICE ORTHOGONAL ANALYSES WITH MULTI-PHYSICAL SIMULATION</b> .....   | 641 |
| <i>Shaowei Liu ; Liqiong Sun ; Hui Ma ; Yingsan Geng ; Zhiyuan Liu ; Jianhua Wang</i>   |     |
| <b>A NEW TYPE ELECTROMAGNETIC REPULSIVE MECHANISM FOR 40.5 KV VACUUM CIRCUIT BREAKER</b> .....  | 645 |
| <i>Kai Wang ; Xiang Zheng ; Lin Zou ; Zhihui Huang ; Jiyan Zou</i>  |     |
| <b>RESEARCH ON THE COORDINATION OF 40.5KV FAST VACUUM SWITCH DRIVEN BY ELECTROMAGNETIC REPULSION MECHANISM AND OIL DAMPER</b> .....   | 652 |
| <i>Jing Jiang ; Lijun Wang ; Jinwei Ma ; Shenli Jia ; Shengbin Wu ; Feng Pan ; Haibo Su ; Shengya Qiao</i>  |     |
| <b>INFLUENCE OF MOVEABLE MASS ON THE OPENING VELOCITY AND BUFFERING CHARACTERISTICS OF FAST VACUUM CIRCUIT BREAKER WITH A GAS PRESSURE BUFFER</b> .....   | 658 |
| <i>Chen Guan ; Dingyuan Peng ; Wen Shi ; Jiali Chen ; Bojian Zhang ; Jing Yan ; Xiaofei Yao ; Zhiyuan Liu ; Yingsan Geng ; Jianhua Wang</i>   |     |
| <b>DC CONTACTOR ENERGY CONVERSION RESEARCH</b> .....  | 663 |
| <i>Jiahuan Gu ; Zhiyuan Cai ; Shaohua Ma ; Yahong Zheng</i>   |     |
| <b>MONITORING OF OPERATING SPEED OF ELECTROMAGNETIC LINEAR ACTUATOR FOR VACUUM CIRCUIT BREAKER BY USING SEARCH COIL</b> .....   | 667 |
| <i>Takayuki Kai ; Tomoko Tanabe ; Shintaro Yamada ; Toshihiro Matsunaga</i>   |     |

|  |            |
|--|------------|
| <b>OPTIMIZATION DESIGN OF PERMANENT MAGNET MECHANISM BASED ON 6 SIGMA DESIGN METHOD.....</b>   | <b>671</b> |
| <i>Hao Qin ; Guogang Zhang ; Lu Qi ; Yakui Liu ; Jianhua Wang ; Yingsan Geng</i>   |            |
| <b>AN EXPERIMENTAL STUDY ON CONTACT DYNAMIC WELDING UNDER DIFFERENT CONTACT MATERIALS AND SURROUNDING ATMOSPHERES IN HVDC.....</b>                         | <b>675</b> |
| <i>Wenxuan Liu ; Yuan Liao ; Lin Jiao ; Xiaoping Bai ; Ruxin Feng ; Zhenbiao Li ; Makoto Hasegawa</i>  |            |
| <b>COMPARATIVE STUDY ON THE EROSION MECHANISM OF W<sub>70</sub>CU<sub>30</sub> ANODE IN DC GASEOUS ARCS .....</b>  | <b>681</b> |
| <i>Yufei Cui ; Yi Wu ; Mingzhe Rong ; Haodong Chang ; Weiping Guan</i>   |            |
| <b>SIMULATION OF CATHODE SPOTS CRATER FORMATION ON ZIRCONIUM ELECTRODE.....</b>  | <b>685</b> |
| <i>Xiao Zhang ; Lijun Wang ; Shenli Jia ; Dmitry L. Shmelev</i>  |            |
| <b>INVESTIGATE OF ELECTRICAL PERFORMANCE OF CUCR30 MANUFACTURED BY THREE DIFFERENT WAYS .....</b>  | <b>690</b> |
| <i>Kai Liu ; Peng Li ; Shi Songzhang ; Xiaojun Wang ; Bin Yang ; Gang Li ; Xiao Yun Shi ; Xiao Juan Zhu</i>  |            |
| <b>THEORETICAL DERIVATION OF CURRENT COMMUTATION PROCESS DURING ELECTRICAL-CONTACT SLIDING MOVEMENT IN MODEL DC MOTOR.....</b>                             | <b>694</b> |
| <i>Yosuke Ogura ; Yasunobu Yokomizu ; Takashi Fukutsuka ; Kazuya Oshima</i>  |            |
| <b>CONTROLLED BREAKING STRATEGY OF SHUNT REACTOR BASED ON FAST VACUUM SWITCH.....</b>  | <b>698</b> |
| <i>Zhihui Huang ; Wei Tan ; Qiwu Mao ; Lin Zou ; Jiyun Zou</i>   |            |
| <b>A DIGITAL CONTROLLER FOR SERIES OF AC CONTACTORS .....</b>  | <b>702</b> |
| <i>Changkun Zhang ; Zhihong Xu</i>   |            |
| <b>PREPARATION AND PROPERTIES OF POLYSTYRENE DEPOSITED WITH TIN FILM USING ATMOSPHERIC-PRESSURE PLASMA JET .....</b>                                       | <b>706</b> |
| <i>Fei Kong ; Penghao Zhang ; Chengyang Ren ; Cheng Zhang ; Tao Shao</i>   |            |
| <b>INFLUENCE OF MOISTURE ON DIELECTRIC RESPONSES OF OIL-IMPREGNATED PAPER CONDENSER BUSHINGS.....</b>  | <b>709</b> |
| <i>Chao Wei ; Caibo Liao ; Yuncai Lu ; Lin Du ; Xiangxiang Chen</i>  |            |
| <b>ALGEBRA OF FRACTAL VECTOR AS A TOOL FOR MAPPING TWO DIFFERENT MASHES .....</b>  | <b>713</b> |
| <i>Amer Smajkic ; Sead Delic ; Dejan Beslija ; Kyong Hoe Kim ; Mirsad Kapetanovic</i>  |            |
| <b>DC TRANSFORMER DETECTION OF POWER TRANSFORMER BASED ON CHARACTERISTIC ANALYSIS OF VIBRATION SIGNAL .....</b>  | <b>718</b> |
| <i>Jinlong Wang ; Jianyuan Xu ; Chen Cao ; Xin Lin ; Sha Hao</i>   |            |
| <b>EXPERIMENTAL STUDY ON THE MECHANICAL ENDURANCE OF VACUUM INTERRUPTER BELLOWS SUBJECTED TO HIGH GAS PRESSURE AND HIGH OPENING VELOCITY.....</b>          | <b>723</b> |
| <i>Xue Liu ; Lixin Hong ; Xiaofei Yao ; Liqiong Sun ; Zhiyuan Liu ; Jianhua Wang ; Yingsan Geng</i>  |            |
| <b>THE INFLUENCE OF THE THICKNESS OF THE INSULATION PAPER TO THE OIL-PAPER ELECTRICAL STRENGTH IN THE HIGH ALTITUDE AREA.....</b>                          | <b>727</b> |
| <i>Shen Yufeng ; Luo Bing ; Wang Tingting ; Gao Chao</i>   |            |
| <b>NOVEL AND NECESSARY APPLICATIONS OF PLASMA AND TERAHERTZ TECHNOLOGY IN ELECTRIC POWER SYSTEM.....</b>   | <b>732</b> |
| <i>Yang Liu</i>  |            |
| <b>INFLUENCE OF METALLIC PARTICLES ON FLASHOVER CHARACTERISTICS OF BASIN-TYPE INSULATOR UNDER DC VOLTAGE IN GIS/GIL .....</b>                              | <b>737</b> |
| <i>Wei Li ; Wenjie Wang ; Xin Lin ; Liucheng Hao ; Fan Ge ; Xiaolong Li</i>  |            |
| <b>A NOVEL METHOD OF SUPPRESSING VFOTO IN GIS –SPIRAL TUBE DAMPING BUS-BAR .....</b>   | <b>743</b> |
| <i>Chao Li ; Xixiu Wu ; Xin Yang ; Yu Feng ; Huan Wang ; Hui Hou</i>   |            |
| <b>STUDY ON THE SPATIAL RADIATION EMI CHARACTERISTICS OF GIS CAUSED BY DISCONNECTOR OPERATION.....</b>   | <b>748</b> |
| <i>Xin Yang ; Xixiu Wu ; Jin Qiu ; Chao Li ; Bo Wen ; Hui Hou ; Tao Yang ; Liang Huang</i>   |            |
| <b>DESIGN OF CIRCUIT BREAKER MONITORING SYSTEM BASED ON MODBUS PROTOCOL IN DELPHI COMPILER ENVIRONMENT .....</b>   | <b>754</b> |
| <i>Zheyuan Pang ; Zhiyuan Cai ; Shaohua Ma ; Yahong Zheng</i>  |            |
| <b>ELECTRON IMPACT IONIZATION, ATTACHMENT, DRIFT VELOCITIES AND LONGITUDINAL DIFFUSION OF SCN<sub>2</sub> AT THE CRITICAL POINT 127 K AND 3.4 MPA.....</b> | <b>762</b> |
| <i>Xinlong Dai ; Chuntian Chen ; Hongqing Wei ; Hanan Zhu ; Zhiyong Liu ; Dianchun Zheng ; Shufen Zhao</i>   |            |
| <b>RESIDUAL MAGNETIC FLUX IN HIGH RESISTANCE GROUNDING SYSTEM .....</b>  | <b>768</b> |
| <i>Yukihiko Himata ; Tadashi Koshizuka ; Kunihiko Hidaka</i>   |            |
| <b>INNOVATION OF SWITCHING TECHNOLOGIES IN POWER SYSTEMS.....</b>  | <b>772</b> |
| <i>Hiroki Ito</i>  |            |

|   |     |
|---|-----|
| <b>HVDC FAULT CURRENT INTERRUPTION TECHNOLOGY</b> .....   | 780 |
| <i>R. P. P. Smeets ; N. A. Belda</i>                      |     |
| <b>VACUUM SWITCHGEAR; PAST, PRESENT, AND FUTURE</b> ..... | 788 |
| <i>Leslie T. Falkingham</i>                               |     |
| <b>Author Index</b>                                       |     |