

2019 International Conference on Document Analysis and Recognition (ICDAR 2019)

**Sydney, Australia
20 – 25 September 2019**

Pages 1-804



**IEEE Catalog Number: CFP19227-POD
ISBN: 978-1-7281-3015-6**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP19227-POD
ISBN (Print-On-Demand):	978-1-7281-3015-6
ISBN (Online):	978-1-7281-3014-9
ISSN:	1520-5363

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

The 15th IAPR International Conference on Document Analysis and Recognition (ICDAR 2019) **ICDAR 2019**

Table of Contents

Welcome Message from the Honorary Chair	xxxv
Welcome Message from the General Chairs	xxxvi
Welcome Message from the Program Chairs	xxxviii
Organizers	xxxix
Program Committee Members	xl
Sponsors	xliv

Oral Session 1: Handwritten Text Recognition

Training Full-Page Handwritten Text Recognition Models without Annotated Line Breaks	1
<i>Chris Tensmeyer (Adobe Research) and Curtis Wigington (Adobe Research)</i>	
Deep Network with Pixel-Level Rectification and Robust Training for Handwriting Recognition	9
<i>Shanyu Xiao (Tsinghua University), Liangrui Peng (Tsinghua University), Reijie Yan (Tsinghua University), and Shengjin Wang (Tsinghua University)</i>	
A Scalable Handwritten Text Recognition System	17
<i>R. Reeve Ingle (Google Research), Yasuhisa Fujii (Google Research), Thomas Deselaers (Google Research), Jonathan Baccash (Google Research), and Ashok C. Popat (Google Research)</i>	
A Fast and Accurate Fully Convolutional Network for End-to-End Handwritten Chinese Text Segmentation and Recognition	25
<i>Dezhi Peng (South China University of Technology), Lianwen Jin (South China University of Technology), Yaqiang Wu (Lenovo Research), Zhepeng Wang (Lenovo Research), and Mingxiang Cai (Lenovo Research)</i>	
Dissecting Multi-line Handwriting for Multi-dimensional Connectionist Classification	31
<i>Martin Schall (Institute for Optical Systems, University of Applied Sciences, Konstanz & Siemens Logistics GmbH, Konstanz), Marc-Peter Schambach (Siemens Logistics GmbH, Konstanz), and Matthias Franz (Institute for Optical Systems, University of Applied Sciences, Konstanz)</i>	

Oral Session 2: Document Image Processing

MTRNet: A Generic Scene Text Eraser	39
<i>Osman Tursun (Queensland University of Technology), Rui Zeng (Queensland University of Technology), Simon Denman (Queensland University of Technology), Sabesan Sivapalan (Queensland University of Technology), Sridha Sridharan (Queensland University of Technology), and Clinton Fookes (Queensland University of Technology)</i>	
Document Binarization via Multi-resolutional Attention Model with DRD Loss	45
<i>Xujun Peng (Information Sciences Institute, University of Sourthen California), Chao Wang (LinkedMed (Shanghai) Co., Ltd., Spreadtrum Center), and Huaigu Cao (Information Sciences Institute, University of Sourthen California)</i>	
Graphical Object Detection in Document Images	51
<i>Ranajit Saha (International Institute of Information Technology, Hyderabad, India), Ajoy Mondal (International Institute of Information Technology, Hyderabad, India), and C V Jawahar (International Institute of Information Technology, Hyderabad, India)</i>	
An End-to-End Trainable Framework for Joint Optimization of Document Enhancement and Recognition	59
<i>Anupama Ray (Research Scientist, IBM Research), Manoj Sharma (Scientist, CEERI-CSIR India), Avinash Upadhyay (BSNL), Megh Makwana (CEERI), Santanu Chaudhury (IIT Jodhpur, India), Akkshita Trivedi (CEERI-CSIR), Ajay Singh (CEERI-CSIR), and Anil Saini (CEERI-CSIR)</i>	
Learning 2D Morphological Network for Old Document Image Binarization	65
<i>Ranjan Mondal (Indian Statistical Institute, Kolkata), Deepayan Chakraborty (Indian Statistical Institute, Kolkata), and Bhabatosh Chanda (Indian Statistical Institute, Kolkata)</i>	

Oral Session 3: Document Understanding

Multimodal Document Image Classification	71
<i>Rajiv Jain (Adobe Research) and Curtis Wigington (Adobe Research)</i>	
Decipherment of Historical Manuscript Images	78
<i>Xusen Yin (USC/ISI), Nada Aldarrab (USC/ISI), Beáta Megyesi (Uppsala University), and Kevin Knight (DiDi Labs)</i>	
Training Convolutional Autoencoders with Metric Learning	86
<i>Yosuke Onitsuka (Kyushu University), Wataru Ohyama (Saitama Institute of Technology), and Seiichi Uchida (Kyushu University)</i>	
A Meaningful Information Extraction System for Interactive Analysis of Documents	92
<i>Julien Maitre (L3i, La Rochelle University), Michel Ménard (L3i, La Rochelle University), Guillaume Chiron (L3i, La Rochelle University), Alain Bouju (L3i, La Rochelle University), and Nicolas Sidère (L3i, La Rochelle University)</i>	
Table-of-Contents Generation on Contemporary Documents	100
<i>Bentabet Najah-Imane (Fortia Financial Solutions), Juge Rémi (Fortia Financial Solutions), and Ferradans Sira (Fortia Financial Solutions)</i>	

Making Two Vast Historical Manuscript Collections Searchable and Extracting Meaningful Textual Features Through Large-Scale Probabilistic Indexing	108
<i>Alejandro Héctor Toselli (Pattern Recognition and Human Language Research Center (PRHLT) - Universitat Politècnica de València), Verónica Romero (Pattern Recognition and Human Language Research Center (PRHLT) - Universitat Politècnica de València), Joan Andreu Sánchez (Pattern Recognition and Human Language Research Center (PRHLT) - Universitat Politècnica de València), and Enrique Vidal (Pattern Recognition and Human Language Research Center (PRHLT) - Universitat Politècnica de València)</i>	

Oral Session 4: Table Analysis

Deep Splitting and Merging for Table Structure Decomposition	114
<i>Chris Tensmeyer (Adobe Research), Vlad I. Morariu (Adobe Research), Brian Price (Adobe Research), Scott Cohen (Adobe Research), and Tony Martinez (Brigham Young University)</i>	
Table Detection in Invoice Documents by Graph Neural Networks	122
<i>Pau Riba (Computer Vision Center, Universitat Autònoma de Barcelona), Anjan Dutta (Computer Vision Center, Universitat Autònoma de Barcelona), Lutz Goldmann (omni:us GmbH, Berlin, Germany), Alicia Fornés (Computer Vision Center, Universitat Autònoma de Barcelona), Oriol Ramos (Computer Vision Center, Universitat Autònoma de Barcelona), and Josep Lladós (Computer Vision Center, Universitat Autònoma de Barcelona)</i>	
TableNet: Deep Learning Model for End-to-end Table Detection and Tabular Data Extraction from Scanned Document Images	128
<i>Shubham Singh Paliwal (TCS R&D), Vishwanath D (TCS R&D), Rohit Rahul (TCS R&D), Monika Sharma (TCS R&D), and Lovekesh Vig (TCS R&D)</i>	
Deep Visual Template-Free Form Parsing	134
<i>Brian Davis (Brigham Young University), Bryan Morse (Brigham Young University), Scott Cohen (Adobe Research), Brian Price (Adobe Research), and Chris Tensmeyer (Adobe Research)</i>	
Rethinking Table Recognition using Graph Neural Networks	142
<i>Shah Rukh Qasim (National University of Sciences and Technology (NUST)), Hassan Mahmood (National University of Sciences and Technology (NUST)), and Faisal Shafait (National University of Sciences and Technology (NUST))</i>	
Breaking the Code on Broken Tablets: The Learning Challenge for Annotated Cuneiform Script in Normalized 2D and 3D Datasets	148
<i>Hubert Mara (IWR - Heidelberg University) and Bartosz Bogacz (IWR - Heidelberg University)</i>	

Poster Session 1

OCR On-the-Go: Robust End-to-End Systems for Reading License Plates & Street Signs	154
<i>Rohit Saluja (IITB-Monash Research Academy), Ayush Maheshwari (Indian Institute of Technology Bombay), Ganesh Ramakrishnan (Indian Institute of Technology Bombay), Parag Chaudhuri (Indian Institute of Technology Bombay), and Mark Carman (Politecnico di Milano, Milan, Italy)</i>	
Sub-Word Embeddings for OCR Corrections in Highly Fusional Indic Languages	160
<i>Rohit Saluja (IITB-Monash Research Academy), Mayur Punjabi (Indian Institute of Technology Bombay), Mark Carman (Politecnico di Milano, Milan, Italy), Ganesh Ramakrishnan (Indian Institute of Technology Bombay), and Parag Chaudhuri (Indian Institute of Technology Bombay)</i>	
DeepHSV: User-Independent Offline Signature Verification Using Two-Channel CNN	166
<i>Chuang Li (China Financial Certification Authority), Feng Lin (China Financial Certification Authority), Zhiyong Wang (China Financial Certification Authority), Gang Yu (China Minsheng Bank), Liou Yuan (China Minsheng Bank), and Haiqiang Wang (Tencent Media Lab)</i>	
Generating Realistic Binarization Data with Generative Adversarial Networks	172
<i>Chris Tensmeyer (Adobe Research), Mike Brodie (Brigham Young University), Daniel Saunders (Brigham Young University), and Tony Martinez (Brigham Young University)</i>	
TH-GAN: Generative Adversarial Network Based Transfer Learning for Historical Chinese Character Recognition	178
<i>Junyang Cai (Tsinghua University), Liangrui Peng (Tsinghua University), Yejun Tang (Tsinghua University), Changsong Liu (Tsinghua University), and Pengchao Li (Beijing Institute of Electronics Technology and Application)</i>	
Data Augmentation via Adversarial Networks for Optical Character Recognition/Conference Submissions	184
<i>Victor Storch (J.P.Morgan)</i>	
BAGS: An Automatic Homework Grading System using the Pictures Taken by Smart Phones	N/A
<i>Xiaoshuo Li (Beijing Boxfish Education Technology Co. Ltd), Tiezhu Yue (Beijing Boxfish Education Technology Co. Ltd), Xuanping Huang (Beijing Boxfish Education Technology Co. Ltd), Zhe Yang (Tsinghua University), and Gang Xu (Tsinghua University)</i>	
Detecting Named Entities in Unstructured Bengali Manuscript Images	196
<i>Chandranath Adak (University of Technology Sydney), Bidyut B. Chaudhuri (Indian Statistical Institute, Techno India University), Chin-Teng Lin (University of Technology Sydney), and Michael Blumenstein (University of Technology Sydney)</i>	
Target-Directed MixUp for Labeling Tangut Characters	202
<i>Guangwei Zhang (Xi'an Jiaotong University) and Yinliang Zhao (Xi'an Jiaotong University)</i>	
DeepText: Detecting Text from the Wild with Multi-ASPP-Assembled DeepLab	208
<i>Qingqing Wang (East China Normal University; University of Technology Sydney), Wenjing Jia (University of Technology Sydney), Xiangjian He (University of Technology Sydney), Yue Lu (East China Normal University), Michael Blumenstein (University of Technology Sydney), Ye Huang (University of Technology Sydney), and Shujing Lyu (East China Normal University)</i>	

Transductive Learning for Reading Handwritten Tibetan Manuscripts	214
<i>Sivan Keret (Tel Aviv University), Lior Wolf (Tel Aviv University and Facebook AI Research), Nachum Dershowitz (Tel Aviv University), Eric Werner (Asia-Africa Institute University of Hamburg), Orna Almogi (Asia-Africa Institute University of Hamburg), and Dorji Wangchuk (Asia-Africa Institute University of Hamburg)</i>	
Learning Free Line Detection in Manuscripts using Distance Transform Graph	222
<i>Majeed Kassis (The Ben-Gurion University of the Negev) and Jihad El-Sana (The Ben-Gurion University of the Negev)</i>	
Segmentation-Free Bangla Offline Handwriting Recognition using Sequential Detection of Characters and Diacritics with a Faster R-CNN	228
<i>Nishatul Majid (Boise State University) and Elisa H. Barney Smith (Boise State University)</i>	
Toward Online Handwriting Recognition System Based on Reinforcement Learning Theory	N/A
<i>Ramzi Zouari (National School of Engineers of Sfax), Houcine Boubaker (National School of Engineers of Sfax), Haikal El Abed (GIZ GmbH), and Monji Kherallah (Faculty of Sciences of Sfax)</i>	
Cascaded Detail-Preserving Networks for Super-Resolution of Document Images	240
<i>Zhichao Fu (East China Normal University), Yu Kong (Videt Tech), Yingbin Zheng (Videt Tech), Hao Ye (Videt Tech), Wenxin Hu (East China Normal University), Jing Yang (East China Normal University), and Liang He (East China Normal University)</i>	
Sub-Word Based Mongolian Offline Handwriting Recognition	246
<i>Daoerji Fan (Inner Mongolia University), Guanglai Gao (Inner Mongolia University), and Huijuan Wu (Inner Mongolia University)</i>	
EATEN: Entity-Aware Attention for Single Shot Visual Text Extraction	254
<i>He Guo (Baidu Inc.), Xiameng Qin (Baidu Inc.), Jiaming Liu (Baidu Inc.), Junyu Han (Baidu Inc.), Jingtuo Liu (Baidu Inc.), and Errui Ding (Baidu Inc.)</i>	
Can One Deep Learning Model Learn Script-Independent Multilingual Word-Spotting?	260
<i>Mohammed Al-Rawi (Computer Vision Center), Ernest Valveny (Computer Vision Center), and Dimosthenis Karatzas (Computer Vision Center)</i>	
Semi-Synthetic Data Augmentation of Scanned Historical Documents	268
<i>Romain Karpinski (Télécom Nancy) and Abdel Belaid (Université de Lorraine - LORIA)</i>	
Attention After Attention: Reading Text in the Wild with Cross Attention	274
<i>Yunlong Huang (South China University of Technology), Canjie Luo (South China University of Technology), Lianwen Jin (South China University of Technology), Qingxiang Lin (South China University of Technology), and Weiyang Zhou (South China University of Technology)</i>	
A Teacher-Student Learning Based Born-Again Training Approach to Improving Scene Text Detection Accuracy	281
<i>Zhuoyao Zhong (South China University of Technology), Lei Sun (Microsoft Research Asia), and Qiang Huo (Microsoft Research Asia)</i>	
Versatile Layout Understanding via Conjugate Graph	287
<i>animesh Prasad (National University of Singapore), Hervé Déjean (Naver Labs Europe), and Jean-Luc Meunier (Naver Labs Europe)</i>	

Efficient, Lexicon-Free OCR using Deep Learning	295
<i>Marcin Namysl (Fraunhofer IAIS) and Iuliu Konya (Fraunhofer IAIS)</i>	
Fast Distributional Smoothing for Regularization in CTC Applied to Text Recognition	302
<i>Ryohei Tanaka (Toshiba Digital Solutions Corporation), Soichiro Ono (Toshiba Digital Solutions Corporation), and Akio Furuhashi (Toshiba Digital Solutions Corporation)</i>	
Oracle Character Recognition by Nearest Neighbor Classification with Deep Metric Learning	309
<i>Yi-Kang Zhang (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences; School of Artificial Intelligence, University of Chinese Academy of Sciences), Heng Zhang (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences), Yong-Ge Liu (Anyang Normal University, Henan, P.R. China; Key Laboratory of Oracle Bone Inscriptions Information Processing, Ministry of Education), Qing Yang (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences; School of Artificial Intelligence, University of Chinese Academy of Sciences, Beijing; CAS Center for Excellence of Brain Science and Intelligence Technology, Beijing)</i>	
Template-Instance Loss for Offline Handwritten Chinese Character Recognition	315
<i>Yao Xiao (Institute of Artificial Intelligence, Shanghai Em-Data Technology Co., Ltd.), Dan Meng (Institute of Artificial Intelligence, Shanghai Em-Data Technology Co., Ltd.), Cewu Lu (Shanghai Jiao Tong University), and Chi-Keung Tang (Hong Kong University of Science and Technology)</i>	
Urdu-Text: A Dataset and Benchmark for Urdu Text Detection and Recognition in Natural Scenes	323
<i>Asghar Ali (University of New South Wales) and Mark Pickering (University of New South Wales)</i>	
Attend, Copy, Parse End-to-end Information Extraction from Documents	329
<i>Rasmus Berg Palm (Tradeshift), Florian Laws (Tradeshift), and Ole Winther (Technical University of Denmark)</i>	
Aiding Intra-Text Representations with Visual Context for Multimodal Named Entity Recognition	337
<i>Omer Arshad (University of Insubria, Varese, Italy), Ignazio Gallo (University of Insubria, Varese, Italy), Shah Nawaz (University of Insubria, Varese, Italy), and Alessandro Calefati (University of Insubria, Varese, Italy)</i>	
WiSe — Slide Segmentation in the Wild	343
<i>Monica Haurilet (Karlsruhe Institute of Technology), Alina Roitberg (Karlsruhe Institute of Technology), Manuel Martinez (Karlsruhe Institute of Technology), and Rainer Stiefelwagen (Karlsruhe Institute of Technology)</i>	
Symmetric Inkball Alignment with Loopy Models	349
<i>Nicholas Howe (Smith College) and Ji Won Chung (Smith College)</i>	

No Padding Please: Efficient Neural Handwriting Recognition	355
<i>Gideon Maillette de Buy Wenniger (The Adapt Centre, Dublin City University), Lambert Schomaker (Bernoulli Institute for Mathematics, Computer Science and Artificial Intelligence, University of Groningen), and Andy Way (The Adapt Centre, Dublin City University)</i>	
Integrating Coordinates with Context for Information Extraction in Document Images	363
<i>Zhaohui Jiang (Shanghai Jiao Tong University), Zheng Huang (Shanghai Jiao Tong University), Yunrui Lian (Xiamen No.1 High School, Fujian, China), Jie Guo (Shanghai Jiao Tong University), and Weidong Qiu (Shanghai Jiao Tong University)</i>	
Text Line Segmentation in Historical Document Images Using an Adaptive U-Net Architecture	369
<i>Olfa Mechi (Université de Sousse, Ecole Nationale d'Ingénieurs de Sousse, LATIS-Laboratory of Advanced Technology and Intelligent Systems, Sousse, Tunisie;), Maroua Mehri (Université de Sousse, Ecole Nationale d'Ingénieurs de Sousse, LATIS-Laboratory of Advanced Technology and Intelligent Systems, Sousse, Tunisie;), Rolf Ingold (DIVA Group, University of Fribourg, Fribourg, Switzerland), and Najoua Essoukri Ben Amara (Université de Sousse, Ecole Nationale d'Ingénieurs de Sousse, LATIS-Laboratory of Advanced Technology and Intelligent Systems, Sousse, Tunisie;)</i>	
TextEdge: Multi-oriented Scene Text Detection via Region Segmentation and Edge Classification	375
<i>Chen Du (Institute of Automation, Chinese Academy of Sciences(CASIA); University of Chinese Academy of Sciences(UCAS)), Chunheng Wang (Institute of Automation, Chinese Academy of Sciences(CASIA)), Yanna Wang (Institute of Automation, Chinese Academy of Sciences(CASIA)), Zipeng Feng (Institute of Automation, Chinese Academy of Sciences(CASIA); University of Chinese Academy of Sciences(UCAS)), and Jiyuan Zhang (Institute of Automation, Chinese Academy of Sciences(CASIA); University of Chinese Academy of Sciences(UCAS))</i>	
Extraction of Math Expressions from PDF Documents Based on Unsupervised Modeling of Fonts	381
<i>Zelun Wang (Texas A&M University), Donald Beyette (Texas A&M University), Jason Lin (Texas A&M University), and Jyh-Charn Liu (Texas A&M University)</i>	
Bigram Label Regularization to Reduce Over-Segmentation on Inline Math Expression Detection	387
<i>Xing Wang (Texas A&M University), Zelun Wang (Texas A&M University), and Jyh-Charn Liu (Texas A&M University)</i>	
Automatic Synthetic Document Image Generation using Generative Adversarial Networks: Application in Mobile-Captured Document Analysis	393
<i>Quang Anh Bui (PurchEase), David Mollard (PurchEase), and Salvatore Tabbone (LORIA, Université de Lorraine)</i>	
Selective Super-Resolution for Scene Text Images	401
<i>Ryo Nakao (Kyushu University), Brian Kenji Iwana (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	
Modality Conversion of Handwritten Patterns by Cross Variational Autoencoders	407
<i>Taichi Sumi (Kyushu University), Brian Kenji Iwana (Kyushu University), Hideaki Hayashi (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	

Adversarial Feature Enhancing Network for End-to-End Handwritten Paragraph Recognition	413
<i>Yaoxiong Huang (South China University of Technology), Zecheng Xie (South China University of Technology), Lianwen Jin (South China University of Technology), Yuanzhi Zhu (South China University of Technology), and Shuaitao Zhang (South China University of Technology)</i>	
A Character Attention Generative Adversarial Network for Degraded Historical Document Restoration	420
<i>Kha Cong Nguyen (Tokyo University of Agriculture and Technology), Cuong Tuan Nguyen (Tokyo University of Agriculture and Technology), Seiji Hotta (Tokyo University of Agriculture and Technology), and Masaki Nakagawa (Tokyo University of Agriculture and Technology)</i>	
Towards Automated Evaluation of Handwritten Assessments	426
<i>Vijay Rowtula (IIIT Hyderabad), Subba Reddy Oota (IIIT Hyderabad), and Jawahar C.V (IIIT Hyderabad)</i>	
Digital Auditor: A Framework for Matching Duplicate Invoices	434
<i>Himanshu Sharad Bhatt (AI Labs, American Express), Shourya Roy (AI Labs, American Express), Lokesh Bhatnagar (Global Supply Management, American Express), Chetan Lohani (Global Supply Management, American Express), and Vinit Jain (Global Supply Management, American Express)</i>	
Text Siamese Network for Video Textual Keyframe Detection	442
<i>Hao Song (Tencent Research), Hongzhen Wang (Tencent Research), Shan Huang (Tencent Research), Pei Xu (Tencent Research), Shen Huang (Tencent Research), and Qi Ju (Tencent Research)</i>	
On the Ability of a CNN to Realize Image-to-Image Language Conversion	448
<i>Kohei Baba (Kyushu University), Seiichi Uchida (Kyushu University), and Brian Kenji Iwana (Kyushu University)</i>	
Parameter-Free Table Detection Method	454
<i>Laiphangbam Melinda (University of Hyderabad) and Chakravarthy Bhagvati (University of Hyderabad)</i>	
Table Rows Segmentation	461
<i>Hervé Déjean (NAVER LABS Europe) and Jean-Luc Meunier (Naver Labs Europe)</i>	
Discourse Descriptor for Document Incremental Classification Comparison with Deep Learning	467
<i>Vincent Poulain d'Andecy (Yooz), Aurélie Joseph (Yooz), Joaquín Cuenca (Yooz), and Jean-Marc Ogier (Université de La Rochelle)</i>	
CNN-Based Accidental Detection in Dense Printed Piano Scores	473
<i>Kwon-Young Choi (Univ Rennes, CNRS, IRISA, F-35000), Bertrand Coïiasnon (Univ Rennes, CNRS, IRISA, F-35000), Yann Ricquebourg (Univ Rennes, CNRS, IRISA, F-35000), and Richard Zanibbi (Rochester Institute of Technology)</i>	
Adversarial Generation of Handwritten Text Images Conditioned on Sequences	481
<i>Eloi Alonso (A2iA SAS, Ecole des Ponts), Bastien Moysset (A2iA SAS), and Ronaldo Messina (A2iA SAS)</i>	
Field Typing for Improved Recognition on Heterogeneous Handwritten Forms	487
<i>Ciprian Tomoiaga (AXA REV), Paul Feng (AXA REV), Mathieu Salzmann (CVLab, EPFL), and Patrick Jayet (AXA REV)</i>	
A Multi-task Network for Localization and Recognition of Text in Images	494
<i>Mohammad Reza Sarshogh (Capital One) and Keegan Hines (Capital One)</i>	

On the Use of Attention Mechanism in a Seq2Seq Based Approach for Off-Line Handwritten Digit String Recognition	502
<i>Thibault Lupinski (Université de Lorraine - LORIA), Abdel Belaid (Université de Lorraine - LORIA), and Afef Kacem Echi (Université de Tunis - ENSIT - LaTICE)</i>	
Scene Text Detection with Feature Pyramid Network and Linking Segments	508
<i>Xi Liu (Meituan-Dianping Group), Rui Zhang (Meituan-Dianping Group), Yongsheng Zhou (Meituan-Dianping Group), and Dong Wang (Meituan-Dianping Group)</i>	
Instance Aware Document Image Segmentation using Label Pyramid Networks and Deep Watershed Transformation	514
<i>Xiao-Hui Li (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences), Fei Yin (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences), Tao Xue (Tencent Co. Ltd), Long Liu (Tencent Co. Ltd), Jean-Marc Ogier (L3i Laboratory, University of La Rochelle), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences, CAS Center for Excellence of Brain Science and Intelligence Technology)</i>	
Detecting Text in News Images with Similarity Embedded Proposals	520
<i>Miaotong Jiang (University of Science and Technology Beijing, Beijing), Jiebo Hou (University of Science and Technology Beijing, Beijing), Chun Yang (University of Science and Technology Beijing, Beijing), Xiaobin Zhu (University of Science and Technology Beijing, Beijing), and Xucheng Yin (University of Science and Technology Beijing, Beijing)</i>	
A Stroke-Based RNN for Writer-Independent Online Signature Verification	526
<i>Chuang Li (China Financial Certification Authority), Xing Zhang (China Financial Certification Authority), Feng Lin (China Financial Certification Authority), Zhiyong Wang (China Financial Certification Authority), Jun'E Liu (China Financial Certification Authority), Rui Zhang (China Financial Certification Authority), and Haiqiang Wang (Tencent)</i>	
CNN Based Binarization of MultiSpectral Document Images	533
<i>Fabian Hollaus (Computer Vision Lab, TU Wien), Simon Brenner (Computer Vision Lab, TU Wien), and Robert Sablatnig (Computer Vision Lab, TU Wien)</i>	
Text Line Adjustment Based on Neural Network	539
<i>Ruo Chen Wang (Fujitsu Research & Development Center), Xiaojie Xia (Fujitsu Research & Development Center), Chunyan Zhang (Fujitsu Research & Development Center), Xiaoyi Yu (Fujitsu Research & Development Center), Jun Sun (Fujitsu Research & Development Center), and Satoshi Naoi (Fujitsu Research & Development Center)</i>	

Hybrid DBLSTM-SVM Based Beta-Elliptic-CNN Models for Online Arabic Characters Recognition	545
<i>Yahia Hamdi (University of Sfax, National Engineering School of Sfax), Houcine Boubaker (University of Sfax, National Engineering School of Sfax), Thameur Dhieb (University of Sfax, National Engineering School of Sfax), Abdelkarim Elbaati (University of Sfax, National Engineering School of Sfax), and Adel M. Alimi (University of Sfax, National Engineering School of Sfax)</i>	
Towards Document Image Quality Assessment: A Text Line Based Framework and a Synthetic Text Line Image Dataset	551
<i>Hongyu Li (Tongdun Technology), Fan Zhu (ZhongAn Technology), and Junhua Qiu (Tongdun Technology)</i>	
Curved Text Detection in Natural Scene Images with Semi- and Weakly-Supervised Learning	559
<i>Xugong Qin (Institute of Information Engineering, Chinese Academy of Sciences), Yu Zhou (Institute of Information Engineering, Chinese Academy of Sciences), Dongbao Yang (Institute of Information Engineering, Chinese Academy of Sciences), and Weiping Wang (Institute of Information Engineering, Chinese Academy of Sciences)</i>	
Hybrid Training Data for Historical Text OCR	565
<i>Jiř Martınek (University of West Bohemia), Ladislav Lenc (University of West Bohemia), Pavel Král (University of West Bohemia), Anguelos Nicolaou (Friedrich-Alexander University Erlangen-Nürnberg), and Vincent Christlein (Friedrich-Alexander University Erlangen-Nürnberg)</i>	
Training Binary-Valued Gates LSTM	N/A
<i>Zhe Li (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences) and Jian Cheng (National Laboratory of Pattern Recognition, Institute of Automation, Chinese Academy of Sciences)</i>	
An End-to-End Trainable System for Offline Handwritten Chemical Formulae Recognition	577
<i>Xiaoxue Liu (Central China Normal University Wollongong Joint Institute, Central China Normal University), Ting Zhang (National Engineering Research Center for E-learning, Central China Normal University), and Xinguo Yu (National Engineering Research Center for E-learning, Central China Normal University)</i>	
Exploring Confidence Measures for Word Spotting in Heterogeneous Datasets	583
<i>Fabian Wolf (TU Dortmund University), Philipp Oberdiek (TU Dortmund University), and Gernot Fink (TU Dortmund University)</i>	

Cross-Modal Prototype Learning for Zero-Shot Handwriting Recognition	589
<i>Xiang Ao (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences; University of Chinese Academy of Sciences), Xu-Yao Zhang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences; University of Chinese Academy of Sciences), Hong-Ming Yang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences; University of Chinese Academy of Sciences), Fei Yin (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences; University of Chinese Academy of Sciences), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences; University of Chinese Academy of Sciences; CAS Center for Excellence in Brain Science and Intelligence Technology)</i>	
Multiple Comparative Attention Network for Offline Handwritten Chinese Character Recognition	595
<i>Qingquan Xu (Huazhong University of Science and Technology), Xiang Bai (Huazhong University of Science and Technology), and Wenyu Liu (Huazhong University of Science and Technology)</i>	

Oral Session 5: Text Detection and Recognition

An End-to-End Video Text Detector with Online Tracking	601
<i>Hongyuan Yu (University of Chinese Academy of Sciences (UCAS), Center for Research on Intelligent Perception and Computing (CRIPAC), National Laboratory of Pattern Recognition (NLPR)), Chengquan Zhang (Department of Computer Vision Technology(VIS), Baidu Inc.), Xuan Li (Department of Computer Vision Technology(VIS), Baidu Inc.), Junyu Han (Department of Computer Vision Technology(VIS), Baidu Inc.), Errui Ding (Department of Computer Vision Technology(VIS), Baidu Inc.), and Liang Wang (University of Chinese Academy of Sciences (UCAS), Center for Research on Intelligent Perception and Computing (CRIPAC), National Laboratory of Pattern Recognition (NLPR), Chinese Academy of Sciences Artificial Intelligence Research (CAS-AIR))</i>	
KuroNet: Pre-Modern Japanese Kuzushiji Character Recognition with Deep Learning	607
<i>Tarin Clanuwat (Center for Open Data in the Humanities, National Institute of Informatics), Alex Lamb (Mila, Université de Montréal), and Asanobu Kitamoto (Center for Open Data in the Humanities, National Institute of Informatics)</i>	
A New Approach for Integrated Recognition and Correction of Texts from Images	615
<i>Jian Wei (Onlyou Artificial Intelligence Institute), Kai Chen (Onlyou Artificial Intelligence Institute, Shanghai Jiaotong University), Jianhua He (Onlyou Artificial Intelligence Institute, Aston University), Zheng Huang (Onlyou Artificial Intelligence Institute, Shanghai Jiaotong University), Yunrui Lian (Xiamen First High School), and Yi Zhou (Onlyou Artificial Intelligence Institute)</i>	
On the Improvement of Recognizing Single-Line Strings of Japanese Historical Cursive	621
<i>Ayumu Nagai (Gunma University)</i>	

An Attention-Based End-to-End Model for Multiple Text Lines Recognition in Japanese Historical Documents	629
<i>Nam Tuan Ly (Tokyo University of Agriculture and Technology), Cuong Tuan Nguyen (Tokyo University of Agriculture and Technology), and Masaki Nakagawa (Tokyo University of Agriculture and Technology)</i>	

Oral Session 6: Mathematical Expression and Text Recognition

Residual BiRNN Based Seq2Seq Model with Transition Probability Matrix for Online Handwritten Mathematical Expression Recognition	635
<i>Zelin Hong (Sun Yat-sen University), Ning You (Sun Yat-sen University), Jun Tan (Sun Yat-sen University), and Ning Bi (Sun Yat-sen University)</i>	
Fuzzy Visibility Graph for Structural Analysis of Online Handwritten Mathematical Expressions	641
<i>Arnaud Lods (Learn&Go, Univ Rennes, CNRS, IRISA), Éric Anquetil (Univ Rennes, CNRS, IRISA), and Sébastien Macé (Learn&Go)</i>	
LPGA: Line-of-Sight Parsing with Graph-Based Attention for Math Formula Recognition	647
<i>Mahshad Mahdavi (Document and Pattern Recognition Lab, Rochester Institute of Technology), Michael Condon (Apple Inc.), Kenny Davila (Center for Unified Biometrics and Sensors University at Buffalo), and Richard Zanibbi (Document and Pattern Recognition Lab, Rochester Institute of Technology)</i>	
A Cost Efficient Approach to Correct OCR Errors in Large Document Collections	655
<i>Deepayan Das (IIIT Hyderabad, India), Jerin Philip (IIIT Hyderabad, India), Minesh Mathew (IIIT Hyderabad, India), and C. V. Jawahar (IIIT Hyderabad, India)</i>	
Using ASR Methods for OCR	663
<i>Ashish Arora (Johns Hopkins University), Chun Chieh Chang (Johns Hopkins University), Babak Rekadbar (University of Tehran), Bagher BabaAli (University of Tehran), Daniel Povey (Johns Hopkins University), David Etter (Johns Hopkins University), Desh Raj (Johns Hopkins University), Hossein Hadian (Sharif University of Technology, Iran), Jan Trmal (Johns Hopkins University), Paola Garcia (Johns Hopkins University), Shinji Watanabe (Johns Hopkins University), Vimal Manohar (Johns Hopkins University), Yiwen Shao (Johns Hopkins University), and Sanjeev Khudanpur (Johns Hopkins University)</i>	

Poster Session 2

A Multi-oriented Chinese Keyword Spotter Guided by Text Line Detection	669
<i>Pei Xu (Tencent Research), Shan Huang (Tencent Research), Hongzhen Wang (Tencent Research), Hao Song (Tencent Research), Shen Huang (Tencent Research), and Qi Ju (Tencent Research)</i>	
Cascading Modular U-Nets for Document Image Binarization	675
<i>Seokjun Kang (Kyushu University), Brian Kenji Iwana (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	

OBC306: A Large-Scale Oracle Bone Character Recognition Dataset	681
<i>Shuangping Huang (South China University of Technology), Haobin Wang (South China University of Technology), Yongge Liu (Henan Key Laboratory of Oracle Bone Inscriptions Information Processing(Anyang Normal University)), Xiaosong Shi (Henan Key Laboratory of Oracle Bone Inscriptions Information Processing(Anyang Normal University)), and Lianwen Jin (South China University of Technology)</i>	
GARN: A Novel Generative Adversarial Recognition Network for End-to-End Scene Character Recognition ..	689
<i>Hao Kong (Nanjing University), Dongqi Tang (Nanjing University), Xi Meng (Nanjing University), and Tong Lu (Nanjing University)</i>	
A Text-Context-Aware CNN Network for Multi-oriented and Multi-language Scene Text Detection	695
<i>Yao Xiao (National Key Lab for Novel Software Technology, Nanjing University), Minglong Xue (National Key Lab for Novel Software Technology, Nanjing University), Tong Lu (National Key Lab for Novel Software Technology, Nanjing University), Yirui Wu (College of Computer and Information, Hohai University), and Shivakumara Palaiahnakote (Department of Computer System and Information Technology, University of Malaya)</i>	
Handwritten Words and Digits Recognition using Deep Learning Based Bag of Features Framework	701
<i>Najoua Rahal (REGIM-Lab.: REsearch Groups in Intelligent Machines), Maroua Tounsi (REGIM-Lab.: REsearch Groups in Intelligent Machines), Tarek M Hamdani (REGIM-Lab.: REsearch Groups in Intelligent Machines), and Adel M Alimi (REGIM-Lab.: REsearch Groups in Intelligent Machines)</i>	
A Relation Network Based Approach to Curved Text Detection	707
<i>Chixiang Ma (University of Science and Technology of China), Zhuoyao Zhong (South China University of Technology), Lei Sun (Microsoft Research Asia), and Qiang Huo (Microsoft Research Asia)</i>	
An Efficient off-Line Handwritten Japanese Address Recognition System	714
<i>Xiaojie Xia (Fujitsu Research & Development Center), Xiaoyi Yu (Fujitsu Research & Development Center), Wei Liu (Fujitsu Research & Development Center), Chunyan Zhang (Fujitsu Research & Development Center), Jun Sun (Fujitsu Research & Development Center), and Satoshi Naoi (Fujitsu Research & Development Center)</i>	
A Comprehensive Study of ImageNet Pre-Training for Historical Document Image Analysis	720
<i>Linda Studer (University of Fribourg, Switzerland), Michele Alberti (University of Fribourg, Switzerland), Vinaychandran Pondenkandath (University of Fribourg, Switzerland), Pinar Goktepe (University of Fribourg, Switzerland), Thomas Kolonko (University of Fribourg, Switzerland), Andreas Fischer (University of Fribourg, Switzerland), Marcus Liwicki (Lulea University of Technology, Sweden), and Rolf Ingold (University of Fribourg, Switzerland)</i>	
GRK-Papyri: A Dataset of Greek Handwriting on Papyri for the Task of Writer Identification	726
<i>Hussein Mohammed (Universität Hamburg), Isabelle Marthot-Santaniello (Universität Basel), and Volker Märgner (Technische Universität Braunschweig)</i>	
The Pinkas Dataset	732
<i>Berat Kurar Barakat (Ben-Gurion University of the Negev), Jihad El-Sana (Ben-Gurion University of the Negev), and Irina Rabaev (Shamoon College of Engineering)</i>	

Layout Analysis on Challenging Historical Arabic Manuscripts using Siamese Network	738
<i>Reem Alaasam (Ben-Gurion University of the Negev), Berat Kurar (Ben-Gurion University of the Negev), and Jihad El-Sana (Ben-Gurion University of the Negev)</i>	
Online Writer Identification using GMM Based Feature Representation and Writer-Specific Weights	743
<i>Vivek Venugopal (Indian Institute of Technology, Guwahati) and Suresh Sundaram (Indian Institute of Technology, Guwahati)</i>	
ReS2TIM: Reconstruct Syntactic Structures from Table Images	749
<i>Wenyuan Xue (Beijing Jiaotong University), Qingyong Li (Beijing Jiaotong University), and Dacheng Tao (The University of Sydney)</i>	
Automatic Page Classification in a Large Collection of Manuscripts Based on the International Image Interoperability Framework	756
<i>Emanuela Emanuela Boros (TEKLI), Alexis Toumi (Department of Computer Science, University of Oxford, England), Erwan Rouchet (TEKLI), Bastien Abadie (Teklia), Dominique Stutzmann (IRHT CNRS, Paris, France), and Christopher Kermorvant (Teklia and LITIS - Université de Rouen-Normandie, France)</i>	
A GAN-Based Feature Generator for Table Detection	763
<i>Yibo Li (Peking University), Liangcai Gao (Peking University), Zhi Tang (Peking University), Qinqin Yan (State Key Laboratory of Digital Publishing Technology, Founder Group Co., LTD, Beijing, China), and Yilun Huang (Peking University)</i>	
Enhanced EAST: Improving Network's Feature Extraction Ability and Text Complete Shape Perception	769
<i>Liu Yang (Xi'an Jiaotong University), Yonghong Song (Xi'an Jiaotong University), and Yuanlin Zhang (Xi'an Jiaotong University)</i>	
A Text Localization Method Based on Weak Supervision	775
<i>Jiyuan Zhang (Institute of Automation, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Chen Du (Institute of Automation, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Zipeng Feng (Institute of Automation, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Yanna Wang (Institute of Automation, Chinese Academy of Sciences), and Chunheng Wang (Institute of Automation, Chinese Academy of Sciences)</i>	
NRTR: A No-Recurrence Sequence-to-Sequence Model for Scene Text Recognition	781
<i>Fenfen Sheng (Institute of Automation, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Zhineng Chen (Institute of Automation, Chinese Academy of Sciences), and Bo Xu (Institute of Automation, Chinese Academy of Sciences)</i>	
A Robust Data Hiding Scheme Using Generated Content for Securing Genuine Documents	787
<i>Vinh Loc Cu (L3i Laboratory, La Rochelle University, France), Jean-Christophe Burie (L3i Laboratory, La Rochelle University, France), Jean-Marc Ogier (L3i Laboratory, La Rochelle University, France), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing, China)</i>	

CASIA-AHCDB: A Large-Scale Chinese Ancient Handwritten Characters Database	793
<i>Yue Xu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Beijing), Fei Yin (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Beijing), Da-Han Wang (Xiamen University of Technology), Xu-Yao Zhang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Beijing), Zhaoxiang Zhang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Beijing, P.R. China; CAS Center for Excellence of Brain Science and Intelligence Technology, Beijing), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing; University of Chinese Academy of Sciences, Beijing, P.R. China; CAS Center for Excellence of Brain Science and Intelligence Technology, Beijing)</i>	
Manifold Mixup Improves Text Recognition with CTC Loss	799
<i>Bastien Moysset (A2iA SAS) and Ronaldo Messina (A2iA SAS)</i>	
Selective Style Transfer for Text	805
<i>Raul Gomez (Computer Vision Center, Universitat Autònoma de Barcelona), Ali Furkan Biten (Computer Vision Center, Universitat Autònoma de Barcelona), Lluís Gomez (Computer Vision Center, Universitat Autònoma de Barcelona), Jaume Gibert (Eurecat, Centre Tecnològic de Catalunya, Unitat de Tecnologies Audiovisuals), Dimosthenis Karatzas (Computer Vision Center, Universitat Autònoma de Barcelona), and Marçal Rusiñol (Computer Vision Center, Universitat Autònoma de Barcelona)</i>	
A YOLO-Based Table Detection Method	813
<i>Yilun Huang (Peking University), Qinqin Yan (State Key Laboratory of Digital Publishing Technology, Founder Group Co., LTD, Beijing), Yibo Li (Peking University), Yifan Chen (State Key Laboratory of Digital Publishing Technology, Founder Group Co., LTD, Beijing), Xiong Wang (State Key Laboratory of Digital Publishing Technology, Founder Group Co., LTD, Beijing), Liangcai Gao (Peking University), and Zhi Tang (Peking University)</i>	
An Interactive and Generative Approach for Chinese Shanshui Painting Document	819
<i>Le Zhou (Xi'an Jiaotong-Liverpool University), Qiu-Feng Wang (Xi'an Jiaotong-Liverpool University), Kaizhu Huang (Xi'an Jiaotong-Liverpool University), and Cheng-Hung Lo (Xi'an Jiaotong-Liverpool University)</i>	
Scene Text Magnifier	825
<i>Toshiki Nakamura Nakamura (Human Interface Laboratory, Kyushu University, Fukuoka, Japan.), Anna Zhu (School of Computer, Wuhan University of Technology, Wuhan, China), and Seiichi Uchida (Human Interface Laboratory, Kyushu University, Fukuoka, Japan)</i>	
Exploration of CNN Features for Online Handwriting Recognition	831
<i>Subhasis Mandal (IIT Guwahati), S. R. M Prasanna (IIT Guwahati), and Suresh Sundaram (IIT Guwahati)</i>	

Universal Barcode Detector via Semantic Segmentation	837
<i>Andrey Zharkov (ABBYY Production LLC, Moscow Institute of Physics and Technology) and Ivan Zagaynov (ABBYY Production LLC, Moscow Institute of Physics and Technology)</i>	
HoughNet: Neural Network Architecture for Vanishing Points Detection	844
<i>Alexander Sheshkus (Federal Research Center "Computer Science and Control" RAS, Moscow, Russia.), Anastasia Ingacheva (LLC Smart Engines Service, Moscow, Russia; National Research University Higher School of Economics), Vladimir Arlazarov (LLC Smart Engines Service, Moscow, Russia; National Research University), and Dmitry Nikolaev (LLC Smart Engines Service, Moscow, Russia; Kharkevich Institute)</i>	
Fast Method of ID Documents Location and Type Identification for Mobile and Server Application	850
<i>Natalya Skoryukina (LLC Smart Engines Service; Federal Research Center "Computer Science and Control" RAS), Vladimir Arlazarov (LLC Smart Engines Service; Moscow Institute of Physics and Technology; Institute for Information Transmission Problems (Kharkevich Institute) RAS), and Dmitry Nikolaev (LLC Smart Engines Service; Moscow Institute of Physics and Technology; Institute for Information Transmission Problems (Kharkevich Institute) RAS)</i>	
Combination of Deep Learning and Syntactical Approaches for the Interpretation of Interactions Between Text-Lines and Tabular Structures in Handwritten Documents	858
<i>Camille Guerry (Univ Rennes, CNRS, IRISA), Bertrand Couïason (Univ Rennes, CNRS, IRISA), and Aurélie Lemaitre (Univ Rennes, CNRS, IRISA)</i>	
A Synthetic Recipe for OCR	864
<i>David Etter (Johns Hopkins University), Stephen Rawls (Information Science Institute, University of Southern California), Cameron Carpenter (Johns Hopkins University), and Gregory Sell (Johns Hopkins University)</i>	
Synthesis of Handwriting Dynamics using Sinusoidal Model	870
<i>Himakshi Choudhury (Indian Institute of Technology Guwahati) and S. R. Mahadeva Prasanna (Indian Institute of Technology Dharwad (on deputaion))</i>	
Post-OCR Error Detection by Generating Plausible Candidates	876
<i>Thi-Tuyet-Hai Nguyen (L3i, University of La Rochelle), Adam Jatowt (Graduate School of Informatics, Kyoto University), Mickael Coustaty (L3i, University of La Rochelle), Nhu-Van Nguyen (L3i, University of La Rochelle), and Antoine Doucet (L3i, University of La Rochelle)</i>	
Music Symbol Sequence Indexing in Medieval Plainchant Manuscripts	882
<i>Jorge Calvo-Zaragoza (University of Alicante), Alejandro H. Toselli (PRHLT Research Center), Enrique Vidal (PRHLT Research Center), and Joan Andreu Sánchez (PRHLT Research Center)</i>	
Bi-Level Masked Multi-scale CNN-RNN Networks for Short Text Representation	888
<i>Qian Li (Global Big Data Technologies Centre, University of Technology Sydney, Australia), Qiang Wu (Global Big Data Technologies Centre, University of Technology Sydney, Australia), Chengzhang Zhu (Advanced Analytics Institute, University of Technology Sydney, Australia), and Jian Zhang (Global Big Data Technologies Centre, University of Technology Sydney, Australia)</i>	

Challenges in End-to-End Neural Scientific Table Recognition	894
<i>Yuntian Deng (Harvard University), David Rosenberg (Bloomberg), and Gideon Mann (Bloomberg)</i>	
Deep Neural Networks for Text Detection and Recognition in Historical Maps	902
<i>Jerod Weinman (Grinnell College), Ziwen Chen (Grinnell College), Ben Gafford (Grinnell College), Nathan Gifford (Grinnell College), Abyaya Lamsal (Grinnell College), and Liam Niehus-Staab (Grinnell College)</i>	
Woodblock-Printing Mongolian Words Recognition by Bi-LSTM with Attention Mechanism	910
<i>Yanke Kang (Inner Mongolia University), Hongxi Wei (Inner Mongolia University), Hui Zhang (Inner Mongolia University), and Guanglai Gao (Inner Mongolia University)</i>	
A Comparative Study of Attention-Based Encoder-Decoder Approaches to Natural Scene Text Recognition	916
<i>Fuze Cong (Beijing University of Posts and Telecommunications, Key Lab of Universal Wireless Communications, Ministry of Education), Wenping Hu (Microsoft Research Asia), Qiang Huo (Microsoft Research Asia), and Li Guo (Beijing University of Posts and Telecommunications, Key Lab of Universal Wireless Communications, Ministry of Education)</i>	
Generating Synthetic Handwritten Mathematical Expressions from a LaTeX Sequence or a MathML Script	922
<i>Vu Tran Minh Khuong (Tokyo University of Agriculture and Technology), Ung Quang Huy (Tokyo University of Agriculture and Technology), Nakagawa Masaki (Tokyo University of Agriculture and Technology), and Minh Khanh Phan (Tokyo University of Agriculture and Technology)</i>	
RankSVM for Offline Signature Verification	928
<i>Yan Zheng (Kyushu University), Yuchen Zheng (Kyushu University), Wataru Ohyama (Saitama Institute of Technology), Daiki Suehiro (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	
Japanese Character Segmentation for Historical Handwritten Official Documents Using Fully Convolutional Networks	934
<i>Kei Watanabe (Chukyo University), Shinji Takahashi (Chukyo University), Yuki Kamaya (Chukyo University), Masashi Yamada (Chukyo University), Yoshito Mekada (Chukyo University), Junichi Hasegawa (Chukyo University), and Shinya Miyazaki (Chukyo University)</i>	
Deformation Classification of Drawings for Assessment of Visual-Motor Perceptual Maturity	941
<i>Momina Moetesum (Bahria University Islamabad), Imran Siddiqi (Bahria University Islamabad), and Nicole Vincent (LIPADE, Paris University of Descartes)</i>	
OCR-VQA: Visual Question Answering by Reading Text in Images	947
<i>Anand Mishra (Indian Institute of Science, Bangalore), Shashank Shekhar (Indian Institute of Science, Bangalore), Ajeet Kumar Singh (TCS), and Anirban Chakraborty (Indian Institute of Science Bangalore)</i>	
DICE: Deep Intelligent Contextual Embedding for Twitter Sentiment Analysis	953
<i>Usman Naseem (University of Technology Sydney, Australia) and Katarzyna Musial (University of Technology Sydney, Australia)</i>	
Care Label Recognition	959
<i>Jiri Kralicek (Czech Technical University), Jiri Matas (Czech Technical University), and Michal Busta (Czech Technical University)</i>	

Deep Learning Based Approach for Historical Manuscript Dating	967
<i>Anmol Hamid (Bahria University Islamabad), Maryam Bibi (Bahria University Islamabad), Momina Moetesum (Bahria University of Islamabad), and Imran Siddiqi (Bahria University Islamabad)</i>	
Binarization of Degraded Document Images using Convolutional Neural Networks Based on Predicted Two-Channel Images	973
<i>Younes Akbari (Qatar University), Alceu S. Britto Jr. (Pontifcia Universidade Catlica do Paran (PUCPR)), Somaya Al-maadeed (Qatar University), and Luiz S. Oliveira (Universidade Federal do Paran (UFPR))</i>	
Multi-label Connectionist Temporal Classification	979
<i>Curtis Wigington (Adobe Research), Brian Price (Adobe Research), and Scott Cohen (Adobe Research)</i>	
Zero Shot Learning Based Script Identification in the Wild	987
<i>Prateek Keserwani (Indian Institute of Technology Roorkee, Roorkee, India), Kanjar De (Norwegian University of Science and Technology, Norway), Partha Pratim Roy (Indian Institute of Technology Roorkee, Roorkee, India), and Umapada Pal (Indian Statistical Institute, Kolkata, India)</i>	

Oral Session 7: Layout Analysis

Contextual Stroke Classification in Online Handwritten Documents with Graph Attention Networks	993
<i>Jun-Yu Ye (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences), Yan-Ming Zhang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences), Qing Yang (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, University of Chinese Academy of Sciences)</i>	
Indiscapes: Instance Segmentation Networks for Layout Parsing of Historical Indic Manuscripts	999
<i>Abhishek Prusty (International Institute of Information Technology, Hyderabad (IIIT-H)), Sowmya Aitha (International Institute of Information Technology, Hyderabad (IIIT-H)), Abhishek Trivedi (International Institute of Information Technology, Hyderabad (IIIT-H)), and Ravi Kiran Sarvadevabhatla (International Institute of Information Technology, Hyderabad (IIIT-H))</i>	
Article Segmentation in Digitised Newspapers with a 2D Markov Model	1007
<i>Andrew Naoum (The University of Sydney), Joel Nothman (The University of Sydney), and James Curran (The University of Sydney)</i>	
PubLayNet: Largest Dataset Ever for Document Layout Analysis	1015
<i>Xu Zhong (IBM Research Australia), Jianbin Tang (IBM Research Australia), and Antonio Jimeno Yepes (IBM Research Australia)</i>	
Page Segmentation using a Convolutional Neural Network with Trainable Co-Occurrence Features	1023
<i>Joonho Lee (Kyushu University), Hideaki Hayashi (Kyushu University), Wataru Ohyama (Saitama Institute of Technology), and Seiichi Uchida (Kyushu University)</i>	

DoT-Net: Document Layout Classification Using Texture-Based CNN	1029
<i>Sai Chandra Kosaraju (Kennesaw State University), Mohammed Masum (Kennesaw State University), Nelson Zange Tsaku (Kennesaw State University), Pritesh Patel (GE Power), Tanju Bayramoglu (GE Power), Girish Modgil (GE Power), and Mingon Kang (Kennesaw State University)</i>	

Oral Session 8: Applications of Document Analysis

CNN-BLSTM-CRF Network for Semantic Labeling of Students' Online Handwritten Assignments	1035
<i>Amirali Darvishzadeh (University of California, Riverside), Thomas Stahovich (University of California, Riverside), Amir Feghahati (University of California, Riverside), Negin Entezari (University of California, Riverside), Shaghayegh Gharghabi (University of California, Riverside), Reed Kanemaru (University of California, Riverside), and Christian Shelton (University of California, Riverside)</i>	
Serif or Sans: Visual Font Analytics on Book Covers and Online Advertisements	1041
<i>Yuto Shinahara (Kyushu University), Takuro Karamatsu (Kyushu University), Daisuke Harada (Kyushu University), Kota Yamaguchi (CyberAgent, Inc.), and Seiichi Uchida (Kyushu University)</i>	
Content Extraction from Lecture Video via Speaker Action Classification Based on Pose Information	1047
<i>Fei Xu (University at Buffalo), Kenny Davila (University at Buffalo), Srirangaraj Setlur (University at Buffalo), and Venu Govindaraju (University at Buffalo)</i>	
Developing Horizon Scanning Methods for the Discovery of Scientific Trends	1055
<i>Maja Karasalo (Swedish Defence Research Agency) and Johan Schubert (Swedish Defence Research Agency)</i>	
Identifying the Central Figure of a Scientific Paper	1063
<i>Sean T. Yang (University of Washington), Po-Shen Lee (University of Washington), Lia Kazakova (University of Washington), Abhishek Joshi (University of Washington), Bum Mook Oh (University of Washington), Jevin D. West (University of Washington), and Bill Howe (University of Washington)</i>	
BRIDGE: Building Plan Repository for Image Description Generation, and Evaluation	1071
<i>Shreya Goyal (Indian Institute of Technology Jodhpur), Vishesh Mistry (Indian Institute of Technology Jodhpur), Chiranjoy Chattopadhyay (Indian Institute of Technology Jodhpur), and Gaurav Bhatnagar (Indian Institute of Technology Jodhpur)</i>	

Oral Session 9: Script Identification and Authentication

Patch Aggregator for Scene Text Script Identification	1077
<i>Changxu Cheng (Huazhong University of Science and Technology), Qiuhui Huang (Huazhong University of Science and Technology), Xiang Bai (Huazhong University of Science and Technology), Bin Feng (Huazhong University of Science and Technology), and Wenyu Liu (Huazhong University of Science and Technology)</i>	

Script Identification using Across- and Within-Image Distribution Estimation	1084
<i>Gregory Sell (Johns Hopkins University), David Etter (Johns Hopkins University), Daniel Garcia-Romero (Johns Hopkins University), and Alan McCree (Johns Hopkins University)</i>	
Deep Generalized Max Pooling	1090
<i>Vincent Christlein (Friedrich-Alexander-Universität Erlangen-Nürnberg), Lukas Spranger (Friedrich-Alexander-Universität Erlangen-Nürnberg), Mathias Seuret (Friedrich-Alexander-Universität Erlangen-Nürnberg), Anguelos Nicolaou (Friedrich-Alexander-Universität Erlangen-Nürnberg), Pavel Král (University of West Bohemia Plze), and Andreas Maier (Friedrich-Alexander-Universität Erlangen-Nürnberg)</i>	
A Spatio-Spectral Hybrid Convolutional Architecture for Hyperspectral Document Authentication	1097
<i>Muhammad Jaleed Khan (Institute of Space Technology, Pakistan), Khurram Khurshid (Institute of Space Technology, Pakistan), and Faisal Shafait (National University of Sciences and Technology, Pakistan)</i>	

Oral Session 10: Signature Verification

Deep Dynamic Time Warping: End-to-End Local Representation Learning for Online Signature Verification	1103
<i>Xiaomeng Wu (NTT Corporation), Akisato Kimura (NTT Corporation), Brian Kenji Iwana (Kyushu University), Seiichi Uchida (Kyushu University), and Kunio Kashino (NTT Corporation)</i>	
Capturing Micro Deformations from Pooling Layers for Offline Signature Verification	1111
<i>Yuchen Zheng (Kyushu University), Wataru Ohyama (Saitama Institute of Technology), Brian Kenji Iwana (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	
Offline Signature Verification using Structural Dynamic Time Warping	1117
<i>Michael Stauffer (University of Applied Sciences and Arts Northwestern Switzerland), Paul Maergner (University of Fribourg), Andreas Fischer (University of Fribourg), Rolf Ingold (University of Fribourg), and Kaspar Riesen (University of Applied Sciences and Arts Northwestern Switzerland)</i>	
Online Signature Verification by Few-Shot Separable Convolution Based Deep Learning	1125
<i>Chandra Sekhar Vorugunti (Indian Institute of Information Technology SriCity), Rama Krishna Sai Gorthi (Indian Institute of Technology Tirupathi), and Viswanath Pulabaigari (Indian Institute of Information Technology SriCity)</i>	

Poster Session 3

Age Estimation using Disconnectedness Features in Handwriting	1131
<i>V. Basavaraja (University of Mysore, India), Palaiahnakote Shivakumara (University of Malaya, Kuala Lumpur), D. S. Guru (University of Mysore, India), Umapada Pal (Indian Statistical Institute, Kolkata), Tong Lu (Nanjing University), and Michael Blumenstein (University of Technology Sydney)</i>	

Offline Writer Identification Based on the Path Signature Feature	1137
<i>Songxuan Lai (South China University of Technology) and Lianwen Jin (South China University of Technology)</i>	
Do You Need More Data? The DeepSignDB On-Line Handwritten Signature Biometric Database	1143
<i>Ruben Tolosana (Universidad Autonoma de Madrid), Ruben Vera-Rodriguez (Universidad Autonoma de Madrid), Julian Fierrez (Universidad Autonoma de Madrid), Aythami Morales (Universidad Autonoma de Madrid), and Javier Ortega-Garcia (Universidad Autonoma de Madrid)</i>	
CRNN Based Jersey-Bib Number/Text Recognition in Sports and Marathon Images	1149
<i>Sauradip Nag (Kalyani Government Engineering College, India), Raghavendra Ramachandra (Norwegian University of Science and Technology), Palaiahnakote Shivakumara (University of Malaya, Malaysia), Umapada Pal (Indian Statistical Institute, Kolkata), Tong Lu (Nanjing University), and Mohan Kankanhalli (National University of Singapore)</i>	
KeyWord Spotting using Siamese Triplet Deep Neural Networks	1157
<i>Yasmine Serdouk (Université De Lyon CNRS INSA-Lyon, LIRIS, UMR5205), Véronique Eglin (Université De Lyon CNRS INSA-Lyon, LIRIS, UMR5205), Stéphane Bres (Université De Lyon CNRS INSA-Lyon, LIRIS, UMR5205), and Mylène Pardoën (Université de Lyon CNRS Maison des Sciences de l'Homme Lyon Saint-Etienne)</i>	
Learning Character Recognition with Graph-Based Privileged Information	1163
<i>Florian Westphal (Blekinge Institute of Technology), Niklas Lavesson (Jönköping University), and Håkan Grahn (Blekinge Institute of Technology)</i>	
Simultaneous Optimisation of Image Quality Improvement and Text Content Extraction from Scanned Documents	1169
<i>Shashank Mujumdar (IBM Research India), Nitin Gupta (IBM Research India), Abhinav Jain (IBM Research India), and Douglas Burdick (IBM Research Almaden)</i>	
Improving Text Recognition using Optical and Language Model Writer Adaptation	1175
<i>Yann Soullard (LITIS lab, Normandie University, Universite de Rouen Normandie), Wassim Swaileh (LITIS lab, Normandie University, Universite de Rouen Normandie), Pierrick Tranouez (LITIS lab, Normandie University, Universite de Rouen Normandie), Thierry Paquet (LITIS lab, Normandie University, Universite de Rouen Normandie), and Clément Chatelain (LITIS lab, INSA Rouen Normandie)</i>	
Multi-modal Attention Network for Handwritten Mathematical Expression Recognition	1181
<i>Jiaming Wang (University of Science and Technology of China), Jun Du (University of Science and Technology of China), Jianshu Zhang (University of Science and Technology of China), and Zi-Rui Wang (University of Science and Technology of China)</i>	
Semantic and Interaction: When Document Image Analysis Meets Computer Vision and Machine Learning ..	1187
<i>Jean-Yves Ramel (LIFAT, Ecole Polytechnique de l'Université de Tours) and Nicole Vincent (LIPADE, Université Paris Descartes)</i>	

Improving Text Image Resolution using a Deep Generative Adversarial Network for Optical Character Recognition	1193
<i>Xiangdong Su (Inner Mongolia University, Hohhot, China), Huali Xu (Inner Mongolia University, Hohhot, China), Ying Kang (The People's Liberation Army (PLA) of China No.31401), Xiang Hao (Inner Mongolia University, Hohhot, China), Guanglai Gao (Inner Mongolia University, Hohhot, China), and Yue Zhang (Inner Mongolia University, Hohhot, China)</i>	
Labeling, Cutting, Grouping: An Efficient Text Line Segmentation Method for Medieval Manuscripts	1200
<i>Michele Alberti (University of Fribourg), Lars Vögtlin (University of Fribourg), Vinaychandran Pondekandath (University of Fribourg), Mathias Seuret (Friedrich-Alexander-Universität Erlangen-Nürnberg), Rolf Ingold (University of Fribourg), and Marcus Liwicki (Luleå University of Technology, Sweden)</i>	
PopEval: A Character-Level Approach to End-to-End Evaluation Compatible with Word-Level Benchmark Dataset	1207
<i>Hong-Seok Lee (NAVER Corporation), Youngmin Yoon (NAVER Corporation), Pil Hoon Jang (NAVER Corporation), and Chankyu Choi (NAVER Corporation)</i>	
Hiding Security Feature Into Text Content for Securing Documents Using Generated Font	1214
<i>Vinh Loc Cu (L3i Laboratory, La Rochelle University, France), Jean-Christophe Burie (L3i Laboratory, La Rochelle University, France), Jean-Marc Ogier (L3i Laboratory, La Rochelle University, France), and Cheng-Lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, Beijing)</i>	
A Modified Inception-ResNet Network with Discriminant Weighting Loss for Handwritten Chinese Character Recognition	1220
<i>Linhui Chen (Tsinghua University), Liangrui Peng (Tsinghua University), Gang Yao (Tsinghua University), Changsong Liu (Tsinghua University), and Xudong Zhang (Tsinghua University)</i>	
A Novel Procedure to Speed up the Transcription of Historical Handwritten Documents by Interleaving Keyword Spotting and user Validation	1226
<i>Adolfo Santoro (Natural Intelligent Technologies srl) and Angelo Marcelli (DIEM - University of Salerno)</i>	
Handwriting Recognition Based on Temporal Order Restored by the End-to-End System	1231
<i>Abdelkarim Elbaati (University of Sfax, National Engineering School of Sfax, REGIM-Lab.: REsearch Groups in Intelligent Machines, Tunisia), Yahia Hamdi (University of Sfax, National Engineering School of Sfax, REGIM-Lab.: REsearch Groups in Intelligent Machines, Tunisia), and Adel M. Alimi (University of Sfax, National Engineering School of Sfax, REGIM-Lab.: REsearch Groups in Intelligent Machines, Tunisia)</i>	
Deep CNN-Based Speech Balloon Detection and Segmentation for Comic Books	1237
<i>David Dubray (University of Potsdam) and Jochen Laubrock (University of Potsdam)</i>	
A New Document Image Quality Assessment Method Based on Hast Derivations	1244
<i>Alireza Alaei (School of Business and Tourism (IT Programs), Southern Cross University, Australia)</i>	

Analysis of Unsupervised Training Approaches for LSTM-Based OCR	1250
<i>Martin Jenckel (German Research Center for Artificial Intelligence (DFKI)), Syed Saqib Bukhari (German Research Center for Artificial Intelligence (DFKI)), and Andreas Dengel (German Research Center for Artificial Intelligence (DFKI))</i>	
Unsupervised OCR Model Evaluation Using GAN	1256
<i>Abhash Sinha (TU Kaiserslautern), Martin Jenckel (TU Kaiserslautern, German Research Center for Artificial Intelligence (DFKI), Germany), Syed Saqib Bukhari (German Research Center for Artificial Intelligence (DFKI), Germany), and Andreas Dengel (TU Kaiserslautern, German Research Center for Artificial Intelligence (DFKI), Germany)</i>	
Chemical Structure Recognition (CSR) System: Automatic Analysis of 2D Chemical Structures in Document Images	1262
<i>Syed Saqib Bukhari (German Research Center for Artificial Intelligence (DFKI)), Zaryab Iftikhar (University of Kaiserslautern), and Andreas Dengel (German Research Center for Artificial Intelligence (DFKI))</i>	
Amharic Text Image Recognition: Database, Algorithm, and Analysis	1268
<i>Birhanu Hailu Belay (University of Kaiserslautern and Bahir Dar Institute of Technology, Ethiopia), Tewodros Habtegebrial (University of Kaiserslautern), Marcus Liwicki (Lulea University of Technology), Gebyehu Belay (Bahir Dar Institute of Technology, Ethiopia), and Didier Stricker (DFKI-German Research Center for Artificial Intelligence, Germany)</i>	
A Genetic-Based Search for Adaptive Table Recognition in Spreadsheets	1274
<i>Elvis Koci (Technical University of Dresden, Germany), Maik Thiele (Technical University of Dresden, Germany), Oscar Romero (Universitat Politècnica de Catalunya-BarcelonaTech), and Wolfgang Lehner (Technical University of Dresden, Germany)</i>	
DECO: A Dataset of Annotated Spreadsheets for Layout and Table Recognition	1280
<i>Elvis Koci (Technische Universität Dresden), Elvis Koci (Universitat Politècnica de Catalunya-BarcelonaTech), Maik Thiele (Technische Universität Dresden), Josephine Rehak (Technische Universität Dresden), Oscar Romero (Universitat Politècnica de Catalunya-BarcelonaTech), and Wolfgang Lehner (Technische Universität Dresden)</i>	
Evaluating Sequence-to-Sequence Models for Handwritten Text Recognition	1286
<i>Johannes Michael (University of Rostock), Roger Labahn (University of Rostock), Tobias Grüning (PLANET artificial intelligence GmbH), and Jochen Zöllner (PLANET artificial intelligence GmbH)</i>	
Training-Free and Segmentation-Free Word Spotting using Feature Matching and Query Expansion	1294
<i>Ekta Vats (Uppsala University, Sweden), Anders Hast (Uppsala University, Sweden), and Alicia Fornés (Universitat Autònoma de Barcelona)</i>	
Textual Description for Mathematical Equations	1300
<i>Ajoy Mondal (International Institute of Information Technology, Hyderabad, India) and C V Jawahar (International Institute of Information Technology, Hyderabad, India)</i>	

Recurrent Neural Network Approach for Table Field Extraction in Business Documents	1308
<i>Clément Sage (Univ Lyon, CNRS, LIRIS), Alexandre Aussem (Univ Lyon, CNRS, LIRIS), Haytham Elghazel (Univ Lyon, CNRS, LIRIS), Véronique Eglin (Univ Lyon, CNRS, LIRIS), and Jérémy Espinas (Esker)</i>	
Faster R-CNN Based Table Detection Combining Corner Locating	1314
<i>Ningning Sun (Tianjin Normal University), Yuanping Zhu (Tianjin Normal University), and Xiaoming Hu (Tianjin Normal University)</i>	
Weighted Direct Matching Points for User Stability Model in Multiple Domains: A Proposal for On-Line Signature Verification	1320
<i>Donato Impedovo (Università degli Studi di Bari Aldo Moro), Giuseppe Pirlo (Università degli Studi di Bari Aldo Moro), Moises Diaz (Universidad del Atlántico Medio), and Miguel Angel Ferrer (Universidad de Las Palmas de Gran Canaria)</i>	
DeepSignCX: Signature Complexity Detection using Recurrent Neural Networks	1326
<i>Ruben Vera-Rodriguez (Universidad Autonoma de Madrid), Ruben Tolosana (Universidad Autonoma de Madrid), Miguel Caruana (Universidad Autonoma de Madrid), Gustavo Manzano (Universidad Autonoma de Madrid), Carlos Gonzalez-Garcia (Universidad Autonoma de Madrid), Julian Fierrez (Universidad Autonoma de Madrid), and Javier Ortega-Garcia (Universidad Autonoma de Madrid)</i>	
Recurrent Comparator with Attention Models to Detect Counterfeit Documents	1332
<i>Albert Berenguel Centeno (Universitat Autònoma of Barcelona), Oriol Ramos Terrades (Universitat Autònoma of Barcelona), Josep Lladós Canet (Universitat Autònoma of Barcelona), and Cristina Cañero Morales (Mitek Systems, Inc., Barcelona, Spain)</i>	
Linking Art through Human Poses	1338
<i>Tomas Jenicek (Visual Recognition Group, FEE, Czech Technical University in Prague) and Ondej Chum (Visual Recognition Group, FEE, Czech Technical University in Prague)</i>	
Thai Handwritten Recognition on Text Block-Based from Thai Archive Manuscripts	1346
<i>Rapeeporn Chamchong (Mahasarakham University, Thailand), Wei Gao (University of South Australia), and Mark D. McDonnell (University of South Australia)</i>	
Brno Mobile OCR Dataset	1352
<i>Martin Kišš (Brno University of Technology), Michal Hradiš (Brno University of Technology), and Oldich Kodym (Brno University of Technology)</i>	
A New Parallel Detection-Recognition Approach for End-to-End Scene Text Extraction	1358
<i>Jinrong Li (South China University of Technology), Zijian Zhou (Horizon Robotics), Zhizhong Su (Horizon Robotics), Shuangping Huang (South China University of Technology), and Lianwen Jin (South China University of Technology)</i>	

Table Structure Extraction with Bi-Directional Gated Recurrent Unit Networks	1366
<i>Saqib Ali Khan (National University of Sciences and Technology (NUST), Islamabad), Syed Muhammad Daniyal Khalid (National University of Sciences and Technology (NUST), Islamabad), Muhammad Ali Shahzad (National University of Sciences and Technology (NUST), Islamabad), and Faisal Shafait (National University of Sciences and Technology (NUST), Islamabad)</i>	
A Deep Transfer Learning Approach to Document Image Quality Assessment	1372
<i>Tan Lu (Vrije Universiteit Brussel) and Ann Dooms (Vrije Universiteit Brussel)</i>	
HITHCD-2018: Handwritten Chinese Character Database of 21K-Category	1378
<i>Tonghua Su (Harbin Institute of Technology), Wei Pan (Harbin Huade University), and Lijuan Yu (Hainan Cancer Hospital)</i>	
Learning Free Document Image Binarization Based on Fast Fuzzy C-Means Clustering	1384
<i>Tanmoy Mondal (L3i, La-Rochelle University, France), Mickaël Coustaty (L3i, La-Rochelle University, France), Petra Gomez-Krämer (L3i, La-Rochelle University, France), and Jean-Marc Ogier (L3i, La-Rochelle University, France)</i>	
A Robust Hybrid Approach for Textual Document Classification	1390
<i>Muhammad Nabeel Asim (German Research Center for Artificial Intelligence (DFKI); University of Engineering and Technology, Lahore, Pakistan), Muhammad Usman Ghani Khan (University of Engineering and Technology, Lahore, Pakistan), Muhammad Imran Malik (National University of Sciences and Technology, Islamabad), Andreas Dengel (German Research Center for Artificial Intelligence (DFKI)), and Sheraz Ahmed (German Research Center for Artificial Intelligence (DFKI))</i>	
Rethinking Semantic Segmentation for Table Structure Recognition in Documents	1397
<i>Shoaib Ahmed Siddiqui (German Research Center for Artificial Intelligence (DFKI)), Pervaiz Iqbal Khan (German Research Center for Artificial Intelligence (DFKI)), Andreas Dengel (German Research Center for Artificial Intelligence (DFKI)), and Sheraz Ahmed (German Research Center for Artificial Intelligence (DFKI))</i>	
DeepTabStR: Deep Learning based Table Structure Recognition	1403
<i>Shoaib Ahmed Siddiqui (TU Kaiserslautern; German Research Center for Artificial Intelligence (DFKI)), Imran Ali Fateh (TU Kaiserslautern; German Research Center for Artificial Intelligence (DFKI)), Syed Tahseen Raza Rizvi (TU Kaiserslautern; German Research Center for Artificial Intelligence (DFKI)), Andreas Dengel (TU Kaiserslautern; German Research Center for Artificial Intelligence (DFKI)), and Sheraz Ahmed (German Research Center for Artificial Intelligence (DFKI))</i>	

Two Stream Deep Network for Document Image Classification	1410
<i>Muhammad Nabeel Asim (German Research Center for Artificial Intelligence (DFKI); University of Engineering and Technology, Lahore, Pakistan), Muhammad Usman Ghani Khan (University of Engineering and Technology, Lahore, Pakistan), Muhammad Imran Malik (National University of Sciences and Technology, Islamabad), Khizar Razzaque (University of Engineering and Technology, Lahore, Pakistan), Andreas Dengel (German Research Center for Artificial Intelligence (DFKI)), and Sheraz Ahmed (German Research Center for Artificial Intelligence (DFKI))</i>	
Speeding-up the Handwritten Signature Segmentation Process through an Optimized Fully Convolutional Neural Network	1417
<i>Paloma G. S. Silva (University of Pernambuco), Celso A. M. L. Junior (University of Pernambuco, Callere Document Solutions), Estanislau B. Lima (University of Pernambuco), Byron L. D. Bezerra (University of Pernambuco), and Cleber Zanchettin (Universidade Federal de Pernambuco)</i>	
End-to-End Measure for Text Recognition	1424
<i>Gundram Leifert (University of Rostock, Germany), Roger Labahn (University of Rostock, Germany), Tobias Grüning (PLANET artificial intelligence GmbH, Germany), and Svenja Leifert (PLANET artificial intelligence GmbH, Germany)</i>	
Document Domain Adaptation with Generative Adversarial Networks	1432
<i>Diede Rusticus (Informatics Institute, University of Amsterdam; omni:us GmbH, Berlin, Germany), Lutz Goldmann (omni:us GmbH, Berlin, Germany), Matthias Reisser (Informatics Institute, University of Amsterdam), and Mauricio Villegas (omni:us GmbH, Berlin, Germany)</i>	
A Neural Approach for Text Extraction from Scholarly Figures	1438
<i>David Morris (TIB – Leibniz Information Centre for Science and Technology), Peichen Tang (L3S Research Center, Leibniz Universität Hannover), and Ralph Ewerth (TIB – Leibniz Information Centre for Science and Technology and L3S Research Center, Universität Hannover)</i>	
A Quality and Time Assessment of Binarization Algorithms	1444
<i>Rafael Dueire Lins (Universidade Federal Rural de Pernambuco), Rodrigo Bernardino (UFPE), and Darlisson Marinho Jesus (UFPE)</i>	
A Study of Script Language Effects in Deep Neural-Network-Based Scene Text Detection	1451
<i>Jiaxin Cheng (University of Southern California, Information Sciences Institute), Achin Gupta (University of Southern California, Information Sciences Institute), Yue Wu (University of Southern California, Information Sciences Institute), and Premkumar Natarajan (University of Southern California, Information Sciences Institute)</i>	
Fast Text/non-Text Image Classification with Knowledge Distillation	1458
<i>Miao Zhao (Beijing Jiaotong University), Rui-Qi Wang (Institute of Automation of Chinese Academy of Sciences), Fei Yin (Institute of Automation of Chinese Academy of Sciences), Xu-Yao Zhang (Institute of Automation of Chinese Academy of Sciences), Lin-Lin Huang (Beijing Jiaotong University), and Jean-Marc Ogier (University of La Rochelle)</i>	

A Handwritten Chinese Text Recognizer Applying Multi-level Multimodal Fusion Network	1464
<i>Yuhuan Xiu (East China Normal University, Shanghai), Qingqing Wang (University of Technology Sydney), Hongjian Zhan (East China Normal University, Shanghai), Man Lan (East China Normal University, Shanghai and Shanghai Key Laboratory of Multidimensional Information Processing), and Yue Lu (East China Normal University, Shanghai and Shanghai Key Laboratory of Multidimensional Information Processing)</i>	
OSVNet: Convolutional Siamese Network for Writer Independent Online Signature Verification	1470
<i>Chandra Sekhar Vorugunti (Indian Institute of Information Technology SriCity), Guru Devanur S (University of Mysore), Prerana Mukherjee (Indian Institute of Information Technology SriCity), and Viswanath Pulabaigari (Indian Institute of Information Technology SriCity)</i>	
Blind Source Separation Based Framework for Multispectral Document Images Binarization	1476
<i>Abderrahmane Rahiche (University of Quebec, Montreal), Athmane Bakhta (University of Quebec, Montreal), and Mohamed Cheriet (University of Quebec, Montreal)</i>	
Logo Design Analysis by Ranking	1482
<i>Takuro Karamatsu (Kyushu University), Daiki Suehiro (Kyushu University), and Seiichi Uchida (Kyushu University)</i>	

Competition Papers

ICDAR2019 Competition on Historical Book Analysis - HBA2019	1488
<i>Maroua Mehri (Université de Sousse, Ecole Nationale d'Ingénieurs de Sousse, LATIS-Laboratory of Advanced Technology and Intelligent Systems), Pierre Héroux (Normandie Univ, UNIROUEN, UNIHAVRE, INSA Rouen, LITIS), Rémy Mullot (University of La Rochelle, L3i Laboratory), Jean-Philippe Moreux (Bibliothèque nationale de France, Digitization service), Bertrand Coüasnon (Univ Rennes, CNRS, IRISA), and Bill Barrett (Brigham Young University)</i>	
cBAD: ICDAR2019 Competition on Baseline Detection	1494
<i>Markus Diem (TU Wien), Florian Kleber (TU Wien), Robert Sablatnig (TU Wien), and Basilis Gatos (Computational Intelligence Laboratory National Center for Scientific Research Demokritos)</i>	
ICDAR 2019 Historical Document Reading Challenge on Large Structured Chinese Family Records	1499
<i>Rajkumar Saini (LTU, Sweden), Derek Dobson (FamilySearch, USA), Jon Morrey (FamilySearch, USA), Marcus Liwicki (LTU, Sweden), and Foteini Simistira Liwicki (LTU, Sweden)</i>	
ICDAR 2019 Competition on Image Retrieval for Historical Handwritten Documents	1505
<i>Vincent Christlein (Friedrich-Alexander-Universität Erlangen-Nürnberg), Anguelos Nicolaou (Friedrich-Alexander-Universität Erlangen-Nürnberg), Mathias Seuret (Friedrich-Alexander-Universität Erlangen-Nürnberg), Dominique Stutzmann (Institut de Recherche et d'Histoire des Textes), and Andreas Maier (Friedrich-Alexander-Universität Erlangen-Nürnberg)</i>	

ICDAR 2019 Competition on Table Detection and Recognition (cTDAr)	1510
<i>Liangcai Gao (Peking University), Yilun Huang (Peking University), Hervé Déjean (Naver Labs Europe), Jean-Luc Meunier (Naver labs Europe), Qinqin Yan (Digital Publishing Technology Founder Group Co. LTD., China), Yu Fang (Digital Publishing Technology Founder Group Co. LTD., China), Florian Kleber (Computer Vision Lab TU Wien), and Eva Lang (Archiv des Bistums Passau, Germany)</i>	
ICDAR2019 Competition on Scanned Receipt OCR and Information Extraction	1516
<i>Zheng Huang (Shanghai Jiaotong University), Kai Chen (Onlyou), Jianhua He (Aston University), Xiang Bai (Huazhong University of Science and Technology), Dimosthenis Karatzas (Universitat Autònoma de Barcelona), Shijian Lu (Nanyang Technological University), and C. V. Jawahar (IIIT Hyderabad)</i>	
ICDAR2019 Competition on Recognition of Documents with Complex Layouts - RDCL2019	1521
<i>Christian Clausner (University of Salford), Apostolos Antonacopoulos (University of Salford), and Stefan Pletschacher (University of Salford)</i>	
ICDAR2019 Competition on Recognition of Early Indian Printed Documents – REID2019	1527
<i>Christian Clausner (University of Salford), Apostolos Antonacopoulos (University of Salford), Tom Derrick (British Library), and Stefan Pletschacher (University of Salford)</i>	
ICDAR 2019 CROHME + TFD: Competition on Recognition of Handwritten Mathematical Expressions and Typeset Formula Detection	1533
<i>Mahshad Mahdavi (Rochester Institute of Technology), Richard Zanibbi (Rochester Institute of Technology), Harold Mouch`ere (University of Nantes), Christian Viard-Gaudin (University of Nantes), and Utpal Garain (Computer Vision and Pattern Recognition Unit Centre for Artif. Intel. and Mach. Learning Indian Statistical Institute)</i>	
ICDAR 2019 Time-Quality Binarization Competition	1539
<i>Rafael Dueire Lins (Universidade Federal Rural de Pernambuco), Ergina Kavallieratou (University of the Aegean Mytilene), Elisa Barney Smith (Boise State University), Rodrigo Barros Bernardino (UFPE), and Darlisson Marinho de Jesus (UFPE)</i>	
ICDAR 2019 Competition on Document Image Binarization (DIBCO 2019)	1547
<i>Ioannis Pratikakis (Democritus University of Thrace), Konstantinos Zagoris (Democritus University of Thrace), Xenofon Karagiannis (Democritus University of Thrace), Lazaros Tsochatzidis (Democritus University of Thrace), Tanmoy Mondal (INRIA), and Isabelle Marthot-Santaniello (Universität Basel)</i>	

ICDAR 2019 Competition on Large-Scale Street View Text with Partial Labeling - RRC-LSVT	1557
<i>Yipeng Sun (Baidu Inc, Beijing, China), Zihan Ni (Baidu Inc, Beijing, China), Chee-Kheng Chng (University of Malaya, Malaysia), Yuliang Liu (South China University of Technology, Guangdong, China), Canjie Luo (South China University of Technology, Guangdong, China), Chun Chet Ng (University of Malaya, Malaysia), Junyu Han (Baidu Inc, Beijing, China), Errui Ding (Baidu Inc, Beijing, China), Jingtuo Liu (Baidu Inc, Beijing, China), Dimosthenis Karatzas (Computer Vision Center, Universitat Autònoma de Barcelona, Spain), Chee Seng Chan (University of Malaya, Malaysia), and Lianwen Jin (South China University of Technology, Guangdong, China)</i>	
ICDAR 2019 Competition on Scene Text Visual Question Answering	1563
<i>Ali Furkan Biten (Computer Vision Center Barcelona, Spain), Rubèn Tito (Computer Vision Center Barcelona, Spain), Andrés Mafla (Computer Vision Center Barcelona, Spain), Lluís Gomez (Computer Vision Center Barcelona, Spain), Marçal Rusiñol (Computer Vision Center Barcelona, Spain), Minesh Mathew (CVIT, IIIT Hyderabad), C.V. Jawahar (CVIT, IIIT Hyderabad), Ernest Valveny (Computer Vision Center Barcelona, Spain), and Dimosthenis Karatzas (Computer Vision Center Barcelona, Spain)</i>	
ICDAR2019 Robust Reading Challenge on Arbitrary-Shaped Text - RRC-ArT	1571
<i>Chee Kheng Chng (University of Malaya), Yuliang Liu (South China University of Technology), Yipeng Sun (South China University of Technology), Chun Chet Ng (University of Malaya, Malaysia), Canjie Luo (South China University of Technology), Zihan Ni (Baidu Inc, Beijing, China), ChuanMing Fang (South China University of Technology), Shuaitao Zhang (South China University of Technology), Junyu Han (Baidu Inc, Beijing, China), Errui Ding (Baidu Inc, Beijing, China), Jingtuo Liu (Baidu Inc, Beijing, China), Dimosthenis Karatzas (Computer Vision Center, Universitat Autònoma de Barcelona, Spain), Chee Seng Chan (University of Malaya, Malaysia), and Lianwen Jin (South China University of Technology)</i>	
ICDAR 2019 Robust Reading Challenge on Reading Chinese Text on Signboard	1577
<i>Rui Zhang (Meituan-Dianping Group, China), Yongsheng Zhou (Meituan-Dianping Group, China), Qianyi Jiang (Meituan-Dianping Group, China), Qi Song (Meituan-Dianping Group, China), Nan Li (Meituan-Dianping Group, China), Kai Zhou (Meituan-Dianping Group, China), Lei Wang (Meituan-Dianping Group, China), Dong Wang (Meituan-Dianping Group, China), Minghui Liao (Huazhong University of Science and Technology, China), Mingkun Yang (Huazhong University of Science and Technology, China), Xiang Bai (Huazhong University of Science and Technology, China), Baoguang Shi (Microsoft Redmond, USA), Dimosthenis Karatzas (Computer Vision Centre, UAB, Spain), Shijian Lu (Nanyang Technological University), and C. V. Jawahar (IIIT Hyderabad, India)</i>	

ICDAR2019 Robust Reading Challenge on Multi-lingual Scene Text Detection and Recognition —	
RRC-MLT-2019	1582
<i>Nibal Nayef (no affiliation), Yash Patel (The Robotics Institute, Carnegie Mellon University, Pittsburgh, USA and Center for Machine Perception, Department of Cybernetics, Czech Technical University, Prague, Czech Republic), Michal Busta (Center for Machine Perception, Department of Cybernetics, Czech Technical University, Prague, Czech Republic), Pinaki Nath Chowdhury (CVPR unit, Indian Statistical Institute, India), Dimosthenis Karatzas (Computer Vision Center, Universitat Autònoma de Barcelona, Spain), Wafa Khelif (L3i Laboratory, University of La Rochelle, France), Jiri Matas (Center for Machine Perception, Department of Cybernetics, Czech Technical University, Prague, Czech Republic), Umapada Pal (CVPR unit, Indian Statistical Institute, India), Jean-Christophe Burie (L3i Laboratory, University of La Rochelle, France), Cheng-lin Liu (National Laboratory of Pattern Recognition, Institute of Automation of Chinese Academy of Sciences, China), and Jean-Marc Ogier (L3i Laboratory, University of La Rochelle, France)</i>	
ICDAR 2019 Competition on Post-OCR Text Correction	1588
<i>Christophe Rigaud (La Rochelle University), Antoine Doucet (La Rochelle University), Mickaël Coustaty (La Rochelle University), and Jean-Philippe Moreux (National Library of France)</i>	
ICDAR 2019 Competition on Harvesting Raw Tables from Infographics (CHART-Infographics)	1594
<i>Kenny Davila (University at Buffalo, SUNY), Bhargava Urala Kota (University at Buffalo, SUNY), Srirangaraj Setlur (University at Buffalo, SUNY, Buffalo), Venu Govindaraju (University at Buffalo, SUNY), Christopher Tensmeyer (Adobe Research), Sumit Shekhar (Adobe Research), and Ritwick Chaudhry (Adobe Research)</i>	

Author Index