

2019 IEEE International Electron Devices Meeting (IEDM 2019)

**San Francisco, California, USA
7 – 11 December 2019**

Pages 1-473



**IEEE Catalog Number: CFP19IED-POD
ISBN: 978-1-7281-4033-9**

**Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP19IED-POD
ISBN (Print-On-Demand):	978-1-7281-4033-9
ISBN (Online):	978-1-7281-4032-2
ISSN:	0163-1918

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

PROCESS AND PACKAGING INNOVATIONS FOR MOORE’S LAW CONTINUATION AND BEYOND	1
<i>Robert Chau</i>	
CONTINUED SCALING IN SEMICONDUCTOR MANUFACTURING ENABLED BY ADVANCES IN LITHOGRAPHY	7
<i>Martin Van Den Brink</i>	
FUTURE OF NON-VOLATILE MEMORY -FROM STORAGE TO COMPUTING-	12
<i>K. Ishimaru</i>	
DEMONSTRATION OF A RELIABLE 1 GB STANDALONE SPIN-TRANSFER TORQUE MRAM FOR INDUSTRIAL APPLICATIONS	18
<i>S. Aggarwal ; H. Almasi ; M. Deherrera ; B. Hughes ; S. Ikegawa ; J. Janesky ; H. K. Lee ; H. Lu ; F. B. Mancoff ; K. Nagel ; G. Shimon ; J. J. Sun ; T. Andre ; S. M. Alam</i>	
1GBIT HIGH DENSITY EMBEDDED STT-MRAM IN 28NM FDSOI TECHNOLOGY	22
<i>K. Lee ; J. H. Bak ; Y. J. Kim ; C. K. Kim ; A. Antonyan ; D. H. Chang ; S. H. Hwang ; G. W. Lee ; N. Y. Ji ; W. J. Kim ; J. H. Lee ; B. J. Bae ; J. H. Park ; I. H. Kim ; B. Y. Seo ; S. H. Han ; Y. Ji ; H. T. Jung ; S. O. Park ; O. I. Kwon ; J. W. Kye ; Y. D. Kim ; S. W. Pae ; Y. J. Song ; G. T. Jeong ; K. H. Hwang ; G. H. Koh ; H. K. Kang ; E. S. Jung</i>	
MANUFACTURABLE 22NM FD-SOI EMBEDDED MRAM TECHNOLOGY FOR INDUSTRIAL-GRADE MCU AND IOT APPLICATIONS	26
<i>V. B. Naik ; K. Lee ; K. Yamane ; R. Chao ; J. Kwon ; N. Thiagarajah ; N. L. Chung ; S. H. Jang ; B. Behin-Aein ; J. H. Lim ; T. Y. Lee ; W. P. Neo ; H. Dixit ; S. K ; L. C. Goh ; T. Ling ; J. Hwang ; D. Zeng ; J. W. Ting ; E. H. Toh ; L. Zhang ; R. Low ; N. Balasankaran ; L. Y. Zhang ; K. W. Gan ; L. Y. Hau ; J. Mueller ; B. Pfefferling ; O. Kallensee ; S. L. Tan ; C. S. Seet ; Y. S. You ; S. T. Woo ; E. Quek ; S. Y. Siah ; J. Pellerin</i>	
2 MB ARRAY-LEVEL DEMONSTRATION OF STT-MRAM PROCESS AND PERFORMANCE TOWARDS L4 CACHE APPLICATIONS	30
<i>J. G. Alzate ; U. Arslan ; P. Bai ; J. Brockman ; Y. J. Chen ; N. Das ; K. Fischer ; T. Ghani ; P. Heil ; P. Hentges ; R. Jahan ; A. Littlejohn ; M. Mainuddin ; D. Ouellette ; J. Pellegren ; T. Pramanik ; C. Puls ; P. Quintero ; T. Rahman ; M. Sekhar ; B. Sell ; M. Seth ; A. J. Smith ; A. K. Smith ; L. Wei ; C. Wiegand ; O. Golonzka ; F. Hamzaoglu</i>	
A NOVEL INTEGRATION OF STT-MRAM FOR ON-CHIP HYBRID MEMORY BY UTILIZING NON-VOLATILITY MODULATION	34
<i>J.-H. Park ; J. Lee ; J. Jeong ; U. Pi ; W. K. Kim ; S. Lee ; E. Noh ; K. Kim ; W. C. Lim ; S. Kwon ; B.-J. Bae ; I. Kim ; N. Ji ; K. Lee ; H. Shin ; S. H. Han ; S. Hwang ; D. Jeong ; J. Lee ; S. C. Oh ; S. O. Park ; Y. J. Song ; G. T. Jeong ; G. H. Koh ; S. Hyun ; K. Hwang ; S. W. Nam ; H. K. Kang ; E. S. Jung</i>	
SPIN-TRANSFER TORQUE MRAM WITH RELIABLE 2 NS WRITING FOR LAST LEVEL CACHE APPLICATIONS	38
<i>G. Hu ; J. J. Nowak ; M. G. Gottwald ; S. L. Brown ; B. Doris ; C. P. D’Emic ; P. Hashemi ; D. Houssameddine ; Q. He ; D. Kim ; J. Kim ; C. Kothandaraman ; G. Lauer ; H K Lee ; N. Marchack ; M. Reuter ; R. P. Robertazzi ; J. Z. Sun ; T. Suwannasiri ; P. L. Trouilloud ; S. Woo ; D. C. Worledge</i>	
22NM STT-MRAM FOR REFLOW AND AUTOMOTIVE USES WITH HIGH YIELD, RELIABILITY, AND MAGNETIC IMMUNITY AND WITH PERFORMANCE AND SHIELDING OPTIONS	42
<i>W. J. Gallagher ; Eric Chien ; Tien-Wei Chiang ; Jian-Cheng Huang ; Meng-Chun Shih ; C. Y. Wang ; Chih-Hui Weng ; Sean Chen ; Christine Bair ; George Lee ; Yi-Chun Shih ; Chia-Fu Lee ; Po-Hao Lee ; Roger Wang ; Kuei-Hung Shen ; J. J. Wu ; Wayne Wang ; Harry Chuang</i>	
MONOLITHIC 3D BEOL FINFET SWITCH ARRAYS USING LOCATION-CONTROLLED-GRAIN TECHNIQUE IN VOLTAGE REGULATOR WITH BETTER FOM THAN 2D REGULATORS	46
<i>Ping-Yi Hsieh ; Yi-Jui Chang ; Pin-Jun Chen ; Chun-Liang Chen ; Chih-Chao Yang ; Po-Tsang Huang ; Yi-Jing Chen ; Chih-Ming Shen ; Yu-Wei Liu ; Chien-Chi Huang ; Ming-Chi Tai ; Wei-Chung Lo ; Chang-Hong Shen ; Jia-Min Shieh ; Da-Chiang Chang ; Kuan-Neng Chen ; Wen-Kuan Yeh ; Chenming Hu</i>	
3D-STACKED CAAC-IN-GA-ZN OXIDE FETS WITH GATE LENGTH OF 72NM	50
<i>Masashi Oota ; Yoshinori Ando ; Kazuki Tsuda ; Tatsuki Koshida ; Satoru Oshita ; Akio Suzuki ; Kumihiko Fukushima ; Shuhei Nagatsuka ; Tatsuya Onuki ; Ryota Hodo ; Takayuki Ikeda ; Shunpei Yamazaki</i>	
MONOLITHIC 3D SRAM-CIM MACRO FABRICATED WITH BEOL GATE-ALL-AROUND MOSFETS	54
<i>Fu-Kuo Hsueh ; Chun-Ying Lee ; Cheng-Xin Xue ; Chang-Hong Shen ; Jia-Min Shieh ; Bo-Yuan Chen ; Yen-Cheng Chiu ; Hsiu-Chih Chen ; Ming-Hsuan Kao ; Wen-Hsien Huang ; Kai-Shin Li ; Chien-Ting Wu ; Kun-Lin Lin ; Kun-Ming Chen ; Guo-Wei Huang ; Meng-Fan Chang ; Chenming Hu ; Wen-Kuan Yeh</i>	

INTER-TIER DYNAMIC COUPLING AND RF CROSSTALK IN 3D SEQUENTIAL INTEGRATION	58
<i>P. Sideris ; J. Lugo-Alvarez ; P. Batude ; L. Brunet ; P. Acosta-Alba ; S. Kerdiles ; C. Fenouillet-Beranger ; G. Sicard ; O. Rozeau ; F. Andrieu ; J-P. Colinge ; G. Ghibaudo ; C. Theodorou</i>	
BEOL COMPATIBLE 15-NM CHANNEL LENGTH ULTRATHIN INDIUM-TIN-OXIDE TRANSISTORS WITH $I_{ON} = 970 \mu A/\mu M$ AND ON/OFF RATIO NEAR 10^{11} AT $V_{DS} = 0.5 V$	62
<i>Shengman Li ; Mengchuan Tian ; Chengru Gu ; Runsheng Wang ; Mengfei Wang ; Xiong Xiong ; Xuefei Li ; Ru Huang ; Yanqing Wu</i>	
1200 V MULTI-CHANNEL POWER DEVICES WITH 2.8 O-MM ON-RESISTANCE	66
<i>Jun Ma ; Catherine Erine ; Minghua Zhu ; Nela Luca ; Peng Xiang ; Kai Cheng ; Elison Matioli</i>	
IMPACT IONIZATION COEFFICIENTS IN GAN MEASURED BY ABOVE- AND SUB-E_G ILLUMINATIONS FOR P/N^+ JUNCTION	70
<i>Takuya Maeda ; Tetsuo Narita ; Shinji Yamada ; Tetsu Kachi ; Tsunenobu Kimoto ; Masahiro Horita ; Jun Suda</i>	
INVESTIGATION OF NBTI DEGRADATION ON GAN-ON-SI E-MODE MOSC-HEMT	74
<i>A. G. Viey ; W. Vandendaele ; M.-A. Jaud ; J. Cluzel ; J.-P. Barnes ; S. Martin ; A. Krakovinsky ; R. Gwozdecki ; M. Plissonnier ; F. Gaillard ; R. Modica ; F. Iucolano ; M. Meneghini ; E. Zanoni ; G. Meneghesso ; G. Ghibaudo</i>	
GAN-ON-SOI: MONOLITHICALLY INTEGRATED ALL-GAN ICs FOR POWER CONVERSION	78
<i>X. Li ; N. Amirifar ; K. Geens ; M. Zhao ; W. Guo ; H. Liang ; S. You ; N. Posthuma ; B. De Jaeger ; S. Stoffels ; B. Bakeroot ; D. Wellekens ; B. Vanhove ; T. Cosnier ; R. Langer ; D. Marcon ; G. Groeseneken ; S. Decoutere</i>	
GAN/ALN SCHOTTKY-GATE P-CHANNEL HFETS WITH INGAN CONTACTS AND 100 MA/MM ON-CURRENT	82
<i>S. J. Bader ; R. Chaudhuri ; A. Hickman ; K. Nomoto ; S. Bharadwaj ; H. W. Then ; H. G. Xing ; D. Jena</i>	
FIRST DEMONSTRATION OF A SELF-ALIGNED GAN P-FET	86
<i>Nadim Chowdhury ; Qingyun Xie ; Mengyang Yuan ; Nitul S. Rajput ; Peng Xiang ; Kai Cheng ; Han Wui Then ; Tomás Palacios</i>	
REVERSE TIP SAMPLE SCANNING FOR PRECISE AND HIGH-THROUGHPUT ELECTRICAL CHARACTERIZATION OF ADVANCED NODES	90
<i>U. Celano ; T. Hantschel ; T. Boehme ; A. Kanninen ; L. Wouters ; H. Bender ; N. Bosman ; C. Drijbooms ; S. Folkersma ; K. Paredis ; W. Vandervorst ; P. Van Der Heide</i>	
HOT-SPOT THERMAL SENSOR DESIGN IN FINFETS	94
<i>S. L. Liu ; J. J. Horng ; Amit Kundu ; B. S. Lien ; C. H. Lee ; Y. H. Chen ; Chester Kuo ; Y. C. Peng ; Mark Chen</i>	
CHARACTERIZING ELECTROMIGRATION EFFECTS IN A 16NM FINFET PROCESS USING A CIRCUIT BASED TEST VEHICLE	98
<i>N. Pande ; C. Zhou ; Mh Lin ; R. Fung ; R. Wong ; S. Wen ; C. H. Kim</i>	
HUMIDITY PENETRATION IMPACT ON INTEGRATED CIRCUIT PERFORMANCE AND RELIABILITY	102
<i>Franco Stellari ; Cyril Cabral ; Peilin Song ; Robert Laibowitz</i>	
NON-PLANARIZATION CU-CU DIRECT BONDING AND GANG BONDING WITH LOW TEMPERATURE AND SHORT DURATION IN AMBIENT ATMOSPHERE	106
<i>Tzu-Chieh Chou ; Kai-Ming Yang ; Jian-Chen Li ; Ting-Yang Yu ; Ying-Ting Chung ; Cheng-Ta Ko ; Yu-Hua Chen ; Tzyy-Jang Tseng ; Kuan-Neng Chen</i>	
REDUCING THE IMPACT OF PHASE-CHANGE MEMORY CONDUCTANCE DRIFT ON THE INFERENCE OF LARGE-SCALE HARDWARE NEURAL NETWORKS	110
<i>S. Ambrogio ; M. Gallot ; K. Spoon ; H. Tsai ; C. Mackin ; M. Wesson ; S. Kariyappa ; P. Narayanan ; C.-C. Liu ; A. Kumar ; A. Chen ; G. W. Burr</i>	
PERFORMANCE MAXIMIZATION OF IN-MEMORY REINFORCEMENT LEARNING WITH VARIABILITY-CONTROLLED $Hf_{1-x}Zr_xO_2$ FERROELECTRIC TUNNEL JUNCTIONS	114
<i>K. Ota ; M. Yamaguchi ; R. Berdan ; T. Marukame ; Y. Nishi ; K. Matsuo ; K. Takahashi ; Y. Kamiya ; S. Miyano ; J. Deguchi ; S. Fujii ; M. Saitoh</i>	
SUB-NA LOW-CURRENT HZO FERROELECTRIC TUNNEL JUNCTION FOR HIGH-PERFORMANCE AND ACCURATE DEEP LEARNING ACCELERATION	118
<i>Tzu-Yun Wu ; Hsin-Hui Huang ; Yueh-Hua Chu ; Chih-Cheng Chang ; Ming-Hung Wu ; Chien-Hua Hsu ; Chien-Ting Wu ; Min-Ci Wu ; Wen-Wei Wu ; Tian-Sheuan Chang ; Heng-Yuan Lee ; Shyh-Shyuan Sheu ; Wei-Chung Lo ; Tuo-Hung Hou</i>	
CAPACITOR-LESS STOCHASTIC LEAKY-FEFET NEURON OF BOTH EXCITATORY AND INHIBITORY CONNECTIONS FOR SNN WITH REDUCED HARDWARE COST	122
<i>Jin Luo ; Liutao Yu ; Tianyi Liu ; Mengxuan Yang ; Zhiyuan Fu ; Zhongxin Liang ; Liang Chen ; Cheng Chen ; Shuhan Liu ; Si Wu ; Qianqian Huang ; Ru Huang</i>	
COMPLEMENTARY GRAPHENE-FERROELECTRIC TRANSISTORS (C-GFTS) AS SYNAPSES WITH MODULATABLE PLASTICITY FOR SUPERVISED LEARNING	126
<i>Yue Zhou ; Nuo Xu ; Bin Gao ; Yangyang Chen ; Boyi Dong ; Yi Li ; Yuhui He ; Xiang Shui Miao</i>	

A NOVEL SCALABLE ENERGY-EFFICIENT SYNAPTIC DEVICE: CROSSBAR FERROELECTRIC SEMICONDUCTOR JUNCTION	130
<i>M. Si ; Y. Luo ; W. Chung ; H. Bae ; D. Zheng ; J. Li ; J. Qin ; G. Qiu ; S. Yu ; P. D. Ye</i>	
EXPERIMENTAL DEMONSTRATION OF CONVERSION-BASED SNNs WITH 1T1R MOTT NEURONS FOR NEUROMORPHIC INFERENCE	134
<i>Xumeng Zhang ; Zhongrui Wang ; Wenhao Song ; Rivu Midya ; Ye Zhuo ; Rui Wang ; Mingyi Rao ; Navnidhi K. Upadhyay ; Qiangfei Xia ; J. Joshua Yang ; Qi Liu ; Ming Liu</i>	
HYSTERESIS-FREE NEGATIVE CAPACITANCE IN THE MULTI-DOMAIN SCENARIO FOR LOGIC APPLICATIONS	138
<i>J. Gomez ; S. Dutta ; K. Ni ; J. A. Smith ; B. Grisafe ; A. Khan ; S. Datta</i>	
REVISED ANALYSIS OF NEGATIVE CAPACITANCE IN FERROELECTRIC-INSULATOR CAPACITORS: ANALYTICAL AND NUMERICAL RESULTS, PHYSICAL INSIGHT, COMPARISON TO EXPERIMENTS	142
<i>T. Rollo ; F. Blanchini ; G. Giordano ; R. Specogna ; D. Esseni</i>	
ELECTROSTATIC INTEGRITY IN NEGATIVE-CAPACITANCE FETS – A SUBTHRESHOLD MODELING APPROACH	146
<i>Pin Su ; Wei-Xiang You</i>	
EQUIVALENT OXIDE THICKNESS (EOT) SCALING WITH HAFNIUM ZIRCONIUM OXIDE HIGH-ϵ DIELECTRIC NEAR MORPHOTROPIC PHASE BOUNDARY	150
<i>Kai Ni ; Atanu Saha ; Wriddhi Chakraborty ; Huacheng Ye ; Benjamin Grisafe ; Jeffrey Smith ; G. Bruce Rayner ; Sumeet Gupta ; Suman Datta</i>	
SURFACE POTENTIAL-BASED COMPACT MODEL FOR NEGATIVE CAPACITANCE FETS COMPATIBLE FOR LOGIC CIRCUIT: WITH TIME DEPENDENCE AND MULTIDOMAIN INTERACTION	154
<i>Ying Zhao ; Ling Li ; Yue Peng ; Quan Li ; Guanhua Yang ; Xichen Chuai ; Qiang Li ; Genquan Han ; Ming Liu</i>	
14NM FINFET PROCESS TECHNOLOGY PLATFORM FOR OVER 100M PIXEL DENSITY AND ULTRA LOW POWER 3D STACK CMOS IMAGE SENSOR	158
<i>Donghee Yu ; Choong Jae Lee ; Myoungkyu Park ; Junghwan Park ; Seungju Hwang ; Joonhyung Lee ; Sunghun Yu ; Hyunjung Shin ; Byoungho Kim ; Jong-Won Choi ; Sangil Jung ; Minho Kwon ; Il-Seon Ha ; Chaesung Kim ; Sanghyun Cho ; Seunghyun Lim ; Won-Woong Kim ; Moo-Young Kim ; Seonghye Park ; Ki-Don Lee ; Rakesh Ranjan ; Shigenobu Maeda ; Gitae Jeong</i>	
HIGH PERFORMANCE GIGAHERTZ FLEXIBLE RADIO FREQUENCY TRANSISTORS WITH EXTREME BENDING CONDITIONS	162
<i>Mengfei Wang ; Mengchuan Tian ; Zhenfeng Zhang ; Shengman Li ; Runsheng Wang ; Chengru Gu ; Xiaoyu Shan ; Xiong Xiong ; Xuefei Li ; Ru Huang ; Yanqing Wu</i>	
A NOVEL STRUCTURAL DESIGN SERVING AS A STRESS RELIEF LAYER FOR FLEXIBLE LTFS TFTS	166
<i>Yu-Xuan Wang ; Ting-Chang Chang ; Shin-Ping Huang ; Mao-Chou Tai ; Yu-Zhe Zheng ; Chia-Chuan Wu ; Simon Sze</i>	
SELF-ALIGNED ELEVATED-METAL METAL-OXIDE THIN-FILM TRANSISTORS FOR DISPLAYS AND FLEXIBLE ELECTRONICS	170
<i>Zhihe Xia ; Lei Lu ; Jiapeng Li ; Hoi-Sing Kwok ; Man Wong</i>	
FLEXIBLE, ACTIVE-MATRIX FLAT-PANEL IMAGE SENSOR FOR LOW DOSE X-RAY DETECTION ENABLED BY INTEGRATION OF PEROVSKITE PHOTODIODE AND OXIDE THIN FILM TRANSISTOR	174
<i>Taoyu Zou ; Changdong Chen ; Ben Xiang ; Ya Wang ; Chuan Liu ; Shengdong Zhang ; Hang Zhou</i>	
FIRST DEMONSTRATION OF III-V HBTS ON 300 MM SI SUBSTRATES USING NANO-RIDGE ENGINEERING	178
<i>A. Vais ; L. Witters ; Y. Mols ; A. S. Hernandez ; A. Walke ; H. Yu ; M. Baryshnikova ; G. Mannaert ; V. Deshpande ; R. Alcotte ; M. Ingels ; P. Wambacq ; B. Parvais ; R. Langer ; B. Kunert ; N. Waldron ; N. Collaert</i>	
MILLIMETER-WAVE INP DEVICE TECHNOLOGIES FOR ULTRA-HIGH SPEED WIRELESS COMMUNICATIONS TOWARD BEYOND 5G	182
<i>H. Hamada ; T. Tsutsumi ; H. Sugiyama ; H. Matsuzaki ; H.-J. Song ; G. Itami ; T. Fujimura ; I. Abdo ; K. Okada ; H. Nosaka</i>	
IMPACT IONIZATION CONTROL IN 50 NM LOW-NOISE HIGH-SPEED INP HEMTS WITH INAS CHANNEL INSETS	186
<i>Diego C. Ruiz ; Tamara Saranovac ; Daxin Han ; Olivier Ostinelli ; C. R. Bolognesi</i>	
WEYL SEMI-METAL-BASED HIGH-FREQUENCY AMPLIFIERS	190
<i>A. Toniato ; B. Gotsmann ; E. Lind ; C. B. Zota</i>	
NON-VOLATILE RF AND MM-WAVE SWITCHES BASED ON MONOLAYER HBN	194
<i>Myungsoo Kim ; Emiliano Pallecchi ; Ruijing Ge ; Xiaohan Wu ; Vanessa Avramovic ; Etienne Okada ; Jack C. Lee ; Henri Happy ; Deji Akinwande</i>	

NON-RECIPROCAL ACOUSTOELECTRIC AMPLIFICATION IN GERMANIUM-BASED LAMB WAVE DELAY LINES	198
<i>F. Hakim ; M. Ramezani ; S. Rassay ; R. Tabrizian</i>	
THE NEUROPIXELS PROBE: A CMOS BASED INTEGRATED MICROSYSTEMS PLATFORM FOR NEUROSCIENCE AND BRAIN-COMPUTER INTERFACES	202
<i>B. Dutta ; A. Andrei ; T. D. Harris ; C. M. Lopez ; J. O'Callahan ; J. Putzeys ; B. C. Raducanu ; S. Severi ; S. D. Stavisky ; E. M. Trautmann ; M. Welkenhuysen ; K. V. Shenoy</i>	
MICROFABRICATED BIOELECTRONIC SYSTEMS FOR PREVENTION, DIAGNOSTICS AND TREATMENT OF NEUROLOGICAL DISORDERS	206
<i>Giuseppe Schiavone ; Florian Fallegger ; Philipp Schönle ; Qiuting Huang ; Stéphanie P. Lacour</i>	
HAPTICS-LED INNOVATION FOR COMING SOCIETY	210
<i>K. Ohnishi ; T. Nozaki ; Y. Saito ; T. Shimono ; T. Mizoguchi</i>	
CHALLENGES IN THE DEVELOPMENT OF WEARABLE HUMAN MACHINE INTERFACE SYSTEMS	214
<i>Brendan O'Flynn ; Javier Sanchez-Torres ; Salvatore Tedesco ; Michael Walsh</i>	
INTELLIGENT VISION SYSTEMS – BRINGING HUMAN-MACHINE INTERFACE TO AR/VR	218
<i>Chiao Liu ; Andrew Berkovich ; Song Chen ; Hans Reyserhove ; Syed Shakib Sarwar ; Tsung-Hsun Tsai</i>	
LOW-LATENCY INTERACTIVE SENSING FOR MACHINE VISION	222
<i>Paul K. J. Park ; Jun- Seok Kim ; Chang- Woo Shin ; Hyunku Lee ; Weiheng Liu ; Qiang Wang ; Yohan Roh ; Jeonghan Kim ; Yotam Ater ; Evgeny Soloveichik ; Hyunsurk Eric Ryu</i>	
HIGH-SPEED IMAGE PROCESSING DEVICES AND ITS APPLICATIONS	226
<i>Masatoshi Ishikawa</i>	
VERTICAL NANOWIRE AND NANOSHEET FETS: DEVICE FEATURES, NOVEL SCHEMES FOR IMPROVED PROCESS CONTROL AND ENHANCED MOBILITY, POTENTIAL FOR FASTER & MORE ENERGY EFFICIENT CIRCUITS	230
<i>A. Veloso ; G. Eneman ; T. Huynh-Bao ; A. Chasin ; E. Simoen ; E. Vecchio ; K. Devriendt ; S. Brus ; E. Rosseel ; A. Hikavy ; R. Loo ; V. Paraschiv ; B. T. Chan ; D. Radisic ; W. Li ; J. J. Versluijs ; L. Teugels ; F. Sebaai ; P. Favia ; H. Bender ; E. Vancoille ; J. E. Scheerder ; C. Fleischmann ; N. Horiguchi ; P. Matagne</i>	
MULTIPLE-VT SOLUTIONS IN NANOSHEET TECHNOLOGY FOR HIGH PERFORMANCE AND LOW POWER APPLICATIONS	234
<i>R. Bao ; K. Watanabe ; J. Zhang ; J. Guo ; H. Zhou ; A. Gaul ; M. Sankarapandian ; J. Li ; A. R. Hubbard ; R. Vega ; S. Pancharatnam ; P. Jamison ; M. Wang ; N. Loubet ; V. Basker ; D. Dechene ; D. Guo ; B. Haran ; H. Bu ; M. Khare</i>	
3D-CARRIER PROFILING AND PARASITIC RESISTANCE ANALYSIS IN VERTICALLY STACKED GATE-ALL-AROUND SI NANOWIRE CMOS TRANSISTORS	238
<i>P. Eyben ; R. Ritzenthaler ; A. De Keersgieter ; U. Celano ; T. Chiarella ; A. Veloso ; H. Mertens ; V. Pena ; G. Santoro ; J. Machillot ; M. Kim ; T. Miyashita ; N. Yoshida ; H. Bender ; O. Richard ; K. Paredis ; L. Wouters ; J. Mitard ; N. Horiguchi</i>	
A NOVEL DRY SELECTIVE ETCH OF SIGE FOR THE ENABLEMENT OF HIGH PERFORMANCE LOGIC STACKED GATE-ALL-AROUND NANOSHEET DEVICES	242
<i>N. Loubet ; S. Kal ; C. Alix ; S. Pancharatnam ; H. Zhou ; C. Durfee ; M. Belyansky ; N. Haller ; K. Watanabe ; T. Devarajan ; J. Zhang ; X. Miao ; M. Sankar ; M. Breton ; R. Chao ; A. Greene ; L. Yu ; J. Frougier ; D. Chanemougame ; K. Tapily ; J. Smith ; V. Basker ; A. Mosden ; P. Biolsi ; T. Q. Hurd ; R. Divakaruni ; B. Haran ; H. Bu</i>	
IMAGING, MODELING AND ENGINEERING OF STRAIN IN GATE-ALL-AROUND NANOSHEET TRANSISTORS	246
<i>S. Reboh ; R. Coquand ; N. Loubet ; N. Bernier ; E. Augendre ; R. Chao ; J. Li ; J. Zhang ; R. Muthinti ; V. Boureau ; T. Yamashita ; O. Faynot</i>	
FULL BOTTOM DIELECTRIC ISOLATION TO ENABLE STACKED NANOSHEET TRANSISTOR FOR LOW POWER AND HIGH PERFORMANCE APPLICATIONS	250
<i>J. Zhang ; J. Frougier ; A. Greene ; X. Miao ; L. Yu ; R. Vega ; P. Montanini ; C. Durfee ; A. Gaul ; S. Pancharatnam ; C. Adams ; H. Wu ; H. Zhou ; T. Shen ; R. Xie ; M. Sankarapandian ; J. Wang ; K. Watanabe ; R. Bao ; X. Liu ; C. Park ; H. Shobha ; P. Joseph ; D. Kong ; A. Arceo De La Pena ; J. Li ; R. Conti ; D. Dechene ; N. Loubet ; R. Chao ; T. Yamashita ; R. Robison ; V. Basker ; K. Zhao ; D. Guo ; B. Haran ; R. Divakaruni ; H. Bu</i>	
FIRST DEMONSTRATION OF CMOS INVERTER AND 6T-SRAM BASED ON GAA CFETS STRUCTURE FOR 3D-IC APPLICATIONS	254
<i>S.-W. Chang ; P.-J. Sung ; T.-Y. Chu ; D. D. Lu ; C.-J. Wang ; N.-C. Lin ; C.-J. Su ; S.-H. Lo ; H.-F. Huang ; J.-H. Li ; M.-K. Huang ; Y.-C. Huang ; S.-T. Huang ; H.-C. Wang ; Y.-J. Huang ; J.-Y. Wang ; L. - W Yu ; Y.-F. Huang ; F. - K. Hsueh ; C.-T. Wu ; W. C.-Y. Ma ; K.-H. Kao ; Y. - J. Lee ; C.-L. Lin ; R. W. Chuang ; K.-P. Huang ; S. Samukawa ; Y. Li ; W. - H. Lee ; T.-S. Chao ; G. - W. Huang ; W.-F. Wu ; J. - Y. Li ; J.-M. Shieh ; W. - K. Yeh ; Y.-H. Wang</i>	
MODELING NEEDS FOR POWER SEMICONDUCTOR DEVICES AND POWER ELECTRONICS SYSTEMS	258
<i>Ramchandra Kotecha ; Gilberto Moreno ; Barry Mather ; Sreekant Narumanchi</i>	

PROGRESS IN SI IGBT TECHNOLOGY – AS AN ONGOING COMPETITION WITH WBG POWER DEVICES	262
<i>T. Laska</i>	
DYNAMIC AVALANCHE FREE DESIGN IN 1.2KV SI-IGBTs FOR ULTRA HIGH CURRENT DENSITY OPERATION	266
<i>Peng Luo ; Sankara Narayanan Ekkannath Madathil ; Shin-Ichi Nishizawa ; Wataru Saito</i>	
SINGLE AND MULTI-FIN NORMALLY-OFF Ga₂O₃ VERTICAL TRANSISTORS WITH A BREAKDOWN VOLTAGE OVER 2.6 KV	270
<i>W. Li ; K. Nomoto ; Z. Hu ; T. Nakamura ; D. Jena ; H. G. Xing</i>	
FIRST DEMONSTRATION OF WAFERSCALE HETEROGENEOUS INTEGRATION OF Ga₂O₃ MOSFETS ON SIC AND SI SUBSTRATES BY ION-CUTTING PROCESS	274
<i>Wenhui Xu ; Yibo Wang ; Tianguai You ; Xin Ou ; Genquan Han ; Haodong Hu ; Shibin Zhang ; Fengwen Mu ; Tadamoto Suga ; Yuhao Zhang ; Yue Hao ; Xi Wang</i>	
CHALLENGES IN RADIO FREQUENCY AND MIXED-SIGNAL CIRCUIT RELIABILITY	278
<i>V. Reddy ; S. Martin ; K. Benaissa ; C. Chancellor ; K. Bhatia ; V. Srinivasan ; V. Rentala ; S. Krishnan ; J. Ondrusek</i>	
TELEMETRY FOR SYSTEM RELIABILITY	282
<i>Robert Kwasnick ; Hermann Garbler ; Josh Boelter ; John Holm ; Sheela Surisetty ; Chansik Im ; Praveen Polasam ; Oren Zonensain</i>	
ENABLING PROGNOSTICS OF ROBUST DESIGN WITH INTERPRETABLE MACHINE LEARNING	286
<i>Jay Sarkar ; Cory Peterson</i>	
SECURITY AND RELIABILITY – FRIEND OR FOE	290
<i>I. Verbauwhede ; K.-H. Chuang</i>	
DESIGNING SECURE CRYPTOGRAPHIC CIRCUITS	294
<i>N. Homma</i>	
LEVERAGING CIRCUIT RELIABILITY EFFECTS FOR DESIGNING ROBUST AND SECURE PHYSICAL UNCLONABLE FUNCTIONS	298
<i>M. Kim ; G. Park ; P. Chiu ; C. H. Kim</i>	
CUSTOM CMOS AND POST-CMOS CROSSBAR CIRCUITS FOR RESOURCE-CONSTRAINED HARDWARE SECURITY PRIMITIVES	302
<i>Kaiyuan Yang</i>	
PROGRAMMABLE LINEAR RAM: A NEW FLASH MEMORY-BASED MEMRISTOR FOR ARTIFICIAL SYNAPSES AND ITS APPLICATION TO SPEECH RECOGNITION SYSTEM	306
<i>Shifan Gao ; Guangjun Yang ; Xiang Qiu ; Chun Yang ; Cheng Zhang ; Binhan Li ; Chao Gao ; Hong Jiang ; Zhexiong Wang ; Jian Hu ; Jun Xiao ; Bo Zhang ; Choonghyun Lee ; Yi Zhao ; Weiran Kong</i>	
ON-CHIP TRAINABLE 1.4M 6T2R PCM SYNAPTIC ARRAY WITH 1.6K STOCHASTIC LIF NEURONS FOR SPIKING RBM	310
<i>M. Ishii ; S. Kim ; S. Lewis ; A. Okazaki ; J. Okazawa ; M. Ito ; M. Rasch ; W. Kim ; A. Nomura ; U. Shin ; K. Hosokawa ; M. Brightsky ; W. Haensch</i>	
FULLY INTEGRATED SPIKING NEURAL NETWORK WITH ANALOG NEURONS AND RRAM SYNAPSES	314
<i>A. Valentian ; F. Rummens ; E. Vianello ; T. Mesquida ; C. Lecat-Mathieu De Boissac ; O. Bichler ; C. Reita</i>	
A DEEP NEURAL NETWORK ACCELERATOR BASED ON TILED RRAM ARCHITECTURE	318
<i>Qiwen Wang ; Xinxin Wang ; Seung Hwan Lee ; Fan-Hsuan Meng ; Wei D. Lu</i>	
ON DESIGNING EFFICIENT AND RELIABLE NONVOLATILE MEMORY-BASED COMPUTING-IN-MEMORY ACCELERATORS	322
<i>Bonan Yan ; Mengyun Liu ; Yiran Chen ; Krishnendu Chakrabarty ; Hai Li</i>	
BAYESIAN NEURAL NETWORK REALIZATION BY EXPLOITING INHERENT STOCHASTIC CHARACTERISTICS OF ANALOG RRAM	326
<i>Yudeng Lin ; Qingtian Zhang ; Jianshi Tang ; Bin Gao ; Chongxuan Li ; Peng Yao ; Zhengwu Liu ; Jun Zhu ; Jiwu Lu ; Xiaobo Sharon Hu ; He Qian ; Huaqiang Wu</i>	
AN ANALOG NEURO-OPTIMIZER WITH ADAPTABLE ANNEALING BASED ON 64x64 0T1R CROSSBAR CIRCUIT	330
<i>M. R. Mahmoodi ; H. Kim ; Z. Fahimi ; H. Nili ; L. Sedov ; V. Polishchuk ; D. B. Strukov</i>	
A HIGH-SPEED AND HIGH-RELIABILITY TRNG BASED ON ANALOG RRAM FOR IOT SECURITY APPLICATION	334
<i>Bohan Lin ; Bin Gao ; Yachuan Pang ; Peng Yao ; Dong Wu ; Hu He ; Jianshi Tang ; He Qian ; Huaqiang Wu</i>	
MATERIAL PERSPECTIVES OF HfO₂-BASED FERROELECTRIC FILMS FOR DEVICE APPLICATIONS	338
<i>Akira Toriumi ; Lun Xu ; Yuki Mori ; Xuan Tian ; Patrick D. Lomenzo ; Halid Mulaosmanovic ; Monica Materano ; Thomas Mikolajick ; Uwe Schroeder</i>	

FIRST DIRECT MEASUREMENT OF SUB-NANOSECOND POLARIZATION SWITCHING IN FERROELECTRIC HAFNIUM ZIRCONIUM OXIDE	342
<i>X. Lyu ; M. Si ; P. R. Shrestha ; K. P. Cheung ; P. D. Ye</i>	
3D SCALABLE, WAKE-UP FREE, AND HIGHLY RELIABLE FRAM TECHNOLOGY WITH STRESS-ENGINEERED HFZRO_x	346
<i>Y. D. Lin ; H. Y. Lee ; Y. T. Tang ; P. C. Yeh ; H. Y. Yang ; P. S. Yeh ; C. Y. Wang ; J. W. Su ; S. H. Li ; S. S. Sheu ; T. H. Hou ; W. C. Lo ; M. H. Lee ; M. F. Chang ; Y. C. King ; C. J. Lin</i>	
IMPACT OF HOMOGENEOUSLY DISPERSED AL NANOCCLUSERS BY SI-MONOLAYER INSERTION INTO HF_{0.5}ZR_{0.5}O₂ FILM ON FEFET MEMORY ARRAY WITH TIGHT THRESHOLD VOLTAGE DISTRIBUTION	350
<i>K. Maekawa ; T. Yamaguchi ; T. Ohara ; A. Amo ; E. Tsukuda ; K. Sonoda ; H. Yanagita ; M. Inoue ; M. Matsuura ; T. Yamashita</i>	
NEXT GENERATION FERROELECTRIC MEMORIES ENABLED BY HAFNIUM OXIDE	354
<i>T. Mikolajick ; U. Schroeder ; P. D. Lomenzo ; E. T. Breyer ; H. Mulaosmanovic ; M. Hoffmann ; T. Mittmann ; F. Mehmood ; B. Max ; S. Slesazeck</i>	
IMPACT OF CHARGE TRAPPING ON IMPRINT AND ITS RECOVERY IN HFO₂ BASED FEFET	358
<i>Y. Higashi ; N. Ronchi ; B. Kaczer ; K. Banerjee ; S. R. C. McMitchell ; B. J. O'Sullivan ; S. Clima ; A. Minj ; U. Celano ; L. Di Piazza ; M. Suzuki ; D. Linten ; J. Van Houdt</i>	
DEMONSTRATION OF BEOL-COMPATIBLE FERROELECTRIC HF_{0.5}ZR_{0.5}O₂ SCALED FERAM CO-INTEGRATED WITH 130NM CMOS FOR EMBEDDED NVM APPLICATIONS	362
<i>T. Francois ; L. Grenouillet ; J. Coignus ; P. Blaise ; C. Carabasse ; N. Vaxelaire ; T. Magis ; F. Aussenac ; V. Loup ; C. Pellissier ; S. Slesazeck ; V. Havel ; C. Richter ; A. Makosiej ; B. Giraud ; E. T. Breyer ; M. Materano ; P. Chiquet ; M. Bocquet ; E. Nowak ; U. Schroeder ; F. Gaillard</i>	
NANOPHOTONICS CONTRIBUTIONS TO STATE-OF-THE-ART CMOS IMAGE SENSORS	366
<i>Sozo Yokogawa</i>	
A 0.8 μM SMART DUAL CONVERSION GAIN PIXEL FOR 64 MEGAPIXELS CMOS IMAGE SENSOR WITH 12K E- FULL-WELL CAPACITANCE AND LOW DARK NOISE	370
<i>Donghyuk Park ; Seung-Wook Lee ; Jinhwa Han ; Dongyoung Jang ; Heesang Kwon ; Seungwon Cha ; Mihye Kim ; Haewon Lee ; Sungho Suh ; Woong Joo ; Yunki Lee ; Seungjoo Nah ; Heegeun Jeong ; Bumsuk Kim ; Sangil Jung ; Jesuk Lee ; Yitae Kim ; Chang-Rok Moon ; Yongin Park</i>	
A 1/2INCH 48M ALL PDAF CMOS IMAGE SENSOR USING 0.8μM QUAD BAYER CODING 2x2OCL WITH 1.0LUX MINIMUM AF ILLUMINANCE LEVEL	374
<i>T. Okawa ; S. Ooki ; H. Yamajo ; M. Kawada ; M. Tachi ; K. Goi ; T. Yamasaki ; H. Iwashita ; M. Nakamizo ; T. Ogasahara ; Y. Kitano ; K. Tatani</i>	
A 2.2μM STACKED BACK SIDE ILLUMINATED VOLTAGE DOMAIN GLOBAL SHUTTER CMOS IMAGE SENSOR	378
<i>Geunsook Park ; Alan Chih-Wei Hsu ; Keiji Mabuchi ; Jingming Yao ; Zhiqiang Lin ; Vincent C. Venezia ; Tongtong Yu ; Yu-Shen Yang ; Tiejun Dai ; Lindsay A. Grant</i>	
A HIGHLY RELIABLE BACK SIDE ILLUMINATED PIXEL AGAINST PLASMA INDUCED DAMAGE	382
<i>Y. Sacchetti ; J.-P. Carrère ; C. Doyen ; R. Duru ; K. Courouble ; S. Ricq ; V. Goiffon ; P. Magnan</i>	
THREE-LAYER STACKED COLOR IMAGE SENSOR WITH 2.0-μM PIXEL SIZE USING ORGANIC PHOTOCONDUCTIVE FILM	386
<i>H. Togashi ; T. Watanabe ; M. Joei ; T. Hayashi ; S. Hirata ; S. Fukuoka ; Y. Ando ; Y. Sato ; J. Yamamoto ; I. Yagi ; M. Murata ; M. Kuribayashi ; F. Koga ; T. Yamaguchi ; Y. Oike ; T. Ezaki ; T. Hirayama</i>	
HIGH-DEFINITION VISIBLE-SWIR INGAAS IMAGE SENSOR USING CU-CU BONDING OF III-V TO SILICON WAFER	390
<i>S. Manda ; R. Matsumoto ; S. Saito ; S. Maruyama ; H. Minari ; T. Hirano ; T. Takachi ; N. Fujii ; Y. Yamamoto ; Y. Zaizen ; T. Hirano ; H. Iwamoto</i>	
DEEP SUBMICRON III-N HEMTS – TECHNOLOGICAL DEVELOPMENT AND RELIABILITY	394
<i>R. Quay ; M. Dammann ; T. Kemmer ; P. Brückner ; M. Cwiklinski ; D. Schwantuschke ; S. Krause ; S. Leone ; M. Mikulla</i>	
CMOS-COMPATIBLE GAN-BASED DEVICES ON 200MM-SI FOR RF APPLICATIONS: INTEGRATION AND PERFORMANCE	398
<i>U. Peralagu ; A. Alian ; V. Putcha ; A. Khaled ; R. Rodriguez ; A. Sibaja-Hernandez ; S. Chang ; E. Simoen ; S. E. Zhao ; B. De Jaeger ; D. M. Fleetwood ; P. Wambacq ; M. Zhao ; B. Parvais ; N. Waldron ; N. Collaert</i>	
3D HETEROGENEOUS INTEGRATION OF HIGH PERFORMANCE HIGH-K METAL GATE GAN NMOS AND SI PMOS TRANSISTORS ON 300MM HIGH-RESISTIVITY SI SUBSTRATE FOR ENERGY-EFFICIENT AND COMPACT POWER DELIVERY, RF (5G AND BEYOND) AND SOC APPLICATIONS	402
<i>Han Wui Then ; S. Dasgupta ; M. Radosavljevic ; P. Agababov ; I. Ban ; R. Bristol ; M. Chandhok ; S. Chouksey ; B. Holybee ; C. Y. Huang ; B. Krist ; K. Jun ; K. Lin ; N. Nidhi ; T. Michaelos ; B. Mueller ; R. Paul ; J. Peck ; W. Rachmady ; D. Staines ; T. Talukdar ; N. Thomas ; T. Tronic ; P. Fischer ; Walid Hafez</i>	

HIGH-POWER-DENSITY ALGAN/GAN TECHNOLOGY FOR 100-V OPERATION AT L-BAND FREQUENCIES	406
<i>S. Krause ; P. Brückner ; M. Dammann ; R. Quay</i>	
GAN-BASED PERIODIC HIGH-Q RF ACOUSTIC RESONATOR WITH INTEGRATED HEMT	410
<i>Vikrant J. Gokhale ; Brian P. Downey ; D. Scott Katzer ; Laura B. Ruppalt ; David J. Meyer</i>	
452 MHZ BANDWIDTH, HIGH REJECTION 5.6 GHZ UNII XBAW COEXISTENCE FILTERS USING DOPED ALN-ON-SILICON	414
<i>Y. Shen ; P. Patel ; R. Vetury ; J. B. Shealy</i>	
MINIMALLY INVASIVE MEDICAL CATHETER WITH HIGHLY FLEXIBLE FDSOI-BASED INTEGRATED CIRCUITS	418
<i>Seung-Yoon Kim ; Jae Hoon Bong ; Mi Kyung Kim ; Wan Sik Hwang ; Hyunjoo J. Lee ; Byeong-Wook Song ; Il-Kwon Kim ; Byung Jin Cho</i>	
HIGHLY SENSITIVE SILICON SLIP SENSING IMAGER FOR FORCEPS GRIPPERS USED UNDER LOW FRICTION CONDITION	422
<i>K. Ando ; T. Yamamoto ; Y. Maeda ; K. Terao ; F. Shimokawa ; M. Fujiwara ; H. Takao</i>	
NEURAL INTERFACES BASED ON FLEXIBLE GRAPHENE TRANSISTORS: A NEW TOOL FOR ELECTROPHYSIOLOGY	426
<i>A. Guimerà-Brunet ; E. Masvidal-Codina ; X. Illa ; M. Dasilva ; A. Bonaccini-Calia ; E. Prats-Alfonso ; J. Martínez-Aguilar ; J. M. De La Cruz ; R. García-Cortadella ; N. Schaefer ; A. Barbero ; P. Godignon ; G. Rius ; E. Del Corro ; J. Bousquet ; C. Hébert ; R. Wykes ; M. V. Sanchez-Vives ; R. Villa ; J. A. Garrido</i>	
DESIGN AND FABRICATION OF CMOS-BASED NEURAL PROBES FOR LARGE-SCALE ELECTROPHYSIOLOGY	430
<i>C. M. Lopez ; A. Andrei ; S. Wang ; R. Van Hoof ; S. Severi ; N. Van Helleputte</i>	
SOLUTION PROCESSED HIGHLY UNIFORM AND RELIABLE LOW VOLTAGE ORGANIC FETS AND FACILE PACKAGING FOR HANDHELD MULTI-ION SENSING	434
<i>Y. Huang ; Y. Song ; Y. Tang ; Z. Liu ; L. Han ; Q. Zhang ; B. Ouyang ; W. Tang ; L. Feng ; X. Guo</i>	
BIOFET TECHNOLOGY: AGGRESSIVELY SCALED PMOS FINFET AS BIOSENSOR	438
<i>K. Martens ; S. Santermans ; M. Gupta ; G. Hellings ; R. Wuytens ; B. Du Bois ; E. Dupuy ; E. Altamirano-Sanchez ; K. Jans ; R. Vos ; T. Stakenborg ; L. Lagae ; M. Heyns ; S. Severi ; W. Van Roy</i>	
NANOPORE DIGITAL COUNTING OF AMPLICONS FOR ULTRASENSITIVE ELECTRONIC DNA DETECTION	442
<i>Zifan Tang ; Gihoon Choi ; Reza Nouri ; Weihua Guan</i>	
BURIED POWER RAILS AND BACK-SIDE POWER GRIDS: ARM® CPU POWER DELIVERY NETWORK DESIGN BEYOND 5NM	446
<i>Divya Prasad ; S. S. Teja Nibhanupudi ; Shidhartha Das ; Odysseas Zografos ; Bilal Chehab ; Satadru Sarkar ; Rogier Baert ; Alex Robinson ; Anshul Gupta ; Alessio Spessot ; Peter Debacker ; Diederik Verkest ; Jaydeep Kulkarni ; Brian Cline ; Saurabh Sinha</i>	
MONOLITHIC HETEROGENEOUS INTEGRATION OF BEOL POWER GATING TRANSISTORS OF CARBON NANOTUBE NETWORKS WITH FEOL SI RING OSCILLATOR CIRCUITS	450
<i>Chao-Ching Cheng ; Chun-Chieh Lu ; Tsu-Ang Chao ; Ang-Sheng Chou ; Hung-Li Chiang ; Tzu-Chiang Chen ; Tianqi Gao ; Jianwen Zhao ; Zheng Cui ; Lain-Jong Li ; H.-S. Philip Wong</i>	
THREE-LAYER BEOL PROCESS INTEGRATION WITH SUPERVIA AND SELF-ALIGNED-BLOCK OPTIONS FOR THE 3 NM NODE	454
<i>V. Vega-Gonzalez ; C. J. Wilson ; B. Briggs ; S. Decoster ; J. Versluijs ; A. Lesniewska ; S. Paolillo ; R. Baert ; H. Puliyaalil ; J. Bekaert ; E. Kesters ; Q. T. Le ; C. Lorant ; O. Varela P. ; L. Teugels ; N. Heylen ; Z. El-Mekki ; M. Van Der Veen ; T. Webers ; H. Vats ; L. Rynders ; M. Cupak ; J. Uk-Lee ; Y. Drissi ; L. Halipre ; A.-L. Charley ; P. Verdonck ; T. Witters ; S. V. Gompel ; Y. Kimura ; N. Jourdan ; I. Ciofi ; A. Gupta ; A. Contino ; G. Boccardi ; S. Lariviere ; L. Dupas ; B. De-Wachter ; E. Vancoille ; F. Lazzarino ; M Ercken ; P. Debacker ; R. Kim ; D. Trivkovic ; K. Croes ; P. Leray ; L. Dillemans ; Y.-F. Chen ; Z. Tokei</i>	
HETEROGENEOUS INTEGRATION USING OMNI-DIRECTIONAL INTERCONNECT PACKAGING	458
<i>A. A. Elsherbini ; S. M. Liff ; J. M. Swan</i>	
INTEGRATED DEEP TRENCH CAPACITOR IN SI INTERPOSER FOR COWOS HETEROGENEOUS INTEGRATION	462
<i>S. Y. Hou ; H. Hsia ; C. H. Tsai ; K. C. Ting ; T. H. Yu ; Y. W. Lee ; F. C. Chen ; W. C. Chiou ; C. T. Wang ; C. H. Wu ; Douglas Yu</i>	
FOVEROS: 3D INTEGRATION AND THE USE OF FACE-TO-FACE CHIP STACKING FOR LOGIC DEVICES	466
<i>D. B. Ingerly ; S. Amin ; L. Aryasomayajula ; A. Balankutty ; D. Borst ; A. Chandra ; K. Cheemalapati ; C. S. Cook ; R. Criss ; K. Enamul ; W. Gomes ; D. Jones ; K. C. Kolluru ; A. Kandas ; G.-S. Kim ; H. Ma ; D. Pantuso ; C. F. Petersburg ; M. Phen-Givoni ; A. M. Pillai ; A. Sairam ; P. Shekhar ; P. Sinha ; P. Stover ; A. Telang ; Z. Zell</i>	

SUPPRESSION OF BIPOLAR DEGRADATION IN 4H-SIC POWER DEVICES BY CARRIER LIFETIME CONTROL	470
<i>H. Tsuchida ; K. Murata ; T. Tawara ; M. Miyazato ; T. Miyazawa ; K. Maeda</i>	
LOW V_{ON} 17KV SIC IGBT ASSISTED N-MOS THYRISTOR	474
<i>S. Matsumaga ; T. Mizushima ; K. Takenaka ; Y. Kiuchi ; A. Koyama ; Y. Yonezawa ; H. Okumura</i>	
EXPERIMENTAL INVESTIGATION AND IMPROVEMENT OF CHANNEL MOBILITY IN 4H-SIC TRENCH MOSFETS	478
<i>K. Kutsuki ; E. Kagoshima ; T. Onishi ; J. Saito ; N. Soejima ; Y. Watanabe</i>	
IMPROVEMENT IN THE CHANNEL PERFORMANCE AND NBTI OF SIC-MOSFETS BY OXYGEN DOPING	482
<i>M. Noguchi ; T. Iwamatsu ; H. Amishiro ; H. Watanabe ; K. Kita ; N. Miura</i>	
PHYSICAL MODELING OF BIAS TEMPERATURE INSTABILITIES IN SIC MOSFETS	486
<i>C. Schleich ; J. Berens ; G. Rzepa ; G. Pobegen ; G. Rescher ; S. Tyaginov ; T. Grasser ; M. Waltl</i>	
ADDRESSING RELIABILITY CHALLENGES IN ADVANCE NODES FOR COMMERCIAL AND AUTOMOTIVE APPLICATION	490
<i>T. Nigam ; P. Paliwoda ; X. Wang ; A. Kerber</i>	
A PHYSICS-AWARE COMPACT MODELING FRAMEWORK FOR TRANSISTOR AGING IN THE ENTIRE BIAS SPACE	494
<i>Zhicheng Wu ; Jacopo Franco ; Philippe J. Roussel ; Stanislav Tyaginov ; Brecht Trujen ; Michiel Vandemale ; Geert Hellings ; Nadine Collaert ; Guido Groeseneken ; Dimitri Linten ; Ben Kaczer</i>	
UNDERSTANDING AND PHYSICAL MODELING SUPERIOR HOT-CARRIER RELIABILITY OF GE PNWFETS	498
<i>S. Tyaginov ; A.-M. El-Sayed ; A. Makarov ; A. Chasin ; H. Arimura ; M. Vandemaele ; M. Jech ; E. Capogreco ; L. Witters ; A. Grill ; A. De Keersgieter ; G. Eneman ; D. Linten ; B. Kaczer</i>	
NEW INSIGHT INTO MOS GATE STACK FORMATIONS ON GE AND SIGE FROM THERMODYNAMICS, REACTION KINETICS AND NANOSCALE ENGINEERING	502
<i>Akira Toriumi ; Tomonori Nishimura</i>	
NOVEL CONCEPT OF THE TRANSISTOR VARIATION DIRECTED TOWARD THE CIRCUIT IMPLEMENTATION OF PHYSICAL UNCLONABLE FUNCTION (PUF) AND TRUE-RANDOM-NUMBER GENERATOR (TRNG)	506
<i>Y. Xiao ; E. R. Hsieh ; Steve S. Chung ; T. R. Chen ; S. A. Huang ; T. J. Chen ; Osbert Cheng</i>	
PHYSICAL INSIGHTS ON STEEP SLOPE FEFETS INCLUDING NUCLEATION-PROPAGATION AND CHARGE TRAPPING	510
<i>Y. Xiang ; M. Garcia Bardon ; Md Nur K. Alam ; M. Thesberg ; B. Kaczer ; P. Roussel ; M. I. Popovici ; L.-å. Ragnarsson ; B. Truijen ; A. S. Verhulst ; B. Parvais ; N. Horiguchi ; G. Groeseneken ; J. Van Houdt</i>	
DESIGN CONSIDERATIONS FOR EFFICIENT DEEP NEURAL NETWORKS ON PROCESSING-IN-MEMORY ACCELERATORS	514
<i>Tien-Ju Yang ; Vivienne Sze</i>	
TOWARDS 10000TOPS/W DNN INFERENCE WITH ANALOG IN-MEMORY COMPUTING – A CIRCUIT BLUEPRINT, DEVICE OPTIONS AND REQUIREMENTS	518
<i>S. Cosemans ; B. Verhoef ; J. Doevenspeck ; I. A. Papistas ; F. Cathoor ; P. Debacker ; A. Mallik ; D. Verkest</i>	
THE MARRIAGE OF TRAINING AND INFERENCE FOR SCALED DEEP LEARNING ANALOG HARDWARE	522
<i>Tayfun Gokmen ; Malte J. Rasch ; Wilfried Haensch</i>	
CAN IN-MEMORY/ANALOG ACCELERATORS BE A SILVER BULLET FOR ENERGY-EFFICIENT INFERENCE?	526
<i>J. Deguchi ; D. Miyashita ; A. Maki ; S. Sasaki ; K. Nakata ; F. Tachibana</i>	
AI EDGE DEVICES USING COMPUTING-IN-MEMORY AND PROCESSING-IN-SENSOR: FROM SYSTEM TO DEVICE	530
<i>Tzu-Hsiang Hsu ; Yen-Cheng Chiu ; Wei-Chen Wei ; Yun-Chen Lo ; Chung-Chuan Lo ; Ren-Shuo Liu ; Kea-Tiong Tang ; Meng-Fan Chang ; Chih-Cheng Hsieh</i>	
HYBRID ANALOG-DIGITAL LEARNING WITH DIFFERENTIAL RRAM SYNAPSES	534
<i>T. Hirtzlin ; M. Bocquet ; M. Ernoult ; J. - O. Klein ; E. Nowak ; E. Vianello ; J. - M. Portal ; D. Querlioz</i>	
ACTIVE MEMRISTOR NEURONS FOR NEUROMORPHIC COMPUTING	538
<i>Wei Yi ; Kenneth K. Tsang ; Stephen K. Lam ; Xiwei Bai ; Jack A. Crowell ; Elias A. Flores</i>	
TOWARDS LARGE-SCALE PHOTONIC NEURAL-NETWORK ACCELERATORS	542
<i>R. Hamerly ; A. Sludts ; L. Bernstein ; M. Prabhu ; C. Roques-Carnes ; J. Carolan ; Y. Yamamoto ; M. Soljacic ; D. Englund</i>	
IMPORTANCE OF INTERCONNECTS: A TECHNOLOGY-SYSTEM-LEVEL DESIGN PERSPECTIVE	546
<i>J. Liang ; A. Todri-Sanial</i>	

ULTRA-SCALED MOCVD MOS₂ MOSFETS WITH 42NM CONTACT PITCH AND 250μA/μM DRAIN CURRENT	550
<i>Quentin Smets ; Goutham Arutchelvan ; Julien Jussot ; Devin Verreck ; Inge Asselberghs ; Ankit Nalin Mehta ; Abhinav Gaur ; Dennis Lin ; Salim El Kazzi ; Benjamin Groven ; Matty Caymax ; Iuliana Radu</i>	
HIGHLY AREA-EFFICIENT LOW-POWER SRAM CELL WITH 2 TRANSISTORS AND 2 RESISTORS	554
<i>Jiayi Li ; Jingyu Li ; Yi Ding ; Chunsen Liu ; Xiang Hou ; Huawei Chen ; Yan Xiong ; David Wei Zhang ; Yang Chai ; Peng Zhou</i>	
AREA-SELECTIVE-CVD TECHNOLOGY ENABLED TOP-GATED AND SCALABLE 2D-HETEROJUNCTION TRANSISTORS WITH DYNAMICALLY TUNABLE SCHOTTKY BARRIER	558
<i>Chao-Hui Yeh ; Wei Cao ; Arnab Pal ; Kamyar Parto ; Kaustav Banerjee</i>	
TRANSIENT NEGATIVE CAPACITANCE OF SILICON-DOPED HFO₂ IN MFMIS AND MFIS STRUCTURES: EXPERIMENTAL INSIGHTS FOR HYSTERESIS-FREE STEEP SLOPE NC FETS	562
<i>C. Gastaldi ; A. Saeidi ; M. Cavaliere ; I. Stolichnov ; P. Murali ; A. M. Ionescu</i>	
BI-DIRECTIONAL SUB-60MV/DEC, HYSTERESIS-FREE, REDUCING ONSET VOLTAGE AND HIGH SPEED RESPONSE OF FERROELECTRIC-ANTIFERROELECTRIC HF_{0.25}ZR_{0.75}O₂ NEGATIVE CAPACITANCE FETS	566
<i>M. H. Lee ; K.-T. Chen ; C.-Y. Liao ; G.-Y. Siang ; C. Lo ; H.-Y. Chen ; Y.-J. Tseng ; C.-Y. Chueh ; C. Chang ; Y.-Y. Lin ; Y.-J. Yang ; F.-C. Hsieh ; S. T. Chang ; M.-H. Liao ; K.-S. Li ; C. W. Liu</i>	
DIRECT OBSERVATION OF INTERFACE CHARGE BEHAVIORS IN FEFET BY QUASI-STATIC SPLIT C-V AND HALL TECHNIQUES: REVEALING FEFET OPERATION	570
<i>K. Toprasertpong ; M. Takenaka ; S. Takagi</i>	
FIRST-PRINCIPLES PARAMETER-FREE MODELING OF N- AND P-FET HOT-CARRIER DEGRADATION	574
<i>M. Jech ; S. Tyaginov ; B. Kaczer ; J. Franco ; D. Jabs ; C. Jungemann ; M. Waltl ; T. Grasser</i>	
COMPUTATIONAL STUDY OF SPIN INJECTION IN 2D MATERIALS	578
<i>Arnab Pal ; Kamyar Parto ; Kunjesh Agashiwala ; Wei Cao ; Kaustav Banerjee</i>	
AB INITIO SIMULATION OF ADVANCED MATERIALS AND DEVICES: CURRENT CHALLENGES	582
<i>P. Blaise</i>	
AB INITIO MOBILITY OF SINGLE-LAYER MOS₂ AND WS₂: COMPARISON TO EXPERIMENTS AND IMPACT ON THE DEVICE CHARACTERISTICS	586
<i>Y. Lee ; S. Fiore ; M. Luisier</i>	
PIEZOLECTRIC HETERO-JUNCTION TUNNEL FET WITH STAGGERED GAP AT OFF-STATE AND BROKEN GAP AT ON-STATE	590
<i>Yuxiong Long ; Hong-Yu Wen ; Shenyan Yang ; Jun Z. Huang ; Xiangwei Jiang</i>	
LARGE-SCALE AB INITIO QUANTUM TRANSPORT SIMULATION OF NANOSIZED COPPER INTERCONNECTS: THE EFFECTS OF DEFECTS AND QUANTUM INTERFERENCES	594
<i>Meng Ye ; Xiangwei Jiang ; Shu-Shen Li ; Lin-Wang Wang</i>	
RF PERFORMANCE OF A FULLY INTEGRATED 3D SEQUENTIAL TECHNOLOGY	598
<i>X. Garros ; J. Lugo-Alvarez ; L. Brunet ; R. Nait Youcef ; P. Batude ; C. Fenouillet-Béranger ; M. Cassé ; B. Sklenard ; P. Scheiblin ; J. Lacord ; K. Triantopoulos ; F. Andrieu ; G. Ghibaldo ; F. Gaillard</i>	
RECORD HIGH-PERFORMANCE RF DEVICES IN AN ADVANCED FDSOI PROCESS ENABLING INTEGRATED WATT-LEVEL POWER AMPLIFIERS FOR WIFI AND 5G APPLICATIONS	602
<i>T. V. Dinh ; B. W. C. Hovens ; M. Vroubel ; I. Brunets ; H. P. Tuinhout ; L. T. F. Tiemeijer ; N. Wils ; G. T. Sasse ; P. Grudowski ; M. Raucoules-Aime ; S. Dal Toso ; C. Ghidini</i>	
FABRICATION AND CHARACTERIZATION OF MILLIMETER WAVE 3D INFO DIPOLE ANTENNA ARRAY INTEGRATED WITH CMOS FRONT-END CIRCUITS	606
<i>C. H. Tsai ; C. W. Hsu ; K. Y. Kao ; T. C. Tang ; C. L. Lu ; K. C. Wu ; H. P. Pu ; K. Y. Lin ; H. Wang ; T. L. Wu ; C. S. Liu ; C. T. Wang ; Doug C. H. Yu</i>	
IMPLEMENTATION OF HIGH POWER RF DEVICES WITH HYBRID WORKFUNCTION AND OXIDE THICKNESS IN 22NM LOW-POWER FINFET TECHNOLOGY	610
<i>H.-J. Lee ; S. Morarka ; S. Rami ; Q. Yu ; M. Weiss ; G. Liu ; M. Armstrong ; C. - Y. Su ; D. Ali ; B. Sell ; Y. Zhang</i>	
A VERY ROBUST AND RELIABLE 2.7GHZ +31DBM SI RFSOI TRANSISTOR FOR POWER AMPLIFIER SOLUTIONS	614
<i>X. Garros ; V. Knopik ; N. Revil ; A. Divay ; J. Cluzel ; J. Lugo ; A. Giry ; X. Federspiel ; G. Bertrand ; F. Cacho ; E. Vincent ; E. Granger ; F. Gaillard</i>	

MILLIMETER SCALE THIN FILM BATTERIES FOR INTEGRATED HIGH ENERGY DENSITY STORAGE	618
<i>S. Oukassi ; A. Bazin ; C. Secouard ; I. Chevalier ; S. Poncet ; S. Poulet ; J-M. Boissel ; F. Geffraye ; J. Brun ; R. Salot</i>	
BEYOND ELECTROLYTIC CAPACITOR: HIGH FREQUENCY ON-CHIP MICRO SUPERCAPACITOR WITH LARGE CAPACITANCE DENSITY	622
<i>Sixing Xu ; Fan Xia ; Xiaohong Wang</i>	
DEVICE ENGINEERING FOR DIAMOND QUANTUM SENSORS	626
<i>M. Hatano ; T. Iwasaki</i>	
EFFICIENT INTEGRATION OF SI FET-TYPE GAS SENSORS AND BAROMETRIC PRESSURE SENSORS ON THE SAME SUBSTRATE	630
<i>Dongkyu Jang ; Gyuweon Jung ; Yujeong Jeong ; Yoonki Hong ; Seongbin Hong ; Wonjun Shin ; Ki Soo Chang ; Chan Bae Jeong ; Byung-Gook Park ; Jong-Ho Lee</i>	
A LARGE-AREA CURVED PYROELECTRIC FINGERPRINT SENSOR	634
<i>Jf. Mainguet ; D. Gallaire ; A. Martinet ; A. Revaux ; M. Benwadih ; S. Charlot ; A. J. J. M Van Breenen ; J.-L. Van Der Steen ; H. B. Akkerman ; A. J. Kronemeijer ; G. H. Gelinck ; M. Pouet ; J.-Y. Fourré ; S. Sinopoli ; U. Emanuele ; L. Fritsch ; J. Liu Jimenez ; J. Karlsson ; F. De Roose ; S. Steudel</i>	
ULTRASENSITIVE FLEXIBLE STRAIN SENSOR BASED ON TWO-DIMENSIONAL INSE FOR HUMAN MOTION SURVEILLANCE	638
<i>Li Chen ; Dan Liang ; Zhigen Yu ; Sifan Li ; Xuewei Feng ; Bochang Li ; Yesheng Li ; Yong-Wei Zhang ; Kah-Wee Ang</i>	
3D SEMICIRCULAR FLASH MEMORY CELL: NOVEL SPLIT-GATE TECHNOLOGY TO BOOST BIT DENSITY	642
<i>M. Fujiwara ; T. Morooka ; S. Nagashima ; T. Kato ; N. Fukuda ; N. Kariya ; T. Ogura ; T. Kurusu ; Y. Shimada ; T. Ishikawa ; Y. Arayashiki ; K. Hirayama ; Y. Koyama ; S. Kashiyama ; W. Cai ; Y. Goki ; K. Sawa ; D. Ikeno ; M. Nishikawa ; Y. Uchiyama ; N. Ohtani ; F. Arai ; M. Kondo</i>	
A NOVEL DOUBLE-DENSITY HEMI-CYLINDRICAL (HC) STRUCTURE TO PRODUCE MORE THAN DOUBLE MEMORY DENSITY ENHANCEMENT FOR 3D NAND FLASH	646
<i>Hang-Ting Lue ; Teng-Hao Yeh ; Pei-Ying Du ; Roger Lo ; Wei-Chen Chen ; Tzu-Hsuan Hsu ; Chiatze Huang ; Guan-Ru Lee ; Chih-Ping Chen ; Yu-Wei Jiang ; Min-Feng Hung ; Yan-Ru Su ; Li-Yang Liang ; Chih-Wei Hu ; Chia-Jung Chiu ; Keh-Chung Wang ; Chih-Yuan Lu</i>	
METAL-ASSISTED SOLID-PHASE CRYSTALLIZATION PROCESS FOR VERTICAL MONOCRYSTALLINE SI CHANNEL IN 3D FLASH MEMORY	650
<i>Hidenori Miyagawa ; Haruka Kusai ; Riichiro Takaishi ; Tomoya Kawai ; Yuuichi Kamimuta ; Toshiya Murakami ; Keiko Ariyoshi ; Takanori Asano ; Masakazu Goto ; Makoto Fujiwara ; Yuichiro Mitani ; Tomoyuki Obu ; Hideaki Aochi</i>	
A FULLY INTEGRATED LOW VOLTAGE DRAM WITH THERMALLY STABLE GATE-FIRST HIGH-K METAL GATE PROCESS	654
<i>Sung Ho Jang ; Junhee Lim ; Joon Han ; Juyeon Jang ; Jaehyun Yeo ; Chanmin Lee ; Sungkweon Baek ; Jaehoon Lee ; Jong-Ho Lee ; Satoru Yamada ; Kyupil Lee</i>	
FIRST DEMONSTRATION OF FIELD-FREE SOT-MRAM WITH 0.35 NS WRITE SPEED AND 70 THERMAL STABILITY UNDER 400°C THERMAL TOLERANCE BY CANTED SOT STRUCTURE AND ITS ADVANCED PATTERNING/SOT CHANNEL TECHNOLOGY	657
<i>H. Honjo ; T. V. A. Nguyen ; T. Watanabe ; T. Nasuno ; C. Zhang ; T. Tanigawa ; S. Miura ; H. Inoue ; M. Niwa ; T. Yoshiduka ; Y. Noguchi ; M. Yasuhira ; A. Tamakoshi ; M. Natsui ; Y. Ma ; H. Koike ; Y. Takahashi ; K. Furuya ; H. Shen ; S. Fukami ; H. Sato ; S. Ikeda ; T. Hanyu ; H. Ohno ; T. Endoh</i>	
FIELD-FREE SWITCHING OF PERPENDICULAR MAGNETIZATION THROUGH VOLTAGE-GATED SPIN-ORBIT TORQUE	661
<i>S. Z. Peng ; J. Q. Lu ; W. X. Li ; L. Z. Wang ; H. Zhang ; X. Li ; K. L. Wang ; W. S. Zhao</i>	
A MULTILEVEL FEFET MEMORY DEVICE BASED ON LAMINATED HSO AND HZO FERROELECTRIC LAYERS FOR HIGH-DENSITY STORAGE	665
<i>T. Ali ; P. Polakowski ; K. Kühnel ; M. Czernohorsky ; T. Kämpfe ; M. Rudolph ; B. Pätzold ; D. Lehninger ; F. Müller ; R. Olivo ; M. Lederer ; R. Hoffmann ; P. Steinke ; K. Zimmermann ; U. Mühle ; K. Seidel ; J. Müller</i>	
A NOVEL FERROELECTRIC SUPERLATTICE BASED MULTI-LEVEL CELL NON-VOLATILE MEMORY	669
<i>Kai Ni ; Jeffrey Smith ; Huacheng Ye ; Benjamin Grisafe ; G. Bruce Rayner ; Andrew Kummel ; Suman Datta</i>	
STRAIN AND SURFACE ORIENTATION ENGINEERING IN EXTREMELY-THIN BODY GE AND SIGE-ON-INSULATOR MOSFETS FABRICATED BY GE CONDENSATION	673
<i>K. - W. Jo ; C.- M. Lim ; W. - K. Kim ; K. Toprasertpong ; M. Takenaka ; S. Takagi</i>	
GE OXIDE SCAVENGING AND GATE STACK NITRIDATION FOR STRAINED $Si_{0.7}Ge_{0.3}$ PFINFETS ENABLING 35% HIGHER MOBILITY THAN SI	677
<i>H. Arimura ; K. Wostyn ; L.-å. Ragnarsson ; E. Capogreco ; A. Chasin ; T. Conard ; S. Brus ; P. Favia ; J. Franco ; J. Mitard ; S. Demuyne ; N. Horiguchi</i>	

FIRST VERTICALLY STACKED TENSILELY STRAINED $Ge_{0.98}Si_{0.02}$ NGAAFETS WITH NO PARASITIC CHANNEL AND $L_G = 40$ NM FEATURING RECORD $I_{ON} = 48 \mu A$ AT $V_{OV}=V_{DS}=0.5V$ AND RECORD $G_{M,MAX}(\mu S/\mu M)/SS_{SAT}(MV/DEC) = 8.3$ AT $V_{DS}=0.5V$	681
<i>Chien-Te Tu ; Yu-Shiang Huang ; Fang-Liang Lu ; Hsiao-Hsuan Liu ; Chung-Yi Lin ; Yi-Chun Liu ; C. W. Liu</i>	
ENABLING SUB-5NM CMOS TECHNOLOGY SCALING THINNER AND TALLER!	685
<i>J. Ryckaert ; M. H. Na ; P. Weckx ; D. Jang ; P. Schuddinck ; B. Chehab ; S. Patli ; S. Sarkar ; O. Zografos ; R. Baert ; D. Verkest</i>	
FIRST STACKED $Ge_{0.88}Sn_{0.12}$ PGAAFETS WITH CAP, $L_G=40$NM, COMPRESSIVE STRAIN OF 3.3%, AND HIGH S/D DOPING BY CVD EPITAXY FEATURING RECORD I_{ON} OF $58\mu A$ AT $V_{OV}=V_{DS}= -0.5V$, RECORD $G_{M,MAX}$ OF $172\mu S$ AT $V_{DS}= -0.5V$, AND LOW NOISE	689
<i>Yu-Shiang Huang ; Chung-En Tsai ; Chien-Te Tu ; Hung-Yu Ye ; Yi-Chun Liu ; Fang-Liang Lu ; C. W. Liu</i>	
FIRST DEMONSTRATION OF VERTICAL $Ge_{0.92}Sn_{0.08}/Ge$ AND Ge GAA NANOWIRE NMOSFETS WITH LOW SS OF 66 MV/DEC AND SMALL DIBL OF 35 MV/V	693
<i>Mingshan Liu ; Stefan Scholz ; Konstantin Mertens ; Jin Hee Bae ; Jean-Michel Hartmann ; Joachim Knoch ; Dan Buca ; Qing-Tai Zhao</i>	
300MM HETEROGENEOUS 3D INTEGRATION OF RECORD PERFORMANCE LAYER TRANSFER GERMANIUM PMOS WITH SILICON NMOS FOR LOW POWER HIGH PERFORMANCE LOGIC APPLICATIONS.....	697
<i>W. Rachmady ; A. Agrawal ; S. H. Sung ; G. Dewey ; S. Chouksey ; B. Chu-Kung ; G. Elbaz ; P. Fischer ; C. Y. Huang ; K. Jun ; B. Krist ; M. Metz ; T. Michaelos ; B. Mueller ; A. A. Oni ; R. Paul ; A. Phan ; P. Sears ; T. Talukdar ; J. Torres ; R. Turkot ; L. Wong ; H. J. Yoo ; J. Kavalieros</i>	
ULTRA-LOW POWER PHYSICAL UNCLONABLE FUNCTION WITH NONLINEAR FIXED-RESISTANCE CROSSBAR CIRCUITS.....	701
<i>M. R. Mahmoodi ; H. Nili ; Z. Fahimi ; S. Larimian ; H. Kim ; D. Strukov</i>	
FORMATION OF HIGH RELIABILITY HYDROGEN-FREE MONOS CELLS USING DEUTERATED AMMONIA.....	705
<i>Masaki Noguchi ; Tatsunori Isogai ; Hiroyuki Yamashita ; Keiichi Sawa ; Ryota Fujitsuka ; Takanori Yamanaka ; Shunsuke Okada ; Tomonori Aoyama ; Fumiki Aiso ; Junko Abe ; Yoshihiro Ogawa ; Seiji Nakagawa ; Hideshi Miyajima</i>	
FILAMENTARY STATISTICAL EVOLUTION FROM NANO-CONDUCTING PATH TO SWITCHING-FILAMENT FOR OXIDE-RRAM IN MEMORY APPLICATIONS.....	709
<i>Ernest Wu ; Takashi Ando ; Youngseok Kim ; Ramachandran Muralidhar ; Eduard Cartier ; Paul Jamison ; Miaomiao Wang ; Vijay Narayanan</i>	
PUSHING ON-CHIP MEMORIES BEYOND RELIABILITY BOUNDARIES IN MICROPOWER MACHINE LEARNING APPLICATIONS	713
<i>Alfio Di Mauro ; Francesco Conti ; Pasquale Davide Schiavone ; Davide Rossi ; Luca Benini</i>	
OXRAM FOR EMBEDDED SOLUTIONS ON ADVANCED NODE: SCALING PERSPECTIVES CONSIDERING STATISTICAL RELIABILITY AND DESIGN CONSTRAINTS.....	717
<i>J. Sandrini ; L. Grenouillet ; V. Meli ; N. Castellani ; I. Hammad ; S. Bernasconi ; F. Aussenac ; S. Van Duijn ; G. Audoit ; M. Barlas ; J. F. Nodin ; O. Billoint ; G. Molas ; R. Fournel ; E. Nowak ; F. Gaillard ; C. Cagli</i>	
MANUFACTURING LOW DISSIPATION SUPERCONDUCTING QUANTUM PROCESSORS.....	721
<i>Ani Nersisyan ; Stefano Poletto ; Nasser Alidoust ; Riccardo Manenti ; Russ Renzas ; Cat-Vu Bui ; Kim Vu ; Tyler Whyland ; Yuvraj Mohan ; Eyob A. Sete ; Sam Stanwyck ; Andrew Bestwick ; Matthew Reagor</i>	
SCALABLE QUANTUM COMPUTING INFRASTRUCTURE BASED ON SUPERCONDUCTING ELECTRONICS.....	725
<i>O. Mukhanov ; A. Kirichenko ; C. Howington ; J. Walter ; M. Hutchings ; I. Vernik ; D. Johannes ; K. Dodge ; A. Ballard ; B. L. T. Plourde ; A. Opremcak ; C.-H. Liu ; R. McDermott</i>	
SILICON HARD-STOP SPACERS FOR 3D INTEGRATION OF SUPERCONDUCTING QUBITS.....	729
<i>Bethany M. Niedzielski ; David K. Kim ; Mollie E. Schwartz ; Danna Rosenberg ; Greg Calusine ; Rabi Das ; Alexander J. Melville ; Jason Plant ; Livia Racz ; Jonilyn L. Yoder ; Donna Ruth-Yost ; William D. Oliver</i>	
A SPARSE SPIN QUBIT ARRAY WITH INTEGRATED CONTROL ELECTRONICS.....	733
<i>J. M. Boter ; J. P. Dehollain ; J. P. G. Van Dijk ; T. Hensgens ; R. Versluis ; J. S. Clarke ; M. Veldhorst ; F. Sebastiano ; L. M. K. Vandersypen</i>	
HIGH VOLUME ELECTRICAL CHARACTERIZATION OF SEMICONDUCTOR QUBITS	737
<i>R. Pillarisetty ; H. C. George ; T. F. Watson ; L. Lampert ; N. Thomas ; S. Bojarski ; P. Amin ; R. Caudillo ; E. Henry ; N. Kashani ; P. Keys ; R. Kotlyar ; F. Luthi ; D. Michalak ; K. Millard ; J. Roberts ; J. Torres ; O. Zietz ; T. Krähenmann ; A. - M. Zwerver ; M. Veldhorst ; G. Scappucci ; L. M. K. Vandersypen ; J. S. Clarke</i>	
QUBIT READ-OUT IN SEMICONDUCTOR QUANTUM PROCESSORS: CHALLENGES AND PERSPECTIVES.....	741
<i>T. Meunier ; M. Urdampilleta ; D. Niegemann ; B. Jadot ; E. Charion ; P.-A. Mortemousque ; C. Spence ; B. Bertrand ; G. Billiot ; M. Cassé ; L. Hutin ; H. Jacquinet ; G. Pillonet ; N. Rambal ; Y. Thonnart ; A. Amisse ; A. Apra ; L. Bourdet ; A. Crippa ; R. Ezzouch ; X. Jehl ; R. Maurand ; Y.-M. Niquet ; M. Sanquer ; B. Venitucci ; S. De Franceschi ; M. Vinet</i>	

CHALLENGES IN SCALING-UP THE CONTROL INTERFACE OF A QUANTUM COMPUTER	745
<i>D. J. Reilly</i>	
III-V-ON-CMOS DEVICES AND CIRCUITS: OPPORTUNITIES IN QUANTUM INFRASTRUCTURE	751
<i>C. B. Zota ; T. Morf ; P. Müller ; C. Convertino ; S. Filipp ; W. Riess ; L. Czornomaz</i>	
QUANTITATIVE 3-D MODEL TO EXPLAIN LARGE SINGLE TRAP CHARGE VARIABILITY IN VERTICAL NAND MEMORY	755
<i>D. Verreck ; A. Arreghini ; J. P. Bastos ; F. Schanovsky ; F. Mitterbauer ; C. Kernstock ; M. Karner ; R. Degraeve ; G. Van Den Bosch ; A. Furnémont</i>	
A COMPREHENSIVE MODELING FRAMEWORK FOR FERROELECTRIC TUNNEL JUNCTIONS	759
<i>Hsin-Hui Huang ; Tzu-Yun Wu ; Yueh-Hua Chu ; Ming-Hung Wu ; Chien-Hua Hsu ; Heng-Yuan Lee ; Shyh-Shyuan Sheu ; Wei-Chung Lo ; Tuo-Hung Hou</i>	
MODELING OF SWITCHING SPEED AND RETENTION TIME IN VOLATILE RESISTIVE SWITCHING MEMORY BY IONIC DRIFT AND DIFFUSION	763
<i>Wei Wang ; Erika Covi ; Yu-Hsuan Lin ; Elia Ambrosi ; Daniele Ielmini</i>	
A PHYSICS-BASED MODEL OF RRAM PROBABILISTIC SWITCHING FOR GENERATING STABLE AND ACCURATE STOCHASTIC BIT-STREAMS	767
<i>Yudi Zhao ; Wensheng Shen ; Peng Huang ; Weijie Xu ; Mengqi Fan ; Xiaoyan Liu ; Jinfeng Kang</i>	
DNN+NEUROSIM: AN END-TO-END BENCHMARKING FRAMEWORK FOR COMPUTE-IN-MEMORY ACCELERATORS WITH VERSATILE DEVICE TECHNOLOGIES	771
<i>Xiaochen Peng ; Shanshi Huang ; Yandong Luo ; Xiaoyu Sun ; Shimeng Yu</i>	
A SILICON PHOTONICS TECHNOLOGY FOR 400 GBIT/S APPLICATIONS	775
<i>F. Boeuf ; A. Fincato ; L. Maggi ; J. F. Carpentier ; P. Le Maitre ; M. Shaw ; S. Cremer ; N. Vulliet ; C. Baudot ; S. Monfray ; S. Jan ; C. Deglise ; J. R. Manouvrier ; C. Durand ; A. Simbula ; D. Goguet ; P. Bar ; D. Ristoiu ; F. Leverd ; L. Babaud ; A. Daverio ; M. Binda ; A. Bazzotti ; A. Canciamilla ; L. Ramini ; M. Traldi ; P. Gambini</i>	
SILICON NITRIDE WAVEGUIDE COUPLED 67+ GHZ GE PHOTODIODE FOR NON-SOI PIC AND EPIC PLATFORMS	779
<i>S. Lischke ; D. Knoll ; C. Mai ; A. Hesse ; G. Georgieva ; A. Peczek ; A. Kroh ; M. Lisker ; D. Schmidt ; M. Fraschke ; H. Richter ; A. Krüger ; U. Saarow ; P. Heinrich ; G. Winzer ; K. Schulz ; P. Kulse ; A. Trusch ; L. Zimmermann</i>	
HIGH-PERFORMANCE HYBRID SILICON AND LITHIUM NIOBATE MACH-ZEHNDER MODULATORS FOR OVER 100 GBIT/S	783
<i>Xinlun Cai</i>	
INTEGRATED DFB LASER DIODE AND HIGH-EFFICIENCY MACH-ZEHNDER MODULATOR USING MEMBRANE III-V SEMICONDUCTORS ON SI PHOTONICS PLATFORM	787
<i>T. Hiraki ; T. Aihara ; T. Fujii ; K. Takeda ; T. Kakitsuka ; T. Tsuchizawa ; S. Matsuo</i>	
2D-3D INTEGRATION OF HIGH-ϵ DIELECTRIC WITH 2D HETEROSTRUCTURES FOR OPTO-ELECTRONIC APPLICATIONS	791
<i>B. Terrés ; H. Agarwal ; L. Orsini ; A. Montanaro ; V. Soriano ; D. Van Thourhout ; K. Watanabe ; T. Taniguchi ; M. Rognoli ; F. H. L. Koppens</i>	
FIRST DEMONSTRATION OF WAVEGUIDE-INTEGRATED BLACK PHOSPHORUS ELECTRO-OPTIC MODULATOR FOR MID-INFRARED BEYOND 4 μM	795
<i>Li Huang ; Bowei Dong ; Yiming Ma ; Chengkuo Lee ; Kah-Wee Ang</i>	
PHASE CHANGE NEMS RELAY	799
<i>J. T. Best ; M. A. Masud ; M. P. De Boer ; G. Piazza</i>	
ULTRA-LOW-VOLTAGE OPERATION OF MEM RELAYS FOR CRYOGENIC LOGIC APPLICATIONS	803
<i>Xiaoer Hu ; Sergio F. Almeida ; Zhixin Alice Ye ; Tsu-Jae King Liu</i>	
MONOLITHIC 180NM CMOS CONTROLLED GHZ ULTRASONIC IMPEDANCE SENSING AND IMAGING	807
<i>Mamdouh Abdelmejeed ; Adarsh Ravi ; Yutong Liu ; Justin Kuo ; Jaibir Sharma ; Srinivas Merugu ; Navab Singh ; Amit Lal</i>	
MEMS RESONANT MICROPHONE ARRAY FOR LUNG SOUND CLASSIFICATION	811
<i>Hai Liu ; Song Liu ; Anton A. Shkel ; Yongkui Tang ; Eun Sok Kim</i>	
EXTREMELY HIGH Q ALN LAMB WAVE RESONATORS IMPLEMENTED BY WEIGHTED ELECTRODES	815
<i>A. Gao ; J. Zou</i>	
GALFENOL-TI-DIAMOND MULTILAYER MEMS RESONATOR FOR MAGNETIC SENSOR WORKING UP TO 773 K	819
<i>Z. Zhang ; L. Sang ; H. Wu ; J. Huang ; L. Wang ; S. Koizumi ; Y. Kodie ; M. Liao</i>	

COMPOSITION OPTIMIZATION AND DEVICE UNDERSTANDING OF SI-GE-AS-TE OVONIC THRESHOLD SWITCH SELECTOR WITH EXCELLENT ENDURANCE	823
<i>D. Garbin ; W. Devulder ; R. Degraeve ; G. L. Donadio ; S. Clima ; K. Opsomer ; A. Fantini ; D. Cellier ; W. G. Kim ; M. Pakala ; A. Cockburn ; C. Detavernier ; R. Delhougne ; L. Goux ; G. S. Kar</i>	
ENDURANCE IMPROVEMENT OF MORE THAN FIVE ORDERS IN Ge_xSe_{1-x} OTS SELECTORS BY USING A NOVEL REFRESHING PROGRAM SCHEME	827
<i>F. Hatem ; Z. Chai ; W. Zhang ; A. Fantini ; R. Degraeve ; S. Clima ; D. Garbin ; J. Robertson ; Y. Guo ; J. F. Zhang ; J. Marsland ; P. Freitas ; L. Goux ; G. S. Kar</i>	
RELIABILITY AND VARIABILITY OF 1S1R OXRAM-OTS FOR HIGH DENSITY CROSSBAR INTEGRATION	831
<i>D. Alfaro Robayo ; G. Sassine ; J. Minguet Lopez ; L. Grenouillet ; A. Verdy ; G. Navarro ; M. Bernard ; E. Esmanhotto ; C. Carabasse ; D. Deleruyelle ; E. Vianello ; N. Castellani ; L. Ciampolini ; B. Giraud ; C. Cagli ; G. Ghibardo ; E. Nowak ; G. Molas</i>	
LEARNING WITH RESISTIVE SWITCHING NEURAL NETWORKS	835
<i>Mingyi Rao ; Zhongrui Wang ; Can Li ; Hao Jiang ; Rivu Midya ; Peng Lin ; Daniel Belkin ; Wenhao Song ; Shiva Asapu ; Qiangfei Xia ; J. Joshua Yang</i>	
NOVEL 1T2R1T RRAM-BASED TERNARY CONTENT ADDRESSABLE MEMORY FOR LARGE SCALE PATTERN RECOGNITION	839
<i>D. R. B. Ly ; J-P. Noel ; B. Giraud ; P. Royer ; E. Esmanhotto ; N. Castellani ; T. Dalgaty ; J -F. Nodin ; C. Fenouillet-Beranger ; E. Nowak ; E. Vianello</i>	
HIGH-DENSITY MULTIPLE BITS-PER-CELL 1T4R RRAM ARRAY WITH GRADUAL SET/RESET AND ITS EFFECTIVENESS FOR DEEP LEARNING	843
<i>E. R. Hsieh ; M. Giordano ; B. Hodson ; A. Levy ; S. K. Osekowsky ; R. M. Radway ; Y. C. Shih ; W. Wan ; T. F. Wu ; X. Zheng ; M. Nelson ; B. Q. Le ; H.-S. P. Wong ; S. Mitra ; S. Wong</i>	
METAL-OXIDE BASED, CMOS-COMPATIBLE ECRAM FOR DEEP LEARNING ACCELERATOR	847
<i>Seyoung Kim ; Teodor Todorov ; Murat Onen ; Tayfun Gokmen ; Douglas Bishop ; Paul Solomon ; Ko-Tao Lee ; Matt Copel ; Damon B. Farmer ; John A. Ott ; Takashi Ando ; Hiroyuki Miyazoe ; Vijay Narayanan ; John Rozen</i>	
CO ACTIVE ELECTRODE ENHANCES CBRAM PERFORMANCE AND SCALING POTENTIAL	851
<i>A. Belmonte ; J. Radhakrishnan ; L. Goux ; G. L. Donadio ; P. Kumbhare ; A. Redolfi ; R. Delhougne ; L. Nyns ; W. Devulder ; T. Witters ; A. Covello ; G. Vereecke ; A. Franquet ; V. Spampinato ; S. Kundu ; M. Mao ; H. Hody ; G. S. Kar</i>	
DESIGN-TECHNOLOGY CO-OPTIMIZATION OF ANTI-FUSE MEMORY ON INTEL 22NM FINFET TECHNOLOGY	855
<i>Yu-Lin Chao ; Sarvesh H. Kulkarni ; Soonwoo Cha ; Leif R. Paulson ; Salil M. Rajarshi ; Jason Bloomstrom ; Guannan Liu ; Mark Armstrong ; Jiabo Li ; Chen-Yi Su ; Stephen M. Ramey ; Uddalak Bhattacharya ; Bernhard Sell ; Ying Zhang</i>	
VARIABILITY SOURCES IN NANOSCALE BULK FINFETS AND TITAN- A PROMISING LOW VARIABILITY WFM FOR 7/5NM CMOS NODES	859
<i>Mandar S. Bhoir ; Thomas Chiarella ; Lars Å. Ragnarsson ; Jerome Mitard ; Naoto Horiguchi ; Nihar R. Mohapatra</i>	
KEY TECHNOLOGY ENABLERS OF INNOVATIONS IN THE AI AND 5G ERA	863
<i>Shien-Yang Wu</i>	
ULTRA-SCALED CONFORMAL SCAVENGING ELECTRODE WITH SUPERIOR TUNABILITY FOR SHORT-CHANNEL RMG FINFET WORKFUNCTION AND ALL-ALD 3D-COMPATIBLE RERAM	867
<i>J. Rozen ; Y. Ogawa ; T. Ando ; R. Bao ; E. Cartier ; K. Honda ; K.-C. Lee ; J. Bruley ; H. Miyazoe ; K. Suu ; M. Hatanaka ; V. Narayanan</i>	
NOVEL FORKSHEET DEVICE ARCHITECTURE AS ULTIMATE LOGIC SCALING DEVICE TOWARDS 2NM	871
<i>P. Weckx ; J. Ryckaert ; E. Dentoni Litta ; D. Yakimets ; P. Matagne ; P. Schuddinck ; D. Jang ; B. Chehab ; R. Baert ; M. Gupta ; Y. Oniki ; L.-A. Ragnarsson ; N. Horiguchi ; A. Spessot ; D. Verkest</i>	
MACHINE LEARNING-ENHANCED MULTI-DIMENSIONAL CO-OPTIMIZATION OF SUB-10NM TECHNOLOGY NODE OPTIONS	875
<i>A. Ceyhan ; J. Quijas ; S. Jain ; H.-Y Liu ; W. E. Gifford ; S. Chakravarty</i>	

5NM CMOS PRODUCTION TECHNOLOGY PLATFORM FEATURING FULL-FLEDGED EUV, AND HIGH MOBILITY CHANNEL FINFETS WITH DENSEST 0.021μm^2 SRAM CELLS FOR MOBILE SOC AND HIGH PERFORMANCE COMPUTING APPLICATIONS	879
<i>Geoffrey Yeap ; S. S. Lin ; Y. M. Chen ; H. L. Shang ; P. W. Wang ; H. C. Lin ; Y. C. Peng ; J. Y. Sheu ; M. Wang ; X. Chen ; B. R. Yang ; C. P. Lin ; F. C. Yang ; Y. K. Leung ; D. W. Lin ; C. P. Chen ; K. F. Yu ; D. H. Chen ; C. Y. Chang ; H. K. Chen ; P. Hung ; C. S. Hou ; Y. K. Cheng ; J. Chang ; L. Yuan ; C. K. Lin ; C. C. Chen ; Y. C. Yeo ; M. H. Tsai ; H. T. Lin ; C. O. Chui ; K. B. Huang ; W. Chang ; H. J. Lin ; K. W. Chen ; R. Chen ; S. H. Sun ; Q. Fu ; H. T. Yang ; H. T. Chiang ; C. C. Yeh ; T. L. Lee ; C. H. Wang ; S. L. Shue ; C. W. Wu ; R. Lu ; W. R. Lin ; J. Wu ; F. Lai ; Y. H. Wu ; B. Z. Tien ; Y. C. Huang ; L. C. Lu ; Jun He ; Y. Ku ; J. Lin ; M. Cao ; T. S. Chang ; S. M. Jang</i>	
SUB-THERMIONIC SCALABLE III-V TUNNEL FIELD-EFFECT TRANSISTORS INTEGRATED ON SI (100)	883
<i>C. Convertino ; C. B. Zota ; Y. Baumgartner ; P. Staudinger ; M. Sousa ; S. Mauthe ; D. Caimi ; L. Czornomaz ; A. M. Ionescu ; K. E. Moselund</i>	
CO-INTEGRATED SUBTHERMIONIC 2D/2D WSE₂/SNSE₂ VERTICAL TUNNEL FET AND WSE₂ MOSFET ON SAME FLAKE: TOWARDS A 2D/2D VDW DUAL-TRANSPORT STEEP SLOPE FET	887
<i>N. Oliva ; L. Capua ; M. Cavaliere ; A. M. Ionescu</i>	
EXPERIMENTAL DEMONSTRATION OF INTEGRATED MAGNETO-ELECTRIC AND SPIN-ORBIT BUILDING BLOCKS IMPLEMENTING ENERGY-EFFICIENT LOGIC	891
<i>Chia-Ching Lin ; Tanay Gosavi ; Dmitri Nikonov ; Yen-Lin Huang ; Bhagwati Prasad ; Wonyoung Choi ; Van Tuong Pham ; Inge Groen ; Jun-Yang Chen ; Mahendra Dc ; Huichu Liu ; Kaan Oguz ; Emily S. Walker ; John Plombon ; Benjamin Buford ; Carl H. Naylor ; Jian-Ping Wang ; Felix Casanova ; Ramamoorthy Ramesh ; Ian A. Young</i>	
SELF-ORGANIZED PAIRS OF GE DOUBLE QUANTUM DOTS WITH TUNABLE SIZES AND SPACINGS ENABLE ROOM-TEMPERATURE OPERATION OF QUBIT AND SINGLE-ELECTRON DEVICES	895
<i>Kang-Ping Peng ; Ching-Lun Chen ; Ying-Tsan Tang ; David Kuo ; Thomas George ; Horng-Chih Lin ; Pei-Wen Li</i>	
A PROBABILISTIC APPROACH TO QUANTUM INSPIRED ALGORITHMS	899
<i>S. Chowdhury ; S. Datta ; K. Y. Camsari</i>	
HIGH-SPEED LOW-ENERGY HEAT SIGNAL PROCESSING VIA DIGITAL-COMPATIBLE BINARY SWITCH WITH METAL-INSULATOR TRANSITIONS	903
<i>T. Yajima ; T. Tanaka ; Y. Samata ; K. Uchida ; A. Toriumi</i>	
GATE REFLECTOMETRY FOR PROBING CHARGE AND SPIN STATES IN LINEAR SI MOS SPLIT-GATE ARRAYS	907
<i>L. Hutin ; B. Bertrand ; E. Chanrion ; H. Bohuslavskiy ; F. Ansaloni ; T.-Y. Yang ; J. Michniewicz ; D. J. Niegemann ; C. Spence ; T. Lundberg ; A. Chatterjee ; A. Crippa ; J. Li ; R. Maurand ; X. Jehl ; M. Sanquer ; M. F. Gonzalez-Zalba ; F. Kuemmeth ; Y.-M. Niquet ; S. De Franceschi ; M. Urdampilleta ; T. Meunier ; M. Vinet</i>	
EXPERIMENTAL DEMONSTRATION OF PHASE TRANSITION NANO-OSCILLATOR BASED ISING MACHINE	911
<i>S. Dutta ; A. Khanna ; J. Gomez ; K. Ni ; Z. Toroczka ; S. Datta</i>	
OPTIMAL DESIGN METHODS TO TRANSFORM 3D NAND FLASH INTO A HIGH-DENSITY, HIGH-BANDWIDTH AND LOW-POWER NONVOLATILE COMPUTING IN MEMORY (NVCIM) ACCELERATOR FOR DEEP-LEARNING NEURAL NETWORKS (DNN)	915
<i>Hang-Ting Lue ; Po-Kai Hsu ; Ming-Liang Wei ; Teng-Hao Yeh ; Pei-Ying Du ; Wei-Chen Chen ; Keh-Chung Wang ; Chih-Yuan Lu</i>	
STORAGE RELIABILITY OF MULTI-BIT FLASH ORIENTED TO DEEP NEURAL NETWORK	919
<i>Y. C. Xiang ; P. Huang ; H. Z. Yang ; K. L. Wang ; R. Z. Han ; W. S. Shen ; Y. L. Feng ; C. Liu ; X. Y. Liu ; J. F. Kang</i>	
A 3D NAND FLASH READY 8-BIT CONVOLUTIONAL NEURAL NETWORK CORE DEMONSTRATED IN A STANDARD LOGIC PROCESS	923
<i>M. Kim ; M. Liu ; L. Everson ; G. Park ; Y. Jeon ; S. Kim ; S. Lee ; S. Song ; C. H. Kim</i>	
HIGH-DENSITY AND HIGHLY-RELIABLE BINARY NEURAL NETWORKS USING NAND FLASH MEMORY CELLS AS SYNAPTIC DEVICES	927
<i>Sung-Tae Lee ; Hyeongsu Kim ; Jong-Ho Bae ; Honam Yoo ; Nag Yong Choi ; Dongseok Kwon ; Suhwan Lim ; Byung-Gook Park ; Jong-Ho Lee</i>	
COMPLEMENTARY MEMORY CELL BASED ON FIELD-PROGRAMMABLE FERROELECTRIC DIODE FOR ULTRA-LOW POWER CURRENT-SA FREE BNN APPLICATIONS	931
<i>Qing Luo ; Bing Chen ; Rongrong Cao ; Xiaoyong Xue ; Keji Zhou ; Jianguo Yang ; Xu Zheng ; Haoran Yu ; Jie Yu ; Tiancheng Gong ; Xiaoxin Xu ; Peng Yuan ; Xiaoyan Li ; Lu Tai ; Qi Liu ; Hangbing Lv ; Ming Liu</i>	

A 2TNC FERROELECTRIC MEMORY GAIN CELL SUITABLE FOR COMPUTE-IN-MEMORY AND NEUROMORPHIC APPLICATION	935
<i>Stefan Slesazek ; Taras Ravsher ; Viktor Havel ; Evelyn T. Breyer ; Halid Mulaosmanovic ; Thomas Mikolajick</i>	
MEMORY-LOGIC HYBRID GATE WITH 3D-STACKABLE COMPLEMENTARY LATCHES FOR FINFET-BASED NEURAL NETWORKS	939
<i>Chieh Lee ; Yue-Der Chih ; Jonathan Chang ; Chrong Jung Lin ; Ya-Chin King</i>	
STATE-OF-THE-ART TCAD: 25 YEARS AGO AND TODAY	943
<i>M. Stettler ; S. Cea ; S. Hasan ; L. Jiang ; A. Kaushik ; P. Keys ; R. Kotlyar ; C. Landon ; D. Pantuso ; A. Slepko ; S. Smith ; V. Tiwari ; C. Weber ; J. R. Weber</i>	
EFFICIENT VARIABILITY- AND RELIABILITY-AWARE DEVICE-CIRCUIT CO-DESIGN: FROM TRAP BEHAVIORS TO CIRCUIT PERFORMANCE	947
<i>Wangyong Chen ; Linlin Cai ; Gang Du ; Xiaoyan Liu</i>	
ROLE OF CORRELATION IN SYSTEMATIC VARIATION MODELING	951
<i>Ananda S. Roy ; Sourabh Dongaonkar ; Sivakumar P. Mudanai</i>	
AN EMPIRICALLY VALIDATED VIRTUAL SOURCE FET MODEL FOR DEEPLY SCALED COOL CMOS	955
<i>Wriddhi Chakraborty ; Kai Ni ; Jeffrey Smith ; Arijit Raychowdhury ; Suman Datta</i>	
MULTIPHYSICS SIMULATION & DESIGN OF SILICON QUANTUM DOT QUBIT DEVICES	959
<i>F. A. Mohiyaddin ; G. Simion ; N. I. Dumoulin Stuyck ; R. Li ; F. Ciubotaru ; G. Eneman ; F. M. Bufler ; S. Kubicek ; J. Jussot ; Bt Chan ; Ts. Ivanov ; A. Spessot ; P. Matagne ; J. Lee ; B. Govoreanu ; I. P. Raduimec</i>	
Author Index	