2019 Photonics & Electromagnetics Research Symposium – Fall (PIERS – Fall 2019)

Xiamen, China
17 – 20 December 2019

Pages 1-830

IEEE Catalog Number: CFP19M48-POD
ISBN: 978-1-7281-5305-6

Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number: CFP19M48-POD
ISBN (Print-On-Demand): 978-1-7281-5305-6
ISBN (Online): 978-1-7281-5304-9

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

Contents

1-Bit Transmissive Meta-surface with Low Sidelobe Level by Periodic Phase Modulation 30
Focusing Dimension Optimization of Shear Vertical Wave EMATs Using Orthogonal Test Method 36
Development and Application of Large-depth and Multi-function Electromagnetic Survey System 43
High Speed Online Electromagnetic Rail Defect Inspection Based on FPGA Parallel Processing System 49
Measurements and Characterization of Twisted Radio Wave Multipath for Indoor Wireless Communication and Security System 54
Optimal Feedback-interferometric Fiber Laser Sensors 63
Wiener-Hopf Analysis of the Diffraction by a Strip with Fractional Boundary Conditions 66
Nonlinear Transverse Magnetic Wave Propagation in a Layer Revisited 73
The Spatial Coherence Function of Crossly Polarized EM-waves Caused by Depolarization in Continuous Random Medium 83
Synthesis of a Multi-focal Impedance Reflector of Arbitrary Shape 91
Analysis of the Effect of Geometrical Characteristics on Frequency Response of Dielectric Resonators . 100
Design Analysis and Simulation Investigation of S-band MILO 110
Multi-component CPS Detection Algorithm Based on Improved Coherently Integrated Cubic Phase Function 119
A Novel Algorithm for Moving/Fixed Target Discrimination in 77 GHz Automotive Radars 128
Low Complexity Detection Scheme for Fast Target in Randomized Stepped Frequency 134
Tracking of a Missile Using Interacting Multiple Model 141
Target Classification and Tracking Based on Aerodynamic Properties and RCS Information Using Rao-Blackwellized Particle Filter 146
A Sparse Learning Approach to Multiple Noise-like Jammers Detection 155
Design of Experimental Setup for Imitation Modeling of the Radar System for Personnel Screening in Motion 162
The Distribution Measurement of the Photo-induced Plasma in Semiconductor by Near-field Scanning Microwave Microscopy 169
Dual-band Multi-beam Antenna via Engineering Mode of Spoof Surface Plasmon Polaritons 173
Broadband Propagation of High-order Mode of Spoof Surface Plasmon Polaritons Supported by Compact Complementary Structure 177
Tunable 360 Degrees Phase Shifter Based on Spoof Surface Plasmon Polaritons Waveguide 182
A Novel Analysis Method of Electromagnetic Vortex Wave Based on Modified Dynamic Mode Decomposition 185
A Single-channel Anti-saturation Method Based on LMS Algorithm and Fiber Delay Line 193
Design of Microstrip Patch Antenna for MIMO Applications 199
An Improved Adaptive Chaotic Particle Swarm Optimization Algorithm for Antenna Synthesis 207
A Broadband High-gain Magneto-electric Dipole Antenna for New Unlicensed Frequency Band 211
A Chipless RFID Sensor for Metal Crack Detection Based on Notch Characteristics 217

Low-profile Annular Patch Antenna for Pattern Diversity Applications 222
A Low-profile Dual-polarized Antenna with Bandwidth-enhanced EBG Structure 229
Bandwidth Improvement of Rectangular Patch Antenna Using Multiple Slots 233
Dual-Band Hexagonal Cavity Back Slot Antenna Using TM_{110} and TM_{210} Modes 242
Simulation of the Photoconductive Vacuum Diode Arrays 247
Design of Electron Optics System for G-band Traveling Wave Tube 251
Broadband Achromatic Metasurface Devices 256
Reformative EIT Inspired Ultra-sensitive Terahertz Sensing on Micro-volumetric Microfluidic Metamaterial 260
Detection of Text Information Hidden in an Envelope Using Terahertz Imaging 264
Modified Design and Application of an Optical Fiber Pressure Sensor for the Depth Measurement of Sea 269
Detection of Weak Strain and Vibration Signal at Multipoints of a Bridge with Optical Fiber Bragg Gratings 273
High Sensitivity Interferometric Optical Fiber Humidity Sensor Based on a Moisture Sensitive Film 277
Design and Analysis of the Birefringent Characteristics of Hollow Core Bandgap Fiber 282
3D-printed Wideband Rectangular Dielectric Resonator Antenna 285
Basic Study on Deformation Reconfiguration Technology for 5.8-GHz-band Reflectarray Antennas 290
Dual-polarized Low-profile Wideband Filtering Antenna for 5G Applications 295
Design of a Tunable UHF RFID Tag Based on Rectangular Loop Antennas for Metallic Objects 300
Design and Simulation of the Beam-wave Interaction System of 400 GHz Clinotron 307
Robust-efficiency RF Energy Harvesting for Internet of Things Applications 314
Revisit Cherenkov Radiation in the Hyperbolic Metamaterials 318
Multi-band Tunable Asymmetric Transmission of Linearly Polarized Electromagnetic Waves Achieved by Active Chiral Metamaterial 325
A 2D Tunable Frequency Selective Absorber Based on Liquid Metal 332
Reconfigurable Spoof Surface Plasmon Polariton Band-stop Filter with Monolithic Schottky Diodes 337
A Low Permittivity Metamaterial on a Glass Substrate for Fabricating an Atomic Vapor Cell 344
A Multifunctional Polarization Converter Base on Solid Plasma Metasurface 351
Solving Electromagnetic Scattering Problems with Over 10 Billion Unknowns with the Parallel MLFMA 355
On the Theoretical and Practical Numerical Performance of Matrix-decomposition-based Fast Direct Solvers 361
A Novel FDTD Cells Generation Technology and MATLAB-GUI Implementation 370
A Novel Spatial Three-dimensional Spherical Array Antenna for OAM Waves Generation 373
Behaviour of Poynting Vector for Guided Modes of Dielectric Optical Waveguides and Its Usefulness in the Design of Evanescently Coupled Optical Devices 378
Downscaling of ASCAT Soil Moisture with MODIS Products Based on Apparent Thermal Inertia in Areas around 54 FLUXNET Stations 384
Distinction between Human and Animal in Respiratory Monitoring Based on IR-UWB Radar 392
Research on Identifying Different Life States Based on the Changes of Vital Signs of Rabbit under Water and Food Deprivation by UWB Radar Measurement 397
Preliminary Study of Radiation Operator Properties for NDF and Resolution Estimation 404
Novel Approaches to Realize Plasmonic Intrinsic and Extrinsic Optical Fiber Sensors with High Sensitivity 410

Terahertz Functional Materials and Their Application in Metasurface Devices 415
Multivariate Prediction of PM_{10} Concentration by LSTM Neural Networks 423
Automatic Detection of Landscape Painting Elements Based on Machine Learning 432
A Long-time Multi-object Tracking Method for Football Game Analysis 440
On the Design of a Front-face Grid for Shielding Enclosure Using Evolutionary Computations 443
Multivariate Prediction in Photovoltaic Power Plants by a Stacked Deep Neural Network 451
An EM Scattering Data Interpolation Method Based on Decision and Regression Tree 458
Null-filled Shaped Beam Horizontally Polarized Omnidirectional Antenna 464
Improved Wheeler Cap Microstrip Antenna Efficiency Measurement Based on 3D Printing 470
Metallized via Loaded Quarter Mode SIW Slot Antenna for Dual-band Operation 476
Modal Analysis for Characterizing Wireless Channels in Fully-enclosed Environment 481
S-shaped High Efficient Meander Monopole Antenna for WLAN/WIMAX/Ultra Wide Band (UWB) Applications 486
Physical-layer Security Performance of MISO Time-reversal Ultra-wideband Systems 493
BER Analysis Using MRT Linear Precoding Technique for Massive MIMO under Imperfect Channel State Information 500
The Full-space Bessel Beam Modulator Based on Pancharatnam-Berry Metasurface 507
Flexible Microwave Devices and Dual-frequency-scanning Antenna Based on Spoof Surface Plasmon Polaritons 514
Design of an Absorber for Large Incident Angles with Antenna Reciprocity 521
3-D Frequency Selective Surfaces Based on Slotlines: Modeling, Synthesis, and Validation 525
Double Passband Frequency Selective Surface with Different Vision 533
A Novel Frequency Selective Rasorber with High In-band Transmission and Wideband Absorption Properties 538
A Differential-fed Patch Antenna with Symmetric Radiation Pattern Used for Circularly Polarized Phased Array 544
The Progresses of Vacuum Electronic Terahertz Sources at IECAS 550
High-power and Broadband Terahertz TWT Amplifier Based on High Order Mode Staggered Double Vane Structure 555
Investigation of W-band High Power TWT Amplifier with Broadband Output Window 560
High-harmonic Gyrotrons with Selective Cavities 566
Design of Silicon Photonic Wavelength Conversion Chip for Mode-division Multiplexing Signals 570
Dual-LFM Waveform Generation Based on Optical Injection to a Semiconductor Laser 577
All-optical Mach-Zehnder Switch on a Graphene-on-silicon Nitride Chip 582
Passive Bistatic Radar Using Digital Terrestrial Television Broadcasting Signal for Subsurface Target Detection 586
Detection of UAV Target with Multiple Motion Models Based on Keystone Transform and Short Time Matched Filtering Processing 598
Time-frequency Analysis of a Flexible RF Sensor for GPR Applications 610
Effects of Temporally-varying Tropospheric Path Delay on the Imaging Performance of Moon-based SAR 617
Supervised Descent Method for Full-wave Microwave Imaging 624
Polarimetric Calibration for a Ground-based Synthetic Aperture Radar System 632
A Four-component Polarimetric Decomposition Method Based on Generalized Scattering Models 640

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Fabrication and Applications of Polymer Planar Bragg Grating Sensors Based on Cyclic Olefin Copolymers 647

High-efficiency Fusion Splicing of Mid-infrared Special Fibers with the Silica Fibers 656

Sensitivity-enhanced Temperature Sensor Based on Cascaded Polymer-infiltrated Mach-Zehnder Interferometers Created in Graded Index Fibers 663

Simultaneous Radar Detection and Microwave Frequency Measurement Based on Microwave Photonics 668

A Frequency Hopping Communication System Using Directly Modulated Laser Based Optical Heterodyne Technique 677

Simulation of HPM Environment of Electrically Super-large Platforms Using HF Asymptotic Methods 682

Influence of RF Breakdown Plasma on Dispersion Relation of High Frequency Structures and Characteristics of Generated Microwave in Relativistic Backward Wave Oscillators 686

Frequency Tunable Filter Patch Antenna Based on Spoof Surface Plasmon Polaritons 694

FDTD Simulation of Terahertz Wave Propagation in Time-varying Plasma 699

Broadband and Polar-insensitive Radar Cross Section Reduction of a Cylindrical Target on the Conformal Frequency Selective Surface with Resistors 702

Design of an Ultra-thin Tunable Metamaterial Absorber for Broadband Frequency Applications 707

A Wideband Transmission Frequency Selective Surface Rasorber 711

Study on Raman Spectrum Detection Method Based on Surface Enhanced Micro-nano Fiber 718

Comparison of Single-pump FOPA and Raman Assisted FOPA Performance in a 16 Channel DWDM Transmission System 723

Research of PAM-4 Modulated WDM-PON Architecture for 5G Millimeter-wave Hybrid Photonics-wireless Interface 728

Parametric Simulation of 'Hot-wire'-based Gas Velocity Sensor Using Optical Fiber 735

A Color Compensation Method for Three Primary-color LED Light Sources 741

Improved Equivalent Circuit Models of THZ Quantum Cascade Lasers for SPICE Simulation 745

Plasmonic Band-pass/stop Filters Based on Metal-Insulator-Metal Slit Waveguides 750

Noncontact Measurement of Permittivity Based on CSRR at Microwave Frequencies 754

Miniaturized Wide Bandwidth Antenna Array with Meta-material Decoupling Structure 759

Design of Tunable Substrate Integrated Waveguide Cavity Resonator under Slow-wave and Fast-wave Loading Conditions 763

Three-dimensional Frequency Selective Surface with Quasi-elliptic Bandpass Response 768

Terahertz Low Profile Antenna Based on Spoof Surface Plasmon Polaritons 772

Design of a W-band Endfire Directional Tapered Slot Antenna on Silicon Substrate 777

A Novel Design for Slotted Microstrip Antenna with Multilayer Patch 781

A Novel Microstrip Antenna Applying Metamaterial to Design Arbitrary Dielectric Constant Substrate 785

Shaping Electromagnetic Waves by Using Bianisotropic Huygens' Metasurface 789

Wideband MMIC Nonlinear Transmission-line Comb Generator 794

Study on Average Power Handling Capacity of Graphene Nanoribbon Interconnects 800

Compact Dual Band MIMO Antenna with High Isolation 804

Assessment of CYGNSS Coastal Wind Speed Retrieval 809

Checkerboard AMC Surface for Ultra-wideband Radar Cross Section Reduction 813

Image Recognition Based on Convolution Neural Network with Small Data Set 816

A Novel Azimuth Multichannel Reconstruction Approach for Moving Targets in Multichannel Sliding Spotlight SAR 821

Raman Spectroscopy of High-purity $^{13}CO_2$ Gas 828

Arc Array Bistatic Synthetic Aperture Radar for Full Azimuth Imaging 831
Side Lobes Suppressing Technology for Aperiodic Millimeter Wave Array Antenna 837
Radar Cross Section of Wind Turbine with Cone Covered Pillar 842
The Influence of Rain Clutter on Analysis of Target Polarization Properties 846
Abnormal Fluctuations in Transmission Spectrum of Metasurface Measurement and Solution 851
A Rasorber Metasurface Design: S-band Transmission and X-band Absorption 855
Multi-layered Parallel Plate Waveguide with Electrically and Magnetically Biased Graphene Walls 858
Microwave Approach to Study Resonant Features of All-dielectric Metasurfaces 866
Modelling and Simulation of Onboard Wire Antennas for a 3U CubeSat 871
Algebraic, Exponential, and other Regularization Techniques for Taming Infinities in Classical and Quantum Electrodynamic Fields 880
An Efficient Algorithm of Explicit Sensitivity Matrix in 3D Marine Controlled-source Electromagnetic Imaging 889
Pinpoint and Efficient DZT-based FDTD Implementations Using Optimal 2nd-order PML Truncation 897
A Mixed Finite Element Method with Right-hand-side Correction for Low-frequency Plane Wave Electromagnetic Modeling 903
Ocean Subsurface Study from ICESat-2 Mission 910
Program of Spaceborne Oceanic Lidar Based on Semianalytic Monte Carlo Method 919
Multiple Scattering Effects in Lidar and Its Potential Application for Water Cloud Detection 928
Simulation of Full Responses of Triaxial Induction Logging in 1D Layered Arbitrarily Anisotropic Formations 936
An Ultra-deep Boundary Detection Method Based on Electric Field Analysis 943
Response Simulation of MCI6505 Microresistivity Imaging Tool 950
Coordinate-free Formulation and Evaluation of Tensor Green's Functions for General Homogeneous Uniaxial Anisotropic Media 957
Frequency-and-spin Multiplexed Multifunctional Metadevices 965
High-effciency Planar Huygens' Metasurface for Wave Manipulation 972
Design of a Metasurface with Wide RCS Reduction Bandwidth 976
A Wideband Polarization Conversion Slot Antenna Using Metasurface 983
Equivalent Circuit Models for Two-dimensional Full-tensor Anisotropic Acoustic Metamaterials 989
Overview of Some Factors Influencing the mm-Wave AiP Solution in Cellular Phones and Some Corresponding Promising Solutions 996
Angle Estimation through Millimeter Wave MIMO in 5G Systems 1001
The Genetic Algorithm for 5G MIMO Auto-calibration 1004
Over the Air Testing and Error Analysis of 5G Active Antenna System Base Station in Compact Antenna Test Range 1007
Design of Plane Wave Generator in Compact Range for 5G OTA Testing 1011
Manipulation of Polarization Rotation through Spherical Active Coated Nanoparticle Antenna at Optical Wavelength 1015
Miniaturization of Low-profile Omnidirectional Vertical Polarization VHF Patch Antenna 1019
Polarization Reconfigurable Annular Ring Slot Antenna Design 1022
Design of a Single Zero Compensation Dipole Antenna 1028
Dynamically Tunable Four Band Filtering Attenuator Based on Graphene Integrated Microstrip Multimode Resonator 1033
Research on the Application of Virtual Reality in the Practice Teaching of Major Courses 1040

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Improvement on Teaching Microwave Engineering Course by Incorporating the Artificial Intelligence Technology 1047

A Novel Teaching Method for the Advanced Engineering Electromagnetics Course Based on a Three-in-one Mode 1052

Incorporation of Modeling and Simulation Techniques with the Education on Electromagnetics and Microwave Technology 1058

Time-division Efficient Parallel Algorithm for Designing Metallic Slabs for Quantum Walk 1063

Fast Solution of Volume-surface Integral Equations for Conducting-anisotropic Media 1070

Application of Nodal Discontinuous Galerkin Time Domain Method Based on Wave Equation in Electromagnetic Simulations 1075

Topological States of Interacting Photon Pairs Emulated in a Topolectrical Circuit 1082

Accurate Solution for Surface Integral Equations with Sharp-corner Objects Based on Nyström Scheme 1087

Efficient Characterization of Topological Photonics Using the Broadband Green's Function 1092

Shielding Effectiveness of Liquid Electrolyte 1100

A Scattering Evaluation Method of Chaff Cloud Based on VRT and SVM 1105

Human Action Recognition Based on Skeleton and Convolutional Neural Network 1109

A Timing Sequence Feature Fusion Algorithm for Multi-module Data Acquisition System 1113

Interference Probability Calculation Method of Frequency Agile Radar Based on the Spectrum of Interference Signal 1117

An Improved Target Detection Method Based on Sonar Image Processing 1124

A New Design for Two-layer Thin Wideband Radar Absorber 1129

Optical Diagnostics on Characteristics of the Cathode and Anode Plasma Evolutions in a Magnetically Insulated Coaxial Diode 1133

The Research of Extraordinary Transmission Mechanism on Metallic Grating Structure Based on NS-FDTD 1142

Ultra-thin Polarization-insensitive Plasmon-induced Transparency Metamaterials 1150

Wideband Asymmetric Transmission and Energy Selection Metamaterial for Linearly Polarized Wave 1153

A Design Method of Ultra-wideband Self-reconfigurable Electromagnetic Pulse Protection Surface ... 1157

Application of Optical Vibration Sensor on Mine Draught Fan Monitoring System 1163

Integration of FBG Optical Sensor Network in DWDM-PON Transmission System 1168

Application of Phase-sensitive Fiber Optic Parametric Amplifier in Phase Modulated Signal Regeneration 1175

Design of a Hybrid Multimode Fiber Amplifier with Optimized Mode Dependent Gain and Wavelength Dependent Gain 1180

On-chip Stokes Polarimeter Based on a Two-dimensional Grating 1185

A Hierarchical Processing Algorithm for Frequency Parameters of Capacitive Sensors 1191

Broadband Circular Polarized Composite Spiral Antenna Using Two-layer AMC 1197

Direction Finding with Time Modulation for Phased Array 1204

A Compact Dual-band WiFi Energy Harvester 1209

Novel Applications of Vertical Via in MMCM Interconnection 1213

The Application of IABC_Keans in Array Antenna Pattern Synthesis 1218

Metallized Blind Via Holes and Surface Etching Incorporation for Miniaturization Enhancement in Slow-wave Substrate Integrated Waveguide 1224

A Design of Broadband Circularly Polarized Directional Antenna Using Cavity Reflector 1228

RCS Measurement Based on Frequency-sparse 3-D Imaging 1233

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Through-the-Debris Imagery of Vital Signs Using UWB MIMO Bioradar 1238
An Improved Genetic Algorithm for Multiband Microstrip Antenna Design 1241
A Novel Output-capacitorless Low-Dropout Regulator for Power Management 1247
High Efficiency 2nd and 3rd Harmonic Tuned Power Amplifier 1252
A Compact Bandpass Filter Using Novel Microstrip Dual-mode Resonator with Hexagonal Structure 1256
A Circularly Polarized Printed Antenna with Modified Slots and Slits for RFID Reader 1260
The Performance Analysis of a Spinning Magnet as a Mechanical Antenna 1265
A Method of Sparse Plane Arrays Synthesis Based on Archimedean Spiral and Quantum Search Algorithm 1270
PLA-based 3D Printed Quad-ridged Horn Antenna for Tomography Application 1275
Dual-band Circularly Polarized Shared-aperture Antenna 1280
A Novel Device Model Validation System for 1.5 T and 3 T MRI Safety Assessment 1283
On the Diagnosis of Incipient Faults in Transmission Lines Using a Projection Approach Based on Phase Patterns 1288
A Complex RCS Calibration Data Interpolation Method Based on Compressed Sensing 1295
A Novel Radio Frequency Interference Suppression Method for SAR Based on Spectrum Extrapolation 1300
An Accurate Modeling Method for Near-field Echo Characteristics 1306
Gas Analyzer for Investigating Stable Carbon Isotopes Concentration 1312
Block Varying PRI Design for High Squint Sliding-spotlight Synthetic Aperture Radar 1316
Study on Water Information Extraction Method Based on Tiangong-2 Interferometric Imaging Radar Altimeter Data 1322
Research on Accurate Calibration Method Based on Broad Measurement at a High Grazing Angle 1327
Measurement of Atmospheric Opacity in K-band of Nanshan 25 m Radio Telescope 1331
Inter-comparison Characterization of Nitrous Acid Measurements by IBBCEAS and LOPAP 1336
Fast and Automatic RF Design Based on MATLAB-HFSS Control Applied on Magnetic Absorber with Metasurface 1339
Active Modulation of EIT-like Response with a Metal-graphene Hybrid Metasurface in Microwave Regime 1343
Ultra-wideband Active Absorber Based on Multiple Frequency Selective Surface and Magnetic Layers 1348
Study on the Characteristics of Mercury-based Electromagnetic Metamaterials and Its Temperature Sensing Technology 1354
Ultra-wideband Dual-layer Magnetic Absorber with Active Impedance Matching 1359
Compact Microwave Passive Components Based on the Metamaterial Unit Cells 1364
Studies of a Two-dimensional Coaxial Bragg Structure with Double Helically Corrugated Surfaces 1369
A Transfer Learning Approach for Recognizing the Digital Radiator 1374
Ground Moving Target Imaging of Synthetic Aperture Radar Based on Improved Range History Fitting Method 1378
SAR Image Generation Using Structural Bayesian Deep Generative Adversarial Network 1386
Targets Recognition Based on Deep Learning 1393
A Convolution Neural Network-based Method for Designing Honeycomb Absorbing Material 1401
EM Pulse Propagation Modeling of Tunnels with Three-dimensional TDPE Method 1405
Influence of PEC Obstacles on Antenna Q-factors 1417
Ultraviolet Imaging Detection for the Discharge of Polluted Insulators Based on Iterative Threshold Segmentation 1423
Research on Calibration Device of Surface Current Sensor 1428

Study of Measuring Error of Rogowski Coil 1436
Online Detection of Wear Particles Using Electrostatic Tomography and Convolutional Neural Network 1443
Electromagnetic Sensing and Imaging Methods in Industrial Flow Measurements 1449
Integrated Photonics Devices Using Zero-index Metamaterials 1458
An NIBC/Nystrom/SMCG Method Implemented with MoM for Broadband Emissivities from Large-scale Polar Ocean Surfaces 1461
An Improved Snow Depth Retrieval Algorithm for AMSR2 Passive Microwave Data Based on Snow Survey Data in Northeast China 1469
Azimuth Phase Center Adaptive Adjustment on Transmit/Receive for Azimuth Uniform Sampling in HRWS SAR 1477
Imaging Radar Based on Time Modulated Array with Pulse Compression 1483
Cavity-enhanced Absorption Spectroscopy in the Near- and Mid-infrared for Gas Sensing 1492
Study on Scattering Pattern Controlling of Phased Array by Lens 1500
Wide-angle Scanning Phased Array Based on Long Slot Antenna 1507
Dipole Antenna Array Fed by a SIW Based Circular Resonator for Generating Plane Spiral Orbital Angular Momentum Wave 1510
Study on Driving Current of Inductive Electromagnetic Launcher Effects on Projectile Outlet Velocity 1515
Prediction of Topological Invariants in Photonic Crystals Using Machine Learning 1521
Mutual Coupling Reduction of Slot Array Antenna for 5G Millimeter-wave Handset 1525
The Methods for Generating Radiation Null in Filtering Antennas 1531
An Advanced Antenna Based on Vector Synthetic Mechanism for 5G Application 1537
An Improved Method for Extracting the Coupling Coefficient of Filtering Antennas within Complex Boundaries 1541
Advanced Multifunctional Antennas for 5G and Beyond 1545
Novel Hexagonal Ring Compact Patch UWB Antenna Design Based on Minkowski and Koch Fractal Combination Structure 1551
Broadband RF Communication System Design for Smart Houses including Wi-Fi and 5G 1558
Broadband CPW-fed Stub-loaded Slot Antenna Array for 5G mm-Wave Applications 1563
Dual Band Quasi-Yagi Antenna Array Structure for the Side Loop Reduction by Using Binomial Weighting 1567
Multipolar Conversion Induced Subwavelength High-Q Kerker Supermodes 1571
Femtosecond Laser-inscribed Multimode Fiber Bragg Gratings 1575
Parallel Computation Technology for Distributed Optical Fiber Sensing System 1584
Batch-producible Hybrid Fabry-Perot Fiber-Optic Sensors for Dual-parameters Measurement 1588
Comparison of Dispersion Models for the Silver Nanostructure in FDTD Simulations 1595
Improving the Medium-long Term Frequency Stability of Pulsed Optically Pumped Rubidium Clock 1601
Absorption of Electromagnetic Wave by Uniform Plasma Plate 1606
Band-notch Absorber with Two-sided Absorption Bands and Two Reflection Bands 1611
Simulation Studying for a THz Modulator with Resonance Cavity Coupled to Graphene-loaded Metal Wire Grating 1614
Implementation of Null Space Initialization for the Constant Modulus Algorithm in a Wireless MIMO Transmission System 1619
An Intelligent Control System of Music Rhythms by RGB-LED Lamp 1622
2 µm Thulium-doped Fiber Laser Based on Synchronously Pumped Mode-locking 1628

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

FBG Sensors Network Embedded in Spectrum-sliced WDM-PON Transmission System Operating on Single Shared Broadband Light Source 1632

Design of New Miniaturized Broadband Bandpass Filter Based on SIR 1640

A Wideband Fabry-Perot Antenna with Low-RCS High-GBP Using Embed-chessboard Polarization Conversion Metasurface 1645

A 25-Gb/s Optical Receiver Front-end in 65-nm CMOS 1650

Dual-band Antenna Design for Moving Terminal Applications 1657

Experimental Verification of a Dominant CRLH Waveguide Leaky-wave Antenna for Radar Application 1660

Research on Serrations of Reflector Used in CATR 1665

A Novel Notch Antenna Based on Improved Single CSRR 1670

Embroidered and e-textile Conductors Embedded inside 3D-printed Structures 1675

A Constant Insertion Loss Phase Shifter Used for Low Sidelobe Level Arrays 1681

A Spectrum Sensing Scheme Based on Second-order Variable Step Energy Detection for Detecting 3bit Passive Wireless RFID Tag Antenna 1685

A Miniaturized Broadband Radiating Structure Based on Microstrip and Slot Complementary Coupling 1691

Analysis and Design of Mutual Inductance Stability Using Hexagonal Coil 1695

Designs of Coupled-resonator Filters Using Dual-transmission Lines 1703

High Polarization Purity MMW Antenna Based on LTCC Technology 1707

Spatiotemporal Switching Mode Design for Parallel Channel Sounding and Performance Evaluation 1711

A Novel UWB Diretional Antenna for Single Borehole Radar 1717

A Fast and Accurate Device Model Validation Strategy Using Rotational Invariant Lead Trajectories 1723

A Multiband High Gain Grooves Antenna 1730

Gain Improvement of a UWB Antenna Using a Single-layer FSS 1735

Broadband Frequency-selective Rasorber with Transmission Window 1740

Hepatic Lesion Recognition Based on Deep Visual Feature Learning 1744

A Special Processor of Passive Infrared Detector Based on Artificial Neural Network 1749

Estimation of the Ship RCS on the Dynamic Sea Surface 1755

Passive UHF RFID-based User Interface on a Wooden Surface 1760

A Substrate-insensitive Antenna Array with Broad Bandwidth and High Efficiency for 5G Mobile Terminals 1764

A Radiation-beam Switchable Antenna Array for 5G Smartphones 1769

An Optical Soot Particle Measurement Setup Based on CRDS and LII 1775

Optical Fiber Based Localized Surface Plasmon Resonance Sensor Prepared by Self-assembled Gold Nanoparticles on Block Copolymer Monolayer 1778

Layered Chiral Spheres with Zero Backscattering 1784

Realization of Low-loss Epsilon-near-zero Properties Using PT-symmetric Metasurfaces 1790

Modeling and Characterization of Time-varying Clutter in ISAR Imaging 1795

A Fast Generation Algorithm of Radar Images for Ship Recognition 1804

Microwave Emission of Rock Change with Compressive Stress: Experiments and Physics 1811

Mining Seismic Anomaly from Satellite Microwave Big Data: Methodology and Case Studies 1819

Classification of Oil Palm Growth Status with L Band Microwave Satellite Imagery 1824

Accuracy Analysis and Ionospheric Compensation of Radio Navigation and Positioning System under Dynamic Sea Surface Background 1832

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Modeling the Influence of Steel Mesh on Magnetic Proximity Detection Systems (PDSs) in Underground Coal Mines 1837

High-order DGTD for Solving EM Scattering from Hypersonic Aircraft with Plasma Sheath 1845

Advances in Simulation and Calculation of Physical System of Hydrogen Atomic Clock 1853

The Efficient High Frequency Methods on Electromagnetics Scattering 1860

Efficient Parallelization of MLFMA for 3D Electromagnetic Scattering Problems on Sunway Many-core Processor SW26010 1870

Simulation of Airborne Ground Penetrating Radar Model for Detecting Underground Targets Based on CST-MWS 1877

Thermal Simulation of 3-D Stacked Integrated Circuits with Layered Finite Element Method 1883

Inversion of Underground Structure Based on Time-domain Full Waveform Conjugate Gradient Method 1887

Grouting Sleeve Fullness Detection Method Based on Microwave Radio Frequency S Parameter 1895

Generalized Transition Matrix Models for Open Cavities 1901

Design, Implementation and Analysis of Solid-state Megahertz Continuous High-repetition-frequency High-voltage Pulse Source 1908

Preliminary Experimental Validation of Radar Imaging for Stroke Detection with Phantoms 1916

Rainfall Analysis of Northwest Pacific Influenced for Tropical Typhoon Chan-hom 1924

Impacts of Tropospheric Delays on Multi-GNSS PPP from Empirical and Numerical Weather Models 1930

Plasmaspheric TEC Correction for Ionospheric Occultation Inversion 1938

Long-term (2003–2017) Trends of Vegetation Condition Index (VCI) in Guangdong Using Modis Data and Implications for Drought Assessment 1944

Remote Sensing Data Analysis for the Effects of Three Selected Aerosols on Both Energy Budgets and Health: A Case of South-West Asia 1951

Soil Moisture Retrieval in Southeast China from Spaceborne GNSS-R Measurements 1961

A Model of Entrance Pupil Irradiance Estimation of the Multi-pixel Sensor on a Moon-based Earth Radiation Observatory 1966

The Design and Manufacturing of a Small Monopole Antenna with Minimized Electromagnetic Radiation Health Effects 1971

A Ku-band Conformal Half-Yagi Antenna for Microwave Communication 1980

A Design of Frequency Reconfigurable Antenna Based on Meta-surface 1987

A High-gain Circularly Polarized Antenna Design 1995

24 GHz Circular Cavity-backed Slot Antenna Based on Corrugated Substrate Integrated Waveguides . 2001

Design of a Compact UWB Monopole Antenna with Slotted Patches 2005

A Compact Ultra-wideband Directional Dipole Antenna with Wide Beamwidth 2008

Radiation Performance Improvement of Microstrip Antenna Using AMC Structure 2011

Determination of Terahertz-frequency-dependent Skin Penetration Depth Based on Water Sorption-desorption Assessment 2019

Terahertz Microfluidic Biosensing Platform Based on Intense Wave-matter-interaction Channels 2028

Multi-angular Terahertz Polarimetry for Complicated-structure Characterization 2032

Split Ring Resonator Sensor Designed for Complex Permittivity Measurement of Tiny Biological Materials 2036

A Tunable Device for Switching between Abosrber and Frequency Selective Surface Tailored by Gravity Field 2040

Aperture-coupled Plasmonic Voltage Tunable Filter Based on Asymmetric Micro-ring Resonators 2045

Electrically Large Circular Polarized Waveguide Slot Array Antennas for 60-GHz-band GATE system 2053

A Parallel Plate Slot Antenna Array Used in SAR Satellite 2058
A Novel Method for Flexible Distributed Capacitance Coil Simulation in MR Imaging 2062
A Novel Mixed Integer Programming Scheme for Passive Shimming in MRI 2067
Uniformity-modeled Magnetic Resonance Electrical Properties Tomography for Nasopharyngeal Carcinoma 2072
Sapphire Fiber Bragg Gratings with Improved Spectral Properties for High-temperature Measurements 2080
Wavelength and Polarization Effects in Strong-field Ionization of Diatomic Molecules Driven by Mid-infrared Laser Pulses 2085
Fast Measurement of a Circular Polarization Antenna Based on RPIM Method 2089
Research Status of the High-power Microwave Sources Based on Gyromagnetic Nonlinear Transmission Lines 2093
Lightning Electromagnetic Pulse Coupling and Corresponding Protection Advisement 2102
A Device Pose Estimation Method Based on Monocular Visual Odometer 2109
Research on Cross-sensory Information Enhancement Effect Based on the Analysis of Multi-mode Brain Imaging 2114
Experimental Research on the Protection Effect of the Direct Lightning Protection Module for Short-wave Transmission System 2120
Analytical Approach for Dielectric Property Measurements of Biological Tissues Based on Transmission Phase-shift Method 2125
Polarization Insensitive Electromagnetically Induced Transparency in Topological Insulator Metasurface 2131
A Novel Coding Phase Gradient Metasurface for Wideband RCS Reduction 2139
Design of a Broadband and Switchable Absorber Using an Absorb/Reflective FSS 2144
A Hybrid Fiber Nonlinearity Compensation Algorithm 2149
A Finite-difference Time Domain Method for Analysis in Optical Waveguides: The Time Stability Determination 2152
1.5 µm Synchronously Pumped Mode-locked Fiber Laser 2156
Hybrid ARoF-WDM PON Infrastructure for 5G Millimeter-wave Interface and Broadband Internet Service 2161
Compact Dual-wideband Bandpass Filter Using Stub Loaded Zero-degree Feed Coupling Structure ... 2169
Analysis on Interference Impact of 4G/5G in 450 MHz on Digital Terrestrial Television Broadcasting . 2173
A 65 nm CMOS Phase-locked Loop for 5G Mobile Communications 2180
Zero-attracted Lorentzian Algorithm for System Identification 2186
Corneal Topography Measurement Based on Structured Light Projection and High Dynamic Range Imaging 2191
Optimizing OAM Side-lobe Levels Using Sparse 2D Array 2199
The Design of EBG for Enhancing the Isolation in Dual-band Microstrip Antennas 2207
Miniaturized Ultra-wideband Ground Penetrating Radar Antenna 2213
Frequency Tuning in a Subterahertz Large-orbit Gyrotron 2219
Magnetization Curve Equivalent Method for Speeding FEM Calculation of the Special Designed MCR Iron Cores 2222
A New Class-F Microwave Rectifier Circuit with Harmonic Suppression 2230
Study on Super Wideband Compact Ovoidal Printed Antenna 2235
Design of Two-dimensional Millimeter Wave Virtual Array Based on Sparse MIMO Array 2240
Low Phase Noise Power Distribution Technology in the Design of Reference Frequency Source Circuits 2245
A High-gain, Low RCS and Dual-frequency Microstrip Antenna Using Frequency Selective Surface ... 2249

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

A Simulation Research on RF Detection Method for Polymeric Insulator 2255
Synthesis of Frequency-invariant Beam Patterns under Accurate Sidelobe Control by Second-order Cone Programming 2260
Multi-sensor Data Mining of Long-grouped Train Braking System Based on an LSTM Network 2264
Non-contact Measurement of Heart Rate Based on Facial Video 2269
A New Method of System-level EMC Evaluation Based on Deep Learning 2276
GTD Model Parameters Estimation Based on Improved LS-ESPRIT Algorithm 2282
A W-band Antenna Array Based on SIW Structure with Enhanced Gain and High Isolation 2290
Parameter Extraction for Equivalent Circuit of Common Mode Choke Based on Deep Neural Network, Random Forest Tree and Extreme Gradient Boosting Algorithm 2296
A Dual-band Dual-polarized Antenna with AMC Reflector for 5G Base Stations 2305
Multiscale Compressed Strategy with Merged Characteristic Basis Function Method for Analyzing the Targets with Sharp 2309
Smith-Purcell Radiation Enhanced by Periodic Split-Ring Resonator Metamaterials 2314
Ultra-wideband Characteristic Basis Function Method Merging the Secondary Level Characteristic Basis Functions for Rapid Computation of Wideband Scattering Problems from Conducting Targets 2321
Application of Hybridized Discontinuous Galerkin Time Domain Method into the Solution of Multiscale Electromagnetic Problems 2325
Parallel Subdomain Level DGTD Method with Automatic Load Balancing 2330
Analysis of Polarizing Parameters of Lunar Craters Using High-resolution Images Based on Radar 2337
Supervised Descent Method for Electrical Impedance Tomography 2342
Research on Water Holdup Detection Method and Tool Design Using Conical Spiral Transmission Line 2349
The Response Characteristics of Dielectric Logging in Anisotropic Formation 2353
Application of Dielectric Logging in the Oilfield Area 2363
A Fast Forward and Inversion Method for Long Distance Cross-well Electromagnetic Imaging Logging System 2369
A New Method for Improving the Performance of Antennas Mounted on a Vehicle in the HF Band 2379
Design and Simulation of Dual-polarized Non-planar Conformal Phased Array Antenna 2385
Design of a Dual-polarization Log-periodic Antenna (LPDA) in PCB 2393
Design of a High-gain Dual-frequency Omnidirectional Antenna 2398
Multiple L-shaped Probe-fed Circularly Polarized Microstrip Antenna 2401
A Design of Cophase Center for Orthogonal Polarization Signal Simulation System 2407
A Dual- and Wideband Textile Monopole Integrated with an AMC Plane for WBAN-UWB Application 2413
Maintenance-free Moisture Sensor on Dishcloth Substrate 2418
Eco-friendly Flexible Wireless Platforms by 3D Printing Pen 2422
Simulating the Response of Terahertz Radiation to Cell Membrane by Finite-difference-time-domain Method 2426
Ultra-wideband Absorber Based on Graphene Metamaterial 2431
Advance of Theoretical Research on Relativistic Backward Wave Oscillator Operating in Higher Modes 2438
Multi-band Microstrip Filter Based on Sierpinski Triangle Fractal 2447
Design of W-band Front End for Active Imaging System 2455
Design of a Novel Absorber with Switchable Absorption and Transmission Bands Based on PIN Diode 2460
High-performance Meta-devices Based on Multilayer Meta-atoms for W-band Beam Redirecting 2465
Ultrathin Self-feeding Metasurface with Broadband Polarization Conversion and Electromagnetic Emission 2469

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Vertical, Horizontal to Circular Polarization Reconfigurable Array Antenna with EBG Unit Cells 2478
Triple-wide-band Linear to Circular Polarization Converters Using Bi-layered Metasurfaces 2484
Dual-wideband Cross Polarization Conversion Metasurface Based on a Symmetric Split Ring Resonator 2490
Digital-coded Unit Cell for Dual-band and Dual-polarized Programmable Metasurface 2495
Research on Microwave Transmission Characteristics in Multilayer Dielectric Structure Based on PSO 2499
Active Plasmonic Sensors for High-sensitivity Microwave Measurements 2506
Multiband Fractal Metasurface with Linear to Linear and Linear to Circular Polarization Conversion 2509
Transmitarray Element Design for Subharmonic Injection-locked RTD Oscillators in THz Band 2518
Design of a Low-profile Transmitarray Antenna 2523
Low-voltage Si-Ge Avalanche Photodiodes for Datacom 2526
Low-loss Silicon Optical Filter with Narrow Bandwidth and Steep Roll-off Based on Cascaded Feed-forward Microring Resonators 2532
On-chip Reconfigurable Mode Converter Compatible with WDM Using Parallel Micro-ring Resonators 2539
A Novel 2D Plasmonic MoO_3 Driven pH Sensor on Silicon Photonics Platform 2544
Simulation and Test Verification of Low Frequency Magnetic Field Distribution Characteristics of Ship Equipment 2556
Design of a Broadband Absorber Based on Antenna Reciprocity 2561
Multi-frequencies Capacitively Coupled Discharge Simulation 2565
Electromagnetic Symmetric Hybrid Wave Propagation Problem in a Medium with Arbitrary Nonlinear Saturation 2571
Knowledge-aided Color Loading Sparse Recovery STAP Algorithm 2579
Time-domain Behavioral Modeling and Protection Effect Simulation of Lightning Protection Device for Short-wave Transmission System 2586
Optically Transparent Ultra-broadband Metamaterial Absorber 2592
Design of a P-band Absorber Based on Metamaterial and Magnetic Material 2596
Research on Multi-sensor Wireless Network Based on Complex Tunnel Engineering and Its Data Pushing Method 2601
Dynamic-range Enhancement of Heterodyne THz Imaging by the Use of a Soft Paraffin-wax Substrate Lens on the Detector 2607
Millimeter-wave Channel Modelling and Ray-tracing Method Validation 2612
Transmittance of Diffraction- and Attenuation-resistant Vortex Frozen Beams in Oceanic Turbulence 2621
Fast and Accurate Antenna Array Pattern Synthesis Using Iterative FFT via Least-square Active Element Pattern Expansion (LS-AEPE) 2629
A Broadband Power Divider with 90 Degree Phase Shifter 2634
Powerful Third-harmonic Large-orbit Gyrotron for Plasma Applications 2638
DoA and Bandwidth Estimation of Unknown Signals Based on MT-BCS through Multiple Snapshots Data 2642
A Fuzzy PID Controller with Neural Network Algorithm for Freight Trains' Braking System 2646
Development of High Power Class-E Amplifier for Radio Communication of Tsunami Early Warning System 2652
Adjustable Dual-frequency FSS-amplifier Metasurface 2658
A Compact Circularly Polarized Mono-pulse Antenna with Frequency Agility 2663
Tunable Bandstop Filters Based on Varactor-loaded Multi-mode Resonators 2667
Application of Machine Learning Method to the Prediction of EM Response of Reflectarray Antenna Elements 2671

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Flexible and Low Profile Antenna with AMC for Wireless Body Area Network Applications 2677
Overview of the Design Strategies for the Circularly Polarized UHF RFID Tag Antenna 2683
Radio Frequency Interference Suppression in RCS Measurement 2686
Using Captured Data by RGB-D Video Sensor in Numerical Simulation Environment for the Development of New Microwave Personnel Screening System 2692
Analysis and Assimilation of Microsized Satellite-based Data in Tropical Cyclone Monitoring 2701
Electromagnetic Scattering Modeling Method of Multiscale Structure Based on Absorbing Coating ... 2705
Forest Biomass Inversion in Jilin Province of China Based on Machine Learning and Multi-source Remote Sensing Data 2711
An Analytical Method for Calculating the Pattern of Surface Conformal Array 2719
A Chaotic Approach on Solar Irradiance Forecasting 2724
Dual Polarization (TE and TM) Terahertz Spoof Surface Plasmon Polaritons Enabled by Metasurface 2729
UWB Band-notched Monopole Antenna Design Using Electromagnetic-bandgap Structure 2732
Investigation on 0.1 THz Array Beams Folded Waveguide Traveling Wave Tube 2737
Light Redirection and Splitting via Meta-resonator Based on Photonic Crystal with Low Effective Index 2741
Study of Coupling Scattering from Targets and the Rough Surface Based on the Efficient Numerical Scheme 2746
Combination of Uniform Design with Support Vector Regression to Assist Analysis of Electromagnetic Scattering from Targets 2751
A Plasma Density Measurement Sensor Based on a LTCC Antenna 2758
Analysis of Performance of Shipborne Cross-Eye Jamming against Anti-ship Missile 2763
Stealth Design of the Quantum Radar Scattering Based on the Two Typical 2D Targets 2770
Beam Switching Using Active Frequency Selective Surface (AFSS) for 5G Applications 2775
Overview of Some Analytical and Numerical Strategies for Scattering from the Target/Rough Surface 2781
Low Frequency Stable and Accurate Potential-based Time Domain Integral Equations for Dielectric Regions 2784
A Research on the Electromagnetic Scattering of Civilian Vehicle 2790
Four-beam Antenna Array with Low Side-lobe for Base Station Application 2796
Deep Learning Explorations in Wireless Channel Encoders 2806
Reverse Time Migration of Refraction Waves in OBS Data 2812
First-arrival Slope Tomography of OBS Data 2818
Study on Extracting Anisotropic Formation Resistivity from Electromagnetic Wave Resistivity Logging While Drilling 2824
Microwave Power Transmission to Multiple Targets Simultaneously with Multibeam Forming 2831
Wireless Power Transfer Using Capacitive Coupling for High Power Applications 2836
A Smart RF Harvesting Energy Absorber Applied for Low Electrical Power Charging Unit 2844
A Silicon-based On-chip Antenna Operating at 77 GHz 2848
Design of Low Power Class-C Voltage Controlled Oscillator Using 0.13 µm SiGe BiCMOS for K-band Applications 2853
Review of Some New Spoof Surface Plasmon Polariton Waveguides 2858
An Improved UWB Bandpass Filter with a Notch-band Based on Asymmetric Parallel-coupled Line with Compact Size 2865
A K-band Driven Power Amplifier for Automotive Radar Applications in 0.15-µm GaAs pHEMT Process 2870

Low Loss Multi-beam Terahertz Transmitarray Antenna for Remote Sensing 2873
A Multiple-phase-mask Model Constrained by the Spatial Power Spectrum Density 2878
Object Imaging and Point-spread-function Retrieving through Scattering Media via Bispectrum Analysis Combined Phase-diversity 2883
A Study of Wheat Wax Optical Properties 2890
High Average Power Picosecond Thulium-doped All-fiber Amplifier 2898
High-Quality Object Reconstruction Based on Ghost Imaging 2903
Study on the EMI Model of the Transient Bus Enclosure Circulating Current Caused by GIS Disconnector Operation 2908
Effect of Double-layer Coating on Microwave Absorbing Properties of Electromagnetic Shielding Fabric 2916
Experimental Characterization of SRR-based Multilayer X-band Wave Absorber 2923
Effect of Different Infiltration Methods of Micro-media on Shielding Effectiveness of Electromagnetic Shielding Fabrics 2928
Analysis of Electromagnetic Coupling to a Shielded Line Based on Extended BLT Equation 2934
Study on Shielding Effectiveness of Multilayer Electromagnetic Shielding Fabrics Containing Multiple Wave-absorbing Fibers 2938
Spatial Dispersion Relation in the Application of Super-resolution Testing and Imaging 2944
1-bit Reconfigurable Unit Cell for Direct-radiating Programable Metasurfaces 2948
Sensitivity Enhancement of Microstrip Patch Sensor Antenna Using Radiating-edge Slot 2951
Integration of FEC Channel-coding Schemes Based on the Bose-Chaudhuri-Hocquenghem (BCH) Code for WDM Fiber Optical Communication Systems 2960
The Design of a High Precision Capacitive Pressure Sensor Based on Comb Electrode 2965
The Analysis of the Impact of Measurement Reference Points in the Assessment of Internet Access Service Quality 2972
A 220 GHz GaN HEMT Power Amplifier 2978
A Wideband Differential Slot Antenna with a Notched Band 2982
An 8-element Multi-band MIMO Antenna with High Isolation for 5G Smartphone Application 2987
A High-gain High-precision Dynamic Comparator with Dynamic Cascading Technique 2991
An ACS-fed Multi-band Antenna for 5G and WLAN Applications 2996
A 204–234.5-GHz Wideband Amplifier in 65-nm CMOS 3000
A New Dual-band FSS with Stable Frequency Responses 3005
A Novel Low-profile Tightly-coupled Antenna Array 3009
A Circular Waveguide Sensor for Concentration Detection of Liquid Compounds 3012
A Low-profile Magneto-electric Dipole Antenna with Parasitic Patches for Millimeter-wave Antenna-in-package Applications 3016
Routing Algorithm for Wireless Sensor Network Considering Propagation Losses 3020
A Printed Log Periodic Dipole Antenna with Broadband Application from 0.5 to 15 GHz 3027
Design of an Improved Miniaturized Ultra-wideband Antenna 3032
Effect of Temperature on RCS Measure and Calibration of Standard Metal Ball up to 800°C 3036
A Reliable and Disposable Optical Fiber SERS Substrate 3040
Solving Inverse Scattering Problems through BA-based Optimization 3046
An IAA-based DOA Estimation Method for PBR in Coherent Environment 3050
Snow Covered Area Estimation for Forest Area in Northeastern China Based on Multi-temporal Sentinel-1 SAR Data 3056
Forest Canopy Volume Density Index Inversion Method Using Polarization Decomposition 3063

SIW Bandpass Filters with Frequency-dependent Coupling for Power Wireless Private Network Communication 3071
Compact Dual-band UWB Filters for Wireless Private Network Communication 3076
Flexible Multi-band Antenna for Body Area Wireless Sensor Networks 3080
Ultra-wideband Low Frequency Antenna for Cellular Communication in High-speed Rail Scenario 3083
Flexible Spoof Plasmonic Microfluidic Sensor for Detecting Liquid Solutions 3086
An Terahertz Linear-to-linear Polarization Converter Based on Symmetric Semi-circle Rings 3089
Double-layer Terahertz Absorber Based on the Vanadium Dioxide and Cavity Resonance 3093
A Solid State Plasma Multifunctional Metamaterial and Its Application for Absorber and Linear Polarization Converter 3098
Optically Tunable Microwave Photonic Filter Based on Pumped Chirped Fiber Bragg Grating 3103
Beam Deviation and Pointing Correction for Shaped Dual-reflector Antennas 3107
A Dual Circularly Polarized Patch Antenna Array for S-band 3113
The Compact Bandpass Cavity Filter on Multi-cylinder Coaxial Resonators 3122
Analysis of Effective Medium Parameters on Polarizability of Homogeneous Chiral Sphere 3126
Polarization Conversion Abnormal Reflection by All-dielectric Phase Gradient Metasurface Based on High-permittivity Ceramic 3130
Complementary Split Rectangular Resonators Based Metamaterial Sensor for Dielectric Material's Measurements: Design and Comparative Analysis 3135
Transmission Characteristics of Surface Waves in Defective Absorbing Layers 3140
Design of Electromagnetic Metasurfaces for Directional Scattering in High Temperature Environment 3144
Sea Surface Height Estimation by BDS GEO Satellite Reflectometry 3150
Water Level and Morphological Changes of Wetlands in the Poyang Lake Using Sentinel-1 Data 3159
Predicting Solar Irradiance in Singapore 3164
Subjective Quality Assessment of Ground-based Camera Images 3168
Analysis of the Effect of Obstacle on the Fields in Vertically Polarized Bounded Wave EMP Simulator 3175
Comparison of the Field in Two Types of Bounded Wave Electromagnetic Pulse Simulators 3179
Analysis of Modeling Scale for Multi-physics Simulation of Charge Collection Process in Diamond 3184
Analysis of Radiation Field of a New Wire-grid TEM Horn 3188
Study on Multi-radiation Source Equivalence and Prediction 3192
Research on Space-time Anti Jam Filtering Technology for GPS Receiver 3202
Radar Echo Simulation of Large Scenes Using Domain Decomposition Method 3207
A Comparative Study of Conformal Antenna Arrays for Aerodynamic Applications 3211
An Objective Technique for Typhoon Monitoring with Satellite Infrared Imagery 3218
Comparative Analysis to the Lake Ice Phenology Changes of Mongolian Plateau, Tibetan Plateau and Northern Europe through Passive Microwave 3222
Broadband and High-efficiency Circular-polarized Terahertz Frequency Scanning Metasurface 3229
Electrically Discretized Sub-terahertz Phase Shifter Based on Novel Independent Phase Delay Meta-atoms 3232
Antenna Selection Technique for Constructing Arrays Applied in Spatial Channel Characterization 3235
Ergodic Sum-rate Analysis for Massive MIMO under Imperfect Channel State Information 3243
Omnidirectional Dual-polarized Antenna for Space-limited Systems 3250
A Compact Planar Antenna for Super Wideband Applications 3256
Design of Compact Ka-band Microstrip BPF Using Mode Exciting Technology 3262

978-1-7281-5305-6/19 $31.00 © 2019 IEEE

Influence of Fractal Form on Electromagnetic Characteristics of Flexible Chip's ⊔-shaped Interconnect Structures 3267

A V-band Quadrupler Gaas MMIC with Effective Harmonics Rejection in 0.15 µm pHEMT Process 3272

High Performance GaN Based Switching and Linear Power Amplifier for Airborne Application 3278

High Efficiency GaN HEMT Class F Power Amplifier for S-band Telemetry Application 3283

Class F-C Power Amplifier with 2nd Harmonic Control at the Input 3289

Digital Predistortion for Wideband Wireless Power Amplifiers Using Real-value Neural Network with Attention Mechanism 3294

Development of Active Power Filter Based on On-line Identification Technology 3300

Precise Distance Measurement via Single-beam Interferometry of Photonic Crystal 3303

90° Bending Optical Switch Based on Dielectric Meta-resonator 3307

Classified Segmentation Method of Carbon Fiber Composites Based on Electrical Impedance Tomography 3311

Visual Measurement of Terahertz Power Based on Graphene and Cholesteric Liquid Crystal Microcapsule 3318

Small-period Ultra-broadband Long-wavelength Infrared Metamaterial Absorber 3322

Multi-passband Microwave Photonic Filter with Flexible Passband Selection Based on a Second-order Solc-Sagnac Interferometer 3329

978-1-7281-5305-6/19 $31.00 © 2019 IEEE