

2020 IEEE Custom Integrated Circuits Conference (CICC 2020)

**Boston, Massachusetts, USA
22 – 25 March 2020**



**IEEE Catalog Number: CFP20CIC-POD
ISBN: 978-1-7281-6032-0**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP20CIC-POD
ISBN (Print-On-Demand):	978-1-7281-6032-0
ISBN (Online):	978-1-7281-6031-3
ISSN:	0886-5930

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

A 17.8MS/S NEURAL-NETWORK COMPRESSED SENSING RADAR PROCESSOR IN 16NM FINFET CMOS	1
<i>Peter Brown ; Matthew O'Shaughnessy ; Chris Rozell ; Justin Romberg ; Michael Flynn</i>	
REALIZATION OF AN ENERGY-EFFICIENT, FULL-SWING DECODER WITH UNIPOLAR TFT TECHNOLOGY	5
<i>Qing Li ; Czung-Ho Lee ; William S. Wong ; Manoj Sachdev</i>	
A 27-MBPS, 0.08-MM³ CMOS TRANSCEIVER WITH SIMULTANEOUS NEAR-FIELD POWER TRANSMISSION AND DATA TELEMETRY FOR IMPLANTABLE SYSTEMS	9
<i>Jordan Thimot ; Kukjoo Kim ; Chen Shi ; Kenneth L. Shepard</i>	
A 151NW SECOND-ORDER TERNARY DELTA MODULATOR FOR ECG SLOPE VARIATION MEASUREMENT WITH BASELINE WANDERING RESILIENCE	13
<i>Xiaochen Tang ; Wei Tang</i>	
A 20 MHZ BANDWIDTH CONTINUOUS-TIME DELTA-SIGMA ADC ACHIEVING 82.1 DB SNDR AND > 100 DB SFDR USING A TIME-INTERLEAVED VIRTUAL-GROUND-SWITCHED FIR FEEDBACK DAC	17
<i>Alok Baluni ; Shanthy Pavan</i>	
CRYO-CMOS FOR ANALOG/MIXED-SIGNAL CIRCUITS AND SYSTEMS	21
<i>Jeroen Van Dijk ; Pascal T Hart ; Gerd Kiene ; Ramon Overwater ; Pinakin Padalia ; Job Van Staveren ; Masoud Babaie ; Andrei Vladimirescu ; Edoardo Charbon ; Fabio Sebastiano</i>	
A 6-TRANSISTOR ULTRA-LOW POWER CMOS VOLTAGE REFERENCE WITH 0.02%/V LINE SENSITIVITY	29
<i>Hayden Bialek ; Matthew L. Johnston ; Arun Natarajan</i>	
A 80DB DR 6MHZ BANDWIDTH PIPELINED NOISE-SHAPING SAR ADC WITH 1–2 MASH STRUCTURE	33
<i>Sein Oh ; Younggyun Oh ; Juyoung Lee ; Kihyun Kim ; Seungjun Lee ; Jintae Kim ; Hyungil Chae</i>	
SHORT-REACH AND PIN-EFFICIENT INTERFACES USING CORRELATED NRZ	37
<i>Armin Tajalli ; Mani Bastani Parizi ; Dario Albino Carnelli ; Chen Cao ; Kiarash Gharibdoust ; Amit Gupta ; Ahmed Hassanin ; Klaas Hofstra ; Brian Holden ; Ali Hormati ; John Keay ; Amin Shokrollahi ; David Stauffer ; Richard Simpson ; Andrew Stewart ; Gi</i>	
A LOW-POWER DUAL-FACTOR AUTHENTICATION UNIT FOR SECURE IMPLANTABLE DEVICES	45
<i>Saurav Maji ; Utsav Banerjee ; Samuel H. Fuller ; Mohamed R. Abdelhamid ; Phillip M. Nadeau ; Rabia Tugce Yazicigil ; Anantha P. Chandrakasan</i>	
A 77.1-DB 6.25-MHZ-BW PIPELINE SAR ADC WITH ENHANCED INTERSTAGE GAIN ERROR SHAPING AND QUANTIZATION ERROR SHAPING	49
<i>Chen-Kai Hsu ; Xiyuan Tang ; Wenda Zhao ; Rui Xu ; Abhishek Mukherjee ; Timothy R. Andeen ; Nan Sun</i>	
A 28GHZ TWO-WAY CURRENT COMBINING STACKED-FET POWER AMPLIFIER IN 22NM FD-SOI	53
<i>Zhiwei Zong ; Xinyan Tang ; Johan Nguyen ; Khaled Khalaf ; Giovanni Mangraviti ; Yao Liu ; Piet Wambacq</i>	
A 0.0285MM² 0.68PJ/BIT SINGLE-LOOP FULL-RATE BANG-BANG CDR WITHOUT REFERENCE AND SEPARATE FREQUENCY DETECTOR ACHIEVING AN 8.2(GB/S)/μS ACQUISITION SPEED OF PAM-4 DATA IN 28NM CMOS	57
<i>Xiaoteng Zhao ; Yong Chen ; Pui-In Mak ; Rui P. Martins</i>	
S2ADC: A 12-BIT, 1.25MS/S SECURE SAR ADC WITH POWER SIDE-CHANNEL ATTACK RESISTANCE	61
<i>Taehoon Jeong ; Anantha P. Chandrakasan ; Hae-Seung Lee</i>	
AN 80-117V PSEUDO-ADIABATIC DRIVE CIRCUIT FOR MICROROBOTIC ACTUATORS WITH OPTICAL POWER DELIVERY AND PEAK POWER REDUCTION FACTOR OVER 14×	65
<i>Yanqiao Li ; Benjamin L. Dobbins ; Jason T. Stauth</i>	
A 92.4% EFFICIENT, 5.5V:0.4-1.2V, FCML CONVERTER WITH MODIFIED RIPPLE INJECTION CONTROL FOR FAST TRANSIENT RESPONSE AND CAPACITOR BALANCING	69
<i>Jan S. Rentmeister ; Jason T. Stauth</i>	
A 13NV/$\sqrt{\text{HZ}}$ 4.5μW CHOPPER INSTRUMENTATION AMPLIFIER WITH ROBUST RIPPLE REDUCTION AND INPUT IMPEDANCE BOOSTING TECHNIQUES	73
<i>Liang Fang ; Ping Gui</i>	

A 9.3MV LOAD AND 5.2MV LINE TRANSIENTS FAST RESPONSE BUCK CONVERTER WITH ACTIVE RAMPING VOLTAGE MODE CONTROL	77
<i>Xu Yang ; Haixiao Cao ; Wanyuan Qu</i>	
RANDOMIZED PULSE-MODULATING INSTRUCTION-ISSUE CONTROL CIRCUIT FOR A CURRENT AND TEMPERATURE LIMITING SYSTEM IN A 7NM HEXAGON™ COMPUTE DSP.....	81
<i>Vijay Kiran Kalyanam ; Eric Mahurin ; Keith Bowman ; Jacob Abraham</i>	
A 44.1TOPS/W PRECISION-SCALABLE ACCELERATOR FOR QUANTIZED NEURAL NETWORKS IN 28NM CMOS	85
<i>Sungju Ryu ; Hyungjun Kim ; Wooseok Yi ; Jongeun Koo ; Eunhwan Kim ; Yulhwa Kim ; Taesu Kim ; Jae-Joon Kim</i>	
A FULLY-DYNAMIC TIME-INTERLEAVED NOISE-SHAPING SAR ADC BASED ON CIFF ARCHITECTURE.....	89
<i>Haoyu Zhuang ; Jiaxin Liu ; Nan Sun</i>	
AN AUTHENTICATION IC WITH VISIBLE LIGHT BASED INTERROGATION IN 65NM CMOS.....	93
<i>Edward Lee ; Nael Mizanur Rahman ; Venkata Chaitanya Krishna Chekuri ; Saibal Mukhopadhyay</i>	
A 1.6MM³ WIRELESSLY POWERED RECONFIGURABLE FDD RADIO WITH ON-CHIP ANTENNAS ACHIEVING 4.7 PJ/B TX AND 1 PJ/B RX ENERGY EFFICIENCIES FOR MEDICAL IMPLANTS	97
<i>Hamed Rahmani ; Aydin Babakhani</i>	
A 0.5-V 2.07-FJ/B 497-F² EE/CMOS HYBRID SRAM PHYSICALLY UNCLONABLE FUNCTION WITH < 1E-7 BIT ERROR RATE ACHIEVED THROUGH HOT CARRIER INJECTION BURN-IN.....	101
<i>Kunyang Liu ; Hongliang Pu ; Hirofumi Shinohara</i>	
A COLPITTS-BASED FREQUENCY REFERENCE ACHIEVING A SINGLE-TRIM ± 120PPM ACCURACY FROM -50 TO 170°C.....	105
<i>Alexander S. Delke ; Anne-Johan Annema ; Mark S. Oude Alink ; Yanyu Jin ; Jos Verlinden ; Bram Nauta</i>	
A FULLY-INTEGRATED BIOFUEL-CELL-BASED ENERGY HARVESTER WITH 86% PEAK EFFICIENCY AND 0.25V MINIMUM INPUT VOLTAGE USING SOURCE-ADAPTIVE MPPT	109
<i>Arian Hashemi Talkhoocheh ; You Yu ; Abhinav Agarwal ; William Kuo ; Kuan-Chang Xavier Chen ; Minwo Wang ; Gudrun Hoskuldssdottir ; Wei Gao ; Azita Emami</i>	
A 32GB/S NRZ 37DB SERDES IN 10NM CMOS TO SUPPORT PCI EXPRESS GEN 5 PROTOCOL.....	113
<i>Mike Bichan ; Clifford Ting ; Bahram Zand ; Jing Wang ; Ruslana Shulyzki ; James Guthrie ; Katya Tyshchenko ; Junhong Zhao ; Alireza Parsafar ; Eric Liu ; Aynaz Vatankhahghadim ; Shaham Sharifian ; Aleksey Tyshchenko ; Michael De Vita ; Syed Rubab ; Sitar</i>	
ESD PROTECTION DESIGN OVERVIEW IN ADVANCED SOI AND BULK FINFET TECHNOLOGIES.....	117
<i>You Li ; Meng Miao ; Robert Gauthier</i>	
A- 108DBM SENSITIVITY, -28DB SIR, 130NW TO 41μW, DIGITALLY RECONFIGURABLE BIT-LEVEL DUTY-CYCLED WAKEUP AND DATA RECEIVER	121
<i>Anjana Dissanayake ; Jesse Moody ; Henry L. Bishop ; Daniel Truesdell ; Henry Muhlbauer ; Ruo Chen Lu ; Anming Gao ; Songbin Gong ; Benton H. Calhoun ; Steven M. Bowers</i>	
A 7.7~10.3GHZ 5.2MW -247.3DB-FOM FRACTIONAL-N REFERENCE SAMPLING PLL WITH 2ND ORDER CDAC BASED FRACTIONAL SPUR CANCELLATION IN 45NM CMOS.....	125
<i>Dongyi Liao ; Fa Foster Dai</i>	
A CONFIGURABLE DUAL-MODE PRINCE CIPHER WITH SECURITY AWARE PIPELINING IN 65NM FOR HIGH THROUGHPUT APPLICATIONS.....	129
<i>Nael Mizanur Rahman ; Edward Lee ; Venkata Chaitanya Krishna Chekuri ; Arvind Singh ; Saibal Mukhopadhyay</i>	
A 0.2-V 10-BIT 5-KHZ SAR ADC WITH DYNAMIC BULK BIASING AND ULTRA-LOW-SUPPLY-VOLTAGE COMPARATOR	133
<i>Alexander Petrie ; Whitney Kinnison ; Yixin Song ; Shiuh-Hua Wood Chiang ; Kent Layton</i>	
A 10.13UJ/CLASSIFICATION 2-CHANNEL DEEP NEURAL NETWORK-BASED SOC FOR EMOTION DETECTION OF AUTISTIC CHILDREN	137
<i>Abdul Rehman Aslam ; Talha Iqbal ; Mahnoor Aftab ; Wala Saadeh ; Muhammad Awais Bin Altaf</i>	
A WIDEBAND 180-GHZ PHASE-LOCKED-LOOP BASED MSK RECEIVER.....	141
<i>Shenggang Dong ; Ibukunoluwa Momson ; Sandeep Kshattray ; Pavan Yelleswarapu ; Wooyeol Choi ; K. O. Kenneth</i>	
A 0.5V-TO-0.9V 0.2GHZ-TO-5GHZ ULTRA-LOW-POWER DIGITALLY-ASSISTED ANALOG RING PLL WITH LESS THAN 200NS LOCK TIME IN 22NM FINFET CMOS TECHNOLOGY	145
<i>Bo Xiang ; Yongping Fan ; James Ayers ; James Shen ; Dan Zhang</i>	
A 16K CURRENT-BASED 8T SRAM COMPUTE-IN-MEMORY MACRO WITH DECOUPLED READ/WRITE AND 1-5BIT COLUMN ADC.....	149
<i>Chengshuo Yu ; Taeyeun Yoo ; Tony Tae-Hyoung Kim ; Kevin Chai Tshun Chuan ; Bongjin Kim</i>	

A FULLY-INTEGRATED GESTURE AND GAIT PROCESSING SOC FOR REHABILITATION WITH ADC-LESS MIXED-SIGNAL FEATURE EXTRACTION AND DEEP NEURAL NETWORK FOR CLASSIFICATION AND ONLINE TRAINING	153
<i>Yijie Wei ; Qiankai Cao ; Jie Gu ; Kofi Otseidu ; Levi Hargrove</i>	
A 72.6 DB SNDR 14B 100 MSPS RING AMPLIFIER BASED PIPELINED SAR ADC WITH DYNAMIC DEADZONE CONTROL IN 16 NM CMOS	157
<i>Martin Kinyua ; Eric Soenen</i>	
A 2.46M READS/S GENOME SEQUENCING ACCELERATOR USING A 625 PROCESSING-ELEMENT ARRAY	161
<i>Zhehong Wang ; Tianjun Zhang ; Daichi Fujiki ; Arun Subramanian ; Xiao Wu ; Makoto Yasuda ; Satoru Miyoshi ; Masaru Kawaminami ; Reetuparna Das ; Satish Narayanasamy ; David Blaauw</i>	
A 760 NW, 180 NM CMOS ANALOG VOICE ACTIVITY DETECTION SYSTEM	165
<i>Marco Croce ; Brian Friend ; Francesco Nesta ; Lorenzo Crespi ; Piero Malcovati ; Andrea Baschiroto</i>	
A 43.8μW PER CHANNEL BIOPOTENTIAL READOUT SYSTEM USING FREQUENCY DIVISION MULTIPLEXING WITH CABLE MOTION ARTIFACT SUPPRESSION	169
<i>Jinyong Kim ; Hyunkyu Ouh ; Matthew L. Johnston</i>	
DOPING OF ALUMINUM NITRIDE AND THE IMPACT ON THIN FILM PIEZOELECTRIC AND FERROELECTRIC DEVICE PERFORMANCE	173
<i>Roy H. Olsson ; Zichen Tang ; Michael D'Agati</i>	
DEEP LEARNING SIDE-CHANNEL ATTACK RESILIENT AES-256 USING CURRENT DOMAIN SIGNATURE ATTENUATION IN 65NM CMOS	179
<i>Debayan Das ; Josef Danial ; Anupam Golder ; Santosh Ghosh ; Arijit Raycho Wdhury ; Shreyas Sen</i>	
A POWER-EFFICIENT HYBRID SINGLE-INDUCTOR BIPOLAR-OUTPUT DC-DC CONVERTER WITH FLOATING NEGATIVE OUTPUT FOR AMOLED DISPLAYS	183
<i>Fangyu Mao ; Yan Lu ; Edoardo Bonizzoni ; Filippo Boera ; Mo Huang ; Franco Maloberti ; Rui P. Martins</i>	
A 60-GB/S PAM4 WIRELINE RECEIVER WITH 2-TAP DIRECT DECISION FEEDBACK EQUALIZATION EMPLOYING TRACK-AND-REGENERATE SLICERS IN 28-NM CMOS	187
<i>Kuan-Chang Chen ; William Wei-Ting Kuo ; Azita Emami</i>	
H-SIMO: A HYBRID SINGLE-INDUCTOR MULTI-OUTPUT 5-LEVEL THIN-OXIDE POWER MANAGEMENT UNIT ACHIEVING 91.4% EFFICIENCY FROM LI-ION BATTERY VOLTAGES IN 28NM FD-SOI	191
<i>Sally Safwat Amin ; Patrick P. Mercier</i>	
KEYRAM: A 0.34 UJ/DECISION 18 K DECISIONS/S RECURRENT ATTENTION IN-MEMORY PROCESSOR FOR KEYWORD SPOTTING	195
<i>Hassan Dbouk ; Sujan K. Gonugondla ; Charbel Sakr ; Naresh R. Shanbhag</i>	
AN ENERGY-EFFICIENT RISC-V RV32IMAC MICROCONTROLLER FOR PERIODICAL-DRIVEN SENSING APPLICATIONS	199
<i>Kristian Duran ; Megan Wachs ; Luis E. Rueda G. ; Albert Huntington ; Javier Ardila ; Jack Kang ; Andres Amaya ; Hector Gomez ; Juan Romero ; Laude Fernandez ; Felipe Flechas ; Rolando Torres ; Juan Moya ; Wilmer Ramirez ; Julian Arenas ; Juan Gomez ; Ha</i>	
DESIGN-SPACE EXPLORATION OF QUANTUM APPROXIMATE OPTIMIZATION ALGORITHM UNDER NOISE	203
<i>Mahabubul Alam ; Abdullah Ash-Saki ; Swaroop Ghosh</i>	
A 415 NW PHYSICALLY AND MATHEMATICALLY SECURE ELECTRO-QUASISTATIC HBC NODE IN 65NM CMOS FOR AUTHENTICATION AND MEDICAL APPLICATIONS	207
<i>Shovan Maity ; Nirmoy Modak ; David Yang ; Shitij Avlani ; Mayukh Nath ; Josef Danial ; Debayan Das ; Parikha Mehrotra ; Shreyas Sen</i>	
A 9.6 MW/CH 10 MHZ WIDE-BANDWIDTH ELECTRICAL IMPEDANCE TOMOGRAPHY IC WITH ACCURATE PHASE COMPENSATION FOR BREAST CANCER DETECTION	211
<i>Jaehyuk Lee ; Surin Gweon ; Kwonjoon Lee ; Soyeon Um ; Kyoung-Rog Lee ; Kwantae Kim ; Jihee Lee ; Hoi-Jun Yoo</i>	
A 368 \times 184 OPTICAL UNDER-DISPLAY FINGERPRINT SENSOR WITH GLOBAL SHUTTER AND HIGH-DYNAMIC-RANGE OPERATION	215
<i>Ping-Hung Yin ; Chih-Wen Lu ; Jia-Shyang Wang ; Keng-Li Chang ; Fu-Kuo Lin ; Chia-Jung Chang ; Gen-Chiuan Bai</i>	
A 0.5-3 GHZ I/Q INTERLEAVED DIRECT-DIGITAL RF MODULATOR WITH UP TO 320 MHZ MODULATION BANDWIDTH IN 40 NM CMOS	219
<i>Yiyu Shen ; Rob Bootsman ; Morteza S. Alavi ; Leonardus De Vreede</i>	
COMPUTE-IN-MEMORY WITH EMERGING NONVOLATILE-MEMORIES: CHALLENGES AND PROSPECTS	223
<i>Shimeng Yu ; Xiaoyu Sun ; Xiaochen Peng ; Shanshi Huang</i>	

A FULLY SYNTHESIZED INTEGRATED BUCK REGULATOR WITH AUTO-GENERATED GDS-II IN 65NM CMOS PROCESS.....	227
<i>Venkata Chaitanya Krishna Chekuri ; Nael Mizanur Rahman ; Edward Lee ; Arvind Singh ; Saibal Mukhopadhyay</i>	
A 1.5GS/S 8B PIPELINED-SAR ADC WITH OUTPUT LEVEL SHIFTING SETTLING TECHNIQUE IN 14NM CMOS	231
<i>Yuanming Zhu ; Shengchang Cai ; Shiva Kiran ; Yang-Hang Fan ; Po-Hsuan Chang ; Sebastian Hoyos ; Samuel Palermo</i>	
CONTINUOUS-TIME BANDPASS DELTA-SIGMA MODULATORS AND BITSTREAM PROCESSING	235
<i>Michael P. Flynn ; Jaehun Jeong ; Sunmin Jang ; Hyungil Chae ; Daniel Weyer ; Rundao Lu ; John Bell</i>	
DIGITAL CONTROL OF SWITCHING AND LINEAR INTEGRATED VOLTAGE REGULATORS	243
<i>Harish K. Krishnamurthy ; Zakir. A Khondker ; Xiaosen Liu ; Nachiket Desai ; Suhwan Kim ; Nicolas Butzen ; Sally Amin ; Sheldon Weng ; Krishnan Ravichandran ; James Tschanz ; Vivek De</i>	
SUB-MICROAMP ENERGY HARVESTING AND POWER MANAGEMENT UNITS FOR SELF-POWERED IOT SOCS: ANALOG VS. DIGITAL IMPLEMENTATIONS	247
<i>Shuo Li ; Benton H. Calhoun</i>	
A 12.5MG MM-SCALE INDUCTIVELY-POWERED LIGHT-DIRECTIVITY-ENHANCED HIGHLY-LINEAR BIDIRECTIONAL OPTOGENETIC NEURO-STIMULATOR.....	255
<i>Tayebeh Yousefi ; Mansour Taghadosi ; Alireza Dabbaghian ; Ryan Siu ; Gerd Grau ; Georg Zoidi ; Hossein Kassiri</i>	
A 91% EFFICIENT 30V HYBRID BOOST-SC CONVERTER BASED BACKLIGHT LED DRIVER IN 180NM CMOS	259
<i>Nilanjan Pal ; Adam Fish ; William McIntyre ; Nathanael Griesert ; Greg Winter ; Travis Eichhorn ; Robert Pilawa-Podgurski ; Pavan Kumar Hanumolu</i>	
A FULLY INTEGRATED, DUAL CHANNEL, FLIP CHIP PACKAGED 113 GHZ TRANSCEIVER IN 28NM CMOS SUPPORTING AN 80 GB/S WIRELESS LINK	263
<i>Andrew Townley ; Nima Baniasadi ; Sashank Krishnamurthy ; Constantine Sideris ; Ali Hajimiri ; Elad Alon ; Ali Niknejad</i>	
A WIDE OUTPUT VOLTAGE RANGE SINGLE-INPUT-MULTI-OUTPUT HYBRID DC-DC CONVERTER ACHIEVING 87.5% PEAK EFFICIENCY WITH A FAST RESPONSE TIME AND LOW CROSS REGULATION FOR DVFS APPLICATIONS.....	267
<i>Zhiyuan Zhou ; Nghia Tang ; Bai Nguyen ; Wookpyo Hong ; Partha Pratim Pande ; Deukhyoun Heo</i>	
AN 11.1NJ-START-UP 16/20MHZ CRYSTAL OSCILLATOR WITH MULTI-PATH FEEDFORWARD NEGATIVE RESISTANCE BOOSTING AND OPTIONAL DYNAMIC PULSE WIDTH INJECTION.....	271
<i>Xiaoyang Wang ; Patrick P. Mercier</i>	
A 0.55MW FRACTIONAL-N PLL WITH A DC-DC POWERED CLASS-D VCO ACHIEVING BETTER THAN -66DBC FRACTIONAL AND REFERENCE SPURS FOR NB-IOT.....	275
<i>Hossein Rahmani Kooshkaki ; Patrick P. Mercier</i>	
HL5: A 32-BIT RISC-V PROCESSOR DESIGNED WITH HIGH-LEVEL SYNTHESIS	279
<i>Paolo Mantovani ; Robert Margelli ; Davide Giri ; Luca P. Carloni</i>	
MILLIMETER-WAVE CMOS PHASED-ARRAY TRANSCEIVER SUPPORTING DUAL-POLARIZED MIMO FOR 5G NR	287
<i>Kenichi Okada ; Jian Pang</i>	
A 6-8GHZ MULTICHANNEL RECONFIGURABLE PULSE-BASED TRANSCEIVER WITH 3.5NS PROCESSING LATENCY AND 1CM RANGING ACCURACY FOR SECURE WIRELESS CONNECTIVITY	295
<i>Haixin Song ; Woogeun Rhee ; Zhihua Wang</i>	
A FULLY-PRINTED ORGANIC SMART TEMPERATURE SENSOR FOR COLD CHAIN MONITORING APPLICATIONS.....	299
<i>M. Fattori ; C. A. Mendes Da Costa ; J. Fijn ; E. Genco ; P. Harpe ; E. Cantatore ; M. Charbonneau</i>	
A STATIC CONTENTION-FREE DIFFERENTIAL FLIP-FLOP IN 28NM FOR LOW-VOLTAGE, LOW-POWER APPLICATIONS	303
<i>Gicheol Shin ; Eunyoung Lee ; Jongmin Lee ; Yongmin Lee ; Yoonmyung Lee</i>	
A DTMOST-BASED TEMPERATURE SENSOR WITH 3σ INACCURACY OF $\pm 0.9^{\circ}\text{C}$ FOR SELF-REFRESH CONTROL IN 28NM MOBILE DRAM.....	307
<i>Sungsik Park ; Yunhong Kim ; Woojun Choi ; Yongtae Lee ; Sungbeen Kim ; Youngmin Shin ; Youngcheol Chae</i>	
LONG, SHORT, MONOLITHIC - THE GATE LOOP CHALLENGE FOR GAN DRIVERS.....	311
<i>Maik Kaufmann ; Achim Seidel ; Bernhard Wicht</i>	
DIGITAL CORRECTION OF DAC NONLINEARITY IN MULTI-BIT FEEDBACK A/D CONVERTERS: INVITED TUTORIAL	316
<i>Pedram Payandehnia ; Tao He ; Yanchao Wang ; Gabor C. Temes</i>	

TECHNOLOGY SCALING OF ESD DEVICES IN STATE OF THE ART FINFET TECHNOLOGIES	324
<i>Sukjin Kim ; Radhakrishnan Sithanandam ; Woojin Seo ; Mijin Lee ; Sangyoung Cho ; Juho Park ; Hyukhoon Kwon ; Namho Kim ; Chanhee Jeon</i>	
DESIGN AND OPTIMIZATION OF LOW POWER AND LOW LIGHT SENSOR (INVITED)	330
<i>Assim Boukhayma ; Antonino Caizzone ; Raffaele Capoccia ; Christian Enz</i>	
A COMPACT DUAL-CORE 26.1-TO-29.9GHZ COUPLED-CMOS LC-VCO WITH IMPLICIT COMMON-MODE RESONANCE AND FOM OF-191 DBC/HZ AT 10MHZ	338
<i>Amir Masnadi ; Mohammad Mahani ; Hossein Miri Lavasani ; Shahriar Mirabbasi ; Sudip Shekhar ; Rod Zavari ; Hormoz Djahanshahi</i>	
AN INTEGRATED READOUT CIRCUIT FOR A TRANSCUTANEOUS OXYGEN SENSING WEARABLE DEVICE	342
<i>Ian Costanzo ; Devdip Sen ; Ulkuhan Guler</i>	
INTEL 22NM LOW-POWER FINFET (22FFL) PROCESS TECHNOLOGY FOR 5G AND BEYOND	346
<i>Hyung-Jin Lee ; Steven Callender ; Said Rami ; Woorim Shin ; Qiang Yu ; Jose Mauricio Marulanda</i>	
MIXER-FIRST EXTREMELY WIDEBAND 43–97 GHZ RX FRONTEND WITH BROADBAND QUADRATURE INPUT MATCHING AND CURRENT MODE TRANSFORMER-BASED IMAGE REJECTION FOR MASSIVE MIMO APPLICATIONS	353
<i>Amr Ahmed ; Min-Yu Huang ; Hua Wang</i>	
A 41.5 PJ/B, 2.4GHZ DIGITAL-FRIENDLY ORTHOGONALLY TUNABLE TRANSCEIVER SOC WITH 3-DECADES OF ENERGY-PERFORMANCE SCALABILITY	357
<i>Baibhab Chatterjee ; Shreyas Sen</i>	
A 9 - 45V INPUT 2MHZ 3-SWITCH ZVS STEP-UP / -DOWN HYBRID CONVERTER WITH 5X VOLUME REDUCTION	361
<i>Chen Chen ; Jin Liu ; Hoi Lee</i>	
DEEP CONVOLUTIONAL NEURAL NETWORK ACCELERATOR FEATURING CONDITIONAL COMPUTING AND LOW EXTERNAL MEMORY ACCESS	365
<i>Minkyu Kim ; Jae-Sun Seo</i>	
MULTI-DIE INTEGRATION USING ADVANCED PACKAGING TECHNOLOGIES	369
<i>Hyung-Jin Lee ; Ravi Mahajan ; Farhana Sheikh ; Ramune Nagisetty ; Manish Deo</i>	
ULTRA-LOW POWER RECEIVERS FOR IOT APPLICATIONS: A REVIEW	376
<i>David D. Wentzloff ; Abdullah Alghaihab ; Jaeho Im</i>	
Author Index	