

10th International Particle Accelerator Conference (IPAC'19)

Journal of Physics: Conference Series Volume 1350

Melbourne, Australia
19 - 24 May 2019

Part 1 of 2

ISBN: 978-1-7138-1053-7
ISSN: 1742-6588

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

This work is licensed under a Creative Commons Attribution 3.0 International Licence.
Licence details: <http://creativecommons.org/licenses/by/3.0/>.

No changes have been made to the content of these proceedings. There may be changes to pagination and minor adjustments for aesthetics.

Printed with permission by Curran Associates, Inc. (2020)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

PART 1

CIRCULAR AND LINEAR COLLIDERS

| | |
|--|----|
| HIGH LUMINOSITY LHC OPTICS AND LAYOUT HLLHCv1.4 | 1 |
| <i>R De Maria, R Bruce, D Gamba, M Giovannozzi, F Plassard</i> | |
| SMOOTH AND BETA-BEATING-FREE OPTICS TRANSITIONS FOR HL-LHC | 8 |
| <i>R. De Maria, M. Solfaroli</i> | |
| PROSPECTS FOR FUTURE ASYMMETRIC COLLISIONS IN THE LHC | 15 |
| <i>Marc Andre Jebrancik, John M Jowett</i> | |
| MACHINE PROTECTION EXPERIENCE FROM BEAM TESTS WITH CRAB CAVITY PROTOTYPES IN THE CERN SPS | 21 |
| <i>B Lindstrom, H Bartosik, T Bohl, A Butterworth, R Calaga, L R Carver, V Kain, T E Levens, G Papotti, R Secondo, J Uythoven, M Valette, G Vandoni, J Wenninger, D Wollmann, M Zerlauth</i> | |
| US CONTRIBUTION TO THE HIGH LUMINOSITY LHC UPGRADE: FOCUSING QUADRUPOLES AND CRAB CAVITIES | 28 |
| <i>Giorgio Apollinari, Ruben Carcagno, Giorgio Ambrosio, Sandor Feher, Leonardo Ristori</i> | |
| LOW EMITTANCE TUNING OF FCC-EE | 36 |
| <i>T.K. Charles, S. Aumon, B. Holzer, K. Oide, F. Zimmermann</i> | |
| HOM DAMPING OPTIONS FOR THE Z-POLE OPERATING SCENARIO OF FCC-EE | 42 |
| <i>S Gorgi Zadeh, T Flisgen, R Calaga, U van Rienen</i> | |
| BEAM-GAS AND BEAM-THERMAL PHOTON SCATTERING IN CEPC | 49 |
| <i>S Bai, C H Yu, Y W Wang, Y Zhang, D Wang, H P Geng, J Gao</i> | |
| COLLIMATION SYSTEM STUDIES FOR THE FCC-HH | 55 |
| <i>R Bruce, A Abramov, A Bertarelli, M I Besana, F Carra, F Cerutti, A Faus-Golfe, M Fiassaric, G Gobbi, A Krainer, A Lechner, A Mereghetti, D Mirarchi, J Molson, M Pasquali, S Redaelli, D Schulte, M Serluca, E Skordis, M Varasteh</i> | |
| STUDY OF BEAM-GAS INTERACTIONS AT THE LHC FOR THE PHYSICS BEYOND COLLIDERS FIXED-TARGET STUDY | 62 |
| <i>C Boscolo Meneguolo, A Abramov, R Bruce, F Cerutti, M Ferro-Luzzi, M Giovannozzi, A Mereghetti, J Molson, S Redaelli</i> | |
| MONITORING AND MODELLING OF THE LHC EMITTANCE AND LUMINOSITY EVOLUTION IN 2018 | 69 |
| <i>S. Papadopoulou, F. Antoniou, I. Efthymiopoulos, M. Hostettler, G. Iadarola, N. Karastathis, S. Kostoglou, Y. Papaphilippou, G. Trad</i> | |

PHOTON SOURCES AND ELECTRON ACCELERATORS

| | |
|--|-----|
| MICROPHONICS SUPPRESSION IN ARIEL ACM1 CRY- OMODULE | 76 |
| <i>Yanyun Ma, K. Fong, J. Keir, D. Kishi, S.R. Koscielniak, D. Lang, R.E. Laxdal, R.S. Sekhon</i> | |
| STUDY FOR THE ALIGNMENT OF FOCUSING SOLENOID OF ARES RF GUN AND EFFECT OF MISALIGNMENT OF SOLENOID ON EMITTANCE OF SPACE CHARGE DOMINATED ELECTRON BEAM | 82 |
| <i>S Yamin, R W Assmann, B Marchetti</i> | |
| DESIGN STUDY OF AN ELECTRON STORAGE RING FOR THE FUTURE PLAN OF HIROSHIMA SYNCHROTRON RADIATION CENTER | 89 |
| <i>S. Matsuba, K. Shimada, M. Katoh, K. Kawase, K. Harada</i> | |
| DESIGN STATUS OF DESY IV – BOOSTER UPGRADE FOR PETRA IV | 94 |
| <i>Hung-Chun Chao</i> | |
| PRELIMINARY RESEARCH OF HOM FOR 100MHZ SUPERCONDUCTING CAVITY IN THE PRE-RESEARCH PROJECT OF HALS | 100 |
| <i>Yungai Tang, Cong-Feng Wu, Lin Wang</i> | |
| STUDY ON BEAM-INDUCED HEATING IN INJECTION SECTION OF HEFEI LIGHT SOURCE | 106 |
| <i>Derong Xu, Wei Xu</i> | |

| | |
|--|-----|
| STATUS REPORT OF THE SINBAD-ARES RF PHOTOINJECTOR AND LINAC COMMISSIONING | 113 |
| <i>E Panofski, R W Assmann, F Burkart, U Dorda, K Floetmann, M Huening, B Marchetti, D Marx, F Mayet, P A Walker, S Yamin</i> | |
| BEAM DYNAMICS OF HIGH CHROMATICITY LATTICE FOR IRANIAN LIGHT SOURCE FACILITY (ILSF) STORAGE RING | 118 |
| <i>F Foroughi, S M Jazayeri, E Ahmadi, J Rahighi, S Dastan</i> | |
| RADIATION DAMAGE TO UNDULATOR ELECTRONICS AT AN ELECTRON ACCELERATOR | 125 |
| <i>Ting-Yi Chung, Cheng-Hsing Chang, Yi-Wei Chen, Ang-Yu Chen, Jui-Che Huang, Jyh-Chyuan Jan</i> | |
| PREPARATION OF THE EBS BEAM COMMISSIONING | 131 |
| <i>S M Liuzzo, N Carnignani, A Franchi, T Perron, K B Scheidt, E Taurel, L Torino, S M White</i> | |
| MEASUREMENTS OF THE MOMENTUM COMPACTION FACTOR OF THE ESRF STORAGE RING | 137 |
| <i>N Carnignani, W De Nolf, A Franchi, B Nash, Ch J Sahle, L Torino</i> | |
| SUPERCONDUCTING UNDULATOR COILS WITH PERIOD LENGTH DOUBLING | 145 |
| <i>S Casalbuoni, N Glamann, A W Grau, T Holubek, D Saez de Jauregui</i> | |
| PETRA IV STUDY WITH NON-INTERLEAVED SEXTUPOLE SCHEME | 151 |
| <i>Hung-Chun Chao, X N Gavalda, R Brinkmann</i> | |
| INCORPORATION OF A MESA LINAC MODULE INTO BERLINPRO | 157 |
| <i>B Kuske, W Anders, A Jankowiak, A Neumann, K Aulenbacher, F Hug, T Stengler, C P Stoll</i> | |
| LOW-ENERGY BEAM TRANSPORT SYSTEM FOR MESA | 164 |
| <i>C Matejcek, K. Aulenbacher, S. Friederich</i> | |
| MODE-LOCKED PULSE OSCILLATION OF A SELF-RESONATING ENHANCEMENT OPTICAL CAVITY | 170 |
| <i>Y Hosaka, Y Honda, T Omori, J Urakawa, A Kosuge, K Sakaue, T Takahashi, Y Uesugi, M Washio</i> | |
| ERROR STUDY AND CORRECTION OF HEFEI ADVANCED LIGHT SOURCE | 176 |
| <i>Derong Xu, Zhenghe Bai, Wei Li</i> | |
| GENERATION OF TWO TERAHERTZ RADIATION PULSES WITH CONTINUOUSLY TUNABLE FREQUENCY AND TIME DELAY | 182 |
| <i>Wenxing Wang, Haoran Zhang, Shimin Jiang, Zhigang He</i> | |
| COMPARISON OF OPTIMIZATION METHODS FOR HYBRID SEVEN-BEND-ACHROMAT LATTICE DESIGN | 188 |
| <i>P H Yang, Z H Bai, J H Xu, J J Tan, L Wang</i> | |
| COMPARISON OF CONSTRAINED OPTIMIZATION METHODS FOR DESIGNING A MULTI-BEND ACHROMAT LATTICE | 194 |
| <i>J H Xu, Z H Bai, P H Yang, W M Li</i> | |
| MULTI-BEND ACHROMAT LATTICE DESIGN FOR THE FUTURE OF TPS UPGRADE | 200 |
| <i>M S Chiu, J C Huang, P J Chou, S Y Lee</i> | |
| OPTIMIZATION AND MEASUREMENTS ON THE DOUBLE MINI-BETAY LATTICE IN THE TPS STORAGE RING | 206 |
| <i>M S Chiu, C H Chen, Y C Liu, F H Tseng, C C Kuo, H J Tsai, J Y Chen, K H Hu, P C Chiu, C Y Liao, Y S Cheng, T Y Lee, W Y Lin, B Y Chen, T W Hsu, B Y Huang, J C Huang, P J Chou</i> | |
| SIMULATION STUDIES FOR A EEHG SEEDED FEL IN THE XUV | 212 |
| <i>V. Grattoni, B. Faatz, G. Paraskaki, S. Ackermann, R. W. Assmann, C. Lechner, J. Zemella, M. M. Kazemi, T. Lang, W. Hillert, S. Reiche</i> | |
| DESIGN STUDIES OF A PROOF-OF-PRINCIPLE EXPERIMENT ON THZ SASE FEL AT PITZ | 219 |
| <i>X.-K. Li, M. Krasilnikov, P. Boonpornprasert, H. Shaker, Y. Chen, J. Good, M. Gross, H. Huck, I. Isaev, C. Koschützki, S. Lal, O. Lishilin, G. Loisch, D. Melkumyan, R. Niemczyk, A. Oppelt, H. Qian, G. Shu, F. Stephan, G. Vashchenko</i> | |
| UNDULATOR RADIATION DOSE CAUSED BY SYNCHROTRON RADIATION AT THE EUROPEAN XFEL | 226 |
| <i>S Liu, Y Li, F Wolff-Fabris</i> | |
| STIMULATED EMISSION OF THZ COHERENT DIFFRACTION RADIATION IN AN OPTICAL CAVITY BY A MULTIBUNCH ELECTRON BEAM | 232 |
| <i>Y. Honda, A. Aryshev, R. Kato, T. Miyajima, T. Obina, M. Shimada, R. Takai, T. Uchiyama, N. Yamamoto</i> | |
| RESEARCH OF COHERENT EDGE RADIATION GENERATED BY ELECTRON BEAMS OSCILLATING FREE-ELECTRON LASERS | 237 |
| <i>N Sei, H Ogawa, T Tanaka, Y Hayakawa, T Sakai, Y Sumitomo, Y Takahashi, K Hayakawa, K Nogami, H Zen, H Ohgaki</i> | |
| SIMULATION OF SHORT-PULSE GENERATION FROM A DYNAMICALLY DETUNED IR-FEL OSCILLATOR AND PULSE STACKING AT AN EXTERNAL CAVITY | 242 |
| <i>Yoske Sumitomo, Ryoichi Hajima, Yasushi Hayakawa, Takeshi Sakai</i> | |

| | |
|--|------------|
| STIMULATED EXCITATION BY SEEDING WITH CHERENKOV RADIATION IN AN OPTICAL CAVITY | 248 |
| <i>S. Jiang, W. Li, Z. He, L. Wang, Q. Jia, D. He</i> | |
| THE BEAM-BASED ALIGNMENT SIMULATION AND PRELIMINARY EXPERIMENT AT SXFEL | 254 |
| <i>L Zeng, C Feng, D Gu, H Deng, B Liu, Z Zhao, G Wang</i> | |
| BEAM MOTION AND PHOTON FLUX DIPS DURING INJECTION AT THE TAIWAN PHOTON SOURCE..... | 260 |
| <i>Chih-Hsien Huang, Kuo-Tung Hsu, Chia-Hsiang Chen, Chun-Yi Wu, Yi-Chih Liu, Ho-Ping Chang, Chyi-Shyan Fann, Chih-Yu Liao, Yung-Sen Cheng, Pei-Chen Chiu, Kuo-Hwa Hu</i> | |
| REALIZING LOW-EMITTANCE LATTICE SOLUTIONS WITH COMPLEX BENDS | 265 |
| <i>Victor Smaluk, Timur Shaftan</i> | |
| VACUUM LIFETIME AND SURFACE CHARGE LIMIT INVESTIGATIONS CONCERNING HIGH INTENSITY SPIN-POLARIZED PHOTOINJECTORS | 271 |
| <i>S Friederich, K Aulenbacher, C Matejcek</i> | |
| EMITTANCE REDUCTION OF RF PHOTOINJECTOR GENERATED ELECTRON BEAMS BY TRANSVERSE LASER BEAM SHAPING | 278 |
| <i>M Gross, H J Qian, P Boonpornprasert, Y Chen, J D Good, H Huck, I Isaev, C Koschitzki, M Krasilnikov, S Lal, X Li, O Lishilin, G Loisch, D Melkumyan, S K Mohanty, R Niemczyk, A Oppelt, H Shaker, G Shu, F Stephan, G Vashchenko, I Will</i> | |
| NEGATIVE ELECTRON AFFINITY GAAS CATHODE ACTIVATION WITH CSKTE THIN FILM..... | 284 |
| <i>Masao Kuriki, Kazunari Masaki</i> | |
| IMPROVEMENT OF 6D BRIGHTNESS BY A 1.4-CELL PHOTOCATHODE RF GUN FOR MEV ULTRAFAST ELECTRON DIFFRACTION | 291 |
| <i>Y Song, J Yang, C Tsai, K Fan</i> | |
| MICROWAVE THERMIONIC ELECTRON GUN FOR SYNCHROTRON LIGHT SOURCES | 297 |
| <i>S V Kutsaev, R Agustsson, R Berry, M Borland, D Chao, O Chimalpopoca, A Nassiri, A Yu Smirnov, Y Sun, K Taletski, A Verma, G Waldschmidt, A Zholents</i> | |
| THE DESIGN AND PRELIMINARY TEST OF A STRIPLINE KICKER FOR HALS..... | 302 |
| <i>W Liu, L Shang, F L Shang, W B Song, Z B Sun</i> | |
| A NOVEL NON-LINEAR STRIP-LINE KICKER DRIVEN BY FAST PULSER IN COMMON MODE..... | 310 |
| <i>J. Chen, L. Wang, Y. Li, H. Shi, Z. Duan, N. Wang, L. Huo, G. Wang</i> | |
| SUPPRESSION OF MICROBUNCHING INSTABILITY THROUGH DISPERSIVE LATTICE..... | 316 |
| <i>Biaobin Li, Ji Qiang</i> | |
| OPTIMIZATION OF A LOW-ALPHA LATTICE FOR THE HLS-II STORAGE RING | 323 |
| <i>Siwei Wang, Wei Xu, Ke Xuan, Yigang Wang, Jingyi Li</i> | |
| <u>NOVEL PARTICLE SOURCES AND ACCELERATION TECHNIQUES</u> | |
| DEVELOPMENT OF INTER-DIGITAL H-MODE DRIFT-TUBE LINAC PROTOTYPE WITH ALTERNATIVE PHASE FOCUSING FOR A MUON LINAC IN THE J-PARC MUON G-2/EDM EXPERIMENT | 329 |
| <i>Y. Nakazawa, H. Inuma, Y. Iwata, Y. Iwashita, M. Otani, N. Kawamura, T. Mibe, T. Yamazaki, M Yoshida, R. Kitamura, Y. Kondo, K. Hasegawa, T. Morishita, N. Saito, Y. Sue, N. Hayashizaki, H. Yasuda</i> | |
| THE USE OF AN RF UNDULATOR IN THE DESIGN OF AN ACCELERATING STRUCTURE..... | 336 |
| <i>N V Avrelina, S M Polozov, A G Ponomarenko</i> | |
| WAKE-T: A FAST PARTICLE TRACKING CODE FOR PLASMA-BASED ACCELERATORS..... | 343 |
| <i>A Ferran Pousa, R Assmann, A Martinez de la Ossa</i> | |
| OVERVIEW AND PROSPECTS OF PLASMA WAKEFIELD ACCELERATION EXPERIMENTS AT PITZ | 349 |
| <i>O Lishilin, Y Chen, J Good, M Gross, I Isaev, C Koschitzki, M Krasilnikov, G Loisch, D Melkumyan, R Niemczyk, A Oppelt, H Qian, F Stephan, R Brinkmann, A Martinez de la Ossa, J Osterhoff, F J Grüner, T Mehrling, C Schroeder</i> | |
| NUMERICAL STUDIES ON ELECTRON BEAM QUALITY OPTIMIZATION IN A LASER-DRIVEN PLASMA ACCELERATOR WITH EXTERNAL INJECTION AT SINBAD FOR ATHENAe | 355 |
| <i>E N Svystun, R W Assmann, U Dorda, B Marchetti, A Martinez de la Ossa</i> | |

| | |
|--|-----|
| STATUS OF THE HORIZON 2020 EUPRAXIA CONCEPTUAL DESIGN STUDY* | 362 |
| <i>M K Weikum, T Akhter, D Alesini, A S Alexandrova, M P Anania, N E Andreev, I A Andriyash, A Aschikhin, R W Assmann, T Audet, A Bacci, I F Barna, A Beaton, A Beck, A Beluze, A Bernhard, S Bielawski, F G Bisesto, F Brandi, R Brinkmann, E Bruendermann, M Büs</i> | |
| NUMERICAL STUDY OF PHOTONIC-CRYSTAL-BASED DIELECTRIC ACCELERATORS | 370 |
| <i>G. Torrisi, G. S. Mauro, L. Celona, D. Mascali, S. Gammino, G. Sorbello, C. De Angelis, A. Locatelli</i> | |
| MODERATION OF POSITIVE MUONS BY HELIUM GAS | 376 |
| <i>Yang Li, Yu Bao, Ruirui Fan, Xiao Li, Changjun Ning, Xin Tong, Pengcheng Wang</i> | |
| DECAY MUON BEAMLINE DESIGN FOR EMUS | 382 |
| <i>Y P Song, Y Bao, J Y Tang, H T Jing, Y K Chen, C Meng</i> | |
| A SIMPLE WAY TO INTRODUCE AN ADJUSTABLE FEMTOSECOND PRE-PULSE TO ENHANCE LASER-DRIVEN PROTON ACCELERATION | 388 |
| <i>P Wang, Y Gao, Y Shou, Z Pan, S Xu, D Wang, J Liu, Z Cao, Z Mei, D Kong, Y Geng, Y Zhao, H Lu, C Lin, X Yan, W Ma</i> | |
| CYLINDRICAL CAVITY DESIGN AND PARTICLE-TRACKING SIMULATION IN CYCLOTRON AUTO-RESONANCE ACCELERATOR | 394 |
| <i>Y T Yuan, K J Fan, Y Jiang</i> | |
| DESIGN AND ANALYSIS OF THE COLD CATHODE ION SOURCE FOR 200 MEV SUPERCONDUCTING CYCLOTRON | 401 |
| <i>S.W. Xu, G. Chen, M.M. Xu, O. Karamyshev, G. Karamyshev, G. Shirkov, L. Calabretta</i> | |
| CHARACTERIZATION STUDY OF FAST NEUTRON SOURCES BASED ON PROTON ACCELERATORS AT KOMAC | 407 |
| <i>P. Lee, J.J. Dang, H.S. Kim, H.J. Kwon, S.H. Lee, Y.S. Cho</i> | |
| NEGATIVE MUONIUM ION PRODUCTION WITH A C12A7 ELECTRIDE FILM | 414 |
| <i>M. Otani, Y. Fukao, K. Futatsukawa, N. Kawamura, S. Matoba, T. Mibe, Y. Miyake, K. Shimomura, T. Yamazaki, K. Hasegawa, R. Kitamura, Y. Kondo, T. Morishita, T. Iijima, K. Inami, Y. Sue, M. Yotsuzuka, H. Inuma, Y. Nakazawa, K. Ishida, N. Saito, H. Yasuda</i> | |
| EUPRAXIA, A STEP TOWARD A PLASMA-WAKEFIELD BASED ACCELERATOR WITH HIGH BEAM QUALITY | 420 |
| <i>P A P Nghiem, D Alesini, A Aschikhin, R W Assmann, T Audet, A Beck, A Chance, M Chen, E Chiadroni, A Cianchi, J A Clarke, M E Couprie, M Croia, B Cros, G Dattoli, A Del Dotto, N Delerue, U Dorda, A Ferran Pousa, M Ferrario, R A Fonseca, A Ghaith, A Giribo</i> | |

HADRON ACCELERATORS

| | |
|--|-----|
| BEAM OPTICS STUDY ON FFA-MERIT RING | 429 |
| <i>H. Okita, A. Taniguchi, Y. Kuriyama, T. Uesugi, Y. Ishi, Y. Mori, M. Muto, Y. Ono, N. Ikeda, Y. Yonemura, A. Sato, M. Kinsho, Y. Miyake, M. Yoshimoto, K. Okabe</i> | |
| REMODELING OF 150 MEV FFAG MAIN RING AT KURNS TO PION PRODUCTION RING | 435 |
| <i>K. Suga, Y. Ishi, T. Uesugi, Y. Kuriyama, Y. Fuwa, H. Okita, Y. Mori</i> | |
| FIRST PARTIALLY STRIPPED IONS IN THE LHC (²⁰⁸Pb⁸¹⁺) | 441 |
| <i>M Schaumann, R Alemany-Fernandez, H Bartosik, T Bohl, R Bruce, G H Hemelsoet, S Hirlaender, J M Jowett, V Kain, M W Krasny, J Molson, G Papotti, M Solfaroli Camillocci, H Timko, J Wenninger</i> | |
| COLLIMATION OF HEAVY-ION BEAMS IN THE HE-LHC | 447 |
| <i>A Abramov, R Bruce, M Crouch, N Fuster-Martinez, A Mereghetti, J Molson, L J Nevay, S Redaelli</i> | |
| RECONSTRUCTION OF THE LONGITUDINAL PHASE PORTRAIT FOR THE SC CW HEAVY ION HELIAC AT GSI | 454 |
| <i>S. Lauber, K. Aulenbacher, W. Barth, C. Burandt, F. Dziuba, P. Forck, V. Gettmann, M. Heilmann, T. Kürzeder, J. List, M. Miski-Oglu, H. Podlech, A. Rubin, M. Schwarz, T. Sieber, S. Yaramyshev</i> | |
| RF MEASUREMENTS AND TUNING OF THE 325 MHZ LADDER-RFQ | 460 |
| <i>M. Schuett, U. Ratzinger, M. Syha, H. Wang</i> | |
| ADVANCED BEAM DYNAMICS DESIGN FOR THE SUPERCONDUCTING HEAVY ION ACCELERATOR HELIAC | 466 |
| <i>Malte Schwarz, Kurt Aulenbacher, Winfried Barth, Markus Basten, Christoph Burandt, Marco Busch, Thorsten Conrad, Florian Dziuba, Viktor Gettmann, Manuel Heilmann, Thorsten Kürzeder, Simon Lauber, Julian List, Maksym Miski-Oglu, Holger Podlech, Anna Rubin,</i> | |
| HARDWARE COMMISSIONING OF THE RENOVATED PIAVE INJECTOR AT INFN-LNL | 473 |
| <i>D Bortolato, V Andreev, L Bellan, M A Bellato, J Y Bermudez, G Bisoffi, E Bissiato, F Chiurlo, M Comunian, T Contran, A Facco, E Fagotti, P Francescon, A Friso, A Galatà, C S Gallo, M G Giacchini, M Lollo, D Martini, M O Miglioranza, P Modanese, M Mont</i> | |

| | |
|--|-----|
| UPGRADE OF THE 3-MEV LINAC FOR TESTING OF ACCELERATOR COMPONENTS AT J-PARC | 479 |
| <i>Y. Kondo, T. Morishita, K. Hirano, T. Ito, N. Kikuzawa, R. Kitamura, H. Oguri, K. Ohkoshi, S. Shinozaki, K. Shinto, Z. Fang, Y. Fukui, K. Futatsukawa, K. Ikegami, T. Miyao, K. Nanmo, M. Otani, T. Shibata, T. Hori, Y. Nemoto, Y. Sato, F. Kobayashi, D. Taka</i> | |
| LONGITUDINAL MEASUREMENTS AND BEAM TUNING IN THE J-PARC LINAC MEBT1 | 486 |
| <i>M. Otani, K. Futatsukawa, T. Miyao, Y. Liu, K. Hirano, Y. Kondo, A. Miura, H. Oguri</i> | |
| THE FIRST REPLACEMENT OF THE RF WINDOW OF THE ACS CAVITY | 491 |
| <i>Jun Tamura, Yasuhiro Kondo, Takatoshi Morishita, Fujio Naito, Masashi Otani, Yasuo Nemoto</i> | |
| VSWR ADJUSTMENT FOR ACS CAVITY IN J-PARC LINAC | 497 |
| <i>Jun Tamura, Yasuhiro Kondo, Takatoshi Morishita, Fujio Naito, Masashi Otani, Yasuo Nemoto</i> | |
| SESRI 300MEV PROTON AND HEAVY ION ACCELERATOR | 503 |
| <i>H. P. Jiang, J. L. Liu, H. F. Hao, J. Zhang, Q. M. Chen, W. Chen, Z. N. Han, T. Zhang</i> | |
| DESIGN AND LOW POWER TEST OF PREPARING A PROTOTYPE HOM LINAC1 | 509 |
| <i>Ling Lu, Chaochao Xing, Tao He, Lei Yang, Xianbo Xu, Jia Li, Qianxu Xia, Zhichao Gao</i> | |
| MECHANICAL ROBUSTNESS OF HL-LHC COLLIMATOR DESIGNS | 516 |
| <i>F Carra, A Bertarelli, G Gobbi, J Guardia-Valenzuela, M Guinchard, F Harden, M Pasquali, S Redaelli, E Skordis</i> | |
| NUMERICAL AND EXPERIMENTAL EVALUATION OF THE DQW CRAB CAVITY CRYOMODULE THERMAL BUDGET | 524 |
| <i>E. Cano-Pleite, K. Brodzinski, O. Capatina, F. Carra</i> | |
| ULTRA-HIGH VACUUM CHARACTERIZATION OF MOLYBDENUM-CARBIDE GRAPHITE FOR HL-LHC COLLIMATORS | 530 |
| <i>C Accettura, M Beghi, A Bertarelli, G Bregliozzi, F Carra, G Catenoz, J Guardia-Valenzuela, S Redaelli, M Taborelli</i> | |
| THE DEVELOPMENT PROGRAMME OF CATHODES AND ELECTRON GUNS FOR THE HOLLOW ELECTRON LENSES OF THE HIGH LUMINOSITY LHC PROJECT1 | 537 |
| <i>D. Perini, G. Gobbi, W. Shao, J. Feng, K. Zhang, Z. Li, J. Wang, Y. Wang, W. Liu, Y. Yang, G. Stancari, D. Crawford, J. Ruan, L. Valerio</i> | |
| TRANSVERSE EMITTANCE MEASUREMENT IN THE CERN PROTON SYNCHROTRON IN VIEW OF BEAM PRODUCTION FOR THE HIGH-LUMINOSITY LHC | 543 |
| <i>E Senes, J Emery, M A Fraser, A Guerrero Ollacarizqueta, A Huschauer, F Roncarolo, J L Sirvent, P Skowronski, F Tecker, V Forte</i> | |
| BEAM MANIPULATIONS WITH BARRIER BUCKETS IN THE CERN PS | 550 |
| <i>M Vadaï, A Alomainy, H Damerau, S Gilardonì, M Giovannozzi, A Huschauer</i> | |
| BEAM COMMISSIONING OF THE DEMONSTRATOR SETUP FOR THE SUPERCONDUCTING CONTINUOUS WAVE HIM/GSI-LINAC | 555 |
| <i>M Miski-Oglu, K Aulenbacher, W Barth, M Basten, C Burandt, M Busch, T Conrad, F Dziuba, V Gettmann, M Heilmann, T Kuerzeder, J List, S Lauber, H Podlech, A Rubin, A Schnase, M Schwarz, S Yaramyshev</i> | |
| TOWARDS THE FIRST BEAMS FROM THE ADIGE INJECTOR FOR THE SPES PROJECT | 562 |
| <i>A Galatà, C Roncolato, G Bisoffi, P Francescon, L Bellan, J Bermudez, D Bortolato, M Comunian, A Conte, M De Lazzari, F Gelain, D Marcato, M Miglioranza, M F Moisis, E Munaron, S Pavinato, D Pedretti, A Pisent, M Rossignoli, M Roetta, G Savarese, M Bellat</i> | |
| HARDWARE COMMISSIONING OF THE REFURBISHED ALPI LINAC AT INFN-LNL TO SERVE AS SPES EXOTIC BEAM ACCELERATOR | 567 |
| <i>G Bisoffi, L Bellan, M Bellato, D Borille, D Bortolato, O Carletto, F Chiurlo, M Comunian, A Conte, T Contran, M De Lazzari, E Fagotti, M G Giacchini, M Lollo, D Marcato, M O Miglioranza, P Modanese, MF Moisis, M Montis, E Munaron, G Nigrelli, S Pavina</i> | |
| THE K12 BEAMLINE FOR THE KLEVER EXPERIMENT | 572 |
| <i>M W U van Dijk, D Banerjee, J Bernhard, M Brugger, N Charitonidis, G L D'Alessandro, N Doble, L Gatignon, A Gerbershagen, E Montbarbon, M Moulson, B Rae, M Rosenthal, B M Veit</i> | |
| THE "PHYSICS BEYOND COLLIDERS" PROJECTS FOR THE CERN M2 BEAM | 578 |
| <i>D. Banerjee, J. Bernhard, M. Brugger, N. Charitonidis, V. de Jesus, L. Gatignon, A. Gerbershagen, E. Montbarbon, B. Rae, M. Rosenthal, M.W.U. Van Dijk, B.M. Veit, G.L. D'Alessandro, S. Cholak</i> | |
| COMMISSIONING RESULTS OF THE TERTIARY BEAM LINES FOR THE CERN NEUTRINO PLATFORM PROJECT | 584 |
| <i>A. Booth, N. Charitonidis, P. Chatzidakis, Y. Karyotakis, E. Nowak, I. Ortega Ruiz, M. Rosenthal, P. Sala</i> | |
| IMPLEMENTATION OF CERN SECONDARY BEAM LINES T9 AND T10 IN BDSIM | 590 |
| <i>G D'Alessandro, S T Boogert, S Gibson, L J Nevay, W Shields, J Bernhard, A Gerbershagen, M Rosenthal</i> | |
| CHARGE STRIPPING AT HIGH ENERGY HEAVY ION LINACS | 595 |
| <i>W Barth, A Fomichev, L Grigorenko, T. Kulevoy, S Polozov, S Yaramyshev</i> | |
| DISK AND WASHER COUPLED CAVITY LINAC DESIGN AND COLD-MODEL FOR MUON LINAC | 602 |
| <i>M. Otani, K. Futatsukawa, T. Mibe, F. Naito, K. Hasegawa, T. Ito, R. Kitamura, Y. Kondo, T. Morishita, H. Inuma, Y. Nakazawa, Y. Iwashita, N. Saito</i> | |

| | |
|---|-----|
| SPIRAL2 RFQ BUNCH LENGTHS AND LONGITUDINAL EMITTANCE MEASUREMENTS | 609 |
| <i>G. Normand, M. Di Giacomo, R. Ferdinand, O. Kamalou, JM. Lagniel, A. Savalle, D. Uriot</i> | |

PART 2

| | |
|--|-----|
| A CENTRAL REGION UPGRADE OF THE K800 SUPERCONDUCTING CYCLOTRON AT INFN-LNS | 616 |
| <i>G D'Agostino, L Calabretta, W Kleeven, D Rifuggiato</i> | |
| EXTRACTION SYSTEM OF UPGRADED AVF CYCLOTRON OF RCNP | 622 |
| <i>M Nakao, M Fukuda, S Hara, T Hara, K Hatanaka, K Kamakura, H Kanda, H W Koay, S Morinobu, Y Morita, K Nagayama, T Saito, K Takeda, H Tamura, Y Yasuda, T Yorita</i> | |
| THE NEW EDDY CURRENT TYPE SEPTUM MAGNETS FOR UPGRADING OF FAST EXTRACTION IN MAIN RING OF J-PARC | 629 |
| <i>T Shibata, K Ishii, T Sugimoto, H Matsumoto, K Fan, K Hamano</i> | |
| J-PARC RCS: HIGH-ORDER FIELD COMPONENTS INHERENT IN THE INJECTION BUMP MAGNETS AND THEIR EFFECTS ON THE CIRCULATING BEAM DURING MULTI-TURN INJECTION | 634 |
| <i>H Hotchi, H Harada, T Takayanagi</i> | |
| BEAM DYNAMICS AND DIAGNOSTICS FOR THE HIGH ENERGY BEAM TRANSPORT LINE OF MINERVA PROJECT AT SCK-CEN | 639 |
| <i>H. Kraft, L. Perrot</i> | |
| BEAM LINE OPTIMIZATION USING DERIVATIVE-FREE ALGORITHMS | 646 |
| <i>S. Appel, S. Reimann</i> | |
| CURRENT STATUS OF SLOW EXTRACTION FROM J-PARC MAIN RING | 651 |
| <i>R. Muto, Y. Arakaki, T. Kimura, S. Murasugi, M. Okada, K. Okamura, T. Shimogawa, Y. Shirakabe, M. Tomizawa, T. Toyama, E. Yanaoka, A. Matsumura</i> | |
| RESIDUAL ORBITS ESTIMATION OF THE INJECTION PAINTING BUMPS FOR CSNS | 658 |
| <i>Ming-Yang Huang, Sheng Wang, Shou-Yan Xu</i> | |
| BEAM LOSS AND THE STRIPPING EFFICIENCY MEASUREMENT FOR CSNS INJECTION SYSTEM | 663 |
| <i>Ming-Yang Huang, Sheng Wang, Shou-Yan Xu</i> | |
| FREQUENCY MODULATED CAPTURE OF COOLED COASTING ION BEAMS | 669 |
| <i>S Albright, M E Angoletta</i> | |

BEAM DYNAMICS AND EM FIELDS

| | |
|--|-----|
| FIELD-MAP AND BEAM TRANSPORT CALCULATIONS OF THE MAGNETIC SEPARATOR AT ALTO FACILITY AT ORSAY | 675 |
| <i>L Perrot, R Ollier</i> | |
| AN ALGORITHM FOR AUTOMATED LATTICE DESIGN OF TRANSFER LINES | 681 |
| <i>S Reimann, M Droba, O Meusel, H Podlech</i> | |
| BEAM BREAKUP SIMULATIONS FOR THE MAINZ ENERGY RECOVERING SUPERCONDUCTING ACCELERATOR MESA | 688 |
| <i>C P Stoll, F Hug</i> | |
| NEW ANALYTICAL DERIVATION OF GROUP VELOCITY IN TW ACCELERATING STRUCTURES | 694 |
| <i>M. Behtouei, L. Faillace, M. Migliorati, L. Palumbo, B. Spataro</i> | |
| COUPLING IMPEDANCE OF THE COLLIMATOR WITHOUT RF-SHIELDS AT THE RCS IN J-PARC | 699 |
| <i>Y Shobuda, K Okabe, J Kamiya, K Moriya</i> | |
| STUDIES ON COHERENT MULTI-BUNCH TUNE SHIFTS WITH DIFFERENT BUNCH SPACING AT THE J-PARC MAIN RING | 706 |
| <i>A Kobayashi, T Toyama, Y Sato, S Igarashi, T Shimogawa, Y Sugiyama, M Yoshii</i> | |
| TRANSVERSE PROFILE SHAPING OF A CHARGED-PARTICLE BEAM USING MULTIPOLE MAGNETS - FORMATION OF HOLLOW BEAMS - | 713 |
| <i>Yosuke Yuri, Mitsuhiro Fukuda, Takahiro Yuyama</i> | |
| POWER LOSSES CAUSED BY LONGITUDINAL HOMS IN 3.9 GHZ SHINE CRYOMODULE | 719 |
| <i>Junjie Guo, Qiang Gu, Jianhao Tan, Zhen Wang</i> | |
| NEW SPIRAL BEAM SCREEN DESIGN FOR THE FCC-HH INJECTION KICKER MAGNET | 726 |
| <i>A Chmielinska, M J Barnes</i> | |

| | |
|--|------------|
| CHANGE OF BEAM DISTRIBUTION DUE TO DECOHERENCE IN THE PRESENCE OF TRANSVERSE FEEDBACK..... | 733 |
| <i>S V Furuseth, X Buffat</i> | |
| A CROSS-CELL INTERLEAVED NONLINEAR LATTICE FOR POTENTIAL NSLS-II UPGRADE | 740 |
| <i>Yongjun Li, An He, Timur Shaftan, Victor Smaluk, Bernard Kosciuk, Zhenghe Bai, Lin Wang</i> | |
| BEAM OPTICS DESIGN OF THE SUPERCONDUCTING REGION OF THE JAEA ADS | 747 |
| <i>B Yee-Rendon, Y Kondo, F Maekawa, S Meigo, J Tamura</i> | |
| THE COOLING EFFECT OF BEAM SELF-FIELDS ON THE PHOTOCATHODE SURFACE IN HIGH GRADIENT RF INJECTORS | 752 |
| <i>Ye Chen, Mikhail Krasilnikov, Frank Stephan</i> | |
| A GENERAL COMPARISON ON IMPEDANCE THEORY AND CST SIMULATION OF DISCONTINUITIES | 758 |
| <i>N. Khosravi, M. Akhyani, E. Ahmadi, A. Mashal, H. Karimi, S. Dastan</i> | |
| SYNCHROTRON RADIATION REFLECTIONS IN THE CLIC BEAM DELIVERY SYSTEM | 765 |
| <i>D. Arominski, A. Latina, A. Sailer, D. Schulte</i> | |
| COHERENT VS INCOHERENT EFFECTS AND DEBYE LENGTH..... | 771 |
| <i>Giuliano Franchetti</i> | |
| EXPERIMENTAL OBSERVATION OF LOW-ORDER COLLECTIVE OSCILLATION MODES IN A STRONG-FOCUSING LATTICE..... | 777 |
| <i>K Ito, T Kurauchi, H Higaki, H Okamoto</i> | |
| ACCUMULATING LASER-COOLABLE IONS IN A LINEAR PAUL TRAP FOR ULTRAHIGH-DENSITY BEAM DYNAMICS EXPERIMENT | 783 |
| <i>K Ito, T Masuda, H Higaki, H Okamoto</i> | |
| COUPLING AND SPACE CHARGE STUDIES AT THE CERN PSB | 788 |
| <i>F Asvesta, F Antoniou, H Bartosik, G P Di Giovanni, Y Papaphilippou</i> | |
| DETAILED CHARACTERISATION OF THE LEIR INTENSITY LIMITATIONS FOR A PB ION BEAM | 794 |
| <i>A Saa Hernandez, H Bartosik, N Biancacci, S Hirlander, D Moreno, M Zampetakis</i> | |
| SIXTRACK VERSION 5: STATUS AND NEW DEVELOPMENTS | 800 |
| <i>R. De Maria, J. Andersson, V.K. Berglyd Olsen, L. Field, M. Giovannozzi, P.D. Hermes, N. Høimyr, G. Iadarola, S. Kostoglou, E.H. Maclean, E. McIntosh, A. Mereghetti, J. Molson, D. Pellegrini, T. Persson, M. Schwingerl, B. Dalena, T. Pognat, I. Zacharov, K</i> | |
| SPACE CHARGE DRIVEN RESONANCES IN THE CERN PS..... | 806 |
| <i>F Asvesta, H Bartosik, A Huschauer, Y Papaphilippou</i> | |
| FREQUENCY MAP MEASUREMENTS AT THE TPS | 811 |
| <i>C H Chen, M S Chiu, J Y Chen, F H Tseng, B Y Chen, B Y Huang, T W Hsu, W Y Lin, C C Kuo, H J Tsai, Y C Liu, P J Chou</i> | |
| CAN A PAUL ION TRAP BE USED TO INVESTIGATE NONLINEAR QUASI-INTEGRABLE OPTICS? | 819 |
| <i>L. K. Martin, D. J. Kelliher, S. L. Sheehy</i> | |
| RECENT STUDIES OF THE RESONANCES AT A CELL TUNE OF 0.25 USING THE IBEX PAUL TRAP | 825 |
| <i>L. K. Martin, D. J. Kelliher, S. L. Sheehy</i> | |
| EFFECT OF BEAM-BEAM KICK ON ELECTRON BEAM QUALITY IN FIRST BUNCHED ELECTRON COOLER..... | 831 |
| <i>S. Seletskiy, M. Blaskiewicz, A. Fedotov, D. Kayran, J. Kewisch</i> | |
| AN ANALYTIC APPROACH TO EMITTANCE GROWTH FROM THE BEAM- BEAM EFFECT WITH APPLICATIONS TO THE LHEC..... | 837 |
| <i>E Nissen, D Schulte</i> | |
| THE ESR CLOSED ORBIT CALCULATION AND SIMULATION | 843 |
| <i>S. Dastan, S. Litvinov, M. Steck, R. Saffari, J. Rahighi</i> | |
| <u>BEAM INSTRUMENTATION, CONTROLS, FEEDBACK AND OPERATIONAL ASPECTS</u> | |
| IMPROVING HIGH PRECISION CAM MOVER'S STIFFNESS..... | 848 |
| <i>J Kemppinen, H Mainaud Durand, A Herty</i> | |
| COLLIMATION OF TARGET INDUCED HALO FOLLOWING MAGIX AT MESA | 853 |
| <i>B Ledroit, K Aulenbacher</i> | |

| | |
|--|-----|
| NOVEL FPGA-BASED INSTRUMENTATION FOR PERSONNEL SAFETY SYSTEMS IN PARTICLE ACCELERATOR FACILITY | 859 |
| <i>S. Pioli, O. Frasciello, M. M. Beretta, P. Ciambrone, C. Di Giulio, B. Buonomo, M. Belli, P. Valente, A. Variola</i> | |
| ENERGY MEASUREMENT AND CORRECTION FOR STABLE OPERATION IN J-PARC | 865 |
| <i>K Moriya, H Harada, Y Liu, M Otani</i> | |
| TIMING SYNCHRONIZATION SYSTEM FOR BEAM INJECTION FROM THE SACLA LINAC TO THE SPRING-8 STORAGE RING | 870 |
| <i>T Ohshima, H Maesaka, N Hosoda, S Matsubara</i> | |
| DEVELOPMENT OF A BEAM WINDOW PROTECTION SYSTEM FOR THE J-PARC LINAC | 876 |
| <i>H Takahashi, S Hatakeyama, Y Sawabe, T Miyao, T Ishiyama, T Suzuki</i> | |
| ALARM SYSTEM OF IRFEL AT NSRL | 881 |
| <i>X Chen, Y Song, Z Shao, C Li, K Xuan, J Wang, G Liu</i> | |
| TIME VARYING RF PHASE NOISE FOR LONGITUDINAL EMITTANCE BLOW-UP | 887 |
| <i>S Albright, D Quartullo</i> | |
| OPERATIONAL EXPERIENCE OF A PROTOTYPE LHC INJECTION KICKER MAGNET WITH A LOW SEY COATING AND REDISTRIBUTED POWER DEPOSITION | 895 |
| <i>M. J. Barnes, C. Bracco, G. Bregliozzi, A. Chmielinska, L. Ducimetière, B. Goddard, G. Iadarola, T. Kramer, L. Vega Cid, V. Vlachodimitropoulos, W. Weterings</i> | |
| REDUCTION OF BEAM INDUCED RF-HEATING IN THE HORIZONTAL STRIPLINE KICKER AT THE TPS | 901 |
| <i>P J Chou, C K Chan, C C Chang, K T Hsu, K H Hu, C K Kuan, I C Sheng</i> | |
| A REMOTE-CONTROLLED ROBOT-CAR IN THE TPS TUNNEL | 907 |
| <i>T Y Lee, B Y Chen, T W Hsu, B Y Huang, W Y Lin, C H Kuo</i> | |
| DEVELOPMENT OF A SILICON STRIP DETECTOR FOR NOVEL ACCELERATORS AT SINBAD | 915 |
| <i>S Jaster-Merz, R W Assmann, F Burkart, U Dorda, U Kraemer, E Panofski, M Stanitzki</i> | |
| EVALUATION OF 2-D TRANSVERSE BEAM PROFILE MONITOR USING GAS SHEET AT J-PARC LINAC | 922 |
| <i>J Kamiya, K. Okabe, M. Kinsho, K. Moriya, I. Yamada, N. Ogiwara, Y. Hikichi, K. Wada</i> | |
| ARCHIVE SYSTEM OF BEAM INJECTION INFORMATION AT SUPERKEKB | 928 |
| <i>Hiroshi Kaji, Takashi Obina, Yuichi Iitsuka, Masaya Hirose</i> | |
| BEAM CONTROL AND MONITORS FOR THE SPIRAL INJECTION TEST EXPERIMENT | 934 |
| <i>Muhammad Abdul Rehman, Hiromi Inuma, Satoshi Ohsawa, Hisayoshi Nakayama, Kazuro Furukawa, Tsutomu Mibe, Hiromi Hisamatsu</i> | |
| MULTI-RIBBON PROFILE MONITOR FOR HIGH POWER PROTON BEAM AT J-PARC MR ABORT LINE | 940 |
| <i>K Sato, Y Hashimoto, Y Sato, S Igarashi, T Koseki, E Hamada</i> | |
| STUDY ON THE INFLUENCE OF BEAM TRANSVERSE POSITION ON THE CAVITY BUNCH LENGTH MEASUREMENT | 946 |
| <i>Qian Wang, Qing Luo, Baogen Sun</i> | |
| A ROTATION METHOD TO CALIBRATE BPM ELECTRIC OFFSETS | 952 |
| <i>M.W. Wang, D. Wang, Z.M. Wang, M.T. Qiu, S.X. Zheng, P.F. Ma, X.L. Guan, W.H. Huang, X.W. Wang</i> | |
| A CHANNEL ACCESS SOFTWARE PLATFORM FOR BEAM DYNAMICS APPLICATIONS IN SCRIPTING LANGUAGES | 957 |
| <i>J. Chrin, M. Aiba, J. Snuverink</i> | |
| ENERGY CALIBRATION OF THE REA3 ACCELERATOR BY TIME-OF- FLIGHT TECHNIQUE1 | 963 |
| <i>A C C Villari, D B Crisp, A Lapierre, S Nash, T Summers, Q Zhao</i> | |

ACCELERATOR TECHNOLOGY

| | |
|--|-----|
| LASERS FOR NOVEL ACCELERATORS | 968 |
| <i>L.A. Gizzi, P. Koester, L. Labate, F. Mathieu, Z. Mazzotta, G. Toci, M. Vannini</i> | |
| DESIGN A PRECISE STABILITY CONTROLLER FOR HIGH POWER PULSE MODULATOR BASED ON FPGA | 974 |
| <i>Y Liu, J Tong, M Gu, L Lin, Q Yuan</i> | |
| DESIGN AND SIMULATION OF THIN EDDY-CURRENT SEPTUM FOR INJECTION OF DIFFRACTION LIMITED STORING RING | 981 |
| <i>J Tong, M Gu, B Liu, Y Liu, R Wang</i> | |

| | |
|--|------|
| A NOVEL MICROWAVE SWITCH-BASED LLRF SYSTEM FOR LONG-TERM SYSTEM PHASE DRIFT CALIBRATION | 987 |
| <i>Z.Y. Lin, Y. C. Du, W.H. Huang, J.H. Tang, C.X. Tang, G. Huang, Y.L Xu, D. Zhang, Z.C. Sun</i> | |
| THE PRELIMINARY LONG-TERM SLOW DRIFT CALIBRATION STUDY IN LOW- LEVEL RF SYSTEM | 993 |
| <i>Z.Y. Lin, Y. C. Du, W.H. Huang, J.H. Tang, C.X. Tang, G. Huang, Y.L Xu, D. Zhang, Z.C. Sun</i> | |
| HIRADMAT: A FACILITY BEYOND THE REALMS OF MATERIALS TESTING | 998 |
| <i>F J Harden, A Bouvard, N Charitonidis, Y Kadi</i> | |
| RF DATA ACQUISITION AND SOFT ALARM SYSTEM FOR THE TAIWAN PHOTON SOURCE | 1005 |
| <i>Z. K. Liu, F. Y. Chang, L. H. Chang, M. H. Chang, S. W. Chang, L. J. Chen, F. T. Chung, Y. T. Li, M. C. Lin, C. H. Lo, C. Wang, M. S. Yeh, T. C. Yu</i> | |
| NEW UNDULATOR AND FRONT END FOR XAIRA BEAMLINE AT ALBA | 1011 |
| <i>J. Campmany, J. Marcos, V. Massana</i> | |
| PROGRESS AND TDR PLANS OF THE MECHANICAL SYSTEM OF CEPC | 1017 |
| <i>H Wang, S Bai, M Li, Y Liu, C Meng, H Qu, J Wang, P Zhang, N Zhou</i> | |
| PREPARATION OF TITANIUM-ZIRCONIUM-VANADIUM FILMS BY QUANTITATIVE DEPOSITION | 1023 |
| <i>J Q Shao, X Q Ge, W Wei, B Zhang, S H Wang, Y X Zhang, B L Zhu, C Chen, W M Li, Y Wang</i> | |
| DESIGN AND CONSTRUCTION OF 3D HELMHOLTZ COIL SYSTEM TO CALIBRATE 3D HALL PROBES | 1029 |
| <i>A. Fontanet, J. Marcos, Ll. Ribó, V. Massana, J. Campmany</i> | |
| NEW SMALL DIAMETER ROTATING COIL SHAFT FOR CHARACTERIZING NEW GENERATION OF MULTIPOLAR MAGNETS | 1034 |
| <i>J. Campmany, J. Marcos, V. Massana, Ll. Ribó, R. Petrocelli</i> | |
| ANALYSIS ON THE THERMAL RESPONSE TO BEAM IMPEDANCE HEATING OF THE POST LS2 PROTON SYNCHROTRON BEAM DUMP | 1040 |
| <i>L Teofili, M Marongiu, M Migliorati, F Giordano, I Lamas, F-X Nuiry, G Romagnoli, B Salvant</i> | |
| THE COMMISSION OF THE HOME-MADE 500MHZ, 80KW SOLID-STATE AMPLIFIER IN NSRRC | 1047 |
| <i>T C Yu, Ch Wang, L H Chang, M S Yeh, M C Lin, C H Lo, F T Chung, M H Chang, L J Chen, Z K Liu, Fu-Yu Chang, S W Chang, Yi-Da Li</i> | |
| DYNAMIC PRESSURE IN THE LHC: INFLUENCE OF IONS INDUCED BY IONIZATION OF RESIDUAL GAS BY BOTH THE PROTON BEAM AND THE ELECTRON CLOUD | 1053 |
| <i>S. Bilgen, C. Bruni, B. Mercier, G. Sattonnay, V. Baglin</i> | |
| NEW DESIGN OF VACUUM CHAMBERS FOR RADIATION SHIELD INSTALLATION AT BEAM INJECTION AREA OF J-PARC RCS | 1059 |
| <i>J Kamiya, H. Kotoku, Y. Shobuda, T. Takayanagi, K. Yamamoto, T. Yanagibashi, K. Horino, N. Miki</i> | |
| COMPARISON OF TIZRV NON-EVAPORABLE GETTER FILMS DEPOSITED BY DC MAGNETRON SPUTTERING OR QUANTITATIVE DEPOSITION | 1066 |
| <i>X Q Ge, J Q Shao, Y G Wang, W Wei, B Zhang, S H Wang, Y X Zhang, W M Li, Y Wang</i> | |
| RESEARCH AND DESIGN OF DIGITAL MAGNET POWER SUPPLY CONTROLLER FOR HALS | 1072 |
| <i>Z. X. Shao, H. Gao, H.Y. Zhang, P. Liu, G.W. Liu, X.K. Sun</i> | |
| RESEARCH PROGRESS OF POWER SUPPLY SYSTEM IN HALS | 1078 |
| <i>Z. X. Shao, H. Gao, H.Y. Zhang, P. Liu, G.W. Liu, L. Wang</i> | |
| ESTABLISHING A LASER TREATMENT TO SUPPRESS THE SEC-ONDARY ELECTRON EMISSION | 1084 |
| <i>Yigang Wang, Siwei Wang, Bangle Zhu, Xiangtao Pei, Bo Zhang, Xiaoqin Ge, Yong Wang</i> | |
| RESEARCH ON SECONDARY ELECTRON EMISSION CHARACTERISTICS OF DIAMOND- LIKE CARBON THIN FILMS | 1089 |
| <i>Y X Zhang, Y G Wang, X Q Ge, B Zhang, W Wei, S H Wang, B L Zhu, J Q Shao, W M Li, Y Wang</i> | |
| DESIGN OF THE NEUTRON IMAGING DIFFERENTIAL PUMPING LINE AT LLNL* | 1094 |
| <i>J A Caggiano, D Castronovo, P Fitsos, D J Gibson, J Hall, M S Johnson, R A Marsh, B Rusnak</i> | |
| DATA-DRIVEN CONTROLLER DESIGN USING THE CERN POWER CONVERTER CONTROL LIBRARIES (CCLIBS) | 1102 |
| <i>Achille Nicoletti, Michele Martino</i> | |
| IMPACT OF FLUX JUMPS ON HIGH-PRECISION POWERING OF NB3SN SUPERCONDUCTING MAGNETS | 1108 |
| <i>Michele Martino, Pasquale Arpaia, Stefano Ierardi</i> | |
| IMPROVEMENT THE BENDING MAGNET POWER SUPPLY PERFORMANCE FOR TPS STORAGE RING | 1115 |
| <i>Bao-Sheng Wang, Kuo-Bin Liu, Chih-Hsien Huang, Chen-Yao Liu, Yong-Seng Huang, Jhao-Cyuan Huang</i> | |

| | |
|---|------|
| UPGRADE OF THE CRYOGENIC CONTROL SYSTEM FOR SRF MODULES AT THE TAIWAN LIGHT SOURCE | 1121 |
| <i>F. T. Chung, M. H. Chang, T. C. Yu, C. Wang, M. S. Yeh, F. Y. Chang, L. J. Chen, Z. K. Liu, L. H. Chang, C. H. Lo, Y. T. Li, S. W. Chang, M. C. Lin</i> | |
| DEVELOPMENT OF LOW INDUCTANCE CIRCUIT FOR RADially SYMMETRIC CIRCUIT | 1128 |
| <i>T Takayanagi, T Ueno, K Horino</i> | |
| STAND-ALONE ACCELERATOR SYSTEM BASED ON SRF QUARTER-WAVE RESONATORS | 1135 |
| <i>S V Kutsaev, R Agustsson, R Berry, D Chao, ZA Conway</i> | |
| FURTHER RF MEASUREMENTS ON THE SUPERCONDUCTING 217 MHZ CH DEMONSTRATOR CAVITY FOR A CW LINAC AT GSI | 1140 |
| <i>F Dziuba, K Aulenbacher, W Barth, M Basten, C Burandt, M Busch, T Conrad, V Gettmann, M Heilmann, T Kürzeder, S Lauber, J List, M Miski-Oglu, H Podlech, J Salvatore, A Schnase, M Schwarz, S Yaramyshev</i> | |
| CLEANROOM INSTALLATIONS FOR SRF CAVITIES AT THE HELMHOLTZ INSTITUTE MAINZ | 1146 |
| <i>T Kürzeder, K Aulenbacher, W Barth, C Burandt, J Conrad, F Dziuba, V Gettmann, R Heine, F Hug, S Lauber, J List, M Miski-Oglu, T Stengler, S Yaramyshev</i> | |
| SIMULATION OF QUENCH DETECTION ALGORITHMS FOR HELMHOLTZ ZENTRUM BERLIN SRF CAVITIES | 1153 |
| <i>P Echevarria, B Garcia Arruabarrena, A Ushakov, J Jugo, A Neumann</i> | |
| LOW POWER RF TEST OF A QUADRUPOLE-FREE X-BAND MODE LAUNCHER FOR HIGH BRIGHTNESS APPLICATIONS | 1158 |
| <i>G. Torrisi, G. Sorbello, L. Celona, O. Leonardi, G. Mauro, S. Gammino, G. Castorina, Bruno Spataro, L. Faillace, V. Dolgashev</i> | |
| SIMULATIONS OF BEAM LOADING COMPENSATION IN A WIDEBAND ACCELERATING CAVITY USING A CIRCUIT SIMULATOR INCLUDING A LLRF FEEDBACK CONTROL | 1164 |
| <i>Fumihiko Tamura, Masanobu Yamamoto, Yasuyuki Sugiyama, Masahito Yoshii, Chihiro Ohmori, Taihei Shimada, Masahiro Nomura, Katsushi Hasegawa, Keigo Hara, Masashi Furusawa</i> | |
| ELECTROMAGNETIC DESIGN AND CHARACTERIZATION OF AN S-BAND 3-CELL RF ACCELERATION CAVITY | 1171 |
| <i>G R Montoya-Soto, B. Yee-Rendon, C. Duarte-Galvan, C. A. Valerio-Lizarraga</i> | |
| COMMISSIONING OF RF SYSTEM OF THE 200 MEV PROTON CYCLOTRON | 1177 |
| <i>Gen Chen, Guang Liu, Yanping Zhao, Zhen Peng, Xin Zhang, Chujie Chao, Xuyun Long, Chuansong Yu, Oleg Karamyshev, Galina Karamysheva, Grigori Shirkov, Antonio Caruso, Luciano Calabretta</i> | |
| TUNING OF A TAPERED RIDGE-LOADED WAVEGUIDE COUPLER FOR A DRIFT TUBE LINAC OF THE COMPACT PULSED HADRON SOURCE | 1183 |
| <i>Y Lei, S Zheng, Q Xing, R Tang, C Du, X Guan, X Wang</i> | |
| HIGH POWER TEST OF THE FIRST C-BAND SPHERICAL PULSE COMPRESSOR PROTOTYPE | 1189 |
| <i>Z. B. Li, W. C. Fang, Q. Gu, J. H. Tan, X. X. Huang, Z. T. Zhao</i> | |
| MULTIPACTING STUDIES OF THE COAXIAL COUPLER FOR BNCT DTL | 1194 |
| <i>M X Fan, H C Liu, A H Li, P H Qu, Y Wang, X L Wu, B Li, Q Chen, J Peng, A X Wang, S N Fu</i> | |
| MULTI-PHYSICS COMPUTATION AND DEFORMATION TESTING OF A SHELL-TYPE 1.5-GHZ CAVITY | 1200 |
| <i>M C Lin, M K Yeh, M R Lu, C H Lo</i> | |
| UTILIZING THE HIGH SHUNT IMPEDANCE TM020-MODE CAVITY IN THE DOUBLE RF SYSTEMS FOR THE STORAGE RING OF THE THAILAND NEW LIGHT SOURCE | 1206 |
| <i>N Juntong, T Phimsen, N Chulakham, S Malichan</i> | |
| ELECTROMAGNETIC DESIGN OF THE LOW BETA CAVITIES FOR THE JAEA ADS | 1213 |
| <i>B Yee-Rendon, Y Kondo, F Maekawa, S Meigo, J Tamura</i> | |
| DESIGN OF THE ELLIPTICAL SUPERCONDUCTING CAVITIES FOR THE JAEA ADS | 1220 |
| <i>B Yee-Rendon, Y Kondo, F Maekawa, S Meigo, J Tamura</i> | |
| IS IT POSSIBLE TO USE ADDITIVE MANUFACTURING FOR ACCELERATOR UHV BEAM PIPES? | 1226 |
| <i>S. Jenzer, M. Alves, S. Bilgen, J. Bonis, F. Brisset, S. Djelali, A. Gonnin, M. Guerrier, D. Grasset, F. Letellier-Cohen, B. Mercier, E. Mistretta, G. Sattonnay</i> | |

APPLICATIONS OF ACCELERATORS, TECHNOLOGY TRANSFER AND INDUSTRIAL RELATIONS

OPTICS DESIGN AND BEAM DYNAMICS SIMULATION FOR A VHEE RADIOBIOLOGY BEAM LINE AT PRAE ACCELERATOR..... 1232

Y Han, A Faus Golfe, C Vallerand, B Bai, P Duchesne, Y Prezado, R Delorme, P Poortmans, V Favaudon, C Fouillade, F Pouzoulet, M Dosanjh

Author Index