

2020 Device Research Conference (DRC 2020)

**Columbus, Ohio, USA
21 – 24 June 2020**



**IEEE Catalog Number: CFP20DRC-POD
ISBN: 978-1-7281-7048-0**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP20DRC-POD
ISBN (Print-On-Demand):	978-1-7281-7048-0
ISBN (Online):	978-1-7281-7047-3
ISSN:	1548-3770

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

LOW-VOLTAGE OPERATION OF MFSFET WITH FERROELECTRIC NONDOPED HFO ₂ FORMED BY KR/O ₂ -PLASMA SPUTTERING	1
<i>S. Ohmi, M. G. Kim, M. Kataoka, M. Hayashi, R. M. D. Mailig</i>	
NEAR-IDEAL RU/N-POLAR GAN SCHOTTKY DIODE WITH ULTRALOW REVERSE LEAKAGE	3
<i>Wenjian Liu, Islam Sayed, Brian Romanczyk, Nirupam Hatui, Jana Georgieva, Haoran Li, Stacia Keller, Umesh K. Mishra</i>	
PHASE AND CARRIER POLARITY CONTROL OF SPUTTERED MOTE ₂ BY PLASMA-INDUCED DEFECT ENGINEERING	5
<i>Chih-Pin Lin, Hao-Hua Hsu, Tuo-Hung Hou</i>	
A PLATFORM FOR MONOLITHIC BACK END OF LINE III-V INTEGRATION	7
<i>Jun Tao, Debarghya Sarkar, Sizhe Weng, Hyun Uk Chae, Ragib Ahsan, Rehan Kapadia</i>	
HIGH FREQUENCY CHARACTERISTICS OF GRAPHENE GEOMETRIC DIODES	9
<i>John Stearns, Garret Moddel</i>	
NORMALLY-OFF INALN/GAN FIN-MOSHEMT WITH FLUORINE TREATMENT	11
<i>Yi-Ping Huang, Ching-Sung Lee, Wei-Chou Hsu</i>	
RTD LIGHT EMISSION AROUND 1550 NM WITH IQE UP TO 6% AT 300 K	13
<i>E. R. Brown, W.-D. Zhang, P. Fakhimi, T. A. Growden, P. R. Berger</i>	
MULTIPLICATION CHARACTERISTICS OF AL _{0.4} GA _{0.07} IN _{0.53} AS AVALANCHE PHOTODIODES GROWN AS DIGITAL ALLOYS ON INP SUBSTRATES	15
<i>S. Lee, S. H. Kodati, D. R. Fink, T. J. Ronningen, A. H. Jones, J. C. Campbell, M. Winslow, C. H. Grein, S. Krishna</i>	
USING COPLANAR WAVEGUIDES AS SPIN-WAVE SOURCES WITH IMPROVED BANDWIDTH	17
<i>H. Aquino, D. Connelly, A. Orlov, J. Chisum, G. H. Bernstein, W. Porod</i>	
NEAR-NERNSTIAN PH SENSORS BASED ON HYDROTHERMALLY GROWN NIO NANOSHEETS ON HIERARCHICALLY ROUGHENED SI SUBSTRATES	19
<i>Chao-Yin Kuo, Shui-Jinn Wang, Po-Ting Chen, Rong-Ming Ko</i>	
UNDERSTANDING OF MULTIPLE RESISTANCE STATES BY CURRENT-SWEEP MEASUREMENT AND COMPLIANCE CURRENT MODULATION IN 2D MOS ₂ -BASED NON-VOLATILE RESISTANCE SWITCHING DEVICES	21
<i>Xiaohan Wu, Ruijing Ge, Deji Akinwande, Jack C. Lee</i>	
MOBILITY ENHANCEMENT AND RELIABILITY CHARACTERIZATION OF BACK-CHANNEL-ETCH AMORPHOUS INGAZNO TFT WITH DOUBLE LAYERS	23
<i>Chia-Chun Yen, An-Hung Tai, Yu-Chieh Liu, Chun-Hung Yeh, C. W. Liu</i>	
MODELING MULTI-STATES IN FERROELECTRIC TUNNEL JUNCTION	25
<i>Yuan-Chun Luo, Jae Hur, Panni Wang, Asif Islam Khan, Shimeng Yu</i>	
DOPED WS ₂ TRANSISTORS WITH LARGE ON-OFF RATIO AND HIGH ON-CURRENT	27
<i>Aravindh Kumar, Koosha Nassiri Nazif, Pranav Ramesh, Krishna Saraswat</i>	

HIGH-K LAB_xN_y GATE INSULATOR FORMED BY THE AR/N_2 PLASMA SPUTTERING OF N-DOPED LAB_6 METAL THIN FILMS AND ITS APPLICATION TO FLOATING-GATE MEMORY	29
<i>Kyung Eun Park, Shun-ichiro Ohmi</i>	
DEMONSTRATION OF GAN IMPACT IONIZATION AVALANCHE TRANSIT-TIME (IMPATT) DIODE	31
<i>Dong Ji, Burcu Ercan, Jia Zhuang, Lei Gu, Juan Rivas-Davila, Srabanti Chowdhury</i>	
FIELD EFFECT LIGHT-EMITTING DIODE INTEGRATION FOR ENHANCED HOLE UTILIZATION.....	33
<i>Matthew Hartensveld, Jing Zhang</i>	
2- μM -COMPATIBLE ALINASSB AVALANCHE PHOTODIODES	35
<i>Andrew H. Jones, Stephen D. March, Seth R. Bank, Joe C. Campbell</i>	
MODELING AND OPTIMIZATION OF ADVANCED 3D NAND MEMORY	37
<i>Mehdi Saremi, Ashish Pal, Liu Jiang, El Mehdi Bazizi, Helen Lee, Xi-Wei Lin, Blessy Alexander, Buvna Ayyagari-Sangamalli</i>	
HIGH-DENSITY MULTILAYER GRAPHENE MICROELECTRODE ARRAYS FOR OPTOGENETIC ELECTROPHYSIOLOGY IN HUMAN EMBRYONIC KIDNEY CELLS	39
<i>J. Park, D. Mao, Y. Xie, Z. Xiong, G. Xu</i>	
POLARIZATION-INDUCED STRAIN-COUPLED TMD FETS (PS FETS) FOR NON-VOLATILE MEMORY APPLICATIONS	41
<i>Niharika Thakuria, Atanu K. Saha, Sandeep K. Thirumala, Daniel Schulman, Saptarshi Das, Sumeet K. Gupta</i>	
DEFECT ASSISTED METAL-TMDS INTERFACE ENGINEERING: A FIRST PRINCIPLE INSIGHT	43
<i>Jeevesh Kumar, Ansh Ansh, Hemanjaneyulu Kuruva, Mayank Shrivastava</i>	
STOPPING RESISTANCE DRIFT IN PHASE CHANGE MEMORY CELLS	45
<i>Raihan S. Khan, A. B. M. H. Talukder, Faruk Dirisaglik, Ali Gokirmak, Helena Silva</i>	
TOWARDS SCALABLE RECONFIGURABLE FIELD EFFECT TRANSISTOR USING FLASH LAMP ANNEALING	47
<i>M. B. Khan, S. Ghosh, S. Prucnal, T. Mauersberger, R. Hübner, M. Simon, T. Mikolajick, A. Erbe, Y. M. Georgiev</i>	
CORRELATION OF MATERIAL STRUCTURE AND ELECTRONIC PROPERTIES IN 2D PLATINUM-DISELENIDE-BASED DEVICES	49
<i>Sebastian Lukas, Satender Kataria, Maximilian Precht, Oliver Hartwig, Alexander Meledin, Joachim Mayer, Daniel Neumaier, Georg S. Duesberg, Max C. Lemme</i>	
ULTRA-DURABLE AND RELIABLE HIGH-K TEXTILE CAPACITORS FOR WEARABLES AND ROBOTICS.....	51
<i>Akanksha Rohit, Yunus Kelestemur Savas Kaya, Parthiban Rajan</i>	
EFFECT OF RECESSED ELECTRODES ON CONTACT RESISTANCE IN ORGANIC THIN FILM TRANSISTOR BASED ON POLYMER DIELECTRIC	53
<i>Fiheon Imroze, C. A. Mithun, Karunakaran Logesh, P. Venkatakrisnan, S. Dutta</i>	

TRI-GATE FERROELECTRIC FET CHARACTERIZATION AND MODELLING FOR ONLINE TRAINING OF NEURAL NETWORKS AT ROOM TEMPERATURE AND 233K	55
<i>Sourav De, Md. Aftab Baig, Bo-Han Qiu, Darsen Lu, Po-Jung Sung, F. K Hsueh, Yao-Jen Lee, Chun-Jung Su</i>	
THERMAL ENGINEERING OF VOLATILE SWITCHING IN PRMNO ₃ RRAM: NON-LINEARITY IN DC IV CHARACTERISTICS AND TRANSIENT SWITCHING SPEED.....	57
<i>Jayatika Sakhuja, Sandip Lashkare, Vivek Saraswat, Udayan Ganguly</i>	
GAN NANOWIRE FIELD EMITTERS WITH A SELF-ALIGNED GATE PROCESS.....	59
<i>Pao-Chuan Shih, Girish Rughoobur, Peng Xiang, Kai Liu, Kai Cheng, Akintunde I. Akinwande, Tomás Palacios</i>	
MATERIALS AND TECHNOLOGY ISSUES FOR THE NEXT GENERATION OF POWER ELECTRONIC DEVICES	61
<i>Ahmad Zubair, John Niroula, Nadim Chowdhury, Yuhao Zhang, Jori Lemettinen, Tomás Palacios</i>	
VERY HIGH PARALLEL-PLANE SURFACE ELECTRIC FIELD OF 4.3 MV/CM IN Ga ₂ O ₃ SCHOTTKY BARRIER DIODES WITH PTO _x CONTACTS	63
<i>Devansh Saraswat, Wenshen Li, Kazuki Nomoto, Debdeep Jena, Huili Grace Xing</i>	
2.3 KV 4H-SiC ACCUMULATION-CHANNEL JBSFETS: EXPERIMENTAL COMPARISON OF LINEAR, HEXAGONAL AND OCTAGONAL CELL TOPOLOGIES.....	65
<i>Aditi Agarwal, Kijeong Han, B. Jayant Baliga</i>	
FIRST DEMONSTRATION OF GAN VERTICAL POWER FINFETS ON ENGINEERED SUBSTRATE.....	67
<i>A. Zubair, J. Perozek, J. Niroula, O. Aktas, V. Odnoblyudov, T. Palacios</i>	
THE INFLUENCE OF THE GATE TRENCH ORIENTATION TO THE CRYSTAL PLANE ON THE CONDUCTION PROPERTIES OF VERTICAL GAN MISFETS FOR LASER DRIVING APPLICATIONS.....	69
<i>E. Bahat Treidel, O. Hilt, H. Christopher, A. Klehr, A. Ginolas, A. Liero, J. Würfl</i>	
HYDROGEN-TERMINATED DIAMOND FET AND GAN HEMT DELIVERING CMOS INVERTER OPERATION AT HIGH-TEMPERATURE	71
<i>Chenhao Ren, Mohamadali Malakoutian, Siwei Li, Srabanti Chowdhury</i>	
UTILIZING VALLEY-SPIN HALL EFFECT IN WSe ₂ FOR LOW POWER NON-VOLATILE FLIP-FLOP DESIGN.....	73
<i>K. Cho, S. K. Thirumala, X. Liu, N. Thakuria, Z. Chen, S. K. Gupta</i>	
RELIABILITY OF FERROELECTRIC HfO ₂ -BASED MEMORIES: FROM MOS CAPACITOR TO FEFET.....	75
<i>Ava J. Tan, Li-Chen Wang, Yu-Hung Liao, Jong-Ho Bae, Chenming Hu, Sayeef Salahuddin</i>	
FLEXIBLE LOW-POWER SUPERLATTICE-LIKE PHASE CHANGE MEMORY.....	77
<i>Asir Intisar Khan, Alwin Daus, Eric Pop</i>	
MILLIMETER-WAVE GAN DEVICE MODELING FOR POWER AMPLIFIERS	79
<i>Yutaro Yamaguchi, Keigo Nakatani, Koon Hoo Teo, Shintaro Shinjo</i>	
CRYSTALLINE CALCIUM FLUORIDE: A RECORD-THIN INSULATOR FOR NANOSCALE 2D ELECTRONICS	81
<i>Y. Y. Illarionov, A. G. Banskchikov, T. Knobloch, D. K. Polyushkin, S. Wachter, V. V. Fedorov, S. M. Sutorin, M. Stöger-Pollach, T. Mueller, M. I. Vexler, N. S. Sokolov, T. Grasser</i>	

ENABLING ATMOSPHERIC OPERATION OF NANOSCALE VACUUM CHANNEL TRANSISTORS	83
<i>G. Rughoobur, J. Zhao, L. Jain, A. Zubair, T. Palacios, J. Kong, A. I. Akinwande</i>	
A NOVEL CONCEPT USING DERIVATIVE SUPERPOSITION AT THE DEVICE-LEVEL TO REDUCE LINEARITY SENSITIVITY TO BIAS IN N-POLAR GAN MISHEMT	85
<i>Pawana Shrestha, Matthew Guidry, Brian Romanczyk, Rohit R. Karnaty, Nirupam Hatui, Christian Wurm, Athith Krishna, Shubhra S. Pasayat, Stacia Keller, James F. Buckwalter, Umesh K. Mishra</i>	
MICRO-TRANSFER PRINTING OF GAN HEMTS FOR HETEROGENEOUS INTEGRATION AND FLEXIBLE RF CIRCUIT DESIGN	87
<i>Brian P. Downey, Andy Xie, Shawn Mack, D. Scott Katzer, James G. Champlain, Yu Cao, Neeraj Nepal, Tyler A. Growden, Vikrant J. Gokhale, Robert L. Coffie, Matthew T. Hardy, Edward Beam, Cathy Lee, David J. Meyer</i>	
LINEARITY BY SYNTHESIS: AN INTRINSICALLY LINEAR ALGAN/GAN-ON-SI TRANSISTOR WITH OIP ₃ /(F-1)P _{DC} OF 10.1 AT 30 GHZ	89
<i>Woojin Choi, Venkatesh Balasubramanian, Peter M. Asbeck, Shadi A. Dayeh</i>	
RELIABILITY IMPROVEMENT OF FERROELECTRIC HF _{0.5} ZR _{0.5} O ₂ THIN FILMS BY LANTHANUM DOPING FOR FERAM APPLICATIONS.....	91
<i>Furqan Mehmood, Thomas Mikolajick, Uwe Schroeder</i>	

Author Index