

2020 27th International Conference on Mixed Design of Integrated Circuits and Systems (MIXDES 2020)

**Lodz, Poland
25 – 27 June 2020**



**IEEE Catalog Number: CFP20MIX-POD
ISBN: 978-1-7281-9781-4**

**Copyright © 2020, Department of Microelectronics and Computer Science, Lodz
University of Technology
All Rights Reserved**

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP20MIX-POD |
| ISBN (Print-On-Demand): | 978-1-7281-9781-4 |
| ISBN (Online): | 978-83-63578-18-3 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Preface | 3 |
| Table of Contents | 7 |
| I General Invited Papers | |
| Sensor Design Made by Bosch | 13 |
| <i>M. Schwarz (Robert Bosch GmbH, Germany)</i> | |
| The Qucs/QucsStudio and Qucs-S Graphical User Interface: An Evolving "White-Board" for Compact Device Modeling and Circuit Simulation in the Current Era | 23 |
| <i>M. Brinson (London Metropolitan Univ., UK)</i> | |
| S1 Compact Modeling Support for Micro and Nanoelectronic System Development | |
| Compact Model for Continuous Microfluidic Mixer | 35 |
| <i>A. Bonament, A. Prel (ICube, France), J.-M. Sallese (EPFL, Switzerland), M. Madec, C. Lallement (ICube, France)</i> | |
| Impact of Dynamic Trapping on High Frequency Organic Field-Effect Transistors | 40 |
| <i>M. Mueller, S. Donnhäuser, S. Mothes, A. Pacheco-Sanchez, K. Haase, S. C. B Mannsfeld, M. Claus (Tech. Univ. Dresden, Germany)</i> | |
| Parameter Extraction for a Simplified EKV-model in a 28nm FDSOI Technology | 45 |
| <i>K. Bajer, S. Paul, D. Peters-Drolshagen (Univ. Bremen, Germany)</i> | |
| Qucs-S/QucsStudio/Octave Schematic Synthesis Tools for Device and Circuit Parameter Extraction from Measured Characteristics | 50 |
| <i>M. Brinson (London Metropolitan Univ., UK)</i> | |
| 1 Design of Integrated Circuits and Microsystems | |
| A Capacitive Feedback 80 dBOhm 1.1 GHz CMOS Transimpedance Amplifier with Improved Biasing | 59 |
| <i>A. Romanova, V. Barzdenas (Vilnius Gediminas Tech. Univ., Lithuania)</i> | |
| A New Architecture of Thermometer to Binary Decoder in a Low-Power 6-bit 1.5GS/s Flash ADC | 65 |
| <i>M. Keyhanazar, A. Kalami (Islamic Azad Univ., Urmia Branch, Iran), A. Amini (Sina Bioelectronics Company, Iran)</i> | |
| A Survey on the Application of Parametric Amplification in Next Generation Digital RF Transceivers | 69 |
| <i>L.M. Pires, J.P. Oliveira (Univ. Nova de Lisboa, Portugal)</i> | |
| A W-band SiGe BiCMOS Transmitter Based on K-band Wideband VCO for Radar Applications | 74 |
| <i>M. Kucharski, M. Widlok, R. Piesiewicz (SIRC Sp. z o.o., Poland)</i> | |
| Active Feedbacks Comparative Analysis for Charge Sensitive Amplifiers Designed in CMOS 40 nm | 78 |
| <i>G. Węgrzyn, R. Kłeczek, P. Kmon (AGH Univ. of Science and Techn., Poland)</i> | |
| ASIC Architecture and Implementation of RED Scheduler for Mixed-Criticality Real-Time Systems | 83 |
| <i>L. Kohutka, V. Stopjaková (Slovak Univ. of Techn. in Bratislava, Slovakia)</i> | |
| CMOS Interface for Capacitive Sensors with Custom Fully-Differential Amplifiers | 89 |
| <i>M. Jankowski, P. Zajac, P. Amroziak, M. Szermer (Lodz Univ. of Techn., Poland)</i> | |
| Comparative Analysis of Power Consumption of Parallel Prefix Adders | 94 |
| <i>I. Brzozowski (AGH Univ. of Science and Techn., Poland)</i> | |
| Low Hardware Complexity Filters for On-Chip Algorithm Used in Air Pollution Sensors for Dense Urban Areas in Smart Cities | 101 |
| <i>Z. Długosz, M. Rajewski (UTP Univ. of Science and Techn., Poland), M. Banach (Poznan Univ. of Techn., Poland), T. Talaška, R. Długosz (UTP Univ. of Science and Techn., Poland)</i> | |
| Low Power Preamplifier for Biomedical Signal Digitization | 107 |
| <i>N. AlJehani (King Saud Univ., Saudi Arabia), M. Abbas (King Saud Univ., Saudi Arabia and Assiut University, Egypt)</i> | |

| | | |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| | Multichannel Programmable Readout IC for Photodiodes Array | 112 |
| | <i>P. Pieńczuk, C. Kołaciński, A. Szymański, P. Janus, K. Kucharski, D. Obrębski, M. Zbieć, M. Jakubowski (Łukasiewicz Research Network - Institute of Electron Techn., Poland)</i> | |
| | Relocatable Partial Bitstreams for Overlay Architectures atop FPGAs | 117 |
| | <i>Z. Mudza (Lodz Univ. of Techn., Poland)</i> | |
| 2 | Thermal Issues in Microelectronics | |
| | Comparison of Set-ups Dedicated to Measure Thermal Parameters of Power LEDs | 127 |
| | <i>K. Górecki, P. Ptak (Gdynia Maritime Univ., Poland), M. Janicki (Lodz Univ. of Techn., Poland)</i> | |
| | Investigations Properties of Selected Methods of Measurements of Thermal Parameters of the IGBT | 133 |
| | <i>K. Górecki, P. Górecki (Gdynia Maritime Univ., Poland)</i> | |
| | Thermal Characterization of Electronic Components Using Single-detector IR Measurement and 3D Heat Transfer Modelling | 139 |
| | <i>M. Kopeć, B. Więcek (Lodz Univ. of Techn., Poland)</i> | |
| 3 | Analysis and Modelling of ICs and Microsystems | |
| | A Process, Voltage and Temperature Dependent Modeling Methodology for Industrial Requirements | 147 |
| | <i>I. Sejc, R. Kappel (ams AG, Austria)</i> | |
| | Capacitance Deviation Caused by Mechanical Deformation of MEMS Inertial Structure | 151 |
| | <i>J. Nazdrowicz, A. Stawiński, A. Napieralski (Lodz Univ. of Techn., Poland)</i> | |
| | Noise Resistance Estimation for a GaN JFET Using Small Signal Measurements for an X-band LNA | 156 |
| | <i>E. Karagianni (Hellenic Naval Academy, Greece), C. Lessi (National Tech. Univ. Athens, Greece), C. Vazouras (Hellenic Naval Academy, Greece), A. Panagopoulos (National Tech. Univ. Athens, Greece), G. Deligeorgis, G. Stavrindis, A. Kostopoulos (Foundation for Research and Techn. Hellas, Greece)</i> | |
| | On Applications of Fractional Derivatives in Circuit Theory | 160 |
| | <i>J. Gulowski (Univ. Gdansk, Poland), T. Stefanski (Gdansk Univ. of Techn., Poland), D. Trofimowicz (SpaceForest Ltd., Poland)</i> | |
| | Simulation of Signal Propagation Along Fractional Order Transmission Lines | 164 |
| | <i>T. Stefanski (Gdansk Univ. of Techn., Poland), D. Trofimowicz (SpaceForest Ltd., Poland), J. Gulowski (Univ. Gdansk, Poland)</i> | |
| | Subban Structure and Ballistic Conductance of a Molybdenum Disulfide Nanoribbon in Topological 1T' Phase: A k·p Study | 168 |
| | <i>V. Sverdlov, A.-M. El-Sayed, S. Selberherr (Tech. Univ. Wien, Austria)</i> | |
| 4 | Microelectronics Technology and Packaging | |
| | Challenges in Performance Improvement of Silicon Systems on Chip in Advanced Nanoelectronics Technology Nodes | 175 |
| | <i>A. Malinowski (Globalfoundries, Germany), S.K. Mishra (Globalfoundries, USA)</i> | |
| | Recessed and P-GaN Regrowth Gate Development for Normally-off AlGaIn/GaN HEMTs | 181 |
| | <i>C. Haloui (LAAS-CNRS and CEA-Tech, France), G. Toulon (EXAGAN, France), J. Tasselli (LAAS-CNRS, France), Y. Cordier, E. Frayssinet (CRHEA-CNRS, France), K. Isoird, F. Morancho (LAAS-CNRS, France), M. Gavelle (CEA-Tech, France)</i> | |
| 5 | Testing and Reliability | |
| | A Human Immunity Inspired Intrusion Detection System to Search for Infections in an Operating System | 187 |
| | <i>P. Widulinski, K. Wawryn (Koszalin Univ. of Techn., Poland)</i> | |
| | The Application of NIR Spectrometer for Average Temperature Measurement in Optical Fibers Based on Spontaneous Raman Scattering for DTS Applications | 192 |
| | <i>I.S.M. Shatarah, B. Więcek (Lodz Univ. of Techn., Poland)</i> | |

| | | |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 6 | Power Electronics | |
| | 1MHz Gate Driver in Power Technology for Fast Switching Applications | 199 |
| | <i>R. Di Lorenzo, A. Baschiroto (Univ. Milan - Bicocca, Italy), A. Pidutti, P. Del Croce (Infineon, Austria)</i> | |
| | An Influence of the Operation Mode of a LED Lamp of the HUE Type on Its Electrical and Optical Parameters | 204 |
| | <i>P. Ptak, K. Górecki, J. Heleniak (Gdynia Maritime Univ., Poland)</i> | |
| 7 | Signal Processing | |
| | Combining Epsilon-similar Fuzzy Rules for Efficient Classification of Cardiotocographic Signals | 213 |
| | <i>M. Jezewski, R. Czabanski, J.M. Leski (Silesian Univ. of Techn., Gliwice, Poland), A. Matonia (Łukasiewicz Research Network - Institute of Med. Techn. and Equipm., Poland), R. Martinek (VBS - Tech. Univ. of Ostrava, Czech Republic)</i> | |
| | Fusion of Position Adjustment from Vision System and Wheels Odometry for Mobile Robot in Autonomous Driving | 218 |
| | <i>J. Zwierzchowski (Lodz Univ. of Techn., Poland), D. Pietrala (Kielce Univ. of Techn., Poland), J. Napieralski (Lodz Univ. of Techn., Poland)</i> | |
| | Marker Detection Algorithm for the Navigation of a Mobile Robot | 223 |
| | <i>A. Annusewicz (Kielce Univ. of Techn., Poland), J. Zwierzchowski (Lodz Univ. of Techn., Poland)</i> | |
| | Modified Particle Swarm Optimization Algorithm Facilitating Its Hardware Implementation | 227 |
| | <i>M. Rajewski, Z. Długosz, R. Długosz, T. Talaśka (UTP Univ. of Science and Techn., Poland)</i> | |
| | Testing Stability of Digital Filters Using Multimodal Particle Swarm Optimization with Phase Analysis | 232 |
| | <i>D. Trofimowicz (SpaceForest Ltd., Poland), T. Stefanski (Gdansk Univ. of Techn., Poland)</i> | |
| 8 | Embedded Systems | |
| | A Database Proposal for an Application Involving Industrial Networks for Industry 4.0 Concepts | 239 |
| | <i>A. Lugli, E. Neto, J.P. Henriques, M.T. de Carvalho Silva, N. Dias Pereira (Inatel, Brazil), T.C. Pimenta (UNIFEI, Brazil)</i> | |
| | Consistency Preserving Development of Embedded Systems Using AADL | 245 |
| | <i>T. Szmuc, W. Szmuc (AGH Univ. of Science and Techn., Poland)</i> | |
| | Indoor Precise Infrared Navigation | 249 |
| | <i>P. Marzec, A. Kos (AGH Univ. of Science and Techn., Poland)</i> | |
| | Linux Kernel Driver for External Analog-to-Digital and Digital-to-Analog Converters | 255 |
| | <i>P. Skrzypiec, Z. Marszałek (AGH Univ. of Science and Techn., Poland)</i> | |
| | Multipoint Wireless Humidity and Temperature Monitoring Network for HVAC Systems Validation | 260 |
| | <i>M. Zbieć, D. Obrębski (Sieć Badawcza Łukasiewicz - Instytut Technologii Elektronowej, Poland)</i> | |
| | Performance Constraints of Machine Learning on Embedded Devices | 266 |
| | <i>Ł. Grzymkowski, T. Stefanski (Gdansk Univ. of Techn., Poland)</i> | |
| | Rigorous Development of Embedded Systems Supported by Formal Tools | 272 |
| | <i>T. Szmuc, W. Szmuc (AGH Univ. of Science and Techn., Poland)</i> | |
| | Sensor Fusion Algorithm Implementation on Microchip PIC Microcontroller | 277 |
| | <i>S. Salas, C. Valdez, K. Lau (Univ. Peruana de Ciencias Aplicadas, Peru), M.H. Amini (Florida International University, USA), M. Kropidłowski, P. Śniatała (Poznan Univ. of Techn., Poland)</i> | |
| | Virtualization of an Aluminum Cans Production Line Using Virtual Reality | 282 |
| | <i>L. Sales de Oliveira Almeida, A. Baratella Lugli (Inatel, Brazil), T. Cleber Pimenta (UNIFEI, Brazil), M.V. Cirino e Silva, J.P. Carvalho Henriques, R. Paranaíba Mesquita (Inatel, Brazil)</i> | |
| | Index of Authors | 289 |