

2020 International Symposium on Power Electronics, Electrical Drives, Automation and Motion (SPEEDAM 2020)

**Sorrento, Italy
24 – 26 June 2020**



**IEEE Catalog Number: CFP2048A-POD
ISBN: 978-1-7281-7020-6**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP2048A-POD
ISBN (Print-On-Demand):	978-1-7281-7020-6
ISBN (Online):	978-1-7281-7019-0

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

Electric Motor Drives I

- 1 *Khashimov A., Tairov Y., Rampias I.* - (Uzbekistan, Greece)
Efficiency of an energy-saving system of asynchronous electric drive for metallurgical enterprises
- 5 *Adel M. M., Ahmed W. A., Taha M., Saleh A. A.* - (Egypt)
Enhanced sensorless field oriented controlled PMSM drive using fractional calculus and PSO technique
- 11 *Hilverkus J., Hagl R., Kennel R.* - (Germany)
Structural mechanical limitations of dynamics of servo drives
- 17 *Zhang B., Gao X.* - (China)
Hybrid adaptive integral sliding mode speed control of PMSM system using RBF neural network
- 23 *Höllthaler J., Hagl R., Kennel R.* - (Germany)
Influence of the PWM frequency on dynamic and position stability of servo drives
- 30 *Foti S., De Caro S., Testa A., Tornello L. D., Scelba G., Scarcella G.* - (Italy)
Grid-connected open-end winding induction motor drives
- 36 *Spampinato A., Forte G., Scelba G., De Donato G.* - (Italy)
A cost-effective switched reluctance motor drive for vacuum cleaners

Generators for Renewable Energy Sources

- 42 *Negnevitsky M.* - (Australia)
Impact of DFIG based wind generation on grid voltage and frequency support
- 47 *Olubamiwa O. I., Gule N.* - (South Africa)
Prioritizing power factor in power density assessments of DFIG alternatives
- 53 *Hutton T., Gule N.* - (South Africa)
Simplified vector control of a nested-loop rotor brushless doubly fed induction motor
- 59 *Demidova G., Anuchin A., Lukin A., Lukichev D., Rassõlkin A., Belahcen A.* - (Russia, Estonia, Finland)
Magnus wind turbine: finite element analysis and control system
- 65 *Agha Kashkooli M. R., Jovanovic M., Ademi S.* - (United Kingdom)
Sensorless power control of doubly-fed reluctance wind turbine generators using a current-based MRAS estimator
- 71 *Credo A., Di Leonardo L., Parasiliti F., Tursini M., Villani M.* - (Italy)
Optimum wave energy conversion of a point absorber with direct electrical power take-off

Electric Machines Modeling and Analysis I

- 77 *Gerlach M. E., Zajonc M., Ponick B.* - (Germany)
Methodology to evaluate the mechanical stress in high speed electric machines with buried magnets
- 85 *Hoffmann A., Ponick B.* - (Germany)
Statistical deviation of high-frequency lumped model parameters for stator windings in three-phase electrical machines
- 91 *Su S. W., Kennel R., Hackl C. M.* - (Germany)
Analytical flux linkage approximation prototypes for reluctance synchronous machines

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 97 *Neusues S., Binder A.* - (Germany)
Analysis of three-phase sudden short-circuits of synchronous reluctance motors without and with ferrite magnet assistance
- 103 *Boecker J.* - (Germany)
Analysis of the magnetic skin effect in motors and inductors
- Wireless and Advanced Charging Systems**
- 108 *Brusaglino G., Oceano A., Rodella G., Rizzo R., Di Noia L. P.* - (Italy)
Grid balancing support through electric vehicles mobile storage
- 114 *Karlsson A., Alaküla M.* - (Sweden)
Integrated and isolated EV charger for AC and electric road applications
- 120 *Di Benedetto M., Lidozzi A., Solero L., Crescimbeni F., Bifaretti S.* - (Italy)
SiC-based four-port dab converter for high power density fast charging station
- 126 *Guerriero P., Coppola M., Lauria D., Daliento S.* - (Italy)
PWM based sliding mode control of a fast charger for supercapacitors
- 132 *Meile L., Ulrich A., Mayer P., Magno M.* - (Switzerland)
Radio frequency power transmission for self-sustaining miniaturized IoT devices: survey and experimental evaluation
- 138 *Faraci G., Rizzo S. A., Schembra G.* - (Italy)
Unmanned aerial vehicles and wind generation serving isolated areas
- Electric Machines Modeling and Analysis II**
- 144 *Siadatan A., Gotlieb J., Afjei E.* - (Canada, Iran)
Comparison of power factor between permanent magnet assisted synchronous reluctance motor with neodymium-iron-boron and ferrite magnets
- 151 *Dajaku G.* - (Germany)
Investigation of different claw pole traction machines for 48V small electric vehicles
- 157 *Conti P., Rubino G., Marignetti F., Boukadida Y., De Gregorio F., et al.* - (Italy)
Noise and vibration analysis of an inverter-fed three-phase induction motor
- 162 *Neusues S., Erd N., Binder A., Traxler-Samek G.* - (Germany)
Transient simulation of single-phase synchronous generators from manufacturer data
- 168 *Breitenbach E., Wunsch E., Schramm A.* - (Germany)
Thermal monitoring of electrical machines by linear differential equations and numerical calibration procedure
- 173 *Foti S., De Caro S., Testa A., Tornello L. D., Scelba G., Cacciato M.* - (Italy)
An open-end winding hybrid transformer
- Battery Energy Storage Systems: Performance Evaluation Methods**
- 178 *Micolano E.* - (Italy)
Energy storage battery aging: general methodology and examples of application

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 184 *Brivio C., Carrillo R. E., Alet P. J., Hutter A.* - (Switzerland)
Bestimator™: a novel model-based algorithm for robust estimation of battery SOC
- 189 *Rancilio G., Merlo M., Lucas A., Kotsakis E., Delfanti M.* - (Italy)
Bess modeling: investigating the role of auxiliary system consumption in efficiency derating
- 195 *Evers C., Müller V., Hofmann W.* - (Germany)
Design and application of energy storage for electrical multi-drive systems with fluctuating load on the example of a storage and retrieval machine
- 201 *Micari S., Foti S., Testa A., De Caro S., Sergi F., et al.* - (Italy)
Ageing effects prediction on Lithium-ion batteries in second-life applications
- Electric Motor Drives II**
- 207 *Bierhoff M., Büsch J.* - (Germany)
Novel scalar versus field oriented speed control of induction machine drives
- 213 *Comanescu M.* - (United States)
Minimum time speed control of the induction motor drive using discrete time sliding mode
- 219 *Stender M., Wallscheid O., Böcker J.* - (Germany)
Accurate torque estimation for induction motors by utilizing globally optimized flux observers
- 227 *Souri A., Siadatan A., Kashani Mm. R.* - (Canada, Iran)
Improving sensor-less vector controller for a synchronous reluctance motor by upgrading the inverter used
- 232 *Chung H. B., Kennel R.* - (Germany)
PWM-based sensorless control of electrically excited synchronous machine using mutual inductance
- 237 *Henke T., Frick F., Lechler A., Verl A.* - (Germany)
Adaptive PWM modulation for an increased energy efficiency of industrial drives
- Power Grid Innovative Solutions towards the Implementation of the Swiss Energy Strategy 2050**
- 243 *Baltensperger D., Dobrowolski J., Obushevs A., Segundo Sevilla F. R., Korba P.* - (Switzerland)
Scaling version of Kundur's two-areas system for electromechanical oscillations representation
- 250 *Utvic M., Dujic D.* - (Switzerland)
Direct arm energy control in modular multilevel converter under unbalanced grid conditions
- 257 *Galland O., Eggenschwiler L., Favre-Perrod P., Rayati M., Carpita M., Bozorg M.* - (Switzerland)
Distribution grid control and flexibility provision based on optimal product splits selection method
- 263 *Borgna L., Gfeller D., Muntwyler U.* - (Switzerland)
Highly-efficient electronic power converter with low electromagnetic interference
- 269 *Bozorg M., Bracale A., De Falco P., Mottola F., Proto D.* - (Italy, Switzerland)
Incidence of input forecast error in microgrid operation
- Hybrid and Electric Vehicles**
- 275 *Colnago S., Mauri M., Piegari L.* - (Italy)
Cost and efficiency analysis of different powertrain architectures for fuel cell electric vehicles

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 281 *Kuenzler M., Pflueger R., Lehmann R., Werner Q., Schaefer U.* - (Germany)
Scalable thermal model of a synchronous machine for the thermal assessment in different electric vehicle use cases
- 287 *Dovidio G., Masciovecchio C., Ometto A., Villante C.* - (Italy)
On the design of a partitioned fuel-cell hybrid power unit for city transit buses
- 293 *Widek P., Alaküla M.* - (Sweden)
Modeling of electric power system in electric vehicles
- 299 *Frivaldsky M., Adamec J., Danko M., Drgona P.* - (Slovakia)
Traction battery (40 Ah LiFePO₄) recovery after long-term short circuit
- 305 *Cosman S. I., Vascan I., Bilatiu C., Tintelecan A., Zorlescu B., Martis C.* - (Romania)
Design and analysis of an hvac system for electric vehicles
- 311 *Ambrosino M., De Tommasi G., Ormando N., Petrillo A., Santini S., Toscano G.* - (Italy)
Rapid prototyping of model-based fuel injection and ignition control systems
- 317 *Rasool H., El Baghdadi M., Rauf A. M., Zhaksylyk A., Hegazy O.* - (Belgium)
A rapid non-linear computation model of power loss and electro thermal behaviour of three-phase inverters in EV drivetrains
- Analysis and Control of Microgrids**
- 324 *Stille K. S., Weber D., Lange J., Vogt T., Wallscheid O., Böcker J.* - (Germany)
Emulation of microgrids for research and validation of control and operation strategies
- 330 *Al Ouardi A., Gruosso G.* - (Italy)
Hardware in the loop simulation of a microgrid: framework for integration of different real time devices
- 336 *Zapata J. W., Postiglione G., Pezet F.* - (Italy)
Supervision based smart microgrid systems: grid connected, island mode and seamless transition
- 342 *Vahle D., Staudt V.* - (Germany)
Contribution to the classification of power electronic assets in converter-dominated grids
- 351 *Ciavarella R., Graditi G., Valenti M., Pinnarelli A., Barone G., Vizza M.* - (Italy)
An advanced DBS strategy for a DC nanogrid integrating several energy storage technologies
- 357 *Ciornei S. M., Ruba M., Nemes R. O., Martis C.* - (Romania)
Multi-level models for a light electric vehicle propulsion system using emr organisation
- 363 *Roscia M., Lazaorui C., Saadatmandi S.* - (Italy, Romania)
Blockchain strategies and policies for sustainable electric mobility into smart city
- 369 *Roscia M., Lazaorui C., Saadatmandi S.* - (Italy, Romania)
Finite element methodologies application in EV's charging infrastructure planning
- Power Electronic Devices**
- 375 *Guerriero P., Orcioni S., Mataben I., Daliento S.* - (Italy)
A GaN based bidirectional switch for matrix converter applications

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 381 *Raciti A., Rizzo S. A., Salerno N., Bazzano G., Raffa A., Veneziano P. P.* - (Italy)
Parameters optimization of a behavioural spice model of an automotive grade SiC MOSFET using particle swarm optimization algorithm
- 387 *Rubino L., Rubino G.* - (Italy)
Definition of the solid state circuit breaker limits working with active clamp driver
- 390 *Salvo L., Pulvirenti M., Sciacca A. G., Nania M., Scelba G.* - (Italy)
Impact of packaging on the short-circuits capability of SiC mosfets
- 396 *Musumeci S., Solimene L., Ragusa C., de la Barriere O., Palma M.* - (Italy, France)
Saturable inductor modelling in GaN fets based synchronous buck converter
- 402 *Reiff D., Feng J., Shang J., Staudt V.* - (Germany, China)
Comparison of switching behaviour and losses of high-power Si and SiC power module
- 408 *Moradpour M., Franke W. T., Pirino P., Gatto G.* - (Italy)
Current source gate driver for GaN E-HEMT in hard-switched high power applications
- Electric Marine Shipping Solutions towards a Zero Emissions Future**
- 414 *D'Agostino F., Gualeni P., Schiapparelli G. P., Silvestro F.* - (Italy)
Control strategy and architecture for integrating distributed fuel cells on board large cruise ships
- 419 *Mauro F., La Monaca U., La Monaca S., Marinò A., Bucci V.* - (Italy)
Hybrid-electric propulsion for the retrofit of a slow-tourism passenger ship
- 425 *Ruggiero V.* - (Italy)
New methodology to approach project of small hybrid propulsion passenger ferries for italian scenario
- 430 *Coppola T., Micoli L., Turco A. M.* - (Italy)
State of the art of high temperature fuel cells in maritime applications
- 436 *Altosole M., Campora U., Vigna V.* - (Italy)
Energy efficiency analysis of a flexible marine hybrid propulsion system
- 442 *Alosa C., Immovilli F., Lorenzani E.* - (Italy)
Reconfigurable multi-three-phase propulsion system for naval rim-driven propeller
- Design of Electric Machines**
- 448 *Giangrande P., Madonna V., Galea M.* - (United Kingdom, China)
Reliability-oriented design of low-voltage electrical machines based on accelerated thermal aging tests
- 454 *Miroschnitschenko B., Poltschak F., Amrhein W.* - (Austria)
A design method for double cage rotor considering speed-torque characteristic optimization in induction machines
- 460 *Botha S., Gule N.* - (South Africa)
Design of a contact-less energy transfer system for electrically excited synchronous machines
- 466 *Chen P., Moallem M., Kiani M., Fahimi B.* - (United States)
A novel structure for exterior-rotor switched reluctance machines
- 472 *Martinović M., Stipetić S., Klanac M., Zarko D.* - (Croatia)
Comparison of synchronous reluctance machines using topology optimization

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 478 *Park J., Bianchini C., Bellini A., Davoli M., Bianchi N.* - (Italy)
Experiment-based performance analysis for dual three-phase synchronous reluctance motor according to different winding configurations
- 484 *D'Andrea M., Di Domenico G., Macera D., Fiume F.* - (Italy)
Electromagnetic brakes in electromechanical actuators for aerospace applications
- 489 *Estenlund S.* - (Sweden)
Hollow direct air cooled windings: rotor design process
- 497 *Dannier A., Fedele E., Coppola M.* - (Italy)
Sizing approach of high torque density motors for aircraft application
- Photovoltaic Converters and Systems I**
- 502 *Mahat R., Duwadi K., dos Reis F. B., Fourney R., Tonkoski A. R., Hansen T. M.* - (United States)
Techno-economic analysis of PV inverter controllers for preventing overvoltage in LV grids
- 508 *Daoud M., Bahloul M., Khadem S.* - (Ireland)
Transformerless large-scale grid-tied PV system using sensorless boost modular multilevel inverter with DC fault blocking capability
- 514 *Ahmed M., Abdelrahem M., Hackl C. M., Kennel R.* - (Germany)
A robust maximum power point tracking based model predictive control and extended Kalman filter for PV systems
- 520 *Faranda R., Akkala K.* - (Italy)
Reduction power point tracking for standalone PV systems: preliminary studies
- 526 *Palma L.* - (Chile)
A Quasi Z-source matrix microinverter for grid connected PV applications
- Electric Wheeled Mobile Robots**
- 532 *Sergiyenko O., Tyrsa V., Ivanov M., Mercorelli P., Hernandez W., Kolendovska M.* - (Mexico)
Fusion of knowledge bases for better navigation of wheeled mobile robotic group with 3D TVS
- 538 *Hernandez W., Flor O., Vargas O., Mendez A., Sergiyenko O., Tyrsa V.* - (Ecuador)
Construction of a robotic platform of differential type for first-year students of electronic engineering
- 544 *Tsymbol O., Bronnikov A., Mercorelli P.* - (Ukraine, Germany)
Decision-making models for robotic warehouse
- 550 *Bai Y., Wang D.* - (United States)
Improve 3D modeless robots calibration accuracy using a shallow neural network technique
- Energy Storage for Electric Power Grid**
- 556 *Byrne R. H., Nguyen T. A., Headley A., Trevizan R.* - (United States)
Opportunities for storage plus solar in the CAISO real-time market
- 564 *Weaver W., Hagmuller A., Ginsburg M., Wilson D., Bacelli G., et al.* - (United States)
Super capacitor energy storage system design for wave energy converter demonstration
- 571 *Rosewater D., Schenkman B., Santoso S.* - (United States)
Adaptive modeling process for a battery energy management system

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 577 *Tamrakar U., Guruwacharya N., Bhujel N., Wilches-Bernal F., Hansen T. M., Tonkoski A. R.* - (United States)
Inertia estimation in power systems using energy storage and system identification techniques
- 583 *Trevizan R., Nguyen T. A., Byrne R. H.* - (United States)
Sizing behind-the-meter energy storage and solar for electric vehicle fast-charging stations
- Railways Drives and Systems**
- 589 *Menicanti S., Di Benedetto M., Lidozzi A., Solero L., Crescimbin F.* - (Italy)
Recovery of train braking energy in 3 kV DC railway systems: a case of study
- 595 *Enache S., Campeanu A., Vlad I., Zlatian R., Enache M. A.* - (Romania)
Dynamic analysis of new induction motor for electrical traction
- 600 *Lamedica R., Del Greco L., Ruvio A., Buffarini G. G., Trezza G.* - (Italy)
A methodology to analyse voltage unbalance mitigation in 2x25 kV-50 Hz railway systems
- 606 *Enache S., Campeanu A., Enache M. A., Vlad I., Popescu M.* - (Romania)
New aspects in optimal design of asynchronous motors used in light railway traction
- 612 *Kobayashi H., Kondo K.* - (Japan)
A novel control method of parallel connected onboard energy storage system for DC-electrified rail vehicle to increase traction motor power
- Analysis and Quality Aspects of Power Systems**
- 618 *Ulgen T., Poyrazoglu G.* - (Turkey)
Predictor analysis for electricity price forecasting by multiple linear regression
- 623 *Kim B., Boulaud E., Boisaubert E., Am S., Chrin P.* - (Cambodia, France)
Study of the control of an AC voltage stabilizer using LQR and anti-windup
- 628 *Kar A. S., Gurrala G.* - (India)
A systematic tuning approach for multi-band power system stabilizers (PSS4B)
- 634 *Nicolae M. S., Nicolae I. D., Nicolae P. M., Marinescu R. F.* - (Romania)
Evaluating the instantaneous components of fundamental frequency from non-stationary waveforms with SWT
- 640 *Cismaru S. I., Besnea Petcu F. L., Resceanu I. C., Ionescu M., Epure D. S., Bizdoaca N. G.* - (Romania)
Experimental study regarding an intelligent control system for traffic light intersections
- 646 *Roknuzzaman M., Hamasaki S. I.* - (Japan)
Power flow control using modular multilevel converter for 3-phase AC/AC conversion
- 652 *Abojams B., Quraan M., Abu-Khaizaran M.* - (Palestine)
A multi-function current controller for a virtual synchronous generator
- Design of Permanent Magnet Machines**
- 657 *Tamaki J., Miki I., Okamoto Y.* - (Japan)
IPMSM using permalloy and bond magnet
- 662 *Urbanek S., Keuter R., Peter E., Ponick B.* - (Germany)
Effects of continuous rotor skewing in additively manufactured permanent magnet rotors

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 670 *Poskovic E., Ferraris L., Bianchi N.* - (Italy)
Two approaches in the use of ferrites in assisted reluctance machines
- 676 *Jeong C., Park J., Bianchi N.* - (South Korea)
Alternatives to replace rare-earth permanent magnet motors in direct drive applications
- Estimation and Identification Procedures in Electric Systems**
- 682 *Woehrschimmel R., Wolbank T., Zoeller C., Vogelsberger M.* - (Austria)
Estimation of model parameters for simulation of inverter-fed electrical machines' transient terminal voltage
- 688 *Fabbri S., D'Amato D., Palmieri M., Cupertino F., Nienhaus M., Grasso E.* - (Germany)
Performance comparison of different estimation techniques of the external load-torque applied on a PMSM using direct flux control
- 694 *Fioravanti A., Prudenzi A., Bucci G., Fiorucci E., Ciancetta F., Mari S.* - (Italy)
Non intrusive electrical load identification through an online SFRA based approach
- 699 *Kawamura N., Nomura Y., Zanma T., Liu K. Z., Hasegawa M.* - (Japan)
Q-axis inductance identification for IPMSMs using DyCe principle based adaptive flux observer
- 705 *Inoue S., Kawamura N., Zanma T., Liu K. Z.* - (Japan)
Position sensorless positioning servo system based on feedback error learning
- 711 *Spertino F., Ciocia A., Di Leo P., Fichera S., Giordano F., Malgaroli G.* - (Italy)
A novel procedure to adjust the equivalent circuit parameters of photovoltaic modules under shading
- 716 *Sovicka P., Rafajdus P., Vavrus V.* - (Slovakia)
Self sensing control of switched reluctance drive with sliding mode observer using phase voltage calculation
- Analysis and Design of Power Converters**
- 722 *Morgos J., Frivaldsky M., Hanko B.* - (Slovakia)
Comparison of modular and non-modular bidirectional converter for renewable energy node
- 727 *Palma L.* - (Chile)
Quasi-Y-source and Quasi-Z-source DC-DC converter comparison for PV applications
- 733 *Siadatan A., Tahzibi S., Babaloo R., Gotlieb J.* - (Canada, Italy, Iran)
Simple switched-inductor high-gain boost converter
- 738 *Himmelstoss F. A., Iz A., Votzi H. L.* - (Austria)
Quadratic bidirectional buck-boost converter
- 744 *Barresi M., De Simone D., Piegari L.* - (Italy)
Optimization of MMC level number for battery integration in MV grid
- 751 *Torrisi A., Brunelli D.* - (Italy)
Magnetic resonant coupling wireless power transfer for lightweight batteryless UAVs
- 757 *Szekely N. C., Sabau M. S., Iuoras M. A., Bojan M., Teodosescu P. D.* - (Romania)
Overall performance analysis of a resonant driver with different LED output stages
- 763 *Ferencz I., Petreus D., Patarau T.* - (Romania)
Comparative study of three snubber circuits for a phase-shift converter

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 769 *Coppola M., Dannier A., Del Pizzo A.* - (Italy)
Loss analysis of dual active bridge DC/DC converter for aircraft application
- Multiphase Drives**
- 774 *Valikhani M., Wu T., Schäfer U.* - (Germany)
Dynamic modelling and control of multiphase doubly fed induction generator in wind turbine systems
- 779 *Spas S., Kowarschik S., Laumer J., Wiesinger M., Hackmann W.* - (Germany)
Five-phase IPMSM: torque density improvement by third harmonic injection
- 787 *Cervone A., Slunjski M., Levi E., Brando G.* - (Italy)
Optimal multi-harmonic current injection strategy for an asymmetrical nine-phase PMSM
- 793 *Alosa C., Immovilli F., Lorenzani E.* - (Italy)
Fault-tolerant multi-three-phase PMSM machine for offroad vehicle hybridization
- 799 *Sibanda A., Gule N.* - (South Africa)
Modelling of a grid connected nine-phase induction generator
- Converters Control and Modulation**
- 805 *Errouissi R., Alkhaddeim S.* - (United Arab Emirates, Canada, Morocco)
Output feedback control of three-phase grid-tied inverter with LCL filter with enhanced transient response
- 811 *Marchesoni M., Passalacqua M., Vaccaro L.* - (Italy)
An improved control strategy for an innovative DC-DC converter for interfacing energy storage systems
- 816 *Rubino L., Rubino G., Carbonaro G.* - (Italy)
Soft-switching modulation for boost full bridge converter with active clamp circuit
- 821 *Espinosa E., Reyes M., Garcés H., Melin P., Espinoza J., et al.* - (Chile, Australia)
Finite control set – model predictive control with improved harmonic rejection applied to multi-cell AFE rectifier
- 827 *Javed K., Vandeveld L., De F.Belie.* - (Belgium)
Feed-forward control method for digital power factor correction in parallel connected buck-boost converter (CCM mode)
- 832 *Puricelli F., Suul J. A., Piegari L., D'Arco S.* - (Italy, Norway)
Evaluation of inertia emulation strategies for DC-voltage-controlled and power-controlled converter stations in HVDC interconnections
- 839 *Adragna C., Bianco A.* - (Italy)
Cycle-by-cycle average input current control of resonant converters
- 846 *Brando G., Cervone A., Franzese P., Meo S., Toscano L.* - (Italy)
Gain scheduling control with minimum-norm pole-placement design of a dual-active-bridge DC-DC converter
- Photovoltaic Converters and Systems II**
- 852 *Iqbal Z., Djokic S. Z., Yanchenko S., Spelko A., Papic I.* - (United Kingdom, Slovenia, Russia)
Performance evaluation of PV inverter with active filter functionality

SPEEDAM 2020 – Proceedings

INTERNATIONAL SYMPOSIUM ON POWER ELECTRONICS, ELECTRICAL DRIVES AND MOTION
VIRTUAL MEETING, June 24th – June 26th

PROCEEDINGS INDEX

- 858 *Nobile G., Vasta E., Cacciato M., Scarcella G., Scelba G., et al.* - (Italy)
Mismatch losses in large PV plants: data analysis of a case study and modeling approach
- 865 *Alarefi S.* - (United Kingdom)
Simulink simulation of a current mode control DC-DC based PV emulator
- 871 *Babaie M., Saeidi M., Sharifzade M., Hamadi A., Al-Haddad K., Chandra A.* - (Canada)
Hybrid ANN-linear controller for maximum PV energy harvesting in grid-tied packed E-cell inverter