

# **2020 Conference on Precision Electromagnetic Measurements (CPEM 2020)**

**Denver, Colorado, USA  
24 – 28 August 2020**



**IEEE Catalog Number: CFP20PEM-POD  
ISBN: 978-1-7281-5899-0**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP20PEM-POD
ISBN (Print-On-Demand):	978-1-7281-5899-0
ISBN (Online):	978-1-7281-5898-3
ISSN:	0589-1485

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: Capacitance**

**Further research on the NIM's new vertical calculable cross-capacitor with latest optimal hollow active auxiliary electrode** 1

**Lu Huang<sup>1</sup>**, Yan Yang<sup>1</sup>, Lu Zuliang<sup>1</sup>, Wei Wang<sup>1</sup>, Jianbo Wang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Progress report on the LNE Thompson-Lampard Calculable Capacitor** 3

**Olivier Thevenot<sup>1</sup>**, Almazbek Imanaliev<sup>1</sup>, Kamel Dougdag<sup>1</sup>, Francois Piquemal<sup>1</sup>  
<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France

**Improvements on Laser Interferometer in Calculable Capacitor at NIM** 5

**Jianbo Wang<sup>1</sup>**, Cong Yin<sup>1</sup>, Jin Qian<sup>1</sup>, Chunying Shi<sup>1</sup>, Lu Huang<sup>1</sup>, Yan Yang<sup>1</sup>, mingyu zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Experiments on Linking the von Klitzing Constant and the Farad at NIM** 7

**Yan Yang<sup>1</sup>**, Lu Huang<sup>1</sup>, Yunfeng Lu<sup>1</sup>, Jianting Zhao<sup>1</sup>, Jianbo Wang<sup>1</sup>, Wei Wang<sup>1</sup>, Lu Zuliang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Impedance Metrology: Bridging the LF-RF Gap** 9

**Marco Agustoni<sup>1</sup>**, Frederic Overney<sup>1</sup>  
<sup>1</sup>METAS, Bern-Wabern, Bern, Switzerland

**Calibration of 10 nF Capacitance Standard from dc QHR using a Digital Impedance Bridge** 11

**Ngoc Thanh Mai Tran<sup>1</sup>**, Wan-Seop Kim<sup>2</sup>, Dan Bee Kim<sup>2</sup>  
<sup>1</sup>Politecnico di Torino, Torino, Piedmont, Italy, <sup>2</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Establishment of 4TP air capacitance standard for 1 pF, 10 pF, 100 pF and 1000 pF in the frequency range up to 30 MHz at NIMT** 13

**Monthol Homklintian**, National Institute of Metrology (Thailand), Klong Luang, Pathum Thani, Thailand

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: Current**

**Comparison between two dc low current traceability chains** 15

**Luca Callegaro<sup>1</sup>**, Cristina Cassiagio<sup>1</sup>, Vincenzo D'Elia<sup>1</sup>, Emanuele Enrico<sup>1</sup>, Enrico Gasparotto<sup>1</sup>, Ilaria Finardi<sup>1</sup>, Martin Goetz<sup>2</sup>  
<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Ohm's Law Low-current Calibration System for Ionization Chambers** 17

**Dean Jarrett<sup>1</sup>**, Shamith Payagala<sup>1</sup>, Ryan Fitzgerald<sup>1</sup>, Denis Bergeron<sup>1</sup>, Jeffrey Cessna<sup>1</sup>, Charles J. Waduwarage Perera<sup>1</sup>, Neil Zimmerman<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**In-circuit current measurements with a frequency above 1 MHz: a shunt based on active components** 19

**Iliia Kolevator<sup>1</sup>**, Bjørnar Karlsen<sup>1</sup>, Kristian Ellingsberg<sup>1</sup>, Tore Sørsdal<sup>1</sup>, Helge Malmbekk<sup>1</sup>  
<sup>1</sup>Justervesenet, Kjeller, Norway

**Comparison amplitude error of current shunts at frequencies up to 100 kHz between NMIA and NIM** 21

**Xianlin Pan<sup>1</sup>**, Ilya Budovsky<sup>2</sup>, Vasukan Balakrishnan<sup>2</sup>, Zhaomin Shi<sup>1</sup>, Jiangtao Zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>National Measurement Institute Australia, West Lindfield, NSW, Australia

**Comparison of phase angle errors of current shunts between NMIA and NIM** 23

**Xianlin Pan<sup>1</sup>**, Ilya Budovsky<sup>2</sup>, Vasukan Balakrishnan<sup>2</sup>, Zhaomin Shi<sup>1</sup>, Jiangtao Zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>National Measurement Institute Australia, West Lindfield, NSW, Australia

**Modeling Wideband Low-Current Shunts with a New Design** 25

**Gregory A. Kyriazis<sup>1</sup>**, Regiane Souza<sup>1</sup>, Eliana Yasuda<sup>2</sup>, Lucas Di Lillo<sup>2</sup>  
<sup>1</sup>Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil, <sup>2</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martin, Buenos Aires, Argentina

**A wideband current shunt** 27

**Marian Kampik<sup>1</sup>**, Maciej Malinowski<sup>1</sup>, Michal Grzenik<sup>1</sup>, Krzysztof Kubiczek<sup>1</sup>, Kordian Dudzik<sup>1</sup>  
<sup>1</sup>Silesian University of Technology, Gliwice, Poland

**Fabrication of High-Current Multijunction Thermal Current Converters on Silicon Substrates by Wet Chemical Etching** 29

**Yasutaka Amagai<sup>1</sup>**, Stefan Cular<sup>2</sup>, Joseph A. Hagmann<sup>2</sup>, Thomas Lipe<sup>3</sup>, Nobu-Hisa Kaneko<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>3</sup>Stanly Metrology Consultants, Richfield, NC

**Bilateral comparison of current transformer measuring systems of NCHVM and PTB** 31

**Xue Wang<sup>1</sup>**, Enrico Mohns<sup>2</sup>, Sören Rose<sup>2</sup>, Chun Yang Jiang<sup>1</sup>, Qiong Xiang<sup>1</sup>  
<sup>1</sup>National Center For High Voltage Measurement, Wuhan, Hubei, China, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**A Stable 24 A, 100 kHz Transconductance Amplifier 33**

Gregory A. Kyriazis, *Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil*

---

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: DC Resistance**

**Extending the Calibration Capabilities of High Resistance 35**

Bernhard H. Schumacher<sup>1</sup>, **Christian Rohrig**<sup>1</sup>  
<sup>1</sup>*Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany*

**Evaluation of an alternative null detector for adapted Wheatstone bridge 37**

**Shamith Payagala**<sup>1</sup>, Alana Dee<sup>2</sup>, Dean Jarrett<sup>1</sup>  
<sup>1</sup>*National Institute of Standards and Technology, Gaithersburg, MD*, <sup>2</sup>*University of Pittsburgh, Swanson School of Engineering, Pittsburgh, PA*

**Evaluation of NMIJ Traveling Dual Source Bridge Using NIST Adapted Wheatstone Bridge 39**

**Takehiko Oe**<sup>1</sup>, Shamith Payagala<sup>2</sup>, Dean Jarrett<sup>2</sup>, Nobu-Hisa Kaneko<sup>1</sup>  
<sup>1</sup>*National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan*, <sup>2</sup>*National Institute of Standards and Technology, Gaithersburg, MD*

**Pilot Study on Transport Behaviour of 100-Ω Standard Resistors for Use in APMP Key Comparisons 41**

Kuan Hoong Lim<sup>1</sup>, Sze Wey Chua<sup>1</sup>, **Takehiko Oe**<sup>2</sup>, Nobu-Hisa Kaneko<sup>2</sup>  
<sup>1</sup>*National Metrology Centre, A\*STAR, Singapore, Singapore*, <sup>2</sup>*National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan*

**Method for the Calibration of Cryogenic Current Comparator Ratios 43**

**Yunfeng Lu**<sup>1</sup>, Jianting Zhao<sup>1</sup>, Qing He<sup>1</sup>  
<sup>1</sup>*National Institute of Metrology (NIM), Beijing, China*

---

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: DC and AC Voltage**

**Noise and stability of Fluke 8588A in digitizing mode 45**

Martin Šira, *Czech Metrology Institute, Brno, Czech Republic*

**Investigation of the Influence of Humidity on the Output Voltage of a Prototype of a Compact Detachable Zener Module 47**

**Michitaka Maruyama**<sup>1</sup>, Chiharu Urano<sup>1</sup>, Nobu-Hisa Kaneko<sup>1</sup>, Takahiro Kanai<sup>2</sup>, Eiji Sannomaru<sup>2</sup>, Jun Honjo<sup>2</sup>, Isao Tanaka<sup>2</sup>, Yuji Yoshino<sup>2</sup>  
<sup>1</sup>*National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan*, <sup>2</sup>*ADC Corporation, Saitama, Japan*

**Research on the Technology of Calibrating millivolt AC voltage Source 49**

**Ding Xiang**<sup>1</sup>, Huang Yan<sup>1</sup>, Zhang Lei<sup>1</sup>, Xianlin Pan<sup>2</sup>, Zhaomin Shi<sup>2</sup>, Jiangtao Zhang<sup>2</sup>  
<sup>1</sup>*Beijing Institute of Metrology, Beijing, Beijing, China*, <sup>2</sup>*National Institute of Metrology (NIM), Beijing, China*

**Keysight 3458A Digitiser Complex Frequency Response Identification using a Band Limited Square Wave 51**

Rado Lapuh<sup>1</sup>, **Luis Palafox**<sup>2</sup>, Ralf Behr<sup>2</sup>, Boštjan Voljč<sup>3</sup>  
<sup>1</sup>*Metrology Institute of the Republic of Slovenia, Ljubljana, Slovenia, Slovenia*, <sup>2</sup>*Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany*, <sup>3</sup>*SIQ Ljubljana, Ljubljana, Slovenia*

**Linearity Measurements on Critical Noise Thermometer Components 53**

**Christian Krause**<sup>1</sup>, Dietmar Drung<sup>1</sup>  
<sup>1</sup>*Physikalisch-Technische Bundesanstalt (PTB), Berlin, Berlin, Germany*

**Stable AC-DC Source for Josephson and Impedance Measurement Systems 55**

**Waldemar G. Kürten Ihlenfeld**, *National Research Council Canada, Ottawa, Ontario*

**The NRC Sampling System for Josephson Standards 57**

**Waldemar G. Kürten Ihlenfeld**<sup>1</sup>, Ghislain Granger<sup>1</sup>  
<sup>1</sup>*National Research Council Canada, Ottawa, Ontario*

**An Externally-Linear-Internally-Nonlinear RMS-to-DC converter 59**

**Marian Kampik**<sup>1</sup>, Adam Pilsniak<sup>1</sup>  
<sup>1</sup>*Silesian University of Technology, Gliwice, Poland*

**Measurement of Arbitrary Waveforms at Low Frequencies 61**

**Tezgül Coşkun Öztürk**<sup>1</sup>, Ali Tangel, Sarp Ertürk, Mehedin Arifovic<sup>1</sup>  
<sup>1</sup>*TÜBİTAK UME, Gebze, Kocaeli, Turkey*, <sup>2</sup>*University of Kocaeli*

**Temperature influence on the establishment of a digital voltage reference 63**

**Javier Diaz de Aguilar**<sup>1</sup>, Yolanda A. Sanmamed<sup>1</sup>, Raul Caballero<sup>1</sup>, José Ramón Salinas<sup>2</sup>  
<sup>1</sup>*Centro Español Metrología, Tres Cantos, Madrid, Spain*, <sup>2</sup>*Universidad de Málaga, Málaga, Málaga, Spain*

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: Digital Bridges**

**Error sources in electronic fully-digital impedance bridges 65**

Massimo Ortolano<sup>1</sup>, **Martina Marzano**<sup>2</sup>, Vincenzo D'Elia<sup>2</sup>, Ngoc Thanh Mai Tran<sup>1</sup>, Ryszard Rybski<sup>3</sup>, Janusz Kaczmarek<sup>3</sup>, Mirosław Kozioł<sup>3</sup>, Krzysztof Musioł<sup>4</sup>, Andreas E. Christensen<sup>5</sup>, Andrei Pokatilov<sup>6</sup>, Luca Callegaro<sup>2</sup>, Jan Kučera<sup>7</sup>, Oliver Power<sup>8</sup>  
<sup>1</sup>Politecnico di Torino, Torino, Piedmont, Italy, <sup>2</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>3</sup>University of Zielona Góra, Zielona Góra, Poland, <sup>4</sup>Silesian University of Technology, Gliwice, Poland, <sup>5</sup>Trescal A/S, Silkeborg, N/A, Denmark, <sup>6</sup>AS Metroser, Tallinn, Estonia, Estonia, <sup>7</sup>Czech Metrology Institute, Brno, Czech Republic, <sup>8</sup>National Standards Authority of Ireland, Dublin, Dublin, Ireland

**Evaluations of a Sampling Impedance Bridge 67**

**Yicheng Wang**<sup>1</sup>, Stephan Schlamming<sup>1</sup>, Bryan Waltrip<sup>1</sup>, Michael Berilla<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Performance Study of a Digital Impedance Bridge on the basis of Capacitance Measurements in Audio Frequency 69**

**Dan Bee Kim**<sup>1</sup>, Wan-Seop Kim<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**A Four Terminal Pair Digitally Assisted Impedance Bridge at TÜBİTAK ÜME 71**

**Enis Turhan**<sup>1</sup>, Gülay Gülmez<sup>1</sup>, Ömer Erkan<sup>1</sup>, Cem Hayırlı<sup>1</sup>  
<sup>1</sup>TÜBİTAK ÜME, Gebze, Kocaeli, Turkey

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: Voltage Ratio and AC-DC Difference**

**On Determination of Complex Ratio of AC Voltages in a Simultaneously Sampled Two-Channel Data Acquisition System 73**

**Marian Kampik**<sup>1</sup>, Jerzy Augustyn<sup>2</sup>, Krzysztof Musioł<sup>1</sup>  
<sup>1</sup>Silesian University of Technology, Gliwice, Poland, <sup>2</sup>Kielce University of Technology, Kielce, -, Poland

**A New Method for Precision Calibration of Resistive Voltage Dividers up to 1000 V 75**

Ilya Budovsky, National Measurement Institute Australia, West Lindfield, NSW, Australia

**Incremental Buildup Calibration Method of Inductive Voltage Divider 77**

**Jian Feng**<sup>1</sup>, Yang Pan<sup>1</sup>, Lei Lai<sup>1</sup>, Xianlin Pan<sup>2</sup>, Jiangtao Zhang<sup>2</sup>  
<sup>1</sup>Shanghai Institute of Measurement and Testing Technology, Shanghai, Shanghai, China, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**Comparison of Voltage Divider In-phase and Quadrature Error Measurement Between NMIA and NIM 79**

**Xianlin Pan**<sup>1</sup>, Ilya Budovsky<sup>2</sup>, Zhaomin Shi<sup>1</sup>, Jiangtao Zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>National Measurement Institute Australia, West Lindfield, NSW, Australia

**AC-DC Transfer System for Ultra-low Frequency Voltage 81**

**Zhaomin Shi**<sup>1</sup>, Jiangtao Zhang<sup>1</sup>, Xianlin Pan<sup>1</sup>, Zhengsen Jia<sup>1</sup>, Ying Song<sup>1</sup>, Xuefeng Ma<sup>2</sup>, Qing He<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Shandong Province Institute of Metrology, Jinan City, Shandong Province, China

**AC-DC Difference Measurement of 792A at Millivolt Voltage 83**

**Zhaomin Shi**<sup>1</sup>, Xianlin Pan<sup>1</sup>, Qianjuan Wang<sup>2</sup>, Zhengsen Jia<sup>1</sup>, Ying Song<sup>1</sup>, Jiangtao Zhang<sup>1</sup>, Qing He<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Beijing Oriental Institute of Metrology & Test, Beijing, Beijing, China

**Analysis of Frequency-Dependent Component of AC – DC Transfer Difference of a Modified Calorimetric Thermal Converter 85**

**Marian Kampik**<sup>1</sup>, Krzysztof Kubiczek<sup>1</sup>, Michal Grzenik<sup>1</sup>  
<sup>1</sup>Silesian University of Technology, Gliwice, Poland

**A new AC-DC transfer device for high voltages and high frequencies using electrooptic modulation 87**

**Torsten Funck**<sup>1</sup>, André Müller<sup>1</sup>, Thomas Spiegel<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Digital Sampling of Quantum Accurate AC and DC waveforms 89**

**Ghislain Granger**<sup>1</sup>, Waldemar G. Kürten Ihlenfeld<sup>1</sup>  
<sup>1</sup>National Research Council Canada, Ottawa, Ontario

**A TVM Based Wideband Phase Measurement System by Multiusing One Thermal Voltage Converter 91**

**Tatsuji Yamada**<sup>1</sup>, Yasutaka Amagai<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Reducing Multijunction Thermal Converter Output Resistance to Reduce Measurement Noise 93**

**Joseph A. Hagmann**<sup>1</sup>, Charles J. Waduwarage Perera<sup>1</sup>, Stefan Cular<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**New Generation Multijunction Thermal Converters at Sandia National Laboratories 95**

**Raegan Johnson**<sup>1</sup>, Aaron Meyrick<sup>1</sup>, Jason Dominguez<sup>1</sup>, Karl Lukes<sup>1</sup>, Joshua Stanford<sup>1</sup>, Stefan Cular<sup>2</sup>, Edward D. O'Brien<sup>1</sup>  
<sup>1</sup>Sandia National Laboratories, Albuquerque, NM, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Hybrid Buffer Amplifier for AC-DC Difference Measurement Applications 97**

**Shannon Edwards<sup>1</sup>**, Charles J. Waduwarage Perera<sup>1</sup>, Stefan Cular<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

TRACK: CONVENTIONAL ELECTRICAL STANDARDS

**SESSION: Other Impedance**

**Results of GULFMET Supplementary Comparison for Inductance of 10 mH and 100 mH at Frequency 1 kHz 99**

**Oleh Velychko<sup>1</sup>**, Sergii Shevkun<sup>1</sup>, Jon Bartholomew<sup>2</sup>, Abdullah Alrobaish<sup>3</sup>, Tetyana Gordiyenko<sup>4</sup>  
<sup>1</sup>State Enterprise “Ukrmetrteststandard”, Kyiv, Kyiv, Ukraine, <sup>2</sup>Abu Dhabi Quality and Conformity Council Emirates Metrology Institute, Abu Dhabi, Abu Dhabi, United Arab Emirates, <sup>3</sup>Saudi Standards Metrology and Quality Organization (NMCC-SASO), Riyadh, Saudi Arabia, <sup>4</sup>Odesa State Academy of Technical Regulation and Quality, Odesa, Odesa, Ukraine

**Synthetic inductance standards made up of capacitances and gyrators 101**

**Torsten Funck<sup>1</sup>**, André Müller<sup>1</sup>, Harald Bothe<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Quasi-balanced method of measuring the dielectric loss factor 103**

**Marian Kampik<sup>1</sup>**, Adam Cichy<sup>1</sup>  
<sup>1</sup>Silesian University of Technology, Gliwice, Poland

**Frequency Dependence Determination of Resistors at the BIPM 105**

**Jose Angel Moreno Hernandez<sup>1</sup>**, Pierre Gournay<sup>1</sup>, Benjamin Rolland<sup>1</sup>, Norihiko Sakamoto<sup>2</sup>  
<sup>1</sup>BIPM, Sèvres, Hauts-de-Seine, France, <sup>2</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Compensated high input impedance stage for the measurements of four terminals resistors up to 20 kHz 107**

**Agazar Agazar<sup>1</sup>**, Oumauer Mohamed<sup>1</sup>  
<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France

TRACK: HIGH VOLTAGE AND CURRENT

**SESSION: Ratio and Sensors**

**Mechanical Structure for fast Voltage Coefficients Determination of Compressed-gas Capacitor with Tilting Technic 477**

**Huanghui Zhang<sup>1</sup>**, Haiming Shao<sup>2</sup>, Jiafu Wang<sup>2</sup>, Wei Zhao<sup>2</sup>, Chuansheng Li<sup>2</sup>  
<sup>1</sup>Fujian Institute of Metrology, Fuzhou, Fujian, China, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**Calibration Device of High Voltage Capacitance Bridge 479**

**Dongxue Dai<sup>1</sup>**, Wei Wang<sup>1</sup>, Yan Yang<sup>1</sup>, Yan Chen<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Calibrating Sensors to Measure Braking Chopper Currents in DC Traction Units 109**

**Helko E. van den Brom<sup>1</sup>**, Ronald van Leeuwen<sup>1</sup>  
<sup>1</sup>VSL B.V., Delft, Netherlands

**A Study of Voltage Dependence of a High DC Voltage Divider 111**

Brian A. Miranda Quisbert<sup>1</sup>, Jose L. Casais<sup>1</sup>, Marcos E. Bierzychudek<sup>1</sup>, Harold Parks<sup>2</sup>, **Branislav Djokic<sup>2</sup>**  
<sup>1</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martin, Buenos Aires, Argentina, <sup>2</sup>National Research Council Canada, Ottawa, Ontario

**Research and verification of DC current ratio self-calibration method 113**

**Liren Zhou<sup>1</sup>**, Yang Pan<sup>1</sup>, Lei Lai<sup>1</sup>  
<sup>1</sup>Shanghai Institute of Measurement and Testing Technology, Shanghai, Shanghai, China

**Measuring the Voltage Dependence of Current Transformers 115**

Ronald van Leeuwen<sup>1</sup>, **Helko E. van den Brom<sup>1</sup>**, Gert Rietveld<sup>1</sup>, Ernest Houtzager<sup>1</sup>, Dennis Hoogenboom<sup>1</sup>  
<sup>1</sup>VSL B.V., Delft, Netherlands

**SIM Comparison of AC Current Ratio Using Instrument Current Transformers 117**

Daniel Slomovitz<sup>1</sup>, Alejandro Santos<sup>1</sup>, **Rogelio Sandler<sup>1</sup>**, Gabriela Barreto<sup>1</sup>, Gonzalo Aristoy<sup>1</sup>, Jose L. Casais<sup>2</sup>, Patrícia Cals de Oliveira Vitorio<sup>3</sup>, Alvaro Zipaquiria Triana<sup>4</sup>, Julio Gonzalez<sup>5</sup>, Sergio Ochoa<sup>6</sup>, Enrico Mohns<sup>7</sup>  
<sup>1</sup>UTE, Montevideo, Uruguay, <sup>2</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martin, Buenos Aires, Argentina, <sup>3</sup>Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil, <sup>4</sup>Instituto Nacional de Metrología, Bogotá D.C., Bogotá D.C., Colombia, <sup>5</sup>CENAMEP, Panama, Panama, Panama, <sup>6</sup>LAPEM, Irapuato, Irapuato, Mexico, <sup>7</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**High Precision 500 / $\sqrt{3}$  kV Two-Stage Voltage Transformer with High-Voltage Excitation 119**

**Hao Liu**<sup>1</sup>, Min Lei<sup>1</sup>, Feng Zhou<sup>1</sup>, Xiaodong Yin<sup>1</sup>, Lixue Chen<sup>2</sup>, Chun Yang Jiang<sup>3</sup>, Jian Liu<sup>3</sup>  
<sup>1</sup>China Electric Power Research Institute (CEPRI), Wuhan, Hubei, China, <sup>2</sup>Huazhong University of Science and Technology, wuhan, hubei, China, <sup>3</sup>National Center For High Voltage Measurement, Wuhan, Hubei, China

**Development of a Wideband Current-to-Voltage Transformer Set for Currents up to 2 kA 121**

Yeying Chen<sup>1</sup>, **Enrico Mohns**<sup>1</sup>, Henrik Badura<sup>1</sup>, Peter Raether<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Self-Calibrating High Precision Current Transformer 123**

Daniel Slomovitz<sup>1</sup>, Alejandro Santos<sup>1</sup>, **Rogelio Sandler**<sup>1</sup>, Gabriela Barreto<sup>1</sup>  
<sup>1</sup>UTE, Montevideo, Uruguay

**Traceable Characterization of Low Power Voltage Instrument Transformers for PQ and PMU Applications 125**

Gabriella Crotti<sup>1</sup>, Domenico Giordano<sup>1</sup>, **Palma Sara Letizia**<sup>1</sup>, Antonio Delle Femine<sup>2</sup>, Danielle Gallo<sup>3</sup>, Carmine Landi<sup>2</sup>, Mario Luiso<sup>4</sup>  
<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>University of Campania “Luigi Vanvitelli”, Aversa, Caserta, Italy, <sup>3</sup>University of Campania “Luigi Vanvitelli”, Caserta, N.A., Italy, <sup>4</sup>Università degli studi della Campania, Aversa, CE, Italy

**Development and Applications of Wideband High Current Transducers 127**

**Haiming Shao**<sup>1</sup>, Chuansheng Li<sup>1</sup>, Feipeng Lin<sup>1</sup>, Lixin Wang<sup>1</sup>, Bo Liang<sup>1</sup>, Jiafu Wang<sup>1</sup>, Wei Zhao<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Development of Voltage-Doubling Method for Measuring the Voltage Dependence of Compressed Gas Capacitors up to 400 kV 129**

**Yang Pan**<sup>1</sup>, Liren Zhou<sup>1</sup>, Jian Feng<sup>1</sup>, Lei Lai<sup>1</sup>, Guo z. Zhan<sup>1</sup>, Haiming Shao<sup>2</sup>  
<sup>1</sup>Shanghai Institute of Measurement and Testing Technology, Shanghai, Shanghai, China, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**Accurate Error-Voltage Determination for Calibrating 1000V Inductive Voltage Dividers 131**

**Enrico Mohns**<sup>1</sup>, Henrik Badura<sup>1</sup>, Sören Rose<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Verification of High Voltage Divider with 10·10<sup>-6</sup> Uncertainty 133**

Gu Ye<sup>1</sup>, Wei Zhao<sup>2</sup>, **Gert Rietveld**<sup>1</sup>  
<sup>1</sup>VSL B.V., Delft, Netherlands, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**Metrological analysis of voltage transducers under multi-harmonic signals 135**

**Leonardo A. Souza**<sup>1</sup>, Renata T. Vasconcellos<sup>1</sup>, Marcelo B. Martins<sup>1</sup>, Antonio C. Lima<sup>1</sup>  
<sup>1</sup>Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil

**Development of Wide-band Current Transformer for Precision Measurement of High-Current 137**

**Lin Feipeng**<sup>1</sup>, Bo Liang<sup>1</sup>, Haiming Shao<sup>1</sup>, Hao Wang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

TRACK: HIGH VOLTAGE AND CURRENT

**SESSION: Other High Voltage and Current**

**Calibration of Weld Current Monitors at INTI Argentina 139**

Jose L. Casais<sup>1</sup>, Marcos E. Bierzychudek<sup>1</sup>, **Branislav Djokic**<sup>2</sup>, Harold Parks<sup>2</sup>  
<sup>1</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martin, Buenos Aires, Argentina, <sup>2</sup>National Research Council Canada, Ottawa, Ontario

**Characterization of Cable Effects on a Reference Lightning Impulse Voltage Divider 141**

**Jussi Havunen**<sup>1</sup>, Stephan Passon<sup>2</sup>, Jari Hällström<sup>3</sup>, Johann Meisner<sup>2</sup>, Tim Schlüterbusch<sup>2</sup>  
<sup>1</sup>VTT MIKES, Espoo, Uusimaa, Finland, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>3</sup>VTT MIKES, Espoo, Finland

**Software Corrections for Switching Impulse Voltage Divider Response 143**

**Jussi Havunen**<sup>1</sup>, Jari Hällström<sup>2</sup>  
<sup>1</sup>VTT MIKES, Espoo, Uusimaa, Finland, <sup>2</sup>VTT MIKES, Espoo, Finland

**One Factor for Oscillation on the Front of Impulse Voltage Waveforms 145**

**Wei Zhao**<sup>1</sup>, Haiming Shao<sup>1</sup>, Chuansheng Li<sup>1</sup>, Jiafu Wang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Challenges Associated with Implementation of HFCTs for Partial Discharge Measurements 147**

**Joni Kluss**<sup>1</sup>, Alf-Peter Elg<sup>1</sup>  
<sup>1</sup>RISE Research Institutes of Sweden, Borås, Västra Götaland, Sweden

**Development of a standard measuring system for High-Voltage Nanosecond Pulse Measurements 149**

**Mohammad S. Khan**<sup>1</sup>, Agazar Agazar<sup>1</sup>, Yann Le Bihan<sup>2</sup>  
<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>2</sup>Université Paris-Saclay, CentraleSupélec, CNRS, Sorbonne Université Laboratoire de Génie Electrique et Electronique de Paris, Gif-sur-Yvette, Il de france, France

**Correction on the Impulse Scale Factor and Time Parameters of the Reference Divider Based on the Step Response and Convolution 151**

**Yang Pan**, *Shanghai Institute of Measurement and Testing Technology, Shanghai, Shanghai, China*

TRACK: NOVEL SENSORS AND MEASUREMENTS

**SESSION: Novel Sensors and Measurements I**

**Portable Electrostatic Force Balance for Laser Power Metrology 153**

**Gordon Shaw**<sup>1</sup>, Frank C. Seifert<sup>1</sup>, Jon Pratt<sup>1</sup>, David Newell<sup>1</sup>, Stephan Schlamming<sup>1</sup>

<sup>1</sup>*National Institute of Standards and Technology, Gaithersburg, MD*

**Tests of a novel 3 DOF differential capacitive sensor 155**

**Andrea Sosso**<sup>1</sup>, Gian Bartolo Picotto<sup>1</sup>, Roberto Bellotti<sup>1</sup>

<sup>1</sup>*Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy*

**Magnetic sensing with Nitrogen-vacancy center based on lock-in detection 157**

**Andrea Sosso**<sup>1</sup>, Ekaterina Moreva<sup>1</sup>, Ettore Bernardi<sup>1</sup>, Paolo Traina<sup>1</sup>, Giulia Petrini<sup>1</sup>, Sviatoslav Ditalia<sup>2</sup>, Jacopo Forneris<sup>2</sup>, Federico Picollo<sup>2</sup>, Vanna Pugliese<sup>3</sup>, Z. Pastuovic<sup>4</sup>, Ivo Degiovanni<sup>1</sup>, Paolo Olivero<sup>2</sup>, Marco Genovese<sup>1</sup>

<sup>1</sup>*Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy*, <sup>2</sup>*INFN, Torino, n/a, Italy*, <sup>3</sup>*University of Torino, Torino, n/a, Italy*, <sup>4</sup>*Australian Nuclear Science and Technology Organisation, Lucas Heights, n/a, Australia*

**Thermoelectricity in Corbino devices in the quantum Hall regime 159**

Alejandra Tonina<sup>1</sup>, **Mariano Real**<sup>1</sup>, Liliana Arrachea<sup>1</sup>, Daniel Gresta, Werner Dietsche

<sup>1</sup>*Instituto Nacional de Tecnología Industrial (INTI), San Martín, Buenos Aires, Argentina*, <sup>2</sup>*ICAS-UNSAM, Argentina*, <sup>3</sup>*ETH, Switzerland*

**Fabrication and properties of Nb/Al-AlO<sub>x</sub>/Nb Josephson junctions for SQUID application 161**

**Da Xu**<sup>1</sup>, Jinjin Li<sup>1</sup>, Wenhui Cao<sup>1</sup>, Jianshe Liu<sup>2</sup>, Wei Chen<sup>2</sup>

<sup>1</sup>*National Institute of Metrology (NIM), Beijing, China*, <sup>2</sup>*Tsinghua University, Beijing, Beijing, China*

**On-chip Josephson junction-based sensor for temperature control of a cryocooled quantum standard 163**

**Paolo Durandetto**<sup>1</sup>, Andrea Sosso<sup>2</sup>

<sup>1</sup>*Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy*, <sup>2</sup>*Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy*

TRACK: NOVEL SENSORS AND MEASUREMENTS

**SESSION: Novel Sensors and Measurements II**

**Defect Detection and Identification of Point-Focusing Shear-Horizontal EMAT for Plate Inspection 165**

**Lisha Peng**<sup>1</sup>, Hongyu Sun<sup>1</sup>, Shen Wang<sup>1</sup>, Qing Wang<sup>2</sup>, Wei Zhao<sup>1</sup>, Songling Huang<sup>1</sup>

<sup>1</sup>*Tsinghua University, Beijing, Beijing, China*, <sup>2</sup>*Durham University, Durham, Durham, United Kingdom*

**Effect of Focal Position for Oblique Point Focusing Shear Horizontal Guided Wave EMAT 167**

**Hongyu Sun**<sup>1</sup>, Lisha Peng<sup>1</sup>, Songling Huang<sup>1</sup>, Shen Wang<sup>1</sup>, Qing Wang<sup>2</sup>, Wei Zhao<sup>1</sup>

<sup>1</sup>*Tsinghua University, Beijing, Beijing, China*, <sup>2</sup>*Durham University, Durham, Durham, United Kingdom*

**Sparse Reconstruction Based Time-frequency Representation for Time-of-flight Extraction of Undersampled Lamb Wave Signal 169**

**Zhe Wang**<sup>1</sup>, Songling Huang<sup>1</sup>, Shen Wang<sup>1</sup>, Qing Wang<sup>2</sup>, Wei Zhao<sup>1</sup>

<sup>1</sup>*Tsinghua University, Beijing, Beijing, China*, <sup>2</sup>*Durham University, Durham, Durham, United Kingdom*

**Sensitive Calorimeter based on Coupled Dielectric Resonators 171**

**Ling Hao**<sup>1</sup>, Tom Quincey<sup>1</sup>, Giuseppe Lorusso<sup>1</sup>, John Keightley<sup>1</sup>, Jie Chen<sup>2</sup>, John Gallop<sup>1</sup>

<sup>1</sup>*National Physical Laboratory, Teddington, Middlesex, United Kingdom*, <sup>2</sup>*Department of Mechanical and Aerospace Engineering, Brunel University, Uxbridge, London, United Kingdom*

**Measuring relaxation rate of atomic vapor cell by Microwave field detection technique 173**

**Ning Ru**<sup>1</sup>, Xiaochi Liu<sup>1</sup>, Junyi Duan<sup>1</sup>, Jifeng Qu<sup>1</sup>

<sup>1</sup>*National Institute of Metrology (NIM), Beijing, China*

**A phase measurement method to guarantee the traceability of the calibration systems 175**

Segio Rapuano<sup>1</sup>, Pasquale Daponte<sup>1</sup>, Luca De Vito<sup>1</sup>, Francesco Picariello<sup>1</sup>, **Ioan Tudosa**<sup>1</sup>, Nicholas G. Paulter<sup>2</sup>

<sup>1</sup>*University of Sannio, Benevento, BN, Italy*, <sup>2</sup>*National Institute of Standards and Technology, Gaithersburg, MD*

**Coulomb Blockade Thermometry on a Wide Temperature Range 177**

Ossi Hahtela<sup>1</sup>, Antti Kemppinen<sup>2</sup>, Janne Lehtinen<sup>2</sup>, **Antti Manninen**<sup>2</sup>, Emma Mykkänen<sup>2</sup>, Mika Prunnila<sup>2</sup>, Nikolai Yurttagül<sup>2</sup>, Florian Blanchet<sup>3</sup>, Matthias Gramich<sup>4</sup>, Bayan Karimi<sup>3</sup>, Elsa Mannila<sup>3</sup>, Jesse Muhojoki<sup>3</sup>, Joonas Peltonen<sup>3</sup>, Jukka Pekola<sup>3</sup>

<sup>1</sup>*Vaisala Oyj, Vantaa, -, Finland*, <sup>2</sup>*VTT MIKES, Espoo, Finland*, <sup>3</sup>*Aalto University, Espoo, -, Finland*, <sup>4</sup>*Munich University of Applied Sciences, Munich, -, Germany*



TRACK: POWER AND ENERGY

**SESSION: Harmonics and Analysis**

**Trilateral South American Project: A Reference System for Measuring Electric Power up to 100 kHz – Current Status 179**

**Gregory A. Kyriazis**<sup>1</sup>, Lucas Di Lillo<sup>2</sup>, Daniel Slomovitz<sup>3</sup>, Ricardo Iuzzolino<sup>2</sup>, Eliana Yasuda<sup>2</sup>, Leonardo Trigo<sup>3</sup>, Regiane Souza<sup>1</sup>, Hector Laiz<sup>2</sup>, Edson Afonso<sup>1</sup>

<sup>1</sup>Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil, <sup>2</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martín, Buenos Aires, Argentina, <sup>3</sup>UTE, Montevideo, Uruguay

**Harmonic Voltage Measurement based on Program Josephson Voltage Standard 181**

**Zhengsen Jia**<sup>1</sup>, Xitong Xu<sup>1</sup>, Lei Wang<sup>1</sup>, Jiangtao Zhang<sup>1</sup>, Xianlin Pan<sup>1</sup>, Zhaomin Shi<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Research on Harmonic Voltage Measurement Accuracy Based on AC Quantum Voltage 183**

Xitong Xu<sup>1</sup>, **Zhengsen Jia**<sup>1</sup>, Lei Wang<sup>1</sup>, Tiandi Zhou<sup>1</sup>, Jiangtao Zhang<sup>1</sup>, Xianlin Pan<sup>1</sup>, Zhaomin Shi<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Calibration of Electrical Instruments under Non-sinusoidal Conditions at NRC Canada 185**

**Branislav Djokic**<sup>1</sup>, Harold Parks<sup>1</sup>

<sup>1</sup>National Research Council Canada, Ottawa, Ontario

**Testing Electric Utility Smart Meters with High Harmonic Current Waveforms 187**

**Richard Steiner**<sup>1</sup>, Tom Nelson<sup>1</sup>, Shannon Edwards<sup>1</sup>, Julia Codere<sup>2</sup>

<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>2</sup>University of Maryland, College Park, MD

**An Instantaneous Power Quantities Measurement Method Based on Wavelet Packet Transform 189**

**Yiqing Yu**<sup>1</sup>, Wei Zhao<sup>1</sup>, Songling Huang<sup>1</sup>

<sup>1</sup>Tsinghua University, Beijing, Beijing, China

**Comparison of AC Power Referenced to Either PJVS or JAWS 191**

**Bryan Waltrip**<sup>1</sup>, Tom Nelson<sup>1</sup>, Michael Berilla<sup>1</sup>, Nathan E. Flowers-Jacobs<sup>2</sup>, Paul Dresselhaus<sup>2</sup>

<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>2</sup>National Institute of Standards and Technology, Boulder, CO

TRACK: POWER AND ENERGY

**SESSION: Smart Grid and Phase**

**Frequency-Domain Sampling Theorem-based Harmonic Phasor Estimator 193**

Lei Chen<sup>1</sup>, Wei Zhao<sup>1</sup>, **Dongfang Zhao**<sup>1</sup>, Songling Huang<sup>1</sup>

<sup>1</sup>Tsinghua University, Beijing, Beijing, China

**Online Verification System for Phasor Measurement Units 195**

**Leonardo Trigo**<sup>1</sup>, Daniel Slomovitz<sup>1</sup>, Daniel Izquierdo<sup>1</sup>,

Agustin Garcia<sup>1</sup>, Carlos Faverio<sup>1</sup>, Luis Astesiano<sup>1</sup>

<sup>1</sup>UTE, Montevideo, Uruguay

**Software Automation for Bandwidth Testing of Keysight 3458A Digital Multimeter up to 200 kHz 197**

**Yang Pan**<sup>1</sup>, Feng Xu<sup>1</sup>, Jian Feng<sup>1</sup>, Liren Zhou<sup>1</sup>, Lei Lai<sup>1</sup>, Ming H. Zhang<sup>1</sup>, Hong t. Huang<sup>1</sup>

<sup>1</sup>Shanghai Institute of Measurement and Testing Technology, Shanghai, Shanghai, China

**A Digital Heterodyne 2-150 kHz Measurement Method 199**

Paul Wright<sup>1</sup>, **Deborah Ritzmann**<sup>1</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom

**Specification of New Test Waveforms for Static Electricity Meters 201**

**Deborah Ritzmann**<sup>1</sup>, Paul Wright<sup>1</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom

**Measurement of 2-150 kHz Conducted Emissions in Power Networks 203**

**Deborah Ritzmann**<sup>1</sup>, Paul Wright<sup>1</sup>, Jan Meyer<sup>2</sup>, Victor Khokhlov<sup>2</sup>, David De la Vega<sup>3</sup>, Igor Fernandez<sup>3</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom, <sup>2</sup>Technical University Dresden, Dresden, Sachsen, Germany, <sup>3</sup>University of the Basque Country, Bilbao, Basque Country, Spain

**An Isolator to eliminate grounding issues for wideband power measurements 205**

**Peter Davis**<sup>1</sup>, Paul Wright<sup>1</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom

**Uncertainty of ROCOF calculated by means of Monte Carlo method 207**

**Martin Šíra**, Czech Metrology Institute, Brno, Czech Republic

**Measurement Methods and Procedures for Assessing Accuracy of Instrument Transformers for Power Quality Measurements 209**

**Gabriella Crotti**<sup>1</sup>, Helko E. van den Brom<sup>2</sup>, Enrico Mohns<sup>3</sup>, Roberto Tinarelli<sup>4</sup>, Mario Luiso<sup>5</sup>, Renata Styblikova<sup>6</sup>, Agazar Agazar<sup>7</sup>, Huseyin Cayci<sup>8</sup>, Jan Meyer<sup>9</sup>, Paolo Mazza<sup>10</sup>, Mohammed Almutairi<sup>11</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>VSL B.V., Delft, Netherlands, <sup>3</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>4</sup>Alma Mater Studiorum - Università di Bologna, Bologna, Italy, <sup>5</sup>Università degli studi della Campania, Aversa, CE, Italy, <sup>6</sup>Czech Metrology Institute, Brno, Czech Republic, <sup>7</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>8</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey, <sup>9</sup>Technical University Dresden, Dresden, Sachsen, Germany, <sup>10</sup>Ricerca sul Sistema Energetico S.p.A (RSE), Milano, Italy, <sup>11</sup>Saudi Standards Metrology and Quality Organization (NMCC-SASO), Riyadh, Saudi Arabia

**The Detection of Power Quality Disturbances Based on Generalized S-transform 211**

Chengbin Liang<sup>1</sup>, Zhaosheng Teng<sup>1</sup>, Jianmin Li<sup>1</sup>, Fangxing Liu<sup>2</sup>, **Qing He**<sup>3</sup>

<sup>1</sup>Hunan University, Changsha, Hunan, China, <sup>2</sup>Harbin Institute of Technology, Harbin, Heilongjiang Province, China, <sup>3</sup>National Institute of Metrology (NIM), Beijing, China

**Modelling of a Voltage Divider by Rational Functions for Power Quality 213**

**Leonardo A. Souza**<sup>1</sup>, Marcelo B. Martins<sup>1</sup>, Antonio C. Lima<sup>1</sup>, Marcus V. Pinto<sup>1</sup>

<sup>1</sup>Instituto Nacional de Metrologia, Qualidade e Tecnologia (Inmetro), Duque de Caxias, RJ, Brazil

---

**TRACK: POWER AND ENERGY**

**SESSION: Other Power and Energy**

**New AC Power Measurement Standard Based on Digital Sampling at CMS 215**

**Kun-Long Chen**<sup>1</sup>, Shih-Fang Chen<sup>1</sup>, Tsung-Han Ho<sup>1</sup>

<sup>1</sup>Center for Measurement Standards (CMS)/Industrial Technology Research Institute (ITRI), Hsinchu, Taiwan

**Main Results of GULFMET Supplementary Comparison for AC Active and Reactive Energy 217**

**Oleh Velychko**<sup>1</sup>, Huseyin Cayci<sup>2</sup>, Jon Bartholomew<sup>3</sup>, Stanislav Karpenko<sup>1</sup>

<sup>1</sup>State Enterprise "Ukrmetrteststandard", Kyiv, Kyiv, Ukraine, <sup>2</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey, <sup>3</sup>Abu Dhabi Quality and Conformity Council Emirates Metrology Institute, Abu Dhabi, Abu Dhabi, United Arab Emirates

**A measurement system for the characterization of wireless charging stations for electric vehicles 219**

**Mauro Zucca**<sup>1</sup>, Paolo Squillari<sup>2</sup>, Umberto Pogliano<sup>1</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>Custom 2.0 srl, Turin, Piedmont, Italy

**Calibration of Precision Current Transformers and AC Resistors by Comparison using Two Sampling Digital Voltmeters 221**

**Ilya Budovsky**, National Measurement Institute Australia, West Lindfield, NSW, Australia

**Accurate Measurement of Energy Dissipated in Braking Rheostats in DC Railway Systems 223**

**Helko E. van den Brom**<sup>1</sup>, Domenico Giordano<sup>2</sup>, Danielle Gallo<sup>3</sup>, Andreas Wank<sup>4</sup>, Yljon Seferi<sup>5</sup>

<sup>1</sup>VSL B.V., Delft, Netherlands, <sup>2</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>3</sup>University of Campania "Luigi Vanvitelli", Caserta, N.A., Italy, <sup>4</sup>National Physical Laboratory, Glasgow, N.A., United Kingdom, <sup>5</sup>University of Strathclyde, GLASGOW, Scotland, United Kingdom

**Towards improved standardization of electricity meter testing 225**

**Helko E. van den Brom**<sup>1</sup>, Gert Rietveld<sup>1</sup>, Dennis Hoogenboom<sup>1</sup>, Ronald van Leeuwen<sup>1</sup>, Zander Marais<sup>1</sup>, Gertjan Kok<sup>1</sup>, Samridh Sharma<sup>1</sup>, Marijn van Veghel<sup>1</sup>

<sup>1</sup>VSL B.V., Delft, Netherlands

**Sensitivities and uncertainties of eco-driving algorithm estimating train power consumption 227**

**Martin Šira**<sup>1</sup>, Asunción P. Cucala<sup>2</sup>, Antonio Fernández-Cardador<sup>2</sup>, Adrián Fernández-Rodríguez<sup>2</sup>

<sup>1</sup>Czech Metrology Institute, Brno, Czech Republic, <sup>2</sup>Institute for Research in Technology, ICAI School of Engineering, Comillas Pontifical University, Madrid, -, Spain

**Calibration System for DC Power/Energy Measurement chain in Railway applications 229**

Gabriella Crotti<sup>1</sup>, Antonio Delle Femine<sup>2</sup>, Danielle Gallo<sup>3</sup>, **Domenico Giordano**<sup>1</sup>, Mario Luiso<sup>4</sup>, Carmine Landi<sup>2</sup>, Davide Signorino<sup>1</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>University of Campania "Luigi Vanvitelli", Aversa, Caserta, Italy, <sup>3</sup>University of Campania "Luigi Vanvitelli", Caserta, N.A., Italy, <sup>4</sup>Università degli studi della Campania, Aversa, CE, Italy

**Electrical measurements at inductive charging stations for electric vehicles. An outcome from Micev project 231**

**Mauro Zucca**<sup>1</sup>, Jorge Bruna Romero<sup>2</sup>, Vincenzo Cirimele<sup>3</sup>, Davide Signorino<sup>1</sup>, Erika Laporta Puyal<sup>2</sup>, Jacopo Colussi<sup>3</sup>, Miguel Angel Alonso Tejedor<sup>2</sup>, Federico Fissore<sup>1</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>CIRCE Foundation - Centro de Investigación de Recursos y Consumos Energéticos, Zaragoza, Zaragoza, Spain, <sup>3</sup>Politecnico di Torino, Torino, Piedmont, Italy

**The influence of LED lighting on the correctness of indications of electronic energy meters 233**

**Marian Kampik**<sup>1</sup>, Artur Skorkowski<sup>1</sup>  
<sup>1</sup>Silesian University of Technology, Gliwice, Poland

**An Approach for Online Smart Meter Error Estimation 235**

**Fangxing Liu**<sup>1</sup>, Chengbin Liang<sup>2</sup>, Qing He<sup>3</sup>  
<sup>1</sup>Harbin Institute of Technology, Harbin, Heilongjiang Province, China, <sup>2</sup>Hunan University, Changsha, Hunan, China, <sup>3</sup>National Institute of Metrology (NIM), Beijing, China

**An Accurate AC Current-to-Voltage Converter Based On a Fully Compensated Current Comparator 237**

**Enrico Mohns**<sup>1</sup>, Alexander Dubowik<sup>1</sup>, Martin Goetz<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

---

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Josephson Impedance Bridge**

**Dual Josephson Impedance Bridge: Universal bridge for impedance metrology 239**

**Frederic Overney**<sup>1</sup>, Blaise Jeanneret<sup>1</sup>, Nathan E. Flowers-Jacobs<sup>2</sup>, Alain Rüfenacht<sup>2</sup>, Anna Fox<sup>2</sup>, Paul Dresselhaus<sup>2</sup>, Samuel Benz<sup>2</sup>  
<sup>1</sup>METAS, Bern-Wabern, Bern, Switzerland, <sup>2</sup>National Institute of Standards and Technology, Boulder, CO

**AC Quantum Hall Resistance combined with a Four-Terminal Pair Pulse-Driven Josephson Impedance Bridge 241**

**Stephan Bauer**<sup>1</sup>, Yaowaret Pimsut<sup>1</sup>, Ralf Behr<sup>1</sup>, Oliver Kieler<sup>1</sup>, Mattias Kruskopf<sup>1</sup>, Luis Palafox<sup>1</sup>, Jinni Lee<sup>1</sup>, Schurr Jürgen<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**A four-terminal-pair pulse-driven Josephson impedance bridge for 10 nF:10 nF capacitance ratio measurements 243**

**Yaowaret Pimsut**<sup>1</sup>, Stephan Bauer<sup>1</sup>, Jonas Herick<sup>1</sup>, Luis Palafox<sup>1</sup>, Oliver Kieler<sup>1</sup>, Ralf Behr<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

---

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Josephson Voltage I: Josephson Arbitrary Waveform Synthesizer**

**Calibration of an AC Voltage Source Using a Josephson Arbitrary Waveform Synthesizer at 4 V 245**

**Nathan E. Flowers-Jacobs**<sup>1</sup>, Alain Rüfenacht<sup>1</sup>, Anna Fox<sup>1</sup>, Paul Dresselhaus<sup>1</sup>, Samuel Benz<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO

**Zero-Compensation Josephson Arbitrary Waveform Synthesizer at 1.33 V 247**

**Nathan E. Flowers-Jacobs**<sup>1</sup>, Akim Babenko<sup>1</sup>, Anna Fox<sup>1</sup>, Justus Brevik<sup>1</sup>, Paul Dresselhaus<sup>1</sup>, Samuel Benz<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO

**Evaluation of the Zero-Compensation Method Based on the Comparison of Two Pulse-Driven Josephson Voltage Standards 249**

**Marco Kraus**<sup>1</sup>, Ralf Behr<sup>1</sup>, Oliver Kieler<sup>1</sup>, Stephan Bauer<sup>1</sup>, Luis Palafox<sup>1</sup>, Jonas Herick<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Load Compensation Bridge for Pulse-Driven Josephson Junction Arrays 251**

**Blaise Jeanneret**<sup>1</sup>, Frederic Overney<sup>1</sup>, Stephan Bauer<sup>2</sup>, Ralf Behr<sup>2</sup>, Oliver Kieler<sup>2</sup>, Yaowaret Pimsut<sup>2</sup>  
<sup>1</sup>METAS, Bern-Wabern, Bern, Switzerland, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**A fast negative impedance converter for JAWS load compensation 253**

**Jason M. Underwood**<sup>1</sup>, Stephen Pfeiffer<sup>2</sup>, Geoffrey Palo<sup>2</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>2</sup>Joint Quantum Institute, College Park, MD

**Applications of the Josephson based spectrum analyzer 255**

**Luis Palafox**<sup>1</sup>, Jonas Herick<sup>1</sup>, Stephan Bauer<sup>1</sup>, Marco Kraus<sup>1</sup>, Oliver Kieler<sup>1</sup>, Ralf Behr<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Josephson Arbitrary Waveform Synthesizer as a Reference Standard for the Calibration of Lock-in Amplifiers 257**

**Dimitrios Georgakopoulos**<sup>1</sup>, Ilya Budovsky<sup>1</sup>, Samuel Benz<sup>2</sup>  
<sup>1</sup>National Measurement Institute Australia, West Lindfield, NSW, Australia, <sup>2</sup>National Institute of Standards and Technology, Boulder, CO

**Realization of a Phase Reference System Based on Two Synchronized Pulse-Driven Josephson Voltage Standards 259**

**Stephan Bauer**<sup>1</sup>, Matthias Schmidt<sup>1</sup>, Florian Beug<sup>1</sup>, Jonas Herick<sup>1</sup>, Oliver Kieler<sup>1</sup>, Ralf Behr<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Real-time quantum-accurate voltage waveform synthesis 261**

**Jane Ireland**<sup>1</sup>, Stephen Protheroe<sup>1</sup>, Jonathan Williams<sup>1</sup>, Allan Belcher<sup>2</sup>, Ronald Dekker<sup>3</sup>, Kars Schaapman<sup>4</sup>, Ricardo Iuzzolino<sup>5</sup>, Rodrigo Melo<sup>5</sup>, Bruno Valinoti<sup>5</sup>, Marcos E. Bierzychudek<sup>5</sup>, Martin Šira<sup>6</sup>, Jonas Herick<sup>7</sup>, Oliver Kieler<sup>7</sup>, Ralf Behr<sup>7</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom, <sup>2</sup>Signal Conversion, Killay, Swansea, United Kingdom, <sup>3</sup>Applicos, Zwolle, Zwolle, Netherlands, <sup>4</sup>Applicos, Zwolle, Zwolle, New Zealand, <sup>5</sup>Instituto Nacional de Tecnología Industrial (INTI), San Martín, Buenos Aires, Argentina, <sup>6</sup>Czech Metrology Institute, Brno, Czech Republic, <sup>7</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Pulse-driven AC Josephson voltage standard at VNIIM 263**

**Gleb Gubler**<sup>1</sup>, Alexander Katkov<sup>1</sup>, Vladimir Shevtsov<sup>1</sup>, Ralf Behr<sup>2</sup>, Anastasia Petrovskaya<sup>1</sup>, Oliver Kieler<sup>2</sup>

<sup>1</sup>VNIIM, Saint-Petersburg, Russia, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Testing the Sampling System Using Josephson Arbitrary Waveform Synthesizer Established in TÜBİTAK UME 265**

**Tezgül Coşkun Öztürk**<sup>1</sup>, Oliver Kieler<sup>2</sup>, Mehedin Arifovic<sup>1</sup>, Ralf Behr<sup>2</sup>

<sup>1</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

---

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Josephson Voltage II: Programmable Josephson Voltage Standard**
**Compact DC Josephson Voltage Standard 267**

**Alain Rüfenacht**<sup>1</sup>, Anna Fox<sup>1</sup>, Grace Butler<sup>1</sup>, Charles Burroughs<sup>1</sup>, Paul Dresselhaus<sup>1</sup>, Robert Schwall<sup>1</sup>, Stefan Cular<sup>2</sup>, Samuel Benz<sup>1</sup>

<sup>1</sup>National Institute of Standards and Technology, Boulder, CO, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Automated Leakage Current Measurement Capability for Programmable Josephson Voltage Standards 269**

**Charles Burroughs**<sup>1</sup>, Alain Rüfenacht<sup>1</sup>, Stefan Cular<sup>2</sup>, Paul Dresselhaus<sup>1</sup>

<sup>1</sup>National Institute of Standards and Technology, Boulder, CO, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Direct DC Voltages Comparison between two Programmable Josephson Voltage Standards at SCL 271**

**Steven Yang**<sup>1</sup>, Stefan Cular<sup>2</sup>, Alain Rüfenacht<sup>3</sup>, Charles Burroughs<sup>3</sup>, Paul Dresselhaus<sup>3</sup>, Samuel Benz<sup>3</sup>, Chris Ng<sup>1</sup>

<sup>1</sup>Standards and Calibration Laboratory, Hong Kong, Hong Kong, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>3</sup>National Institute of Standards and Technology, Boulder, CO

**Cryocooled 10 V Programmable Josephson Voltage Standard at CMS 273**

**Shih-Fang Chen**<sup>1</sup>, Chou-Hsun Han<sup>1</sup>, Stefan Cular<sup>2</sup>

<sup>1</sup>Center for Measurement Standards (CMS)/Industrial Technology Research Institute (ITRI), Hsinchu, Taiwan, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Implementation of Fluke 8588A multimeter for differential sampling of AC waveforms based on a programmable Josephson voltage standard 275**

**Mun-Seog Kim**<sup>1</sup>, Hehree Cho<sup>1</sup>, Stéphane P. Solve<sup>2</sup>

<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>2</sup>BIPM, Sèvres, Hauts-de-Seine, France

**Software-assisted phase locking technique for Programmable Josephson Voltage Standard 277**

**Patrick G. Reuvekamp**<sup>1</sup>, Helge Malmbekk<sup>2</sup>, Jane Ireland<sup>1</sup>, Eric Breakenridge<sup>3</sup>, Jonathan Williams<sup>1</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom, <sup>2</sup>Justervesenet, Kjeller, Norway, <sup>3</sup>Keysight Technologies, Edinburgh, West Lothian, United Kingdom

**Update on the future BIPM on-site comparison program for Josephson ac voltage standards 279**

**Stéphane P. Solve**<sup>1</sup>, Mun-Seog Kim<sup>2</sup>, Luis Palafox<sup>3</sup>, Ralf Behr<sup>3</sup>, Ilya Budovsky<sup>4</sup>, Gleb Gubler<sup>5</sup>

<sup>1</sup>BIPM, Sèvres, Hauts-de-Seine, France, <sup>2</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>3</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>4</sup>National Measurement Institute Australia, West Lindfield, NSW, Australia, <sup>5</sup>VNIIM, Saint-Petersburg, Russia

**An AC quantum voltmeter for frequencies up to 100 kHz 281**

**Ralf Behr**<sup>1</sup>, Luis Palafox<sup>1</sup>

<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Calibration of a precision current measurement system for high AC voltages using an AC Quantum Voltmeter 283**

**Damir Ilić**<sup>1</sup>, Chantal Lüddecke<sup>2</sup>, Alexander Heinrich<sup>2</sup>, Johann Meisner<sup>2</sup>, Ralf Behr<sup>2</sup>

<sup>1</sup>Primary Electromagnetic Laboratory (FER-PEL), Zagreb, Zagreb, Croatia, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Inductive Voltage Divider Ratio Measurement Based on Dual-Channel PJVS 285**

**Zhengsen Jia**<sup>1</sup>, Tiandi Zhou<sup>1</sup>, Lei Wang<sup>1</sup>, Zhaomin Shi<sup>1</sup>, Xianlin Pan<sup>1</sup>, Jiangtao Zhang<sup>1</sup>, Xitong Xu<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Josephson Voltage III: Miscellaneous**

**Superposition Johnson Noise Thermometry with a Quantum Voltage Noise Source for Calibration 287**

Kunli Zhou<sup>1</sup>, Qina Han<sup>1</sup>, Yang Shi<sup>1</sup>, Miaoer Wang<sup>1</sup>, Jianting Zhao<sup>1</sup>, **Jifeng Qu**<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**A Voltage-tracking scheme for Quantum-Metrology-Triangle Experiments 289**

**Daiki Matsumaru**<sup>1</sup>, Zhengsen Jia<sup>2</sup>, Michitaka Maruyama<sup>1</sup>, Nobu-Hisa Kaneko<sup>1</sup>

<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**Realization of an Opto-Electronic Bias for Pulse-Driven Josephson Voltage Standards at PTB 291**

**Jonas Herick**<sup>1</sup>, Luis Palafox<sup>1</sup>, Eivind Bardalen<sup>2</sup>, Stephan Bauer<sup>1</sup>, Ralf Behr<sup>1</sup>, Bjørnar Karlsen<sup>3</sup>, Oliver Kieler<sup>1</sup>, Helge Malmbekk<sup>3</sup>

<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>2</sup>University of South-Eastern Norway, Borre, Vestfold og Telemark, Norway, <sup>3</sup>Justervesenet, Kjeller, Norway

**High-Speed Pulsation of a Cryogenically Operable Bipolar Photodiode Module for the Josephson Arbitrary Waveform Synthesizer 293**

**Bjørnar Karlsen**<sup>1</sup>, Eivind Bardalen<sup>2</sup>, Jaani Nissilä<sup>3</sup>, Thomas Fordell<sup>3</sup>, Oliver Kieler<sup>4</sup>, Luis Palafox<sup>4</sup>, Ralf Behr<sup>4</sup>, Helge Malmbekk<sup>1</sup>, Muhammad Nadeem Akram<sup>2</sup>, Per Ohlckers<sup>2</sup>

<sup>1</sup>Justervesenet, Kjeller, Norway, <sup>2</sup>University of South-Eastern Norway, Borre, Vestfold og Telemark, Norway, <sup>3</sup>VTT MIKES, Espoo, Finland, <sup>4</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Development of an optical bias receiver for pulsed Josephson arrays cryocooler operation 295**

**Andrea Sosso**<sup>1</sup>, Franco Delpiano<sup>1</sup>, Danilo Serazio<sup>1</sup>, Paolo Durandetto<sup>2</sup>, Oliver Kieler<sup>3</sup>

<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>3</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Compact 18-channel bias source for 10 V programmable Josephson voltage standard arrays 297**

**Michael Starkloff**<sup>1</sup>, Hannes Preissler<sup>2</sup>, Marco Schubert<sup>1</sup>

<sup>1</sup>Supracon AG, Jena, Thuringia, Germany, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Development of Programmable Multichannel Precision Current Source 299**

**Wenhui Cao**<sup>1</sup>, Wenjuan Hou<sup>2</sup>, Wenjuan Hou<sup>2</sup>, Jinjin Li<sup>1</sup>, Honghui Li<sup>1</sup>, Zengmin Wang<sup>1</sup>, Yuan Zhong<sup>1</sup>, Qing Zhong<sup>1</sup>, Xueshen Wang<sup>1</sup>, Qing He<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Boxin Communications Co., Ltd, Shijiazhuang, Hebei, China

**A Programmable Current-controlled Voltage Source for Simulation of Josephson Junction Arrays 301**

**Yaqiong Fu**<sup>1</sup>, Jianting Zhao<sup>2</sup>, Lushuai Qian<sup>3</sup>, Jifeng Qu<sup>2</sup>

<sup>1</sup>China Jiliang University, Hangzhou, Zhejiang, China, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China, <sup>3</sup>Tsinghua University, Beijing, Beijing, China

**Research on Cryocooled Programmable Josephson Voltage Standard at NIM 303**

**Zengmin Wang**<sup>1</sup>, Honghui Li<sup>1</sup>, Fujian Liao<sup>1</sup>, Qing He<sup>1</sup>, Jifeng Qu<sup>1</sup>, Zhengkun Li<sup>1</sup>, Yuan Gao<sup>2</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Beijing, Beijing, China

**A Practical Microvolt Josephson Voltage Standard for Nanovoltmeter Measurement Based on Dual-Channel Josephson Junction Array 305**

**Honghui Li**<sup>1</sup>, Zengmin Wang<sup>1</sup>, Wenhui Cao<sup>1</sup>, Jinjin Li<sup>1</sup>, Qing He<sup>1</sup>, Zhengkun Li<sup>1</sup>

<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Series arrays of NbSi barrier junctions with rf power dividers for AC Josephson voltage standards 307**

**Johannes Kohlmann**<sup>1</sup>, Hao Tian<sup>1</sup>, Oliver Kieler<sup>1</sup>, Rolf Gerdaul<sup>1</sup>, Bert Egeling<sup>1</sup>, Ralf Behr<sup>1</sup>

<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Quantum Current**

**Comparison of the Programmable Quantum Current Generator and an Ultrastable Low-Noise Current Amplifier 309**

**Sophie Djordjevic**<sup>1</sup>, Wilfrid Poirier<sup>1</sup>, Dietmar Drung<sup>2</sup>, Martin Goetz<sup>3</sup>

<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Berlin, Berlin, Germany, <sup>3</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Directly Comparing the Current from Two Electron Pumps 311**

**Stephen P. Giblin**<sup>1</sup>, Gento Yamahata<sup>1</sup>, Akira Fujiwara<sup>1</sup>, Patrick See<sup>1</sup>, Geb Jones<sup>1</sup>, Dave Ritchie<sup>1</sup>, Masaya Kataoka<sup>1</sup>, Ian Farrer<sup>1</sup>, Jonathan Griffiths<sup>1</sup>

<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom

**Calibration of sensitive ammeters using a noiseless electron pump 313**

**Stephen P. Giblin**<sup>1</sup>, Gento Yamahata<sup>1</sup>, Akira Fujiwara<sup>1</sup>, Masaya Kataoka<sup>1</sup>  
<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom

**GaAs/AlGaAs-based single-electron pumps developed in KRISS 315**

**Bum-Kyu Kim**<sup>1</sup>, Wan-Seop Kim<sup>1</sup>, Myung-Ho Bae<sup>1</sup>, Sung Un Cho<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Current-reversal technique for single-parameter electron pumps 317**

**Myung-Ho Bae**<sup>1</sup>, Bum-Kyu Kim<sup>1</sup>, Byeong-Sung Yu<sup>1</sup>, Wan-Seop Kim<sup>1</sup>, Nam Kim<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Study on Cold-Finger 3He Cryostat for Precision Measurements of Quantum Hall Resistance and Single-Electron Pump Current 319**

**Nam Kim**<sup>1</sup>, Wan-Seop Kim<sup>1</sup>, Dong-Hun Chae<sup>1</sup>, Bum-Kyu Kim<sup>1</sup>, Young-Seok Ghee<sup>2</sup>, Myung-Ho Bae<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>2</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon

TRACK: QUANTUM ELECTRICAL STANDARDS

**SESSION: Quantum Resistance and Impedance**

**Current-to-Voltage Conversion with Integrated Quantum Hall Resistors 321**

**Dong-Hun Chae**<sup>1</sup>, Mun-Seog Kim<sup>1</sup>, Wan-Seop Kim<sup>1</sup>, Takehiko Oe<sup>2</sup>, Nobu-Hisa Kaneko<sup>2</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>2</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Metrological Suitability of Functionalized Epitaxial Graphene 323**

**Albert Rigosi**<sup>1</sup>, Mattias Kruskopf<sup>1</sup>, Alireza R. Panna<sup>1</sup>, Shamith Payagala<sup>1</sup>, Dean Jarrett<sup>1</sup>, David Newell<sup>1</sup>, Rand Elmquist<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Superconducting Contact Geometries for Next-Generation Quantized Hall Resistance Standards 325**

**Alireza R. Panna**<sup>1</sup>, Mattias Kruskopf<sup>1</sup>, Albert Rigosi<sup>1</sup>, Martina Marzano<sup>2</sup>, Shamith Payagala<sup>1</sup>, Dean Jarrett<sup>1</sup>, David Newell<sup>1</sup>, Rand Elmquist<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>2</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy

**AC and DC Quantized Hall Array Resistance Standards 327**

**Rand Elmquist**<sup>1</sup>, Mattias Kruskopf<sup>2</sup>, Dinesh Patel<sup>3</sup>, I-Fan Hu<sup>1</sup>, Chieh-I Liu<sup>1</sup>, Albert Rigosi<sup>1</sup>, Alireza R. Panna<sup>1</sup>, Shamith Payagala<sup>1</sup>, Dean Jarrett<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>2</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>3</sup>Graduate Institute of Applied Physics, National Taiwan University, Taipei, Taipei, Taiwan

**Graphene quantum Hall effect devices for AC and DC resistance metrology 329**

**Mattias Kruskopf**<sup>1</sup>, Dinesh Patel<sup>2</sup>, Chieh-I Liu<sup>3</sup>, Albert Rigosi<sup>3</sup>, Rand Elmquist<sup>3</sup>, Yicheng Wang<sup>3</sup>, Stephan Bauer<sup>1</sup>, Yefei Yin<sup>1</sup>, Klaus Pierz<sup>1</sup>, Eckart Pesel<sup>1</sup>, Martin Goetz<sup>1</sup>, Schurr Jürgen<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>2</sup>Graduate Institute of Applied Physics, National Taiwan University, Taipei, Taipei, Taiwan, <sup>3</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Crucial Steps to Realize a Graphene Quantum Hall Resistance Standard 331**

**Jaesung Park**<sup>1</sup>, Dong-Hun Chae<sup>1</sup>, Dan Bee Kim<sup>1</sup>, Wan-Seop Kim<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**The EMPiR Project GIQS: Graphene Impedance Quantum Standard 333**

**Luca Callegaro**<sup>1</sup>, Vincenzo D'Elia<sup>1</sup>, Martina Marzano<sup>1</sup>, Ngoc Thanh Mai Tran<sup>2</sup>, Massimo Ortolano<sup>2</sup>, Jan Kučera<sup>3</sup>, Klaus Pierz<sup>4</sup>, Stephan Bauer<sup>4</sup>, Mattias Kruskopf<sup>4</sup>, Yefei Yin<sup>4</sup>, Yaowaret Pimsut<sup>4</sup>, Felicien Schopfer<sup>5</sup>, Olivier Thevenot<sup>5</sup>, Blaise Jeanneret<sup>6</sup>, Frederic Overney<sup>6</sup>, Tobias Bergsten<sup>7</sup>, Antti Manninen<sup>8</sup>, Jaani Nissilä<sup>8</sup>, Dong-Hun Chae<sup>9</sup>  
<sup>1</sup>Istituto Nazionale di Ricerca Metrologica (INRiM), Torino, Italy, <sup>2</sup>Politecnico di Torino, Torino, Piedmont, Italy, <sup>3</sup>Czech Metrology Institute, Brno, Czech Republic, <sup>4</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>5</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>6</sup>METAS, Bern-Wabern, Bern, Switzerland, <sup>7</sup>RISE Research Institutes of Sweden, Borås, Västra Götaland, Sweden, <sup>8</sup>VTT MIKES, Espoo, Finland, <sup>9</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Precise evaluation of GaAs/AlGaAs 129 kΩ and 1 MΩ quantum Hall array devices for a quantum Wheatstone bridge 335**

**Takehiko Oe**<sup>1</sup>, Rand Elmquist<sup>2</sup>, Dean Jarrett<sup>2</sup>, Alireza R. Panna<sup>2</sup>, Nobu-Hisa Kaneko<sup>1</sup>, Yasuhiro Fukuyama<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Uncertainty Evaluation for Liquid-Helium-Free Quantized Hall Resistance Measurement System at CMS 337**

**Chou-Hsun Han**<sup>1</sup>, Shih-Fang Chen<sup>1</sup>, Jimmy C. Hsu<sup>1</sup>  
<sup>1</sup>Center for Measurement Standards (CMS)/Industrial Technology Research Institute (ITRI), Hsinchu, Taiwan

---

TRACK: RF AND MICROWAVE

**SESSION: Antennas, Fields, and Materials**

**Reflectometer Calibration for Net Power Measurement and Uncertainty 339**

**Takehiro Morioka**, National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Standard Field Generation System for Calibration of Ka-band Electric Field Probe 341**

**No-Weon Kang**<sup>1</sup>, Tae-Weon Kang<sup>1</sup>, Joo-Gwang Lee<sup>2</sup>, Young-Pyo Hong<sup>3</sup>, Jeong-Il Park<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>2</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, -, Korea, Republic of, <sup>3</sup>KRISS (Korea Research Institute of Standards and Science), Daejeon, -, Korea, Republic of

**Measurement Uncertainty of Beam Parameters Induced by Imbalances of Amplitude and Phase for Antenna Array 343**

**Ke Liu**<sup>1</sup>, Xin Bian<sup>1</sup>, Shaohua Wang<sup>1</sup>, Haining Zhao<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**RF Energy Harvesting: Conducting an Urban and Suburban Outdoor Electromagnetic Site Survey 345**

**Nicolas Cobo**<sup>1</sup>, Rogelio Palomera-Garcia<sup>1</sup>, Gladys O. Ducoudray-Acevedo<sup>1</sup>, Rafael . Rodríguez Solís<sup>1</sup>  
<sup>1</sup>University of Puerto Rico, Mayaguez, PR

**VNA-Based Material Characterization in THz Domain without Classic Calibration and Time-Gating 347**

**Alireza Kazemipour**<sup>1</sup>, Johannes Hoffmann<sup>1</sup>, Michael Wollensack<sup>1</sup>, Djamel Allal<sup>2</sup>, Martin Hudlicka<sup>3</sup>, Juerg Ruefenacht<sup>1</sup>, Daniel Stalder<sup>1</sup>, Markus Zeier<sup>1</sup>  
<sup>1</sup>METAS, Bern-Wabern, Bern, Switzerland, <sup>2</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>3</sup>Czech Metrology Institute, Prague, Czech Republic

**Performance Comparison Between Three Measurement System of Scanning Microwave Microscopy 349**

**Masahiro Horibe**<sup>1</sup>, Iku Hirano<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

---

TRACK: RF AND MICROWAVE

**SESSION: Network Parameters**

**Long-term stability test on on-wafer measurement system in NMIJ 351**

**Ryo Sakamaki**<sup>1</sup>, Masahiro Horibe<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**GSSG-Probe Measurements with Increasing Dynamic Range through 15-Term Self-Calibration 353**

**Sebastian Wagner**<sup>1</sup>, Reinhard Stolle<sup>1</sup>  
<sup>1</sup>Hochschule Augsburg - University of Applied Sciences, Augsburg, Bavaria, Germany

**Primary Standard of Attenuation in the Frequency Range of 1 kHz to 10 MHz 355**

**Anton Widarta**, National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Nonlinear uncertainty propagation of on-wafer mixed-mode S parameter measurements using Multimode-TRL calibration 357**

**Djamel Allal**<sup>1</sup>, François Ziadé<sup>1</sup>, Eric Bergeault<sup>2</sup>, Thi Dao Pham<sup>2</sup>  
<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France, <sup>2</sup>Télécom Paris, Palaiseau, France

**Automated Contacting of On-Wafer Devices for RF Testing 359**

**Faisal Mubarak**<sup>1</sup>, Gert Rietveld<sup>1</sup>  
<sup>1</sup>VSL B.V., Delft, Netherlands

---

TRACK: RF AND MICROWAVE

**SESSION: Power and Noise**

**Noise Parameters Extraction with Special Source Reflection Coefficient Selection Patterns 361**

**He Chen**<sup>1</sup>, Weijun Liang<sup>1</sup>, Hao Xu<sup>1</sup>, Qiulai Gao<sup>1</sup>, Zhijun Yang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Digital Radiometer for Traceable Spectrum Sensing 363**

**Xifeng Lu**<sup>1</sup>, Dazhen Gu<sup>1</sup>, Daniel Kuester<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO

**Deposition of tantalum nitride films as the absorption load resistor for microwave power standard chips 365**

**Jian Chen**<sup>1</sup>, Jinjin Li<sup>1</sup>, Huifang Gao<sup>1</sup>, Ying Gao<sup>1</sup>, Zheng Liu<sup>1</sup>, Qing Zhong<sup>1</sup>, Yuan Zhong<sup>1</sup>, Xiaolong Xu<sup>1</sup>, Xueshen Wang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Comparison of Type-N Microcalorimeter Measurements among NIM, NMC and SCL 367**

**Xiaohai Cui**<sup>1</sup>, Wenze Yuan<sup>1</sup>, Yu Song Meng<sup>2</sup>, Hau Wah Lai<sup>3</sup>, Steven Yang<sup>3</sup>, Brandon Wee Siong Lim<sup>2</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>National Metrology Centre, A\*STAR, Singapore, Singapore, <sup>3</sup>Standards and Calibration Laboratory, Hong Kong, Hong Kong

**Measurement of Thermoelectric Power Sensors Using a Thermal Voltage Converter of 1 kHz to 1 MHz 369**

**Tae-Weon Kang**<sup>1</sup>, Jeong-Il Park<sup>1</sup>, Jeong Hwan Kim<sup>1</sup>, No-Weon Kang<sup>1</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Millimeter-Wave Power Standard Transfer Systems from 50 GHz to 330 GHz 371**

**Aditia N. Bakti**<sup>1</sup>, Jae-Yong Kwon<sup>2</sup>, Chihyun Cho<sup>2</sup>, Hyunji Koo<sup>2</sup>  
<sup>1</sup>University of Science and Technology, Daejeon, Daejeon, South Korea, <sup>2</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**Novel Design of Water Bath-type Type-N Coaxial Microcalorimeter 373**

**Jae-Yong Kwon**<sup>1</sup>, Aditia N. Bakti<sup>2</sup>  
<sup>1</sup>Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea, <sup>2</sup>University of Science and Technology, Daejeon, Daejeon, South Korea

**Cryogenic Calibration of the RF Josephson Arbitrary Waveform Synthesizer 375**

**Justus Brevik**<sup>1</sup>, Alirio Boaventura<sup>1</sup>, Akim Babenko<sup>1</sup>, Manuel Castellanos-Beltran<sup>1</sup>, Nathan E. Flowers-Jacobs<sup>1</sup>, Anna Fox<sup>1</sup>, Peter Hopkins<sup>1</sup>, Paul Dresselhaus<sup>1</sup>, Dylan Williams<sup>1</sup>, Samuel Benz<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO

---

TRACK: RF AND MICROWAVE

**SESSION: Waveforms, Fast Pulses, and THz**

**International comparison on ultrafast waveform metrology 377**

**Mark Bieler**<sup>1</sup>, Paul Struszewski<sup>1</sup>, Ari Feldman<sup>2</sup>, Jeffrey Jargon<sup>2</sup>, Paul Hale<sup>2</sup>, Pengwei Gong<sup>3</sup>, Wen Xie<sup>3</sup>, Chuntao Yang<sup>3</sup>, Zhigang Feng<sup>4</sup>, Kejia Zhao<sup>4</sup>, Zhijun Yang<sup>4</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>2</sup>National Institute of Standards and Technology, Boulder, CO, <sup>3</sup>Beijing Institute of Radio Metrology and Measurement, Beijing, NA, China, <sup>4</sup>National Institute of Metrology (NIM), Beijing, China

**Research on the traceability of pulse waveform parameters in NIM 379**

**Kejia Zhao**<sup>1</sup>, Zhijun Yang<sup>1</sup>, Zhaochun Wu<sup>1</sup>, Zhigang Feng<sup>1</sup>, Difei Li<sup>1</sup>, He Chen<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Measurement of Terahertz Attenuation using a Photo-Acoustic Substitution Method 381**

**Hitoshi Iida**<sup>1</sup>, Moto Kinoshita<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Pulse waveform characterization by electro-optic sampling at NIM 383**

**Zhigang Feng**<sup>1</sup>, Kejia Zhao<sup>1</sup>, Zhijun Yang<sup>1</sup>, Zhenfei Song<sup>1</sup>, Xiaohai Cui<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Photodiode Calibration Comparison between Electro-Optic Sampling and Heterodyne Measurements up to 75 GHz 385**

**Ari Feldman**<sup>1</sup>, Jeffrey Jargon<sup>1</sup>, Paul Hale<sup>1</sup>, Tasshi Dennis<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO

**Repeatable Phase Measurement of Millimeter-wave Modulated Signals using a VNA-based LO Phase Cancellation Technique 387**

**Yichi Zhang**<sup>1</sup>, Meining Nie<sup>1</sup>, Lifeng Wang<sup>1</sup>, Zilong Zhang<sup>1</sup>, Zhao He<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

---

TRACK: RF AND MICROWAVE

**SESSION: Other RF and Microwave**

**Calculable RF Standard for Frequencies Between 5 Hz and Several GHz 389**

**Johannes Hoffmann**<sup>1</sup>, Markus Zeier<sup>1</sup>, Peter Huerlimann<sup>1</sup>, Juerg Ruefenacht<sup>1</sup>, Michael Wollensack<sup>1</sup>, Toai Le Quang<sup>1</sup>, Denis Vasyukov<sup>1</sup>  
<sup>1</sup>METAS, Bern-Wabern, Bern, Switzerland

**Theory and Demonstration of 1-port Vector Network Analyzer Calibration Technique Using Three Lines 391**

**Ryoko Kishikawa**<sup>1</sup>, Masahiro Horibe<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Two-Dimensional Visualization of Radio-Frequency Waves using Cesium Vapor Atoms 393**

**Moto Kinoshita**<sup>1</sup>, Yuya Tojima<sup>1</sup>, Hitoshi Iida<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan



**On Propagation of Uncertainties through the Measurement Models of Two Calibration Methods for Microwave Power Splitters 395**

Hau Wah Lai<sup>1</sup>, Cho Man Tsui<sup>1</sup>, **Steven Yang**<sup>1</sup>, Chi Kin Ma<sup>1</sup>  
<sup>1</sup>Standards and Calibration Laboratory, Hong Kong, Hong Kong

**Calibration of Electrical Fast Transient/Burst Generator in Accordance with IEC 61000-4-4 Edition 3.0 2012-04 397**

Hau Wah Lai<sup>1</sup>, Cho Man Tsui<sup>1</sup>, Chi Kin Ma<sup>1</sup>, **Steven Yang**<sup>1</sup>  
<sup>1</sup>Standards and Calibration Laboratory, Hong Kong, Hong Kong

TRACK: REALIZATION AND DISSEMINATION OF THE KG  
**SESSION: Kibble Balance I**

**Preparation for the OMOP Joule Balance 399**

**Lushuai Qian**<sup>1</sup>, Jinxin Xu<sup>2</sup>, Zhengkun Li<sup>2</sup>, Wei Zhao<sup>1</sup>, Zhonghua Zhang<sup>2</sup>  
<sup>1</sup>Tsinghua University, Beijing, Beijing, China, <sup>2</sup>National Institute of Metrology (NIM), Beijing, China

**The Magnetization Effect in the Joule Balance with Compensation Coil 401**

**Jinxin Xu**<sup>1</sup>, Lushuai Qian<sup>2</sup>, Zhengkun Li<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Tsinghua University, Beijing, Beijing, China

**Alignment in the MSL Kibble balance 403**

**Yin Hsien Fung**<sup>1</sup>, Mark Clarkson<sup>1</sup>, Finn Messerli<sup>1</sup>  
<sup>1</sup>Measurement Standards Laboratory of New Zealand, Lower Hutt, Wellington, New Zealand

**The BIPM Kibble Balance: improvements and measurements 405**

**Hao Fang**<sup>1</sup>, Franck Bielsa<sup>2</sup>, Adrien Kiss<sup>2</sup>, Michael Stock<sup>2</sup>  
<sup>1</sup>BIPM, Sèvres, Hauts de seine, France, <sup>2</sup>BIPM, Sèvres, Hauts-de-Seine, France

**A new interferometric system for the BIPM Kibble Balance 407**

**Franck Bielsa**<sup>1</sup>, Hao Fang<sup>2</sup>, Adrien Kiss<sup>1</sup>, Michael Stock<sup>1</sup>  
<sup>1</sup>BIPM, Sèvres, Hauts-de-Seine, France, <sup>2</sup>BIPM, Sèvres, Hauts de seine, France

**Design of a New Dual-mode Torque Standard Machine That Operates on The Principle of the Kibble Balance 409**

**Myeonghhyeon Kim**, Korea Research Institute of Standards and Science (KRISS), Daejeon, Daejeon, South Korea

**AC Voltage Measurements in UME Kibble Balance 411**

**Hacı Ahmedov**<sup>1</sup>, Beste Korutlu<sup>1</sup>, Recep Orhan<sup>1</sup>, Özlen Tuncel<sup>1</sup>  
<sup>1</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey

**Design of UME Kibble Balance-3 413**

Hacı Ahmedov<sup>1</sup>, **Beste Korutlu**<sup>1</sup>, Recep Orhan<sup>1</sup>, Özlen Tuncel<sup>1</sup>, Cetin Dogan<sup>1</sup>  
<sup>1</sup>TÜBİTAK UME Gebze, Kocaeli, Turkey

**Local Vacuum in UME Kibble Balance 415**

**Hacı Ahmedov**<sup>1</sup>, Beste Korutlu<sup>1</sup>, Recep Orhan<sup>1</sup>, Özlen Tuncel<sup>1</sup>, Neslihan Babayiğit Aşkın<sup>1</sup>  
<sup>1</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey

TRACK: REALIZATION AND DISSEMINATION OF THE KG  
**SESSION: Kibble Balance II**

**Abbe offset measurement in the NRC Kibble balance 417**

**Carlos Sanchez**<sup>1</sup>, Barry Wood<sup>1</sup>  
<sup>1</sup>National Research Council Canada, Ottawa, Ontario

**Seasonal Effects in Gravity 419**

Hacı Ahmedov<sup>1</sup>, **Beste Korutlu**<sup>1</sup>, Recep Orhan<sup>1</sup>, Özlen Tuncel<sup>1</sup>  
<sup>1</sup>TÜBİTAK UME, Gebze, Kocaeli, Turkey

**A Low-Cost Kibble Balance for Africa 421**

**Christoph Sonntag**<sup>1</sup>, Aletta Karsten<sup>1</sup>, Thapelo Mametja<sup>1</sup>  
<sup>1</sup>National Metrology Institute of South Africa (NMISA), Pretoria, Gauteng, South Africa

**Measurement of the magnet system for the QEMMS 423**

Rafael Marangoni<sup>1</sup>, **Darine Haddad**<sup>1</sup>, Frank C. Seifert<sup>1</sup>, Leon Chao<sup>1</sup>, David Newell<sup>1</sup>, Stephan Schlamminger<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Design of the Kibble balance for the QEMMS 425**

Rafael Marangoni<sup>1</sup>, **Darine Haddad**<sup>1</sup>, Frank C. Seifert<sup>1</sup>, Leon Chao<sup>1</sup>, Jon Pratt<sup>1</sup>, David Newell<sup>1</sup>, Stephan Schlamminger<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

**Magnetization Effect in Kibble Balance Measurement 427**

**Shisong Li**<sup>1</sup>, Stephan Schlamminger<sup>2</sup>, Qing Wang<sup>1</sup>, Rafael Marangoni<sup>2</sup>, Darine Haddad<sup>2</sup>, Wei Zhao<sup>3</sup>  
<sup>1</sup>Durham University, Durham, Durham, United Kingdom, <sup>2</sup>National Institute of Standards and Technology, Gaithersburg, MD, <sup>3</sup>Tsinghua University, Beijing, Beijing, China

**Towards the next generation of NPL Kibble balances 429**

**Ian Robinson**<sup>1</sup>, James Berry<sup>1</sup>, Christopher Bull<sup>1</sup>, Stuart Davidson<sup>1</sup>, Sven du Clou<sup>2</sup>, Charles Jarvis<sup>1</sup>, Henk Potgieter<sup>2</sup>, David Szwer<sup>1</sup>, Jeannie Urquhart<sup>1</sup>, Arthur Vie<sup>1</sup>, Emily Webster<sup>1</sup>, Perdi Williams<sup>1</sup>  
<sup>1</sup>National Physical Laboratory, Teddington, Middlesex, United Kingdom, <sup>2</sup>National Metrology Institute of South Africa (NMISA), Pretoria, Gauteng, South Africa

**Towards a table-top Kibble balance for E1 mass standards in a range from 1 mg to 1 kg – Planck-Balance 1 (PB1) 431**

**Christian Rothleitner**<sup>1</sup>, Shan Lin<sup>1</sup>, Frank Härtig<sup>1</sup>, Dorothea Knopf<sup>1</sup>, Norbert Rogge<sup>2</sup>, Suren Vasilyan<sup>2</sup>, Thomas Fröhlich<sup>3</sup>

<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany, <sup>2</sup>Technische Universität Ilmenau, Ilmenau, Thuringia, Germany, <sup>3</sup>TU Ilmenau, Ilmenau, Thüringen, Germany

**LNE Kibble balance progress report: modifications for vacuum operation 433**

Patrick Espel<sup>1</sup>, Djamel Ziane<sup>1</sup>, Florian Beaudoux<sup>1</sup>, Kamel Dougdag<sup>1</sup>, **Matthieu Thomas**<sup>1</sup>

<sup>1</sup>Laboratoire national de métrologie et d'essais (LNE), Trappes, Yvelines, France

---

**TRACK: REALIZATION AND DISSEMINATION OF THE KG SESSION: Si Crystal**

**Determination of Defect Concentrations in 28Si Crystals Using EPR for the Realization of the Kilogram 435**

**Shigeki Mizushima**<sup>1</sup>, Naoki Kuramoto<sup>1</sup>, Takahide Umeda<sup>2</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>Institute of Applied Physics, Tsukuba, Ibaraki, Japan

**Reproducibility of the Realization of the Kilogram Based on the Planck Constant by the XRCD method at NMIJ 437**

**Naoki Kuramoto**<sup>1</sup>, Shigeki Mizushima<sup>1</sup>, Lulu Zhang<sup>1</sup>, Kazuaki Fujita<sup>1</sup>, Hajime Inaba<sup>1</sup>, Sho Okubo<sup>1</sup>, Yasushi Azuma<sup>1</sup>, Akira Kurokawa<sup>1</sup>, Yuichi Ota<sup>1</sup>, Kenichi Fujii<sup>1</sup>

<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**XPS analysis of a 28Si-enriched sphere for realization of the kilogram 439**

**Lulu Zhang**<sup>1</sup>, Naoki Kuramoto<sup>1</sup>, Akira Kurokawa<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**Uniformity Characterization of Lattice Spacing of 28Si Single Crystals 441**

**Atsushi Waseda**<sup>1</sup>, Xiao Wei Zhang<sup>2</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>Institute of High Energy Physics (IHEP), CAS, Beijing, Beijing, China

**Volume Measurement of a 28Si-enriched Sphere to Realize the Kilogram Based on the Planck Constant at NMIJ 443**

**Yuichi Ota**<sup>1</sup>, Hajime Inaba<sup>1</sup>, Naoki Kuramoto<sup>1</sup>, Sho Okubo<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

---

**TRACK: REALIZATION AND DISSEMINATION OF THE KG SESSION: Other kg**

**Reliability Check of a Voltage Balance to Measure the Radiation Pressure for Small Mass and Force Standard at NMIJ 445**

**Kazuaki Fujita**<sup>1</sup>, Kenichi Fujii<sup>1</sup>, Yasuyuki Yamamoto<sup>1</sup>, Yuichi Ota<sup>1</sup>, Naoki Kuramoto<sup>1</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan

**The Recent Progress of the NIM-2 Joule Balance 447**

**Zhengkun Li**<sup>1</sup>, Jinxin Xu<sup>1</sup>, Yang Bai<sup>1</sup>, Dawei Wang<sup>2</sup>, Lushuai Qian<sup>3</sup>, Qing He<sup>1</sup>, Zhonghua Zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>Harbin Institute of Technology, Harbin, Heilongjiang Province, China, <sup>3</sup>Tsinghua University, Beijing, Beijing, China

**Small mass realization in the new SI 449**

**Darine Haddad**<sup>1</sup>, Patrick J. Abbott<sup>1</sup>, Leon Chao<sup>1</sup>, Edward Mulhern<sup>1</sup>, Frank C. Seifert<sup>1</sup>, Stephan Schlamminger<sup>1</sup>, Zeina Kubarych<sup>1</sup>, David Newell<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Gaithersburg, MD

---

**TRACK: TIME, OPTICAL, AND MAGNETICS SESSION: Magnetics**

**Impedance of Helmholtz Coil to Generate Standard AC Magnetic Field in High Frequency 451**

**Masanori Ishii**<sup>1</sup>, Mikiko Suzuki<sup>2</sup>  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>TOYOTA MOTOR CORPORATION, Toyota, Aichi, Japan

**A Characteristic Approximation Approach to Defect Edge Detection in Magnetic Flux Leakage Testing 453**

**Yue Long**<sup>1</sup>, Songling Huang<sup>1</sup>, Lisha Peng<sup>1</sup>, Shen Wang<sup>1</sup>, Wei Zhao<sup>1</sup>  
<sup>1</sup>Tsinghua University, Beijing, Beijing, China

**Measurement of thinning wall for ferromagnetic structures based on the reluctance of the magnetic circuit 455**

**Wenzhi Wang**<sup>1</sup>, Wei Zhao<sup>1</sup>, Songling Huang<sup>1</sup>  
<sup>1</sup>Tsinghua University, Beijing, Beijing, China

**A Simplified Calculation Model of MFL Signal of Defect Based on Lift-off Value 457**

Lisha Peng<sup>1</sup>, Songling Huang<sup>1</sup>, Shen Wang<sup>1</sup>, Wei Zhao<sup>1</sup>  
<sup>1</sup>Tsinghua University, Beijing, Beijing, China

TRACK: TIME, OPTICAL, AND MAGNETICS

**SESSION: Photonics and Optical Metrology**

**Fresnel Reflection of Optical Fibres at Cryogenic Temperature for Absolute Radiometric Measurements 459**

Malcolm White<sup>1</sup>, Esther Baumann<sup>1</sup>, Igor Vayshenker<sup>1</sup>, Zeus Ruiz<sup>2</sup>, Michelle Stephens<sup>1</sup>, John Lehman<sup>1</sup>  
<sup>1</sup>National Institute of Standards and Technology, Boulder, CO, <sup>2</sup>CENAM, Querétaro, Querétaro, Mexico

**Investigation of Superconducting Titanium films for Transition Edge Sensors 461**

Xiaolong Xu<sup>1</sup>, Jinjin Li<sup>1</sup>, Xueshen Wang<sup>1</sup>, Qing Zhong<sup>1</sup>, Yuan Zhong<sup>1</sup>, Wenhui Cao<sup>1</sup>, Wei Li<sup>1</sup>, Jian Chen<sup>1</sup>, Zhiwei Zhao<sup>1</sup>, Ying Gao<sup>1</sup>, Zheng Liu<sup>1</sup>, Qing He<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

**Quantitative electro-optic measurements of ultrafast electrical signals on planar transmission lines: pitfalls and caveats 463**

Paul Struszewski<sup>1</sup>, Mark Bieler<sup>1</sup>  
<sup>1</sup>Physikalisch-Technische Bundesanstalt (PTB), Braunschweig, Lower Saxony, Germany

**Electrical measurement capabilities of the cryogenic dual-mode optical power detector 465**

Marit U. Nordsveen<sup>1</sup>, Eivind Bardalen<sup>2</sup>, Jarle Gran<sup>1</sup>  
<sup>1</sup>Justervesenet, Kjeller, Norway, <sup>2</sup>University of South-Eastern Norway, Borre, Vestfold og Telemark, Norway

**1.5 μm Wavelength Standard based on Acetylene Saturated Absorption at NIM 467**

Jianbo Wang<sup>1</sup>, Cong Yin<sup>1</sup>, Jin Qian<sup>1</sup>, Chunying Shi<sup>1</sup>, Hanping Wang<sup>1</sup>, Shan Cai<sup>1</sup>, Mingyu Zhang<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China

TRACK: TIME, OPTICAL, AND MAGNETICS

**SESSION: Time and Frequency**

**Development of an operational Yb optical lattice clock towards contribution to the International Atomic Time 469**

Takumi Kobayashi<sup>2</sup>, Daisuke Akamatsu<sup>2</sup>, Kazumoto Hosaka<sup>1</sup>, Yusuke Hisai<sup>1</sup>, Hajime Inaba<sup>1</sup>, Tomonari Suzuyama<sup>1</sup>, Feng-Lei Hong, Masami Yasuda  
<sup>1</sup>National Metrology Institute of Japan (NMIJ), National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba, Ibaraki, Japan, <sup>2</sup>Department of Physics, Graduate School of Engineering Science, Yokohama National University

**Systematic uncertainties in strontium optical lattice clocks 471**

Yannick Foucault<sup>1</sup>, Bruno Ximenez Rodrigues Alves<sup>1</sup>, William Moreno<sup>1</sup>, Rodolphe Le Targat<sup>1</sup>, Jérôme Lodewyck<sup>1</sup>  
<sup>1</sup>LNE-SYRTE, Observatoire de Paris, Paris, Ile de France, France

**Progress of Compact CPT Rb Atomic Clock based on Grating Magneto-Optical Trap 473**

Junyi Duan<sup>1</sup>, Xiaochi Liu<sup>1</sup>, Ning Ru<sup>1</sup>, Changling Zou<sup>2</sup>, Jifeng Qu<sup>1</sup>  
<sup>1</sup>National Institute of Metrology (NIM), Beijing, China, <sup>2</sup>University of Science and Technology of China, Hefei, Anhui, China

**The Official Time of Peru N/A**

Henry J. Diaz Chonate<sup>1</sup>, Michael Lombardi<sup>2</sup>  
<sup>1</sup>Instituto Nacional de Calidad (INACAL), Lima, Lima, Peru, <sup>2</sup>National Institute of Standards and Technology, Boulder, CO

**Analysis of dominant uncertainty in the calibration of optical tachometers 475**

Nelson Bahamón<sup>1</sup>, Liz Catherine Hernández Forero<sup>1</sup>, Claudia Fernanda Rodríguez<sup>1</sup>, Alexander Gutiérrez Guevara<sup>1</sup>  
<sup>1</sup>Instituto Nacional de Metrología, Bogotá D.C., Bogotá D.C., Colombia