

**2020 Joint Conference of the IEEE
International Frequency Control
Symposium and International
Symposium on Applications of
Ferroelectrics (IFCS-ISAF 2020)**

**Keystone, Colorado, USA
19 – 23 July 2020**



**IEEE Catalog Number: CFP20ISA-POD
ISBN: 978-1-7281-6753-4**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP20ISA-POD |
| ISBN (Print-On-Demand): | 978-1-7281-6753-4 |
| ISBN (Online): | 978-1-7281-6430-4 |
| ISSN: | 1099-4734 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|---|----|
| NONLINEARITY DRIVEN HIGHER ORDER HARMONICS IN CMOS-MEMS RESONATORS | 1 |
| <i>Kalyani Bhosale; Gayathri Pillai; Sheng-Shian Li</i> | |
| EFFECTS OF HELIUM EXPOSURE ON THE FREQUENCY OUTPUT OF A SPACE SYSTEM OCXO | 4 |
| <i>A. I. Hudson; G. H. Iyanu; H. Wang; M. B. Bloch</i> | |
| AN APPROACH FOR MITIGATING PPP DAY BOUNDARY WITH CLOCK STOCHASTIC MODEL | 11 |
| <i>Weijin Qin; Yulong Ge; Wei Wang; Xuhai Yang</i> | |
| LOW PHASE NOISE FREQUENCY DIVISION USING PLL | 16 |
| <i>Andrey Pluteshko</i> | |
| OPTICALLY PUMPED COLD CESIUM BEAM ATOMIC CLOCK BASED ON TWO-DIMENSIONAL MAGNETO-OPTICAL TRAP | 20 |
| <i>Weibin Xie; Qing Wang; Xuan He; Xianghui Qi; Xuzong Chen</i> | |
| PERFORMANCE EVALUATION ON C-BAND TWSTFT NETWORK OF NATIONAL TIME SERVICE CENTER | 24 |
| <i>Shuo Ding; Wei Wang; Xuhai Yang; Weichao Li</i> | |
| RESONATOR SCREENING FOR LOW NOISE APPLICATIONS USING A COMPACT TEMPERATURE CONTROLLED APPARATUS | 28 |
| <i>Mike F. Wacker</i> | |
| NONLINEAR ANALYSIS OF PHONONIC COMB GENERATION IN HIGH-Q QUARTZ RESONATORS | 32 |
| <i>R. L. Kubena; Y. K. Yong; W. S. Wall; J. Koehl; R. J. Joyce</i> | |
| ZERO POWER X-CUT LINBO₃ MEMS-BASED RADIO FREQUENCY RECTIFIER | 37 |
| <i>Luca Colombo; Giuseppe Michetti; Michele Pirro; Cristian Cassella; Gianluca Piazza; Matteo Rinaldi</i> | |
| APPLICATION OF TWSTFT: THE TECHNOLOGY OF SATELLITE ORBIT DETERMINATION BY TWO-WAY TRACKING (ODTT) | 41 |
| <i>Xuhai Yang; Shuo Ding; Xuan Cheng; Wei Wang; Liang Chen; Hui Lei; Fen Cao; Weichao Li; Zhigang Li</i> | |
| RESEARCH ON UTILIZATION RATE OF CESIUM ATOMS IN OPTICALLY PUMPED CESIUM BEAM TUBE | 45 |
| <i>Weibin Xie; Qing Wang; Xuan He; Xianghui Qi; Xuzong Chen</i> | |
| FURNACE ANNEALED HFO₂-FILMS FOR THE INTEGRATION OF FERROELECTRIC FUNCTIONALITIES INTO THE BEOL | 49 |
| <i>David Lehninger; Tarek Ali; Ricardo Olivo; Maximilian Lederer; Thomas Kämpfe; Konstantin Mertens; Konrad Seidel</i> | |
| AN X-BAND OSCILLATOR UTILIZING OVERTONE LITHIUM NIOBATE MEMS RESONATOR AND 65-NM CMOS | 52 |
| <i>Ali Kourani; Yansong Yang; Songbin Gong</i> | |
| ATOMIC CLOCK RESEARCH FOR THE SPACE ENVIRONMENT | 55 |
| <i>Zachary Warren; J. Camparo; T. Driskell; M. Huang; A. Hudson; D. Monahan; H. Wang</i> | |
| PYROELECTRIC CMOS COMPATIBLE SENSOR ELEMENT BASED ON HAFNIUM OXIDE THIN FILMS | 58 |
| <i>C. Mart; A. Viegas; S. Eßlinger; M. Czernohorsky; W. Weinreich; D. Mutschall; A. Kaiser; N. Neumann; T. Großmann; K. Hiller; L. M. Eng</i> | |
| RECONFIGURABLE GYRATION AND ISOLATION THROUGH NONRECIPROCAL COUPLING TO RESONATORS WITH TUNABLE Q-FACTOR | 61 |
| <i>Christopher W. Peterson; Mengze Sha; Gaurav Bahl</i> | |
| ADVANCES OF CHIP-SCALE ATOMIC CLOCK IN PEKING UNIVERSITY IN 2019 | 64 |
| <i>Jianye Zhao; Ping Guo; Lin Dan; Hongling Meng</i> | |
| 199-MHZ POLYSILICON MICROMECHANICAL DISK ARRAY-COMPOSITE OSCILLATOR | 68 |
| <i>Qianyi Xie; Sherwin Afshar; Alper Ozgurluk; Clark T.-C. Nguyen</i> | |
| ATTENUATION OF LAMB MODES AND SH WAVES NEAR CUT-OFF FREQUENCIES | 73 |
| <i>Victor Plessky; Julius Koskela; Soumya Yandrapalli</i> | |
| QUANTIZATION REQUIREMENTS FOR FM GYROSCOPES: AN UPDATE ON THE NONLINEAR FM GYROSCOPE | 76 |
| <i>Andrew B. Sabater; Eric Bozeman; Omar Horta; Kari M. Moran; Kevin Stanzione</i> | |

| | |
|---|-----|
| HIGH STABILITY ULTRA-MINIATURE SIZE OCXO OPERATING WITHIN WIDE TEMPERATURE RANGE: USING ASIC WITH BUILT-IN OVEN FOR OCXO | 81 |
| <i>Kenji Irie; Jun-Ichi Arai; Manabu Ito; Toshiyuki Shinotsuka; Manabu Ishikawa; Shun-Ichi Wakamatsu</i> | |
| REMOTE CALIBRATION OF TIME SCALE DIFFERENCE BY MOVING A PORTABLE CESIUM CLOCK | 85 |
| <i>Wen-Hung Tseng; Shinn-Yan Lin</i> | |
| FREQUENCY AND COUPLING FACTOR SCALING OF SHEAR HORIZONTAL SAW RESONATORS IN LNOI PLATFORM | 88 |
| <i>Kuan-Ju Tseng; Ming-Huang Li</i> | |
| FERROELECTRICITY IN ALSCN: SWITCHING, IMPRINT AND SUB-150 NM FILMS | 91 |
| <i>Simon Fichtner; Fabian Lofink; Bernhard Wagner; Georg Schönweiger; Tom-Niklas Kreutzer; Adrian Petraru; Hermann Kohlstedt</i> | |
| MEASURING RESIDUAL MAGNETIC FIELD IN THE MAGNETIC SHIELD WITH MAGNETIC RESONANCE SIGNAL WIDTH | 95 |
| <i>Yucheng Yang; Jingbiao Chen; Xiang Peng; Teng Wu; Hong Guo</i> | |
| MULTIPATH PARAMETER EXTRACTION AND CORRECTION FROM FREQUENCY DEPENDENT AMPLITUDE FADING | 97 |
| <i>Archita Hati; Craig W. Nelson</i> | |
| DESIGN OPTIMIZATION FOR HIGH-VOLUME, LOW-COST 9X7 OCXO | 102 |
| <i>Hoklay Pak; Adam Michael Jarrett</i> | |
| ¹⁷¹YB⁺ MICROWAVE CLOCK FOR MILITARY AND COMMERCIAL APPLICATIONS | 105 |
| <i>Hyunwook Park; Jonathan Tallant; Xianli Zhang; Jay Noble; David Guan; Nakri Dao; K. Richard Overstreet</i> | |
| MICROMAGNETIC SENSOR UTILIZING SINGLE SAW IDT SHUNT-LOADED WITH GMI WIRE | 109 |
| <i>Akila Khatun; Florian Bender; Fabien Josse; Arnold K. Mensah-Brown; R. Dych Anderson; Donnell Washington</i> | |
| PHOTOTHERMAL FREQUENCY RESPONSE CHARACTERIZATION OF LARGE DEFORMATION MULTI-LAYER THIN FILM STRUCTURES | 111 |
| <i>Harris J. Hall; Sean McDaniel; David Torres; Piyush Shah; Lavern Starman</i> | |
| X-CUT LINBO₃ COUPLED RESONATORS FOR NARROW-BAND FILTERING APPLICATIONS | 115 |
| <i>Michele Pirro; Luca Colombo; Giuseppe Michetti; Gianluca Piazza; Matteo Rinaldi</i> | |
| FPGA-BASED LOW-LATENCY DIGITAL SERVO FOR OPTICAL PHYSICS EXPERIMENTS | 119 |
| <i>Marco Pomponio; Archita Hati; Craig Nelson</i> | |
| SECONDARY FREQUENCY VERSUS TEMPERATURE COMPENSATION OF AN OCXO USING A SEGMENTED POLYNOMIAL ARRAY | 121 |
| <i>John Esterline; Dewain Stange</i> | |
| CHIP-SCALE ACTIVE OPTICAL CLOCK SCHEME | 125 |
| <i>Haosen Shang; Duo Pan; Xiaopeng Xie; Tiantian Shi; Jingbiao Chen</i> | |
| TOWARDS A RAMAN-RAMSEY CLOCK BASED ON A COLD CESIUM BEAM | 129 |
| <i>Chenfei Wu; Xueshu Yan; Jianwei Zhang; Lijun Wang</i> | |
| DUAL RANGE AND HIGH DATA-RATE INTRABODY COMMUNICATION TRANSCEIVER BASED ON PIEZOELECTRIC MICROMACHINED ULTRASONIC TRANSDUCERS | 131 |
| <i>Flavius Pop; Bernard Herrera; Matteo Rinaldi</i> | |
| IMPLEMENTATION OF QCM WITH UNIFORM MASS SENSITIVITY DISTRIBUTION | 133 |
| <i>Qiao Chen; Xianhe Huang; Wei Pan; Wei Fu</i> | |
| FABRICATION OF <111>_C-ORIENTED (K_{0.5}Na_{0.5})NBO₃ SINGLE CRYSTAL BY SOLID-STATE CRYSTAL GROWTH METHOD | 136 |
| <i>Ichiro Fujii; Shintaro Ueno; Satoshi Wada</i> | |
| COMMERCIAL PRODUCTION OF EPITAXIAL PZT FOR PIEZOELECTRIC MEMS APPLICATIONS | 138 |
| <i>Ryoma Miyake; Mario Kiuchi; Shinya Yoshida; Shuji Tanaka; Glen R. Fox</i> | |
| AN OPTICAL LATTICE CLOCK TESTBED SYSTEM FOR THE IQCLOCK PROJECT DEMONSTRATOR | 141 |
| <i>Markus Gellesch; Richard Barron; Jonathan M. Jones; Alok Singh; Qiushuo Sun; Kai Bongs; Yeshpal Singh</i> | |
| A NOVEL CUT QUARTZ CRYSTAL PLATE WITH HIGH THERMAL STABILITY AT A LOWER TURNOVER TEMPERATURE | 143 |
| <i>Qi Huang; Shaoyun Wang; Tingfeng Ma; Ji Wang; Julian Shen; Shi-Yung Pao; Min-Chiang Chao</i> | |
| OPTIMIZATION OF PUMPING LIGHT FOR CS FOUR-LEVEL ACTIVE OPTICAL CLOCK | 147 |
| <i>Tiantian Shi; Jianxiang Miao; Duo Pan; Jingbiao Chen</i> | |
| SCALAR MAGNETOMETER WITH LARGE MAGNETIC FIELD DYNAMIC RANGE | 150 |
| <i>Yudong Ding; Rui Zhang; Yucheng Yang; Zhaoyu Zheng; Teng Wu; Jingbiao Chen; Xiang Peng; Hong Guo</i> | |

| | |
|---|-----|
| NEW INSIGHT INTO DEFECTS AND DEGRADATION KINETICS IN LEAD ZIRCONATE TITANATE | 152 |
| <i>Daniel Monteiro Diniz Reis; Sven Rzepka; Karla Hiller</i> | |
| TRUE SERIES RESONANCE OSCILLATOR USING ACTIVE SHUNT CAPACITANCE CANCELLATION | 155 |
| <i>Darren W. Branch; Kurt O. Wessendorf</i> | |
| OPTIMIZATION OF A SERIES-PARALLEL MEMS RESONATORS CONFIGURATION FOR PASSIVE VOLTAGE AMPLIFICATION IN WAKE-UP RADIOS | 160 |
| <i>Luca Colombo; Giuseppe Michetti; Michele Pirro; Cristian Cassella; Gianluca Piazza; Matteo Rinaldi</i> | |
| ENABLING CHANNELIZING FILTERS FOR HIGH IMPEDANCE NODES WITH TEMPERATURE COMPENSATED LAMB-WAVE RESONATORS | 164 |
| <i>Steffen Link; Ruochen Lu; Shibin Zhang; Songbin Gong; Anjana Dissanayake; Steven M. Bowers</i> | |
| ACOUSTIC STUDIES OF PHASE TRANSITION IN LITHIUM TANTALATE CRYSTALS | 168 |
| <i>Akhmedzhanov Farkhad; Kurbanov Jakhongir; Nazarov Jamoliddin</i> | |
| FREQUENCY AND ACOUSTIC PERFORMANCE TUNABILITY FOR A SIN-ALSCN BASED PMUT DEVICE | 172 |
| <i>Shomnath-Bhowmick; E. Marigó; M. Soundara-Pandian</i> | |
| ULTRASTABLE LONG-HAUL FIBRE-OPTIC RADIO FREQUENCY TRANSFER BASED ON PLL FREQUENCY MIXING | 175 |
| <i>Chenxia Liu; Shujin Zhou; Zhuoze Zhao; Hao Gao; Jianming Shang; Xing Chen; Bin Luo; Song Yu</i> | |
| STUDY ON POLARIZATION BEHAVIOR OF MULTILAYER CERAMICS USING VARIOUS FERROELECTRIC MATERIALS | 177 |
| <i>Hiroshi Kishi; Takaaki Tsurumi; Takayuki Gotoh; Koichiro Morita; Yoshiki Iwazaki</i> | |
| A SUB-MW/PIXEL ZERO-BIAS CMUT-IN-CMOS RECEIVER FRONT-END WITH TIN ELECTRODE | 179 |
| <i>Tzu-Hsuan Hsu; Ming-Huang Li; Anurag A. Zope; Sheng-Shian Li</i> | |
| OPTICAL PUMPED CESIUM ATOMIC CLOCK WITH MULTI-POLE MAGNET | 183 |
| <i>Tianyu Liu; Duo Pan; Jingbiao Chen</i> | |
| AFe-LIKE HYSTERESIS LOOPS FROM DOPED HFO₂: FIELD INDUCED PHASE CHANGES AND DEPOLARIZATION FIELDS | 187 |
| <i>P. D. Lomenzo; C. Richter; M. Materano; T. Mikolajick; U. Schroeder; T. Schenk; D. Spirito; S. Gorfman</i> | |
| 2.4 GHZ NARROW-BAND PHOTODETECTOR FOR OPTICAL FIBER RADIO FREQUENCY TRANSMISSION SYSTEM | 191 |
| <i>Junjie Shi; Yaojun Qiao; Chenxia Liu; Zhuoze Zhao; Shujin Zhou; Jinting Cong; Jianming Shang; Xing Chen; Bin Luo; Song Yu</i> | |
| LOW PHASE NOISE WINE-GLASS OSCILLATOR REALIZED USING ENHANCED SUPPORT TRANSDUCER DESIGN | 194 |
| <i>Hsin-Tung Jen; Gayathri Pillai; Shen-Luan Liu; Sheng-Shian Li</i> | |
| RESONANT MEMS FOR GAS DETECTION BASED ON THE MEASUREMENTS OF PHYSICAL PROPERTIES OF GAS MIXTURES | 197 |
| <i>Isabelle Dufour; Luis Iglesias Hernandez; Priyadarshini Shanmugam; Jean-François Michaud; Daniel Alquier; Dominique Certon; Maria-Dolores Manrique-Juarez; Thierry Leichlé; Fabrice Mathieu; Laurent Mazon; Liviu Nicu</i> | |
| FAILURE MECHANISMS OF LEAD ZIRCONATE TITANATE THIN FILMS DURING ELECTROMECHANICAL LOADING | 200 |
| <i>Kathleen Coleman; Julian Walker; Wanlin Zhu; Song Won Ko; Peter Mardilovich; Susan Trolrier-McKinstry</i> | |
| THE THERMAL STABILITY OF RECOVERABLE ENERGY STORAGE DENSITY IN NOVEL EU-SUBSTITUTED LEAD FREE K_{0.5}BI_{0.5}TIO₃ FERROELECTRIC | 205 |
| <i>Krishnarjun Banerjee; Saket Asthana</i> | |
| DENSIFYING BATIO₃ POLYCRYSTALLINE CERAMICS WITHOUT AFFECTING SIZE AND FERROELECTRIC PROPERTIES | 208 |
| <i>M. Taheri; B. Zanca; S. Jimenez Villegas; M. Dolgos; S. Bryant; S. Trudel</i> | |
| PERIODIC POLING OF X-CUT THIN-FILM LITHIUM NIOBATE: THE ROUTE TO SUBMICROMETER PERIODS | 212 |
| <i>M. Rüsing; M. Roeper; Z. Amber; B. Kirbus; L. M. Eng; J. Zhao; S. Mookherjea</i> | |
| μ-RAMAN INVESTIGATIONS OF PERIODICALLY-POLED X-CUT THIN-FILM LITHIUM NIOBATE FOR INTEGRATED OPTICS | 214 |
| <i>Sven Reitzig; Michael Rüsing; Benjamin Kirbus; Joshua Gössel; Ekta Singh; Lukas M. Eng; Jie Zhao; Shayan Mookherjea</i> | |
| EXPERIMENTAL FERROELECTRIC ENERGY LANDSCAPES: INSIGHTS INTO THE ORIGIN OF NEGATIVE CAPACITANCE | 218 |
| <i>Michael Hoffmann; Mengcheng Gui; Stefan Slesazeck; Thomas Mikolajick</i> | |

| | |
|---|-----|
| A NOVEL MINIATURE OCXO USING HERMETICALLY SEALED CERAMIC PACKAGE | 220 |
| <i>Wan-Lin Hsieh; Erh-Shuo Hsu; Yu-Shun Yen; Sheng-Hsiang Kao; Ying-Che Huang; Min-Ho Wang</i> | |
| STABILITY BUDGET FOR THERMAL CALCIUM-BEAM OPTICAL CLOCK | 224 |
| <i>Bryan Hemingway; T. G. Akin; Jennifer Taylor; Steven Peil</i> | |
| A TWSFT TRANSMITTER PROTOTYPE COMPATIBLE WITH SDR RECEIVERS AND SATRE MODEMS | 228 |
| <i>Marco Siccardi; Tung Thanh Thai; Daniele Giovanni Rovera; Ilaria Sesia</i> | |
| A REVIEW OF THE APPROACHES TO IMPROVE THE EFFECTIVE COUPLING COEFFICIENT OF ALN BASED RF MEMS RESONATORS | 231 |
| <i>Yao Zhu; Nan Wang; Chen Liu; Ying Zhang</i> | |
| FERROELECTRIC C-AXIS TEXTURED ALUMINUM SCANDIUM NITRIDE THIN FILMS OF 100 NM THICKNESS | 233 |
| <i>Dixiong Wang; Jeffrey Zheng; Zichen Tang; Michael D'Agati; Paria S. M. Gharavi; Xiwen Liu; Deep Jariwala; Eric A. Stach; Roy H. Olsson; Volker Roebisch; Martin Kratzer; Bernd Heinz; Myung-Geun Han; Kim Kisslinger</i> | |
| 11 GHZ LATERAL-FIELD-EXCITED ALUMINUM NITRIDE CROSS-SECTIONAL LAMÉ MODE RESONATOR | 237 |
| <i>Meruyert Assylbekova; Guofeng Chen; Giuseppe Michetti; Michele Pirro; Luca Colombo; Matteo Rinaldi</i> | |
| FULLY DIGITAL QCM USING TWIN QUARTZ SENSOR | 241 |
| <i>Takeshi Imaike; Akito Shirai</i> | |
| IMPROVED ELECTROMECHANICAL TRANSDUCTION FOR PIEZOMUMPS HBAR IMPEDANCE SENSORS | 243 |
| <i>Jesus Yanez; Eyglis Ledesma; Arantxa Uranga; Nuria Barniol</i> | |
| A CASCADABLE RECONFIGURABLE MICRO-ELECTROMECHANICAL RESONATOR LOGIC GATE | 248 |
| <i>Sally Ahmed; Xuecui Zou; Hossein Fariborzi</i> | |
| ANTIFERROELECTRIC SI:HFO₂ FOR HIGH ENERGY STORAGE USING 3D MIM CAPACITORS | 251 |
| <i>A. Viegas; C. Mart; M. Czernohorsky</i> | |
| PECULIARITIES OF DIPOLAR ORDERING IN MIXED CATION HALIDE PEROVSKITES | 254 |
| <i>M. Simenas; S. Balciunas; S. Svirskas; M. Kinka; V. Samulionis; R. Grigalaitis; Juras Banys; A. Gagor; M. Maczka; A. Garbaras; A Sieradzki</i> | |
| MEMS RESONANT TEMPERATURE SENSING WITH VARIABLE COUPLING STIFFNESS AND IMPROVED SENSITIVITY | 256 |
| <i>Ertug Simsek; Kivanç Azgin</i> | |
| LOW PHASE NOISE AND HIGHLY STABLE OPTOELECTRONIC OSCILLATOR BY USING FREQUENCY-MULTIPLYING PHASE LOCKED LOOP | 259 |
| <i>Huanfa Peng; Naijing Liu; Yankun Li; Xiaopeng Xie; Zhangyuan Chen</i> | |
| STABILITY DEMONSTRATION OF A 15-CC MERCURY-ION VACUUM TRAP TUBE | 261 |
| <i>Thai M. Hoang; Sang K. Chung; Thanh Le; John D. Prestage; Lin Yi; Robert L. Tjoelker; Nan Yu</i> | |
| LASER PHASE NOISE MEASUREMENT BY USING OFFSET OPTICAL PHASE LOCKED LOOP | 265 |
| <i>Huanfa Peng; Naijing Liu; Qijun Liang; Guangyu Gao; Yankun Li; Xiaopeng Xie; Zhangyuan Chen</i> | |
| HEAVY ION IRRADIATION EFFECTS ON STRUCTURAL AND FERROELECTRIC PROPERTIES OF HFO₂ FILMS | 267 |
| <i>T. Kämpfe; T. Vogel; R. Olivo; M. Lederer; N. Kaiser; S. Petzold; T. Ali; D. Lehninger; C. Trautmann; L. Alff; K. Seidel</i> | |
| SENSITIVITY ENHANCEMENT IN RESONANT MICROBOLOMETERS WITH DUAL MODE OPERATION | 270 |
| <i>Onurcan Kaya; Kivanç Azgin</i> | |
| HIGH-FREQUENCY REFERENCE SYSTEM IMPLEMENTATIONS UTILIZING MIRROR-ENCAPSULATED BAW RESONATORS | 273 |
| <i>Ernest Ting-Ta Yen; Benyong Zhang; Danielle Griffith; Keegan Martin; Mahmud Chowdhury; Jeronimo Segovia-Fernandez; Trevor Tarsi; Brian Goodlin; Benjamin Cook; Ricky Jackson</i> | |
| AN ANALYTICAL MODEL TO PREDICT EXTRINSIC AGING IN BAW RESONATORS | 275 |
| <i>Jeronimo Segovia-Fernandez; Ernest Ting-Ta Yen; Javier Rojas; Thu Tran; Mahmud Chowdhury; Peter Smey</i> | |
| LOW-PHASE NOISE MICROWAVE GENERATION USING SELF-STABILIZED f_{CEO}-FREE COMB | 279 |
| <i>James P. Cahill; Tanvir Mahmood; Patrick Sykes; Weimin Zhou; Matthew J. Cich; Rafal Wilk; Sebastian Mueller; Felix Rohde; Curtis R. Menyuk</i> | |
| A DUAL-RING BREATH-MODE MEMS-BASED 10.00 MHZ GPS-DISCIPLINED REFERENCE OSCILLATOR | 281 |
| <i>M. S. Islam; Soumyajit Mandal; George Xereas; Vamsy P. Chodavarapu</i> | |

| | |
|--|------------|
| FERROELECTRIC CAPACITOR BASED ADAPTIVE DIFFERENTIAL EQUALIZER | 286 |
| <i>Dubari Borah; Aarushi Gupta; Thottam S. Kalkur</i> | |
| THE COOL OSCILLATOR MODEL WITH PREDICTED PERFORMANCE IN PRACTICAL SYSTEMS WITH EXPLANATIONS OF OSCILLATOR-SPURS AND INJECTION-LOCKING PROCESSES | 288 |
| <i>Michael J. Underhill</i> | |
| CHARACTERIZATION OF ALSN ON CMOS | 292 |
| <i>Yutong Liu; Justin Kuo; Benyamin Davaji; Ved Gund; Amit Lal; Jaibir Sharma; Navab Singh</i> | |
| A HIGH-K_1^2 SWITCHABLE FERROELECTRIC $AL_{0.7}SC_{0.3}N$ FILM BULK ACOUSTIC RESONATOR | 297 |
| <i>Jialin Wang; Mingyo Park; Stefan Mertin; Tuomas Pensala; Farrokh Ayazi; Azadeh Ansari</i> | |
| A ZERO STANDBY POWER MEMS SWITCH-BASED INFRARED SENSOR WITH FREQUENCY OUTPUT | 300 |
| <i>Vageeswar Rajaram; Sungho Kang; Sila Deniz Caliskan; Antea Rizzo; Zhenyun Qian; Matteo Rinaldi</i> | |
| TRAPPED CHARGE EFFECT ON COMPOSITE LITHIUM NIOBATE-SILICON ACOUSTOELECTRIC DELAY LINES | 303 |
| <i>Hakhamanesh Mansoorzare; Reza Abdolvand</i> | |
| TUNING DOMAIN WALL CONDUCTANCE IN LITHIUM NIOBATE THIN-FILMS | 305 |
| <i>T. Kämpfe; B. Wang; A. Haußmann; L.-Q. Chen; L. M. Eng</i> | |
| EXPERIMENTAL STUDY ON FREQUENCY STABILITY OF MICROMECHANICAL RESONATORS OPERATING IN THE NONLINEAR TAPPING MODE | 309 |
| <i>Chun-Pu Tsai; Jia-Ren Liu; Wei-Chang Li</i> | |
| MULTI-SOURCE MAXIMUM LIKELIHOOD MODIFIED ALLAN DEVIATION ESTIMATION | 312 |
| <i>James Schatzman</i> | |
| PRECISION RESONANT BEAM STRAIN SENSOR EMPLOYING GAP-DEPENDENT FREQUENCY SHIFT | 316 |
| <i>Alper Ozgurluk; Clark T.-C. Nguyen</i> | |
| WIRELESS PASSIVE TIME-OF-FLIGHT RESPIRATORY MEMS FLOW RATE SENSOR | 321 |
| <i>Sina Moradian; Parvin Akhkandi; Hedy Fatemi; Reza Abdolvand</i> | |
| EFFECTS OF RESONATOR VOLUME ON THE OSCILLATOR NEAR-CARRIER PHASE NOISE | 325 |
| <i>Parvin Akhkandi; Sina Moradian; Hakhamanesh Mansoorzare; Reza Abdolvand</i> | |
| IDT-BASED ACOUSTIC WAVE DEVICES USING ULTRATHIN LITHIUM NIOBATE AND LITHIUM TANTALATE | 328 |
| <i>Shuji Tanaka; Michio Kadota</i> | |
| HIGH COUPLING COEFFICIENT RESONANCE MODE IN $AL_{0.68}SC_{0.32}N$ SURFACE ACOUSTIC WAVE RESONATOR WITH ALN BUFFER LAYER ON A SILICON SUBSTRATE | 331 |
| <i>Zichen Tang; Michael D'Agati; Roy H. Olsson</i> | |
| SPUTTERED ALN LATERAL BIMORPH: PROCESS INTEGRATION CHALLENGES AND OPPORTUNITIES | 334 |
| <i>Benyamin Davaji; Mamdouh Abdelmajeed; Amit Lal; Thomas Pennell; Vince Genova</i> | |
| EPITAXIAL $AL_{0.77}SC_{0.23}N$ SAW AND LAMB WAVE RESONATORS | 337 |
| <i>Mingyo Park; Azadeh Ansari</i> | |
| LOCALIZED MODES IN ASYMMETRIC PHONONIC CRYSTALS | 340 |
| <i>Yanbo He; Dana Weinstein</i> | |
| ATOMIC RESOLUTION STUDIES ON SURFACE DIPOLES BY NONCONTACT SCANNING NONLINEAR DIELECTRIC MICROSCOPY AND POTENTIOMETRY | 344 |
| <i>Kohei Yamasue; Yasuo Cho</i> | |
| USE OF ARTIFICIAL INTELLIGENCE IN CLASSIFICATION AND MONITORING OF VHF SIGNALS IN A SOFTWARE BASED INSTRUMENTATION SYSTEM | 348 |
| <i>Razvan Ciocan</i> | |
| HANLE EFFECT IN THE METASTABLE STATE OF 4HE ATOMS WITH ARBITRARILY POLARIZED LIGHT | 351 |
| <i>He Wang; Teng Wu; Wei Xiao; Haidong Wang; Yucheng Yang; Xiang Peng; Hong Guo</i> | |
| THE SUPPRESSED CAVITY-PULLING EFFECT IN DUAL-WAVELENGTH ACTIVE OPTICAL CLOCK BASED ON TWICE CAVTY-LOCKING TECHNIQUE | 354 |
| <i>Tiantian Shi; Duo Pan; Jingbiao Chen</i> | |
| CHARACTERIZATION OF A STATIC MAGNETIC FIELD WITH TWO-PHOTON ROTATIONAL SPECTROSCOPY OF COLD TRAPPED HD^+ | 357 |
| <i>Florin Lucian Constantin</i> | |
| A 3-PORT CIRCULATOR BASED ON NON-RECIPROCAL ACOUSTOELECTRIC DELAY LINES | 361 |
| <i>Siddhartha Ghosh; Matthew Ricci</i> | |

| | |
|---|-----|
| A STUDY OF QUALITY FACTOR IN SAW RESONATORS FOR SAW GYROSCOPE APPLICATIONS | 364 |
| <i>Ashraf Mahmoud; Tamal Mukherjee; Gianluca Piazza</i> | |
| FIELD TRIAL OF STABLE RADIO FREQUENCY TRANSFER SYSTEM IN 100 KM METROPOLITAN OPTICAL FIBER LINK | 367 |
| <i>Chenxia Liu; Shujin Zhou; Zhuoze Zhao; Hao Gao; Jinting Cong; Jianming Shang; Xing Chen; Bin Luo; Song Yu; Hong Guo</i> | |
| STOCHASTIC MODELING OF SHORT AND LONG TERM CLOCK SKEW | 369 |
| <i>Carsten Andrich; Maximilian Engelhardt; Alexander Ihlow; Niklas Beuster; Giovanni Del Galdo</i> | |
| MEASUREMENT OF DRIFT AND JITTER OF NETWORK SYNCHRONIZED DISTRIBUTED CLOCKS | 373 |
| <i>Carsten Andrich; Maximilian Engelhardt; Alexander Ihlow; Niklas Beuster; Giovanni Del Galdo</i> | |
| COMPUTER SIMULATION OF COMMERCIAL OPTICAL PUMPING CESIUM BEAM TUBES PARAMETERS | 381 |
| <i>Weibin Xie; Qing Wang; Xuan He; Nan Chen; Zezheng Xiong; Shengwei Fang; Xianghui Qi; Xuzong Chen</i> | |
| HYPERFINE-STRUCTURE MEASUREMENT OF THE $7P_{1/2}$ STATE IN ^{133}CS BASED ON THE ACTIVE OPTICAL CLOCK | 385 |
| <i>Tiantian Shi; Jianxiang Miao; Duo Pan; Jingbiao Chen</i> | |
| THE MEASUREMENT OF LANDÉ G FACTOR OF $^3\text{D}_1$ WITH COLD ^{88}SR ATOMS | 387 |
| <i>Shengnan Zhang; Preetam Ramchurn; Kai Bongs; Yeshpal Singh</i> | |
| NARROWING LASER LINEWIDTH USING MODULATION TRANSFER SPECTROSCOPY | 389 |
| <i>Haosen Shang; Tongyun Zhang; Xiaolei Guan; Duo Pan; Jingbiao Chen; Tiantian Shi; Jun Pan; Chunlai Li; Guoqing Hu; Jin He</i> | |
| ANALYSIS AND COMPENSATION OF LATENCIES IN NTS-SECURED NTP TIME SYNCHRONIZATION | 393 |
| <i>Martin Langer; Kai Heine; Rainer Bernbach; Dieter Sibold</i> | |
| ELECTROSTATIC FREQUENCY TUNING OF BULK ACOUSTIC WAVE DISK GYROSCOPES | 403 |
| <i>Madan Parajuli; Guillermo Sobreviela; Ashwin A. Seshia</i> | |
| NOISE EVASION PROPERTIES OF ELECTROSTATIC GAP-CLOSING MEMS RESONATORS WITH PULSED EXCITATION WAVEFORMS | 407 |
| <i>Jérôme Juillard; Antonio Somma; Alexis Brenes</i> | |
| COMPARISON WITH TAI OF NTSC-F1 | 411 |
| <i>Dandan Liu; Jun Ruan; Sichen Fan; Hui Zhang; Yong Guan; Xinliang Wang; Junru Shi; Yan Yang; Yang Bai; Shougang Zhang</i> | |
| A HIGH PERFORMANCE AND PORTABLE OPTICALLY PUMPED CESIUM BEAM FREQUENCY STANDARD | 413 |
| <i>Xuan He; Qing Wang; Weibin Xie; Nan Chen; Zezheng Xiong; Xianghui Qi; Xuzong Chen</i> | |
| ON USING UTC/UTCR FOR GNSS-GNSS TIME OFFSET MONITORING | 417 |
| <i>Petr Bogdanov; Andrei Druzhin; Tatiana Primakina</i> | |
| CHARACTERIZATION OF GPS DISCIPLINED OSCILLATORS USING A LABORATORY GNSS SIMULATION TESTBED | 420 |
| <i>Julia Bauer; Carsten Andrich; Alexander Ihlow; Niklas Beuster; Giovanni Del Galdo</i> | |
| CHARACTERIZING GPS DISCIPLINED OSCILLATORS FOR DISTRIBUTED VEHICLE-TO-X MEASUREMENT APPLICATIONS | 424 |
| <i>Julia Bauer; Carsten Andrich; Alexander Ihlow; Niklas Beuster; Giovanni Del Galdo</i> | |
| THE HIGH FREQUENCY ELECTRODELESS MERCURY ISOTOPE LAMP | 428 |
| <i>Xing Chen; Honglei Yang; Peng Fei; Xiaobo Xue; Shengkang Zhang; Jun Ge</i> | |
| DEVELOPMENT OF TRANSPORTABLE AND PORTABLE OPTICAL LATTICE CLOCKS ON YTTERBIUM ATOMS | 430 |
| <i>Gleb Belotelov; Denis Sutyryn; Sergey Slyusarev</i> | |
| TIME-SCALE GENERATION METHODS BASED ON AN OPTICAL CLOCK | 434 |
| <i>Artem Gribov; Denis Sutyryn; Oleg Berdasov; Sergey Antropov; Gleb Belotelov; Evgeniya Stelmashenko; Aleksei Kostin; Mikhail Gurov; Alexander Malimon; Daria Fedorova; Roman Balaev; Sergey Slyusarev</i> | |
| QUARTZ CRYSTAL RESONATOR USED AS AN OPTICAL FABRY-PEROT CAVITY FOR OPTOMECHANICAL COUPLING | 438 |
| <i>Kevin Rosenzweig; Jérémy Bon; Philippe Abbé; Valérie Soumann; Remo Giust; Nicolas Passilly; Serge Galliou; Pierre-François Cohadon</i> | |
| TOWARDS PROBING A VARIATION OF FUNDAMENTAL CONSTANTS WITH OPTICAL CLOCK TRANSITIONS OF $^{127}\text{I}_2$ | 443 |
| <i>Florin Lucian Constantin</i> | |
| EXPERIMENTAL INVESTIGATIONS ON LASERS FM AND AM NOISE | 446 |
| <i>Olivier Llopis; Gilles Bailly; Alexis Bougaud; Arnaud Fernandez</i> | |

| | |
|--|-----|
| SPECTRAL HOLE BURNING FOR ULTRA-STABLE LASERS | 449 |
| <i>Nicolas Galland; Signe Seidelin; Alban Ferrier; Philippe Goldner; Shuo Zhang; Nemanja Lucic; Hector Álvarez-Martínez; Roldolphe Le Targat; Bess Fang; Yann Le Coq</i> | |
| PRECISE TIME AND DATA TRANSFER TEST FACILITY USING OPTICAL FIBER LINKS IN S-BAND AND C-BAND | 453 |
| <i>Sarbojeet Bhowmick; Josef Vojtech; Radek Velc; Martin Slapak; Lada Altmannova; Vladimir Smotlacha</i> | |
| DIGITAL CONTROL OF RESIDUAL AMPLITUDE MODULATION FOR ULTRA-STABLE OPTICAL CAVITY | 456 |
| <i>S. F. Tetsing Talla; J. Millo; S. Denis; C. Lacroûte; G. Goavec-Merou; E. Rubiola; Y. Kersalé</i> | |
| WHITE RABBIT SINGLE FIBRE BIDIRECTIONAL TRANSMISSION OF PRECISE TIME USING UNCONVENTIONAL WAVELENGTHS | 459 |
| <i>Josef Vojtech; Ondrej Havlis; Sarbojeet Bhowmick; Martin Slapak; Petr Munster; Tomas Horvath; Radek Velc; Jan Kundrat; Lada Altmannova; Rudolf Vohnout; Pavel Skoda; Vladimir Smotlacha</i> | |
| EFFECTS OF POLARIZATION MODE DISPERSION ON AN ALL POLARIZATION MAINTAINING FIBERS BASED COUPLED OPTOELECTRONIC OSCILLATOR | 463 |
| <i>Alexis Bougaud; Aliou Ly; Gilles Bailly; Arnaud Fernandez; Olivier Llopis</i> | |
| MISE EN PRATIQUE OF THE NEW KELVIN USING DOPPLER BROADENING THERMOMETRY WITH A DIRECT LINK TO THE PRIMARY FREQUENCY STANDARDS | 467 |
| <i>Louis Lecordier; Elias Moufarej; Olga Kozlova; Anne Cournol; Mathieu Manceau; Dang Bao An Tran; Nicolas Cahuzac; Olivier Lopez; Etienne Cantin; Michel Abgrall; Rodolphe Le Targat; Paul-Eric Pottie; Catherine Martin; Stephan Briaudeau; Anne Amy-Klein; Chri</i> | |
| SYNCHRONIZATION OF R-MODE BASE STATIONS | 469 |
| <i>Carsten Rieck; Stefan Gewies; Lars Grundhöfer; Michael Hoppe</i> | |
| WHITE RABBIT IN THE CZECH TIME AND FREQUENCY TRANSFER INFRASTRUCTURE | 474 |
| <i>Vladimir Smotlacha; Josef Vojtech</i> | |
| PECULIARITIES OF MICROWAVE LAMB WAVE EXCITATION IN COMPOSITE SAW RESONATOR BASED ON DIAMOND SUBSTRATE | 478 |
| <i>Gennady Kvashnin; Boris Sorokin; Sergey Burkov</i> | |
| MICROWAVE DIAMOND-BASED HBAR AS ULTRATHIN FILM SENSOR. PT DEPOSITION | 482 |
| <i>Boris Sorokin; Gennady Kvashnin; Nikita Asafiev; Konstantin Kravchuk; Nikolay Luparev; Gennady Kvashnin; Andrey Sotnikov</i> | |
| LITHIUM NIOBATE OPTOMECHANICAL DISK RESONATORS | 486 |
| <i>Renyuan Wang; Sunil A. Bhave</i> | |
| Author Index | |