

2020 IEEE 30th International Workshop on Machine Learning for Signal Processing (MLSP 2020)

**Espoo, Finland
21 – 24 September 2020**



**IEEE Catalog Number: CFP20NNS-POD
ISBN: 978-1-7281-6663-6**

**Copyright © 2020 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.


****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP20NNS-POD |
| ISBN (Print-On-Demand): | 978-1-7281-6663-6 |
| ISBN (Online): | 978-1-7281-6662-9 |
| ISSN: | 1551-2541 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com



2020 IEEE International Workshop on Machine Learning for Signal Processing
September 21–24, Aalto University, Espoo, Finland

Paper Index

A Bayesian hierarchical mixture of Gaussian model for multi-speaker DOA estimation and separation...1

Yaron Laufer, Sharon Gannot

A general framework for ensemble distribution distillation...7

Jakob Lindqvist, Amanda E. C. Olmin, Fredrik Lindsten, Lennart Svensson

A hybrid interior point - deep learning approach for poisson image deblurring...13

Mathilde Galinier, Marco Prato, Emilie Chouzenoux, Jean-Christophe Pesquet

A multi-patch aggregated aesthetic rating system based on eyefixation...19

Yung Yuan Tseng, Tien-Ruey Hsiang

A neural network-aided Viterbi receiver for joint equalization and decoding...25

Han-Mo Ou, Chieh-Fang Teng, Wen-Chiao Tsai

A unified approach for target direction finding based on convolutional neural networks...31

Chong Wang, Wei Liu, Mengdi Jiang

Adversarial attacks on hierarchical composite classifiers via convex programming...37

Ismail Alkhouri, George Atia

Aerial spectrum surveying: Radio map estimation with autonomous UAVs...43

Daniel Romero, Raju Shrestha, Yves Teganya, Sundeep Chepuri

Anomaly location detection with electrical impedance tomography using multilayer perceptrons...49

Timo A Huuhtanen, Alexander Jung

Approximate Gaussian process regression and performance analysis using composite likelihood...55

Xiuming Liu, Dave Zachariah, Edith Ngai

AutoClip: Adaptive gradient clipping for source separation networks...61

Prem Seetharaman, Gordon Wichern, Bryan Pardo, Jonathan LeRoux

Bandit-based relay selection in cooperative networks over unknown stationary channels...67

Nikolaos Nomikos, Mohammad Sadegh Talebi, Risto Wichman, Themistoklis Charalambous

Blind audio source separation using two expectation-maximization algorithms...73

Aviad Eisenberg, Boaz Schwartz, Sharon Gannot

Blind hierarchical deconvolution...79

Arttu Arjas, Lassi Roininen, Mikko Sillanpää, Andreas Hauptmann

Block-wise minimization-majorization algorithm for Huber's criterion: Sparse learning and applications...85

Esa Ollila, Ammar Mian

Cognitive-driven convolutional beamforming using EEG-based auditory attention decoding...91

Ali Aroudi, Marc Delcroix, Tomohiro Nakatani, Keisuke Kinoshita, Shoko Araki, Simon Doclo

Collision-free UAV navigation with a monocular camera using deep reinforcement learning...97

Yun Chen, Nuria Gonzalez-Prelcic, Robert W Heath

Convolutional recurrent neural network based direction of arrival estimation method using two microphones for hearing studies...103

Abdullah Kucuk, Issa Panahi

DCGAN for the synthesis of multivariate multifractal textures: How do we know it works?...109

Vincent Mauduit, Patrice Abry, Roberto Leonarduzzi, Stephane Roux, Emmanuel Quemener

Deep blind one-bit signal recovery...115

Rui Da Huang, Xu Chen

Deep convolutional neural network-based inverse filtering approach for speech de-reverberation...121

Hanwook Chung, Vikrant Tomar, Benoit Champagne

Determined audio source separation with multichannel star generative adversarial network...127

Li Li, Hirokazu Kameoka, Shoji Makino

Diffusion field estimation using decentralized kernel Kalman filter with parameter learning over hierarchical sensor networks...133

Shengdi Wang, Ban-Sok Shin, Dmitriy Shutin, Armin Dekorsy

Distributed blind deconvolution of seismic signals under sparsity constraints in sensor networks...139

Ban-Sok Shin, Dmitriy Shutin

Double JPEG compression detection for distinguishable blocks in images compressed with same quantization matrix...145

Abhinav Narayan, Vinay Verma, Nitin Khanna

Electrical impedance tomography, enclosure method \and machine learning...151

Samuli Siltanen, Takanori Ide

End-to-end learning for retrospective change-point estimation...157

Corinne Jones, Zaid Harchaoui

Exact $O(n^2)$ hyper-parameter optimization for Gaussian process regression...163

Linning Xu, Yijue Dai, Jiawei Zhang, Ceyao Zhang, Feng Yin

F0 estimation using blind source separation for analyzing Noh singing...169

Atsuki Tamoto, Katunobu Itou

Fast variational learning in state-space Gaussian process models...175

Paul Chang, William Wilkinson, Mohammad Emtiyaz Khan, Arno Solin

Feature projection-based unsupervised domain adaptation for acoustic scene classification...181

Alessandrol Mezza, Emanuel Habets, Meinard Müller, Augusto Sarti

First-order optimization for superquantile-based supervised learning...187

Yassine Laguel, Jérôme Malick, Zaid Harchaoui

Fixing bias in reconstruction-based anomaly detection with Lipschitz discriminators...193

Alexander Y Tong, Guy Wolf, Smita Krishnaswamy

Frequency domain-based perceptual loss for super resolution...199

Shane D Sims

Globally optimal robust matrix completion based on M-estimation...205

Felicia Ruppel, Michael Muma, Abdelhak M Zoubir

Graph learning from multi-attribute smooth signals...211

Jitendra K Tugnait

Graph topology inference benchmarks for machine learning...217

Carlos Eduardo Rosar Kos Lassance, Vincent Gripon, Gonzalo Mateos

Graph-adaptive activation functions for graph neural networks...223

Bianca Iancu, Luana Ruiz, Alejandro Ribeiro, Elvin Isufi

Improving deep reinforcement learning for financial trading using neural network distillation...229

Avraam Tsantekidis, Nikolaos Passalis, Anastasios Tefas

Inference of protein-protein interaction networks from liquid-chromatography mass-spectrometry data by approximate Bayesian computation-sequential Monte Carlo sampling...235

Yukun Tan, Fernando Buarquede Lima Neto, Ulisses M. Braga-Neto

Learning general transformations of data for out-of-sample extensions...241

Matthew Amodio, Davidvan Dijk, Guy Wolf, Smita Krishnaswamy

Low-light environment neural surveillance...247

Michael L. Potter, Henry Gridley, Noah Lichtenstein, Kevin Hines, John Nguyen, Jacob Walsh

Lumen & media segmentation of IVUS images via ellipse fitting using a wavelet-decomposed subband CNN...253

Pavel Sinha, Ioannis Psaromiligkos, Zeljko Zilic

ModeNet: Mode selection network for learned video coding...259

Théo Ladune, Pierrick Philippe, Wassim Hamidouche, Lu Zhang, Olivier Deforges

Modeling phone call durations via switching poisson processes with applications in mental health...265

Pablo Bonilla-Escribano, David Ramírez, Antonio Artés Rodríguez

Motion pattern recognition in 4D point clouds...271

Dariush Salami, Sameera Palipana, Manila Kodali, Stephan Sigg

Multinomial sampling for hierarchical change-point detection...277

Lorena Romero-Medrano, Pablo Moreno-Munoz, Antonio Artés Rodríguez

Non-linearities in Gaussian processes with integral observations...283

Ville Tanskanen, Krista Longi, Arto Klami

On the adversarial robustness of feature selection using LASSO...289

Fuwei Li, Lifeng Lai

On the adversarial robustness of linear regression...295

Fuwei Li, Lifeng Lai

On the effectiveness of two-step learning for latent-variable models...301

Cem Subakan, Maxime Gasse, Laurent Charlin

On the minimization of Sobolev norms of time-varying graph signals: Estimation of new coronavirus disease 2019 cases...307

Jhony H. Giraldo, Thierry Bouwmans

Online supervised acoustic system identification exploiting prelearned local affine subspace models...313

Thomas Haubner, Andreas Brendel, Walter Kellermann

Online tensor low-rank representation for streaming data...319

Tong Wu

PPO-CMA: Proximal policy optimization with covariance matrix adaptation...325

Perttu Hämmäläinen, Amin Babadi, Xiaoxiao Ma, Jaakko Lehtinen

Parameter estimation in non-linear state-space models by automatic differentiation of non-linear Kalman filters...331

Ajinkya Gorad, Zheng Zhao, Simo Särkkä

Performance-complexity trade-off in large dimensional statistics...337

Tayeb Zarrouk, Romain Couillet, Florent Chatelain, Nicolas Le Bihan

Pulse ID: The case for robustness of ECG as a biometric identifier...343

Vishnu Chandrashekar, Prerna Singh, Mihir Paralkar, Ozan K. Tonguz

QISTA-Net: DNN architecture to solve l_q -norm minimization problem...349

Gang-Xuan Lin, Chun-Shien Lu

Quadratic mutual information regularization in real-time deep CNN models...355

Maria Tzelepi, Anastasios Tefas

Quaternion neural networks for 3D sound source localization in reverberant environments...361

Michela Ricciardi Celsi, Simone Scardapane, Danilo Comminiello

Real-time segmentation for tomographic imaging...367

Richard A Schoonhoven, Jan-Willem Buurlage, Daniël Pelt, Kees Joost Batenburg

Regularizing neural networks by stochastically training layer ensembles...373

Alex Labach, Shahrokh Valaee

Revealing perceptible backdoors in DNNs, without the training set, via the maximum achievable misclassification fraction statistic...379

Zhen Xiang, David Miller, Hang Wang, George Kesidis

Robust classification using hidden Markov models and mixtures of normalizing flows...385

Anubhab Ghosh, Antoine Honore, Dong Liu, Gustav Eje Henter, Saikat Chatterjee

Robust learning via ensemble density propagation in deep neural networks...391

Giuseppina Carannante, Dimah Dera, Ghulam Rasool, Nidhal Bouaynaya, Lyudmila Mihaylova

Robust reconstruction with nonconvex subset constraints: A polynomial optimization approach...397

Arthur Marmin, Marc Castella, Jean-Christophe Pesquet

Robust semiparametric joint estimators of location and scatter in elliptical distributions...403

Stefano Fortunati, Alexandre Renaux, Frédéric Pascal

SCAD-penalized complex Gaussian graphical model selection...409

Jitendra K Tugnait

Scalable Gaussian process for extreme classification...415

Akash Kumar Dhaka, Michael Andersen, Pablo Moreno, Aki Vehtari

Secure federated averaging algorithm with differential privacy...421

Yiwei Li, Tsung-Hui Chang, Chong-Yung Chi

Self-compression in Bayesian neural networks...427

Giuseppina Carannante, Dimah Dera, Ghulam Rasool, Nidhal Bouaynaya

Semi-supervised source localization with deep generative modeling...433

Bianco Michael, Sharon Gannot, Peter Gerstoft

Sequential heterogeneous feature selection for multi-class classification: Application in Government 2.0...439

Imara Mohamed Nazar, Yasitha Warahena Liyanage, Daphney-Stavroula Zois, Charalampos Chelmis

Simultaneous intent prediction and state estimation using an intent-driven intrinsic coordinate model...445

Jiaming Liang, Bashar Ahmad, Simon Godsill

Sudo rm -rf: Efficient networks for universal audio source separation...451

Efthymios Tzinis, Zhepei Wang, Paris Smaragdis

Topology-aware joint graph filter and edge weight identification for network processes...457

Alberto Natali, Mario Coutino, Geert Leus

Towards an explainable mortality prediction model...463

Jacob R Epifano, Ghulam Rasool, Ravi Ramachandran, Sharad Patel

Unsupervised acoustic condition monitoring with riemannian geometry...469

Pavel Lifshits, Ronen Talmon

Visible light-based robust positioning under detector orientation uncertainty: A Gabor convolutional network-based approach extracting stable texture features...475

Bingpeng Zhou, Risto Wichman

Dual-energy CBCT pre-spectral-decomposition filtering with wavelet shrinkage networks...481

Luis Albert Zavala Mondragon, P.H.N. de With, Danny Ruijters, Peter van de Haar, Fons van der Sommen

iUNets: Learnable invertible up- and downsampling for large-scale inverse problems...487

Christian Etmann, Rihuan Ke, Carola-Bibiane Schönlieb