

PROCEEDINGS OF SPIE

# Ground-based and Airborne Instrumentation for Astronomy VIII

Christopher J. Evans  
Julia J. Bryant  
Kentaro Motohara  
Editors

14–22 December 2020  
Online Only, United States

Sponsored and Published by  
SPIE

Volume 11447  
Part One of Three Parts

Proceedings of SPIE 0277-786X, V. 11447

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Ground-based and Airborne Instrumentation for Astronomy VIII*, edited by Christopher J. Evans, Julia J. Bryant, Kentaro Motohara, Proceedings of SPIE Vol. 11447 (SPIE, Bellingham, WA, 2020) Seven-digit Article CID Number.

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510636811

ISBN: 9781510636828 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time) · Fax +1 360 647 1445

[SPIE.org](http://SPIE.org)

Copyright © 2020, Society of Photo-Optical Instrumentation Engineers.

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of copying fees. The Transactional Reporting Service base fee for this volume is \$21.00 per article (or portion thereof), which should be paid directly to the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923. Payment may also be made electronically through CCC Online at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher. The CCC fee code is 0277-786X/20/\$21.00.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

Paper Numbering: *Proceedings of SPIE* follow an e-First publication model. A unique citation identifier (CID) number is assigned to each article at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

## Part One

---

### MAJOR OBSERVATORIES I

---

- 11447 02 Instrumentation at the Subaru Telescope [11447-1]  
11447 06 Current status of the facility instruments at the Large Binocular Telescope Observatory [11447-5]

---

### MAJOR OBSERVATORIES II

---

- 11447 09 Development status of the SOXS spectrograph for the ESO-NTT telescope [11447-8]  
11447 0A Status update of LLAMAS: a wide field-of-view visible passband IFU for the 6.5m Magellan telescopes [11447-9]

---

### MULTI-MESSENGER INSTRUMENTATION

---

- 11447 0H Calibration and performance of the readout system based on switched capacitor arrays for the Large-Sized Telescope of the Cherenkov Telescope Array [11447-16]  
11447 0J MeerTRAP in the era of multi-messenger astrophysics [11447-18]

---

### NOVEL IMAGERS

---

- 11447 0L Rubin commissioning camera: integration, functional testing, and lab performance [11447-20]  
11447 0N ULTIMATE-Subaru: conceptual design of WFI, a near-infrared wide field imager [11447-22]  
11447 0O Towards ASTEP+, a two-color photometric telescope at Dome C, Antarctica [11447-23]  
11447 0P Understanding the Universe for less money: TANGO first robotic ground observatories under extreme conditions [11447-413]

---

MAJOR OBSERVATORIES IV

---

11447 0T The Planet as Exoplanet Analog Spectrograph (PEAS): design and first-light [11447-153]

---

SOLAR INSTRUMENTATION

---

11447 0Y Sunrise Chromospheric Infrared SpectroPolarimeter (SCIP) for sunrise III: system design and capability [11447-159]

11447 0Z IBIS2.0: The new Interferometric BIdimensional Spectrometer [11447-400]

---

MOS I

---

11447 10 Installation of the Dark Energy Spectroscopic Instrument at the Mayall 4-meter telescope [11447-160]

11447 11 Performance of the Dark Energy Spectroscopic Instrument (DESI) fiber system [11447-161]

11447 14 Integration and early testing of WEAVE: the next-generation spectroscopy facility for the William Herschel Telescope [11447-164]

---

MOS II

---

11447 15 Hector: a new multi-object integral field spectrograph instrument for the Anglo-Australian Telescope [11447-234]

11447 16 VIRUS2: a next generation replicated integral field spectrograph with wide field and broad wavelength coverage [11447-235]

11447 17 Crescent MOONS: an update on the ongoing construction of the new VLT's multi-object spectrograph [11447-236]

11447 18 SDSS-V local volume mapper instrument: overview and status [11447-237]

---

MOS III

---

11447 1A Gemini Infrared Multi-Object Spectrograph: preliminary design overview [11447-239]

11447 1B Gemini IRMOS: preliminary optical design of a multi-object adaptive optics-fed infrared integral-field spectrograph [11447-240]

11447 1D The Keck-FOBOS spectroscopic facility: conceptual design [11447-242]

11447 1E The Magellan Infrared Multiobject Spectrograph project [11447-243]

---

HIGH-RESOLUTION SPECTROGRAPHS I

---

11447 1F On-sky commissioning of MAROON-X: a new precision radial velocity spectrograph for Gemini North [11447-244]

---

HIGH-RESOLUTION SPECTROGRAPHS II

---

11447 1L A microresonator-based etalon for visible light precision radial velocity measurements [11447-327]

11447 1N Characterization of a multi-etalon array for ultra-high resolution spectroscopy [11447-328]

---

HIGH SPATIAL RESOLUTION INSTRUMENTS

---

11447 1P The Keck Planet Imager and Characterizer: a dedicated single-mode fiber injection unit for high resolution exoplanet spectroscopy [11447-330]

11447 1R MAVIS conceptual design [11447-332]

11447 1S GPI 2.0: upgrading the Gemini Planet Imager [11447-333]

---

ELT INSTRUMENTATION I

---

11447 1U A status report on the instruments for ESO's Extremely Large Telescope [11447-335]

11447 1W HARMONI: first light spectroscopy for the ELT: instrument final design and quantitative performance predictions [11447-337]

11447 1Y The Infrared Imaging Spectrograph (IRIS) for TMT: instrument overview [11447-339]

---

ELT INSTRUMENTATION II

---

11447 1Z Performance **and limitations of using ELT and MCAO for 50  $\mu$ s** astrometry [11447-387]

---

ELT INSTRUMENTATION III

---

- 11447 25 MOSAIC: the high multiplex and multi-IFU spectrograph for the ELT [11447-393]
- 11447 26 ELT-HIRES, the high resolution spectrograph for the ELT: the Phase A study and the path to construction [11447-394]
- 11447 28 The MANIFEST pre-concept design [11447-396]

---

POSTER SESSION: ELT INSTRUMENTATION

---

- 11447 2D The MICADO first light imager for the ELT: relay optics opto-mechanical design [11447-340]
- 11447 2H HARMONI: first light spectroscopy for the ELT: final design and assembly plan of the spectrographs [11447-343]
- 11447 2J Conceptual design of the Giant Magellan Telescope Commissioning Camera [11447-346]
- 11447 2L HARMONI: first light spectroscopy for the ELT: novel techniques for the calibration of non-common path aberrations [11447-349]
- 11447 2N HARMONI: first light spectroscopy for the ELT: simulating the alignment of a three-mirror anastigmat [11447-352]
- 11447 2O The design of the cryostat for ELT/METIS [11447-353]
- 11447 2Q Optical interface study of MANIFEST to GMACS and GCLEF instruments [11447-357]
- 11447 2R The warm calibration unit of METIS: laboratory tests and proof-of-concept [11447-358]
- 11447 2T Warm calibration unit of the mid-infrared E-ELT instrument METIS: overview and current status of the project [11447-361]
- 11447 2U An N-band test bench for the METIS coronagraphic masks [11447-362]
- 11447 2W A mass optimized support and access structure for ESO's Mid-infrared E-ELT Imager and Spectrograph (METIS) [11447-359]
- 11447 2Z The InfraRed Imaging Spectrograph (IRIS) for TMT: photometric characterization of anisoplanatic PSFs and testing of PSF-Reconstruction via AIROPA [11447-373]
- 11447 32 HARMONI science path optics: predicting and analysing the expected as-built performance with an end-to-end optical model [11447-370]
- 11447 34 Preliminary design and performance verification of the MICADO Standalone Relay Optics [11447-401]

- 11447 35 MAORY Instrument Control Hardware: general overview [11447-374]
- 11447 37 The Michigan infrared test thermal ELT N-band (MITTEN) cryostat [11447-379]
- 11447 39 CO<sub>2</sub>-based refrigeration system for the NFIRAOS optics enclosure [11447-381]

---

POSTER SESSION: HIGH-RESOLUTION SPECTROGRAPHS

---

- 11447 3C The CARMENES M-dwarf planet survey [11447-262]
- 11447 3D Characteristics and performances of an interferometric Doppler imager installed at the 188 cm telescope of Okayama Observatory [11447-249]
- 11447 3G ESPRESSO Fiber-Link upgrade. I: Project overview and performances [11447-267]
- 11447 3H Environmental stability achieved for the Manfred Hirth Planet Spectrograph [11447-257]
- 11447 3K MARVEL, a four-telescope array for high-precision radial-velocity monitoring [11447-41]

Part Two

- 11447 3O A high-resolution echelle spectrograph for precision Doppler observations with small telescopes [11447-316]
- 11447 3Q Fiber-coupling of Fourier transform spectrographs [11447-274]
- 11447 3R Gemini High-Resolution Optical SpecTrograph (GHOST) outer enclosure design and construction [11447-275]
- 11447 3W NIRPS: integration and validation of thermal performance of the cryogenic near infra-red spectrograph subsystem [11447-309]
- 11447 40 Ghosts of NEID's past [11447-276]
- 11447 41 The NEID port adapter at WIYN: tip-tilt control and vibration analysis [11447-277]
- 11447 42 Keck Planet Finder: design updates [11447-278]
- 11447 43 Integration of the Gemini High-Resolution Optical SpecTrograph (GHOST) bench spectrograph [11447-286]
- 11447 44 Stationary Fourier transform spectrometry [11447-250]
- 11447 46 Towards precision radial velocity science with SALT's High-Resolution Spectrograph [11447-287]

- 11447 47 Bifrost: an ultra-low-cost cross-dispersed optical echelle spectrograph [11447-404]
- 11447 48 Using a passively stabilized Fabry-Perot etalon for determining instrumental artifacts in a spectrograph [11447-288]
- 11447 4H IRANTI: a compact flexible configuration infrared échelle spectrograph integrating emerging technologies for precise radial velocity measurements [11447-261]
- 11447 4K Verification observations of the Manfred Hirt Planet Spectrograph [11447-299]
- 11447 4L The NEID spectrometer: fibre injection system design [11447-318]

---

POSTER SESSION: HIGH-SPATIAL RESOLUTION INSTRUMENTS

---

- 11447 4R The optical alignment of the coronagraphic masks of SHARK-NIR: paving the way for exoplanets detection and characterization [11447-264]
- 11447 4T Combination of apodized pupil and phase mask coronagraph for SCExAO at Subaru Telescope [11447-254]
- 11447 4U Enhanced high-dispersion coronagraphy with KPIC phase II: design, assembly and status of sub-modules [11447-313]
- 11447 4X Liger for next-generation Keck AO: filter wheel and pupil design [11447-280]
- 11447 4Z End-to-end simulation of the SCALES integral field spectrograph [11447-294]
- 11447 50 SHARK-NIR: challenges and solutions of a high contrast imager alignment [11447-296]
- 11447 52 The segmented pupil experiment for exoplanet detection. 4. A versatile image-based wavefront sensor for active optics [11447-297]
- 11447 53 Laboratory demonstration of focal plane wavefront sensing using phase diversity: a way to tackle the problem of NCPA in SHARK-NIR [11447-301]
- 11447 54 An atmospheric dispersion corrector design with milliarcsecond-level precision from 1 to 4 microns for high dispersion coronagraphy [11447-302]
- 11447 55 Optical design of a broadband atmospheric dispersion corrector for MAVIS [11447-263]
- 11447 56 The MAVIS Image Simulator: predicting the astrometric performance of MAVIS [11447-265]
- 11447 58 Liger for next-generation Keck adaptive optics: opto-mechanical dewar for imaging camera and slicer [11447-311]
- 11447 59 DiskFM: A forward modeling tool for disk analysis with coronagraphic instruments [11447-251]



- 11447 5A Gemini Planet Imager observational calibrations XV: instrument calibrations after six years on sky [11447-258]
- 11447 5B Calibration of the instrumental polarization effects of SCEXAO-CHARIS' spectropolarimetric mode [11447-402]
- 11447 5D GPI 2.0: Upgrades to the IFS including new spectral modes [11447-410]

POSTER SESSION: MAJOR OBSERVATORIES

---

- 11447 5E WALOP-South: A wide-field one-shot linear optical polarimeter for PASIPHAE survey [11447-24]
- 11447 5F SOXS: effects on optical performances due to gravity flexures, temperature variations, and subsystems alignment [11447-70]
- 11447 5H The University of Tokyo Atacama Observatory 6.5m telescope: On-sky performance of the near-infrared instrument SWIMS on the Subaru telescope [11447-33]
- 11447 5I Conceptual design of a high-resolution ultra-stable spectrograph for GTC [11447-74]
- 11447 5J Cerberus: A three-headed instrument for the OARPAF telescope [11447-88]
- 11447 5K MuSCAT3: a 4-color simultaneous camera for the 2m Faulkes Telescope North [11447-29]
- 11447 5L Progress on the UV-VIS arm of SOXS [11447-36]
- 11447 5M Curved detector-based optical design for the VLT/BlueMUSE instrument [11447-77]
- 11447 5N The development status of the NIR Arm of the new SoXS instrument at the ESO/NTT telescope [11447-90]
- 11447 5O The current status of the imaging and spectrograph (IMSP) for 4m telescope [11447-30]
- 11447 5P Gemini infrared multi-object spectrograph: calibration system [11447-78]
- 11447 5R Final design and performance of the Fully Automatic Spectrograph for Transient (FAST) [11447-106]
- 11447 5T Performances of an integral field unit for FOCAS on the Subaru telescope [11447-35]
- 11447 5U Further development and testing of TCal: a mobile spectrophotometric calibration unit for astronomical imaging systems [11447-108]
- 11447 5V Final design and development status of the acquisition and guiding system for SOXS [11447-80]
- 11447 5W A simple concept for atmospheric dispersion correctors on-sky commissioning tests [11447-102]

- 11447 5X The University of Tokyo Atacama Observatory 6.5m telescope: On-sky performance evaluations of the mid-infrared instrument MIMIZUKU on the Subaru telescope [11447-38]
- 11447 5Z Multi-wavelength Simultaneous High throughput Imager and polarimeter (MuSaSHI): development and its performance [11447-42]
- 11447 60 Stellar astrophysics in the near-UV with VLT-CUBES [11447-104]
- 11447 63 Multifocal station for the Wendelstein 2m Fraunhofer Telescope [11447-43]
- 11447 64 Update on the preliminary design of SCALES: the Santa Cruz Array of Lenslets for Exoplanet Spectroscopy [11447-110]
- 11447 65 Optical aspects of Near-Infrared Imager Spectrometer and Polarimeter instrument (NISP) [11447-46]
- 11447 66 Design and development of the SOXS calibration unit [11447-45]
- 11447 67 Design requirements for the Wide-field Infrared Transient Explorer (WINTER) [11447-113]
- 11447 68 A dual-beam spectrograph design for transient follow-up with SALT [11447-47]
- 11447 69 Development of the ROSIE integral field unit on the Magellan IMACS spectrograph [11447-116]
- 11447 6A Flexure updates to MOSFIRE on the Keck I telescope [11447-114]
- 11447 6C Development status of the UV-VIS detector system of SOXS for the ESO-NTT telescope [11447-52]
- 11447 6E Stray light analysis and reduction for IFU spectrograph LLAMAS [11447-118]
- 11447 6H Ground support facilities of the WSO-UV space mission [11447-119]
- 11447 6I The University of Tokyo Atacama Observatory 6.5m telescope: update of the Near-Infrared Echelle Spectrograph NICE as a first light instrument [11447-54]
- 11447 6K On-sky examination of optical diffusers installed in MuSCAT [11447-58]
- 11447 6L TSPEC4: near-IR spectroscopy for the SOAR telescope [11447-120]
- 11447 6N New technologies for the Tenerife Microwave Spectrometer and current status [11447-63]
- 11447 6P The AIV strategy of the common path of Son Of X-Shooter [11447-60]
- 11447 6Q Preliminary mechanical design of the Gemini Infrared Multi-Object Spectrograph (GIRMOS) Cryostat [11447-123]

11447 6R A novel method for on-sky measurements of atmospheric dispersion [11447-64]

### Part Three

11447 6U Mechanical aspects of near infrared imager spectrometer and polarimeter [11447-62]

11447 6Z GATOS: A fast multi-channel imager and spectrograph for the Gran Telescopio Canarias [11447-71]

11447 71 SCALA upgrade: development of a light source for sub-percent calibration uncertainties [11447-72]

11447 74 SCORPIO: Final design and performance estimates for time-domain astronomy [11447-144]

11447 76 Conceptual design of the BRONCO spectrograph [11447-86]

11447 78 Electronics design and development of near-infrared imager, spectrometer, and polarimeter [11447-89]

11447 7A FORS-Up: Making the most versatile instrument in Paranal ready for 15 more years of operations [11447-97]

11447 7C Operational modes and efficiency of SOXS [11447-99]

11447 7D The Exoplanet Transmission Spectroscopy Imager (ETSI) [11447-100]

11447 7E Ongoing and future instrument upgrades at Gemini [11447-101]

11447 7F Developing Modular Adaptive Transition Edge Sensor SQUID Electronics (MATESSE) [11447-141]

11447 7G Panoramic SETI: overall focal plane electronics and timing and network protocols [11447-149]

---

#### POSTER SESSION: MULTI-OBJECT SPECTROGRAPHS

11447 7R Final assembly, metrology, and testing of the WEAVE fibre positioner [11447-165]

11447 7V Prime Focus Spectrograph (PFS): the prime focus instrument [11447-175]

11447 7W MOONS-ESO spectrograph: status of the cryogenic opto-mechanical system for movable optics [11447-168]

11447 7Y Starbugs field-allocation simulations for FOBOS [11447-169]

- 11447 81 A robotic Focal Plane System (FPS) for the Sloan Digital Sky Survey V [11447-173]
- 11447 83 DMD based flat field calibration system for MOONS [11447-185]
- 11447 84 Prime Focus Spectrograph (PFS): the metrology camera system [11447-174]
- 11447 85 The DESI sky continuum monitor system [11447-187]
- 11447 86 Testing the 10 spectrograph units for DESI: approach and results [11447-179]
- 11447 87 4MOST low resolution spectrograph MAIT [11447-188]
- 11447 8B Mauna Kea Spectrographic Explorer (MSE): new preliminary design for the multi-object high resolution spectrograph [11447-191]
- 11447 8D MOONS, the next ESO VLT's multi-object spectrograph: the field corrector and the rotating front end [11447-184]
- 11447 8G The Hector Instrument: performance of the Hector fibre integral field units [11447-189]
- 11447 8K Performance of the Dark Energy Spectroscopic Instrument (DESI) focal plane [11447-193]
- 11447 8N The SDSS-V local volume mapper fiber cable system [11447-204]
- 11447 8O SDSS-V focal plane robot positioning metrology [11447-215]
- 11447 8P Test results of the SDSS-V fiber micro-positioners [11447-217]
- 11447 8Q The 4MOST secondary guider imaging system [11447-210]
- 11447 8T Testing fiber tapers for use in the SDSS-V focal plane system [11447-206]
- 11447 8U The Hector Instrument: optical design of the new higher-resolution spectrograph [11447-219]
- 11447 8W Mechanical design of the VIRUS2 instrument [11447-221]
- 11447 8Y The prototype telescope and spectrograph system for the AMASE project [11447-225]
- 11447 8Z VIRUS2: Interfaces to the 2.7 m Harlan J Smith Telescope [11447-226]
- 11447 90 Design of a theta/phi fiber positioner robot for the Sloan Digital Sky Survey V [11447-227]
- 11447 91 Bending losses in multi-mode fibers with low numerical aperture [11447-229]

- 11447 94 Performance of Kitt Peak's Mayall 4-meter telescope during DESI commissioning [11447-399]
- 11447 95 Maunakea Spectroscopic Explorer Low Moderate Resolution Spectrograph: paths toward the Preliminary Design Phase [11447-407]

POSTER SESSION: NOVEL IMAGERS

---

- 11447 96 Microbolometer arrays for ground-based infrared imaging [11447-27]
- 11447 98 Detection and calculation of meteor trajectories by MOFID All Sky cameras network [11447-105]
- 11447 9A Fabrication and characterization of filters for the Large Synoptic Survey Telescope [11447-39]
- 11447 9B The PICTURE-C MKID camera [11447-79]
- 11447 9E EMPOL: an EMCCD based optical imaging polarimeter [11447-44]
- 11447 9F Opto-mechanical design of the Wide-Field Infrared Transient Explorer (WINTER) fly's eye camera [11447-115]
- 11447 9I Performance of the BSTI instrument on the NUTTeIA-TAO telescope for high time-resolution, simultaneous three-channel imaging of prompt gamma-ray burst optical emission [11447-50]
- 11447 9K The wide-field infrared transient explorer (WINTER) [11447-55]
- 11447 9M Development of flat fielding method in MIR for accurate photometry with TAO/MIMIZUKU [11447-59]
- 11447 9U (KFISP) Kottamia Faint Imaging Spectro-Polarimeter: opto-mechanical design and performance analysis [11447-75]
- 11447 9W (KFISP) Kottamia Faint Imaging Spectro-Polarimeter: software, motion control, performance and results [11447-76]
- 11447 9Y A coronagraph using a digital micromirror device as an adaptive occultation mask: design and observational result [11447-284]
- 11447 9Z Using the OWL@OUKA telescope to follow-up the TESS planet candidates: first results [11447-93]
- 11447 A0 MAVIS: science case, imager, and spectrograph [11447-285]
- 11447 A1 New narrow-band filter system for the IRSF 1.4m telescope [11447-405]
- 11447 A2 A heterogeneous telescope array optimized for low surface-brightness imaging [11447-409]

POSTER SESSION: SOLAR

---

- 11447 A3 Sunrise Chromospheric Infrared spectroPolarimeter (SCIP) for SUNRISE III: polarization modulation unit [11447-166]
- 11447 A5 Development of new tunable filter for solar observation in Hida observatory [11447-176]
- 11447 A9 Observing the integrated and spatially resolved Sun with ultra-high spectral resolution [11447-156]
- 11447 AB Sunrise Chromospheric Infrared spectroPolarimeter (SCIP) for SUNRISE III: opto-mechanical analysis and design [11447-195]
- 11447 AF Design of an integral field unit for a solar telescope [11447-203]
- 11447 AG CYRA: the cryogenic infrared spectrograph for the Goode Solar Telescope in Big Bear [11447-213]
- 11447 AJ Sunrise Chromospheric Infrared spectroPolarimeter (SCIP) for SUNRISE III: optical design and performance [11447-205]
- 11447 AK The SUNRISE UV Spectropolarimeter and imager for SUNRISE III [11447-220]
- 11447 AM Polarimeter for the HELLRIDE instrument at Vacuum Tower Telescope [11447-231]