

2021 19th IEEE International New Circuits and Systems Conference (NEWCAS 2021)

**Toulon, France
13 – 16 June 2021**



**IEEE Catalog Number: CFP21NEW-POD
ISBN: 978-1-6654-2430-1**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP21NEW-POD
ISBN (Print-On-Demand):	978-1-6654-2430-1
ISBN (Online):	978-1-6654-2429-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

AN 8 CHANNEL TRANSCEIVER ASIC TO INTERFACE A CMUT ARRAY	1
<i>Prajith Kumar Poongodan; Oleg Sakolski; Frank Vanselow; Linus Maurer</i>	
A 401-406 MHZ WIRELESS TRANSCEIVER ANALOGUE FRONT-END FOR MEDICAL IMPLANTABLE APPLICATIONS	5
<i>Rui Ma; Naglaa El Agroudy; Maximilian Becker; Niko Joram; Frank Ellinger</i>	
A 0.85 V CMOS VOLTAGE AND CURRENT REFERENCE USING SCCTS	9
<i>Thainann H. P. De Castro; Robson L. Moreno; Dalton Martini Colombo</i>	
FLICKER NOISE ANALYSIS ON CHOPPER AMPLIFIER	13
<i>Ting Zhou; Zhuo Gao; Jiajie Huang; Yewangqing Lu; Mingyi Chen; Yongfu Li</i>	
EXPERIMENTAL VULNERABILITY ANALYSIS OF A 4-D HYPERCHAOTIC RANDOM NUMBER GENERATOR	17
<i>Halil Ibrahim Kaysici; Salih Ergün</i>	
MITIGATION OF MUTUAL PULLING IN TWO PHASE-LOCKED LOOPS	21
<i>Tsutomu Yoshimura</i>	
SKEW-TENT MAP BASED CMOS RANDOM NUMBER GENERATOR WITH CHAOTIC SAMPLING	25
<i>Muhammed Mustafa Kizmaz; Salih Ergün</i>	
AN ENERGY-DETECTION IMPULSE-RADIO UWB RECEIVER	29
<i>Patrick Fath; Stefan Schmickl; Thomas Faseth; Harald Prell</i>	
DICKSON CHARGE PUMP: DESIGN STRATEGY FOR OPTIMUM EFFICIENCY	33
<i>Andrea Ballo; Alfio Dario Grasso; Gaetano Palumbo</i>	
HIGHLY-ADAPTIVE MIXED-PRECISION MAC UNIT FOR SMART AND LOW-POWER EDGE COMPUTING	37
<i>Guillaume Devic; Maxime France-Pillois; Jérémie Salles; Gilles Sassatelli; Abdoulaye Gamatié</i>	
A HIGH-ACCURACY AND ENERGY-EFFICIENT CORDIC BASED IZHKEVICH NEURON	41
<i>Zixuan Peng; Jipeng Wang; Yi Zhan; Run Min; Guoyi Yu; Jianwen Luo; Kwen-Siong Chong; Chao Wang</i>	
POLYNOMIAL DIGITAL-TO-ANALOGIC CONVERTER	45
<i>Guilherme A. Mattos; Yuri C. R. Toledo; Sandro A. P. Haddad</i>	
A THORAX-LIKE MESH PHANTOM FOR TESTING ELECTRICAL IMPEDANCE TOMOGRAPHY SYSTEM PERFORMANCE	49
<i>Yan Wu; Qianyu Guo; Wangzilu Lu; Jiajie Huang; Liang Ying; Mingyi Chen; Yongfu Li</i>	
A COMPACT, LOW-PHASE NOISE FRACTIONAL-N PLL FOR GLOBAL NAVIGATION RECEIVER	53
<i>Ajinkya Kharalkar; Mukul Pancholi; Vijaya Kumar Kanchetla; Aniruddha Khade; Santosh Khyalia; Syed Hameed; Rajesh Zele</i>	
BATTERY-LESS FACE RECOGNITION AT THE EXTREME EDGE	57
<i>Petar Jokic; Stephane Emery; Luca Benini</i>	
SPATIAL ENCODING TECHNIQUES IN TIME-MULTIPLEXED NEURAL RECORDING FRONT-ENDS	61
<i>Norberto Pérez-Prieto; Ángel Rodríguez-Vázquez; Manuel Delgado-Restituto</i>	
INCORPORATION OF CHOPPING IN CONTINUOUS TIME K-DELTA-1-SIGMA MODULATOR	65
<i>Sachin P. Nambodiri; R. Jacob Baker</i>	
A MODIFIED NYQUIST STABILITY CRITERIA THAT TAKES INTO ACCOUNT INPUT/OUTPUT CIRCUIT LOADING EFFECTS	69
<i>Gordon W. Roberts</i>	
MM-WAVE SINGLE-POLE DOUBLE-THROW SWITCHES: HBT- VS MOSFET-BASED DESIGNS	73
<i>M. Margalef-Rovira; C. Gaquiere; A. Lisboa De Souza; L. Vincent; M. J. Barragan; E. Pistono; F. Podevin; P. Ferrari</i>	
A BIOMEDICAL IMAGING SYSTEM BASED ON AN INTEGRATED ARRAY OF MAGNETORESISTIVE SENSORS	77
<i>Taimur Rabuske; Mário Silva; Diogo Brito; João Silva; Hanna Iva Busse; Ana V. Silva; Sofia Abrunhosa; Pedro Ribeiro; Susana Cardoso</i>	
DESIGN OF A SWITCHED-MODE OPERATIONAL AMPLIFIER OPERATING WITH A 0.5V SUPPLY VOLTAGE	81
<i>Jannah Al-Hashimi; Khaldoon Abugharbieh</i>	

AN ACTIVE QUENCHING CIRCUIT FOR A NATIVE 3D SPAD PIXEL IN A 28 NM CMOS FDSOI TECHNOLOGY	85
<i>Mohammadreza Dolatpoor Lakeh; Jean-Baptiste Kammerer; Jean-Baptiste Schell; Dylan Issartel; Francis Calmon; Andreia Cathelin; Wilfried Uhring</i>	
ACTIVE VSWR ROBUSTNESS COMPARISON FOR DIFFERENT PHASE COMBINING TOPOLOGIES	89
<i>Alexandre Berthier; Anthony Ghiotto; Eric Kerherve; Lionel Vogt</i>	
A LOW-NOISE MM-WAVE INJECTION-LOCKED OSCILLATOR DESIGNED IN 65NM PARTIALLY DEPLETED SOI CMOS TECHNOLOGY	93
<i>Romane Dumont; Magali De Matos; Andreia Cathelin; Yann Deval</i>	
AN ENERGY EFFICIENT AND SCALABLE NODE ARCHITECTURE FOR SENSOR NETWORK	97
<i>Yassine Faize; Jeremie Crenne; Nicolas Hanusse; Christophe Jego</i>	
A FLEXIBLE LOW-COST DISCRETE-TIME WAKE-UP RECEIVER FOR LORAWAN APPLICATIONS	101
<i>Fernando Ferreira; Pietro M. Ferreira; Sandro Binsfeld Ferreira</i>	
ULTRA LOW-POWER 2.5μW CMOS IMPLEMENTATION OF A MIXED ANALOG-DIGITAL WAKE-UP SYSTEM BASED ON FREQUENCY ANALYSIS	105
<i>Manon Fourniol; Valentin Gies; Valentin Barchasz; Edith Kussener; Remy Vauché; Hervé Barthélemy; Hervé Glotin</i>	
OPTIMISED MODEL FOR PIEZOELECTRIC ENERGY HARVESTING CIRCUITS DESIGN	109
<i>Lakhdar Mamouri; Vincent Frick; Tedjani Mesbahi; Liana Wassouf; Ehsan Jamshidpour</i>	
METHODS FOR FAST CHARACTERIZATION OF NOISE AND OFFSET IN DYNAMIC COMPARATORS	113
<i>João Silva; Diogo Brito; Gonçalo Rodrigues; Taimur Rabuske; António Couto Pinto; Jorge Fernandes</i>	
NOVEL DECIMATION TOPOLOGY WITH IMPROVED JITTER PERFORMANCE FOR CLOCK AND DATA RECOVERY SYSTEMS	117
<i>Muhamed F. Allam; Ahmed Abdelrahman; Hesham Omran; Sameh A. Ibrahim</i>	
LOW-DISTORTION CORRELATED LEVEL SHIFTING SAMPLE-AND-HOLD STAGE	121
<i>Alexander Pierce; Eashwar Thaigarajan; Rajiv Singh; Erhan Hancioglu; Un-Ku Moon; Gabor Temes</i>	
RISC-V RESOURCE-CONSTRAINED CORES: A SURVEY AND ENERGY COMPARISON	125
<i>Islam Elsadek; Eslam Yahya Tawfik</i>	
DESIGN OF FAST-SETTLING 40-DB VGA FOR CLOSED-LOOP CURRENT MONITORING SYSTEM	130
<i>Eman Azab; Tarek Eldahrawy; Yasser G. Hegazy; Klaus Hofmann</i>	
FPGA IMPLEMENTATION OF PARALLEL NEUROSYNAPTIC CORES FOR NEUROMORPHIC ARCHITECTURES	134
<i>Vu Truong-Tuan; Chi Hoang-Phuong; Anh Pham-Tuan; Phuc Pham-Hong; Quang Hieu Dang; Hoang Nguyen-Huy; Minh Nguyen-Duc</i>	
ANALYTICAL MODELING OF POWER SUPPLY INDUCED JITTER IN CMOS INVERTERS DUE TO PERIODIC FLUCTUATIONS	138
<i>Puneet Arora; Jai Narayan Tripathi; Hitesh Shrimali</i>	
INTEGRATED WIDEBAND MILLIMETER-WAVE BIAS-TEE – APPLICATION TO DISTRIBUTED AMPLIFIER BIASING	142
<i>Mohamad El Chaar; Antonio Lisboa De Souza; Manuel Barragan; Florence Podevin; Sylvain Bourdel; Jean-Daniel Arnould</i>	
GENERAL PATCH RESONATOR ANALYSIS ON 55-NM BICMOS FOR MM-WAVE APPLICATIONS	146
<i>Wehbi Mohammed; Ferrari Philippe; Durand Cedric</i>	
KU-BAND CASCODE BALANCED SIGE POWER AMPLIFIER WITH HIGH ROBUSTNESS TO ACTIVE SWR	150
<i>B. Coquillas; E. Kerhervé; E. Itcia; L. Rousset; B. Louis; T. Merlet</i>	
A WIDEBAND RF RECEIVER USING A HARMONIC REJECTION N-PATH NOTCH FILTER FOR 5G APPLICATIONS	154
<i>Nakisa Shams; Frederic Nabki</i>	
AN HYBRID APPROACH FOR HIGH-PERFORMANCE PASSIVE 120-GHZ PHASE SHIFTERS IN BICMOS TECHNOLOGY	158
<i>David Onattara; Cedric Durand; Philippe Ferrari; Sylvain Bourdel; Frederic Paillardet</i>	
A 250-600 MHZ RING OSCILLATOR-BASED PHASE-LOCKED LOOP FOR IMPLANTABLE WIRELINE APPLICATIONS, USING 1.0 V SUPPLY IN 180 NM CMOS	162
<i>Taufiq Ahmed; Naila Tasneem; Ross M. Walker</i>	
RADIO RECEIVERS BASED ON SPIN-TORQUE DIODES AS ENERGY DETECTORS	166
<i>I. Bendjeddou; A. Sidi El Valli; A. Litvinenko; Y. Le Guennec; F. Podevin; S. Bourdel; E. Pistono; D. Morche; A. Jenkins; R. Ferreira; M. Jotta Garcia; R. Lebrun; V. Cros; P. Bortolotti; U. Ebels</i>	

A HIGH SPEED FULLY INTEGRATED CAPACITIVE DIGITAL ISOLATION SYSTEM IN 0.35 μM CMOS FOR INDUSTRIAL SENSOR INTERFACES	170
<i>Isa Altoobaji; Mohamed Ali; Ahmad Hassan; Yves Audet; Ahmed Lakhssassi</i>	
MIXED SIGNAL COMPENSATION OF SAMPLING ERRORS IN ADCS DUE TO NOISY DPLL CLOCK SOURCES	174
<i>Hao Zheng; Eric Thompson; John Hogan; Daniel O'Hare</i>	
CHARGE SHARING AND CHARGE INJECTION A/D CONVERTERS FOR ANALOG IN-MEMORY COMPUTING	178
<i>M. Caselli; I. A. Papistas; S. Cosemans; A. Mallik; P. Debacker; D. Verkest</i>	
A WIDE-RANGE RECONFIGURABLE DEADTIME AND DELAY ELEMENT FOR OPTIMAL-POWER CONVERSION	182
<i>Mousa Karimi; Mohamed Ali; Ahmad Hassan; Mohamad Sawan; Benoit Gosselin</i>	
SIGNAL TRANSMISSION FOR AN ISOLATED GATE DRIVER USING CAPACITIVE COUPLING TECHNIQUE	186
<i>Imran Khan; Ming Zhang; Nicolas Llaser</i>	
MULTI-SCALE MODELING AND SIMULATION FLOW FOR OSCILLATORY NEURAL NETWORKS FOR EDGE COMPUTING	190
<i>Stefania Carapezzi; Corentin Delacour; Gabriele Boschetto; Elisabetta Corti; Madeleine Abernot; Ahmed Nejjim; Thierry Gil; Siegfried Karg; Aida Todri-Sanial</i>	
DYNAMIC FAULT TREE ANALYSIS AND RISK MITIGATION STRATEGIES OF DATA COMMUNICATION SYSTEM VIA STATISTICAL MODEL CHECKING	195
<i>Ashkan Samadi; Marwan Ammar; Otmane Ait Mohamed</i>	
WIDEBAND HIGH-ORDER ALL-PASS DELAY CIRCUITS	199
<i>Z. Kabirkhoo; M. Radpour; L. Belostotski</i>	
DESIGN OF A POWER MANAGEMENT CIRCUIT FOR AN OPTO-ELECTRO STIMULATOR	203
<i>Noora Almarri; Dai Jiang; Andreas Demosthenous</i>	
FOSTER-BASED TRANSIENT THERMAL ANALYSIS OF SIP FOR THERMOMECHANICAL STUDIES	207
<i>Touati Djallel Eddine; Aziz Oukaira; Ahmad Hassan; Yvon Savaria; Ahmed Lakhssassi</i>	
A LOW-POWER ELLIPTIC CURVE PROCESSOR FOR WISP	211
<i>Igor Mendez Cabana; Carlos Silva-Cárdenas</i>	
A HIGH-ORDER-N FREQUENCY-MULTIPLIER USING PULSED OSCILLATOR: MODELING AND OPTIMIZATION	215
<i>Abdessamad Boulmirat; José Luis González-Jiménez; Clement Jany; Alexandre Siligaris</i>	
IDENTIFICATION OF THE NUMBER OF WIRELESS CHANNEL TAPS USING DEEP NEURAL NETWORKS	219
<i>Ahmad M. Jaradat; Khaled Walid Elgammal; Mehmet Kemal Özdemir; Hüseyin Arslan</i>	
SECURE TEST WITH RSNS: SEAMLESS AUTHENTICATED EXTENDED CONFIDENTIALITY	223
<i>P. Maistri; V. Reynaud; M. Portolan; R. Leveugle</i>	
A 20 μW, 50 MV, FULLY-INTEGRATED CROSS-COUPLED OSCILLATOR FOR ON-BODY IOT APPLICATIONS	227
<i>Marcio Bender Machado; Rafael Luciano Radin; Marcio Cherech Scheneider; Carlos Galup-Montoro</i>	
SUBTHRESHOLD NEUROMORPHIC DEVICES FOR SPIKING NEURAL NETWORKS APPLIED TO EMBEDDED AI	231
<i>Christophe Loyez; Kevin Carpentier; Ilias Sourikopoulos; François Danneville</i>	
A NOVEL RF SPECTRUM MONITORING ARCHITECTURE FOR AN ULTRA-LOW-POWER WI-FI GEOPOSITIONING SYSTEM	235
<i>Naci Pekcokguler; Mickael Maman; Andreas Burg; Catherine Dehollain; Dominique Morche</i>	
EXPLORING FLEXIBLE AND 3D PRINTING TECHNOLOGIES FOR THE DESIGN OF HIGH SPATIAL RESOLUTION EM PROBES	239
<i>J. Toulemont; F. Mailly; P. Maurine; P. Nouet</i>	
PERMANENT LASER FAULT INJECTION INTO THE FLASH MEMORY OF A MICROCONTROLLER	243
<i>Raphael Viera; Jean-Max Dutertre; Mathieu Dumont; Pierre-Alain Moëllie</i>	
SECURING IOT/IIOT FROM SOFTWARE ATTACKS TARGETING HARDWARE VULNERABILITIES	247
<i>Nikolaos Foivos Polychronou; Pierre-Henri Thevenon; Maxime Puys; Vincent Berouille</i>	
TEMPERATURE CHARACTERIZATION OF A FULLY-SYNTHESIZABLE RAIL-TO-RAIL DYNAMIC VOLTAGE COMPARATOR OPERATING DOWN TO 0.15-V	251
<i>Orazio Aiello; Pedro Toledo</i>	
MINIMUM SUPPLY VOLTAGE OF 2.45 GHZ LC OSCILLATOR IN 28 NM FD-SOI PROCESS	255
<i>Mariana Siniscalchi; Nicolás Gammarano; Carlos Galup-Montoro; Sylvain Bourdel; Fernando Silveira</i>	

ULTRA LOW VOLTAGE SUB-100 MV VDD CMOS	259
<i>Snorre Aunet</i>	
LOW POWER ULTRA-WIDE BAND PULSE GENERATOR BASED ON A DUTY-CYCLED 2-ASK EMITTER	263
<i>F. A. Schoulten; A. A. Mariano; R. Vauche; S. Bourdel; J. Gaubert; N. Dehaese; H. Barthelemy</i>	
A NOISE-CANCELLING HARMONIC SELECTION RECEIVER USING AN N-PATH FILTER FOR 5G APPLICATIONS	267
<i>Nakisa Shams; Frederic Nabki</i>	
Author Index	