

Hydraulics-2019

IOP Conference Series: Materials Science and Engineering
Volume 779

Moscow, Russia
27 November 2019

ISBN: 978-1-7138-3511-0
ISSN: 1757-8981

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

This work is licensed under a Creative Commons Attribution 3.0 International Licence.
Licence details: <http://creativecommons.org/licenses/by/3.0/>.

No changes have been made to the content of these proceedings. There may be changes to pagination and minor adjustments for aesthetics.

Printed with permission by Curran Associates, Inc. (2021)

For permission requests, please contact the Institute of Physics
at the address below.

Institute of Physics
Dirac House, Temple Back
Bristol BS1 6BE UK

Phone: 44 1 17 929 7481
Fax: 44 1 17 920 0979

techtracking@iop.org

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

THE USE OF VARIOUS TYPES OF CIRCULATION IN THE DESIGN OF EXCAVATOR HYDRAULIC DRIVE	1
<i>A Myrzakhmetov, A Akinfiev</i>	
TRADITIONAL METHODS FOR THE DESIGN OF RADIAL-AXIAL HYDRAULIC TURBINES WITH VERIFICATION IN CFD SIMULATION.....	11
<i>I Handal, V Tkachuk, A Petrovand, A Protopopov</i>	
THE IMPLEMENTATION OF DIGITAL PROGRAM CONTROL IN HYDRAULIC ACTUATORS OF HYDRAULIC STRUCTURES	25
<i>I Zyubin, N Kushnir, A Akinfiev, A Sinitsyna</i>	
EVALUATION OF PROSPECTIVE DIRECTIONS OF PRODUCTION OF FLUIDICS SYSTEMS.....	31
<i>A Davydov, I Zyubin, O Gavryushina, A Sinitsyna</i>	
TYPICAL CASES OF DESTRUCTION OF THE MAIN HYDRAULIC CYLINDERS, CAUSES OF DESTRUCTION AND ENGINEERING SOLUTIONS ADOPTED FOR THEIR PREVENTION.....	37
<i>A Vorob'yev, A Gribkov, A Akinfiev, A Sinitsyna</i>	
OBTAINING THE MAXIMUM PERMISSIBLE GAS CONTENT AT THE INLET TO THE ESP BY COMPUTATIONAL FLUID DYNAMICS MODELING	42
<i>A Petrov, A Sinitsyna</i>	
RESEARCH OF THE DEPENDENCE OF THE HYDRAULIC FRICTION COEFFICIENT OF THE LIQUID (λ) ON THE REYNOLDS NUMBER (RE) APPLICABLE TO THE HYDRAULIC DRIVE.....	51
<i>V Nikolskiy, K Makarov</i>	
THE USE OF VARIABLE FREQUENCY DRIVES OF CENTRIFUGAL PUMPS AT THE PUMPING STATION.....	55
<i>I Zyubin, S Pankratov, A Petrov, D Babikova</i>	
HIGH-PRESSURE POSITIVE-DISPLACEMENT HYDRAULIC PUMPS IN CONCRETE SAMPLE TESTING MACHINES.....	63
<i>I Zyubin, S Cherkasskikh, A Akinfiev, D Babikova</i>	
STUDY OF CAVITATION CHARACTERISTICS OF A CRYOGENIC PUMP BY COMPUTATIONAL FLUID DYNAMIC METHODS.....	68
<i>D Babikova, A Petrov</i>	
METHODOLOGY FOR THE COMPREHENSIVE OPTIMIZATION OF A CENTRIFUGAL PUMP WITH A MAGNETIC COUPLING.....	75
<i>A Zaytseva, A Protopopov</i>	
IMPROVING THE PERFORMANCE OF A CENTRIFUGAL VANE PUMP BY INSTALLING VORTEX GENERATORS ON THE SUCTION SURFACES OF BLADES	81
<i>O Teplov, V Lomakin</i>	

THE EFFECT OF THE THROTTLES DIAMETER INSTALLED ON THE AUXILIARY CHANNEL ON THE FLOW RATE OF THE FLUID FLOWING THROUGH THEM AND THE HEATING OF THE FLUID IN THE MAGNETIC FIELD.....	87
<i>D Pavlovskiy, A Protopopov, N Isaev</i>	
INVESTIGATION OF THE INFLUENCE OF THE FRONT END CLEARANCE ON THE PARAMETERS OF A CENTRIFUGAL PUMP WITH AN OPEN TYPE IMPELLER.....	95
<i>S Kalinkin, A Petrov</i>	
OBTAINING OF THE DRYING TIME OF A VERTICAL CYLINDRICAL TANK	103
<i>A Shablovskiy, I Bilenko, V Chadin, I Budarin, A Makhlaeva, A Sivova</i>	
PREDICTED RESOURCE OF THE MOST LOADED BEARING OF A HORIZONTAL CENTRIFUGAL PUMP	107
<i>A Shablovskiy, N Menagarishvili, A Makhlaeva, E Emshina</i>	
PREDICTED RESOURCE OF THE MOST LOADED CENTRIFUGAL PUMP BEARING	112
<i>A Protopopov, A Makhlaeva, P Kaplenkova</i>	
DETERMINATION OF THE COEFFICIENT OF ECONOMIC EFFICIENCY OF FREQUENCY REGULATOR.....	117
<i>A Protopopov, A Makhlaeva, A Panya</i>	
OBTAINING OF THE OPTIMAL SPEED OF THE CENTRIFUGAL PUMP	122
<i>A Shablovskiy, A Makhlaeva, O Shikova</i>	
DEVELOPMENT OF HYDRAULIC TRANSMISSION FOR IMPLEMENTING AN ACTIVE DRIVE OF THE LANDING GEAR WHEELS OF MODERN TRANSPORT AIRCRAFT	125
<i>V Brusov, A Menshikov, Y Merzlikin</i>	
THE DYNAMIC CHARACTERISTICS OF HYDRAULIC-MECHANICAL CONSTANT SPEED DRIVE.....	133
<i>Y Vul, R Kalyakin, A Shablovskiy</i>	
REVIEW OF TWO-LINE HYDRAULIC DRIVE RESEARCH.....	142
<i>O Nikitin, Xuan Zhang He</i>	
PROFILE OPTIMIZATION OF THE IMPELLER BLADE OF A LOW-SPEED CENTRIFUGAL PUMP USING SURROGATE MODELING	149
<i>S Valyukhov, D Galdin, V Korotov, V Rusin, A Shablovskiy</i>	
THE PRESENCE OF THE "LOCKING EFFECT" WHEN THE FLUID FLOWS THROUGH THE CYLINDRICAL THROTTLE CHANNELS	156
<i>V Kuznetsov, V Yarots</i>	
AVANEPNEUMATIC MOTOR MODIFICATION TO REDUCE TORQUE RIPPLES.....	162
<i>V Bozrov, V Ivlev, S Semenov</i>	
STUDY OF AN INDUCER AND AXIAL VORTEX STAGE	170
<i>A Ankudinov, D Klimenko, S Timushev, A Regeda</i>	
RESEARCH OF THE RELAY-LINEAR CONTROL OF AN ELECTRO-HYDRAULIC SERVO DRIVE ON FESTO LEARNING SYSTEM	177
<i>B Kulakov, D Kulakov</i>	
JUSTIFICATION OF THE CONCEPT OF CREATING A PERSPECTIVE DUMP TRUCK	187
<i>A Kartashov, G Harutyunyan, A Kosolapov, E Shkarupelov</i>	

TECHNOLOGICAL HEREDITY EFFECT ON FATIGUE STRENGTH OF HYDROPOWER PLANT PARTS AFTER COMBINED PROCESSING.....	196
<i>A Yakovleva, A Dubov, A Sobranin, E Karpovich, A Marchenkov</i>	
VARIETY OF GAS-DYNAMIC TURBULENT CONFIGURATIONS AT INTERNAL FLOW IN CHANNELS OF STRUCTURALLY COMPLEX BODIES	202
<i>Yu Kochetkov, I Borovik, O Podymova, A Protopopov</i>	
FAMOUS TRUMPET EFFECTS	212
<i>Yu Kochetkov, T Kravchik, A Protopopov</i>	
ELECTRO-HYDROMECHANICAL PROCESSES IN MINERAL OIL FLOW	218
<i>V Pilgunov, K Efremova</i>	
CALCULATION OF THE HYDRO-PNEUMATIC SUSPENSION DAMPER.....	228
<i>S Britsin, M Ryabinin, E Sarach</i>	
MATHEMATICAL MODELING OF A HYDRAULIC DRIVE FOR LEVELING THE SUPPORT TABLE OF A ROBOTIC DRILLING PLATFORM.....	235
<i>E Kolotvin</i>	
CALCULATION OF A THREE-STAGE ELECTRO-HYDRAULIC AMPLIFIER	243
<i>Li Jianhui, N Sosnowski</i>	
CONCEPTUAL FEATURES OF IMPROVING THE FLOW-THROUGH PARTS OF GAS SEPARATORS OF SUBMERSIBLE ELECTRIC PUMPS SYSTEMS F FOR THE PRODUCTION OF FORMATION FLUID IN ORDER TO IMPROVE THE SEPARATING PROPERTIES, ENERGY EFFICIENCY AND RELIABILITY	251
<i>A Trulev, S Timushev, V Lomakin</i>	
THE CALCULATION OF MULTIPHASE FLOWS IN FLOWING PARTS OF CENTRIFUGAL PUMP.....	263
<i>M Saprykina, V Lomakin</i>	
ANALYTICAL STUDY OF THE DYNAMICS OF A PUMPING UNIT, CONSISTING OF A FIXED PUMP AND A FLOW RATE REGULATOR	272
<i>A Lepeshkin, E Sarach</i>	
METHOD FOR LEAKAGE MEASUREMENT IN THE RECIRCULATION PATH OF A HERMETIC PUMP.....	281
<i>P Chaburko, A Kuznetsov</i>	
DEVELOPMENT AND APPLICATION OF VORTEX CONTROL VALVES IN PNEUMAHYDRAULIC SYSTEMS.....	289
<i>A Uss, A Pugachuk, A Chernyshov</i>	
DESIGN OF AN OPTIMAL HYDRAULIC TANK CONFIGURATION.....	298
<i>N Belov, N Sosnovsky</i>	
CONCEPTUAL FEATURES FOR IMPROVING THE FLOW PART OF THE MULTIPHASE STAGES OF ESP SUBMERSIBLE PLANTS FOR SMALL AND MEDIUM FEEDS FOR EXTRACTING STRATAL LIQUID WITH A HIGH FREE GAS CONTENT.....	306
<i>A Trulev, M Kayuda, S Timushev, V Lomakin</i>	
ANALYSIS OF FORCE FACTORS AFFECTING VALVE FITTING PROCESS AT THE SADDLE	315
<i>S Semenov</i>	

APPLICATION OF OPTIMIZATION ALGORITHMS TO IMPROVE THE VIBROACOUSTIC CHARACTERISTICS OF PUMPS.....	324
<i>V Lomakin, T Valiev, P Chaburko</i>	
EXPERIMENTAL STUDY OF CAVITATION RESISTANCE OF RESTORING COATINGS	330
<i>E Aksenova, V Lomakin, V Cheremushkin</i>	
OPTIMIZATION OF PARAMETERS OF THE PRESSURE REGULATOR WITH VARIABLE CHARACTERISTIC	337
<i>I Kolodin</i>	
HYDRODYNAMIC MODELING OF CAVITATION IN A MULTISTAGE CENTRIFUGAL PUMP DURING ITS OPERATION IN THE CONSTANT FEED MODE WITH A CHANGE IN THE ROTOR SPEED OF THE PUMP	345
<i>M Kasatkin, A Petrov</i>	
MATHEMATICAL MODELING OF A CENTRIFUGAL PUMP WITH A SPIRAL TAP OF SIMPLIFIED GEOMETRY WITH AN OPEN AND CLOSED WHEEL.....	354
<i>A Averyanov, A Protopopov</i>	
INVESTIGATION OF THE INFLUENCE OF THE ANGLE OF THE INSTALLATION OF THE BLADES OF THE IMPELLER OF THE REGENERATIVE PUMP ON ITS ENERGY CHARACTERISTICS BY THE METHODS OF HYDRODYNAMIC MODELING	362
<i>A Petrov, N Isaev, S Radchenko</i>	
INVESTIGATION OF THE FLOW PART OF A HIGH-SPEED VANE PUMP OF A HYDRAULIC UNIT USING NUMERICAL HYDRODYNAMIC MODELING	369
<i>M Derevianko, M Ryabinin</i>	
INVESTIGATION OF THE INFLUENCE OF WEAR IN IMPELLER SEALS ON THE AXIAL FORCE IN DOUBLE SUCTION PUMPS.....	376
<i>N Isaev, G Budaev, D Danilov, K Dobrokhodov</i>	
ASSESSMENT OF THE LEVEL OF INFLUENCE OF VARIOUS GEOMETRICAL PARAMETERS OF THE CENTRIFUGAL PUMP GUIDE VANE ON ITS ENERGY CHARACTERISTICS.....	384
<i>A Petrov, A Lysenko, E Konkeev, D Konshin</i>	
COMPLEX OPTIMIZATION OF VANED STATORS OF HIGH-SPEED CENTRIFUGAL PUMPS FOR THERMAL STABILIZATION SYSTEMS	393
<i>A Kochetov, A Petrov, M Kuleshova</i>	
DEVELOPMENT AND RESEARCH OF A BOREHOLE CENTRIFUGAL PUMP STAGE.....	401
<i>V Cheremushkin, V Lomakin, N Kalin, A Trulev</i>	
INVESTIGATION OF THE INFLUENCE OF GEOMETRIC PARAMETERS OF A MULTI-NOZZLE JET PUMP ON ITS ENERGY CHARACTERISTICS	413
<i>V Cheremushkin, A Polyakov</i>	

Author Index