

2021 2nd International Conference on Range Technology (ICORT 2021)

**Chandipur, Balasore, India
5 – 6 August 2021**



**IEEE Catalog Number: CFP21S79-POD
ISBN: 978-1-6654-4957-1**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP21S79-POD |
| ISBN (Print-On-Demand): | 978-1-6654-4957-1 |
| ISBN (Online): | 978-1-6654-4956-4 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENT

Full Papers

| | | |
|-----|--|-----|
| 1. | Case Study: NavIC Performance Observation on Low Latitude Region | 1 |
| 2. | Forecasting Upper Air Wind Speed Using a Hybrid SVR-LSTM Model | 7 |
| 3. | Sensitivity Analysis of MEMS Gyroscope for Radar-Based True North Finding Application | 13 |
| 4. | GPS-GLONASS Combined Position Performance Accuracy for Indian Defence Application | 19 |
| 5. | Potentials and Advantages of NavIC in Indian Missile Programs | 23 |
| 6. | Spectral & Spatial Feature Detection on Hyperspectral Images Using Deep Neural Networks | 27 |
| 7. | Dimensionality Reduction and Evaluation in Hyperspectral Images Using LSTM Models | 33 |
| 8. | Analysis of Hexagonal Waveguide Using Conformal Mapping Technique for Dominant TE Mode | 39 |
| 9. | Passive Ranging for Infrared Search and Track System Mounted on an Aircraft | 43 |
| 10. | Manmade Structure Segmentation Based on Morphological Operation from High Resolution PAN Image | 49 |
| 11. | An Efficient Microstrip Planar Array for Evaluating Channel Capacity of Massive MIMO Systems | 54 |
| 12. | Textual Information Annotation over Mission Video in Test Range Scenario | 60 |
| 13. | How Tri-Axial Sensors Influenced the Location-Based Heterogeneous Activities Recognition Rates: An Exploratory Analysis | 65 |
| 14. | Design of Octagonal FSS Based Radome Wall for Broadband Airborne Application | 71 |
| 15. | Change Detection and Classification Using Hyperspectral Imagery | 76 |
| 16. | Recent Trends in Aerodynamic Parameter Estimation: A Review of Different Methods Along with Their Advantages and Disadvantages | 82 |
| 17. | Comparison of Deep Learning Classification Based Methods with Hyper Parameter Tuning on Hyperspectral Imagery | 87 |
| 18. | Broadband Branch-Line Coupler Using Open Ended Stubs for L-Band Microwave Applications | 93 |
| 19. | Analysis of Aerospace Vehicle PCM Telemetry Link in Various Indoor Environments | 97 |
| 20. | Versatile Radio-Frequency Flight Test Recorder | 103 |
| 21. | Guidance Signal Extraction in an ESA Based RF Seeker by Disturbance Observer | 107 |
| 22. | Improvement on Flight Test Telemetry Reception Using a Best Source Selector | 113 |
| 23. | A Ground S Band Hybrid Active Electronically Scanned Array: Concept, Design and Performance | 117 |

| | | |
|-----|--|-----|
| 24. | Design of Wide Band Dielectric Resonator Antenna for X-Band and Lower Ku-Band Applications | 121 |
| 25. | Performance Comparison of EKF and UKF for Estimation of COE Using Kozai Mechanism | 125 |
| 26. | A Novel Method on Summarization of Video Using Local Ternary Pattern and Local Phase Quantization | 131 |
| 27. | Implementation of a Count down Timer on RTOS Platform for Test Range Applications | 137 |
| 28. | Independently Switchable Dualband High Selective Bandpass Filter | 143 |
| 29. | Design and Development of Indigenous 4-D C-Band Transportable Tracking Radar | 146 |
| 30. | Multilayer C-Sandwich Radome Design for Broad-Band and Multi-Band Airborne Application | 151 |
| 31. | A Novel Scheme of Doppler Measurement for Magnetron Based C-Band Tracking Radar | 156 |
| 32. | Statistical Analysis of Orbit Determination Techniques on MOTR Data | 160 |
| 33. | Hardware Realization of Video Enhancement and Compression Algorithms | 165 |
| 34. | UAV RF Fingerprinting with Power Spectra Estimates | 171 |
| 35. | Image Resolution Enhancement Using Convolutional Autoencoders with Skip Connections | 177 |
| 36. | Ground-Based Passive Radar and On-Board Beacon for Airborne Target Tracking with GPS Based Time Synchronization | 182 |
| 37. | Substitution Permutation Network Based Lightweight Ciphers with Improved Substitution Layers for Secure IoT Applications | 187 |
| 38. | Design and Development Aspects of Klystrons | 193 |
| 39. | A Novel Approach for Change Detection Analysis of Land Cover from Multispectral FCC Optical Image Using Machine Learning | 197 |
| 40. | Prevention of SQL Injection Attacks Using Query Hashing Technique | 203 |
| 41. | Implementation of Software Based Mission Director and Range Director Console for HOLD Interface to Program-Clock | 208 |
| 42. | A Bayesian Belief Network Model for Early Prediction of Reliability for Computer Based Safety Critical System s | 212 |
| 43. | Missing Trajectory Estimation Using Single Station EOT System Data | 218 |
| 44. | Automatic Change over Unit for Flight Termination System | 223 |
| 45. | A Novel Fast Template Matching Algorithm Based on Bounded Approach Using Block Partitioning Method | 229 |
| 46. | Compact Test Range with Improved Reliability - A Case Study | 235 |
| 47. | Development of Remotely Configurable Range Timing Display System | 239 |
| 48. | Real Time Multi Sensor Multi Target Data Association over Sensor Network | 243 |
| 49. | Design of MMIC Variable Voltage-Controlled Attenuator Used in T/R Module of Phased Array Radar | 249 |
| 50. | Observation and Analysis of a Typical Thunderstorm Event Using Doppler Weather Radar Products | 253 |

| | | |
|-----|--|-----|
| 51. | A Review of Different Sparse Arrays for DOA Estimation Using Subspace Based Algorithm | 257 |
| 52. | A Novel Approach to Evaluate Sea Clutter and Detection of a Supersonic Sea Skimming Target by FMCW Radar Ranging in High Velocity Platform | 263 |
| 53. | Optimization of Augmented Coprime Array for a Specific Number of Sensors | 269 |
| 54. | Compact S-Band Ship Borne Reconfigurable Receiving Antenna for Down-Range Telemetry Application | 274 |
| 55. | Acoustic Signal Processing for Rate of Fire and Blast Measurement for Performance Evaluation of Armaments | 278 |
| 56. | RCS Based Target Classification Using Deep Learning Methods | 283 |
| 57. | Single Feed Dual-Band Circularly Polarized Modified Shape Square Dielectric Resonator Antenna for WiMAX and WLAN Applications | 288 |
| 58. | Detection of Point Targets amid Cluttered Background in IR Imagery forIRST and MAWS Applications | 293 |
| 59. | A Low Profile Four Element Dual-Band Monopole Antenna for Pattern Diversity MIMO Applications | 299 |
| 60. | A Compact U-Shaped Antenna with Bandwidth Enhancement for Ultra-Wideband Communication | 303 |
| 61. | Approximate Kalman Filtering for Bayesian State Estimation in Nonlinear Measurement Models | 307 |
| 62. | Design of Compact Monopole Antenna with Tunable Characteristics Using Active FSS | 313 |
| 63. | Isolation Enhancement in a Microstrip Fed Compact Ultra-Wideband Diversity Antenna by Exploring Koch Boundary Fractal and Extended Ground Stub | 319 |
| 64. | Wearable Microstrip Patch Antenna for Disease Detection and WiMAX Application | 323 |
| 65. | Scalable & Modular Circular Polarized Antenna Array for Digital Beamforming Applications | 327 |
| 66. | Derivation of the Kalman Filter in a Bayesian Filtering Perspective | 333 |
| 67. | Identification of Similar Gastrointestinal Images Through Content Based Image Retrieval System Based on Analytical Hierarchical Process | 338 |
| 68. | Gain Enhancement of Dual-Band Microstrip - Fed Antenna with Complementary Split Ring Resonators and Rectangular Slots Embedded in Patch for Wireless Applications Using Metamaterial Cell- Based Superstrate | 344 |
| 69. | Luneberg Lens as Passive Radar Augmenter for Aerial Target | 350 |
| 70. | Machine Learning Based Classification of Radar Signatures of Drones | 354 |
| 71. | Considerations for Design of High Speed High Resolution Low Power SAR ADC for Direct RF Sampling Receivers | 359 |
| 72. | Metamaterial Inspired Filtering Antenna for Dual Band Applications | 365 |
| 73. | Metasurface-Based Wideband Multilayer Antenna Incorporated with Holey Superstrate for S-Band Applications | 369 |

| | | |
|-----|---|-----|
| 74. | Design and Realization of Compact C-Band Monopulse Feed Using Additive Manufacturing | 373 |
| 75. | Millimeter Wave FMCW Radar for Contactless Diagnosis of Cardiovascular Diseases | 377 |
| 76. | Recycling of Waste Propellant and the Challenges in Disposal: Range Safety | 383 |
| 77. | A Novel Approach for Urban Unsupervised Segmentation Classification in SAR Polarimetry | 388 |
| 78. | Optical Design for Tracking a Long Range Point Target | 393 |
| 79. | SAR Image Classification Using Transfer Learning | 397 |
| 80. | CNN Based Image Resizing Detection and Resize Factor Classification for Forensic Applications | 403 |
| 81. | Experimental Demonstration of 35 GHz RF-Over-Fiber Silicon-Photonics Link | 409 |
| 82. | 3D Separable Convolution Based Super-Resolution of Hyperspectral Images Using CNN | 413 |
| 83. | Survey on Ground to Air Communication:- Technical and Logistics Challenges, Recent Advancement and the Future | 419 |
| 84. | 7-Bit Chipless Tag for Ultra Wideband Applications | 425 |
| 85. | Real-Time Web Based Timing Display Application for Test Range Applications | 429 |
| 86. | Broadband Symmetrically Direct Coupled Circular Microstrip Antenna | 435 |
| 87. | Multi-Target Tracking Using Ramanujan Sum Based DWT | 438 |
| 88. | A Novel Technique for Dimensional Space Reduction in Passive RFID Transponders | 444 |
| 89. | Ionospheric Effect on Position Solution Accuracy Using NavIC | 448 |
| 90. | Horizontality Calibration of Electro Optical Tracking Pedestal Using DFT | 453 |
| 91. | Polyphase Good Code Sets Based on Symmetrical and Anti-Symmetrical Segments of Linear/Piecewise Linear FM Waveforms | 457 |
| 92. | Signal Processing Application for Artillery Measurements Using Fixed Head Doppler Radar | 463 |
| 93. | Tracking of Object with Occlusion Based on Normalized Cross Correlation and Kalman Filter Estimation | 467 |
| 94. | Improved Prediction of Diabetes Mellitus Using Machine Learning Based Approach | 473 |
| 95. | Blockchain Based Secure Cloud Storage System for Range Activity Data | 479 |
| 96. | Photodetector Based Auto Trigger System Using Kalman Filter | 484 |
| 97. | iLid: IoT-Assisted Low-Cost and Scalable Inventory-Management System | 488 |
| 98. | Frequency Shift Coded Chipless RFID Tag Design Using Square Split Ring Resonators | 494 |
| 99. | Blockchain Use Case in Multi-Sensor Satellite Architecture | 498 |

| | | |
|------|---|-----|
| 100. | Bias Removal Blending to Create Panorama | 504 |
| 101. | Airborne Compact Electro Optic Infrared (EO/IR) System for Maritime Surveillance Mission | 510 |
| 102. | Integrated X-Band Active Phased Array Radar for Maritime Surveillance | 516 |
| 103. | A Sorted Weighting Lookahead Sampling Scheme for Accurate and Fast Particle Filtering | 522 |
| 104. | EOTS: The Journey and Beyond | 528 |
| 105. | Remote Operation of Flight Termination System over Fiber Optic Media in Test Range Scenario | 532 |
| 106. | Scene Simulation and Modeling of InfraRed Search and Track Sensor for Air-Borne Long Range Point Targets | 536 |
| 107. | Design of Ka-Band down Converter for Telemetry | 540 |
| 108. | Microstrip Hybrid Corporate-Series Feed Network for Low Sidelobe Monopulse Antenna Arrays | 545 |
| 109. | Characterising the Performance of AODV for Various Mobility Scenarios | 550 |
| 110. | A Human Intruder Detection System for Restricted Sensitive Areas | 555 |
| 111. | Star-Shaped Fractal Antenna with Triangular Slots Designed for Wideband Application | 559 |
| 112. | Preventing DDoS Attacks in Software Defined Networks | 563 |
| 113. | Performance Analysis of TDOA and FDOA for Missile Tracking Application Using Extended Kalman Filter | 567 |
| 114. | Stacked Ensemble Learning Based Approach for Anomaly Detection in IoT Environment | 573 |
| 115. | Performance Analysis of FSO for Different Modulation Techniques Under Atmospheric Turbulence with Pointing Errors | 579 |
| 116. | Supplemented Thrust Reversal Contraption for Enhanced Flight Termination System | 584 |
| 117. | Effect of Airfoil Profiles on Radar Cross Section of a Cropped Delta Wing | 589 |
| 118. | Implementation of Combinational Logic for Polar Decoder | 594 |
| 119. | Magnetron Development Activities and Effort Leading to the Product Development for Users | 600 |
| 120. | Beam Squint Mitigation Using Digital Beam Formers for Wideband Radar Applications | 604 |
| 121. | Inertial Measurement Unit for Trajectoryography | 610 |