

PROCEEDINGS OF SPIE

Optoelectronic Devices and Integration X

Xuping Zhang
Baojun Li
Changyuan Yu
Xinliang Zhang
Editors

10–12 October 2021
Nantong, China

Sponsored by
SPIE
COS—Chinese Optical Society

Cooperating Organizations

Tsinghua University (China) • Peking University (China) • University of Science and Technology of China (China) • Zhejiang University (China) • Tianjin University (China) Beijing Institute of Technology (China) • Beijing University of Posts and Telecommunications (China) • Nankai University (China) • Changchun University of Science and Technology (China) • University of Shanghai for Science and Technology (China) • Capital Normal University (China) • Huazhong University of Science and Technology (China) • Beijing Jiaotong University (China) • China Jiliang University (China) • Shanghai Institute of Optics and Fine Mechanics, CAS (China) • Changchun Institute of Optics, Fine Mechanics and Physics, CAS (China) • Institute of Semiconductors, CAS (China) • Institute of Optics and Electronics, CAS (China) • Institute of Physics, CAS (China) • Shanghai Institute of Technical Physics, CAS (China) • China Instrument and Control Society (China) The Optical Society of Japan (Japan) • Optical Society of Korea (Korea, Republic of) • Australia and New Zealand Optical Society (Australia) • Optics and Photonics Society of Singapore (Singapore) • European Optical Society

Supporting Organizations

China Association for Science and Technology (CAST) (China) • Department of Information of National Nature Science Foundation, China (NSFC) (China)

Published by
SPIE

Volume 11894

Proceedings of SPIE 0277-786X, V. 11894

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Optoelectronic Devices and Integration X*, edited by Xuping Zhang, Baojun Li, Changyuan Yu, Xinliang Zhang, Proc. of SPIE 11894, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510646377

ISBN: 9781510646384 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2021 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

INTEGRATED OPTICAL DEVICES II

- 11894 04 **All-optical signal regeneration and coherent data receiving aided by integrated Kerr frequency comb (Invited Paper) [11894-3]**
- 11894 07 **Proposal for an athermal, fabrication-tolerant and flat-topped CWDM (de)multiplexer based on cascaded silicon Mach-Zehnder interferometers [11894-6]**

FIBER-BASED DEVICES FOR SENSING AND COMMUNICATION I

- 11894 0A **Directly modulated quantum cascade laser and its application in free-space communications (Invited Paper) [11894-9]**

NANOPHOTONIC AND METAMATERIAL DEVICES

- 11894 0G **Nanophotonic antenna for optical trapping applications (Invited Paper) [11894-15]**
- 11894 0H **Phenothiazine-benzimidazole architecture as an efficient interfacial charge transport layer for perovskite blue light emitting diodes [11894-16]**

POSTER SESSION

- 11894 0N **Ring-resonator-coupled Mach-Zehnder interferometers for integrated photonics by 3D direct laser writing [11894-22]**
- 11894 0O **Optimization of resource scheduling algorithms for visible light communication and WiFi heterogeneous networks [11894-23]**
- 11894 0P **Experimental study on longitudinal mode dynamics of a chaotic fiber ring laser [11894-24]**
- 11894 0Q **Resource allocation of visible light communication/WiFi hybrid networks based on improved proportional fairness algorithm [11894-25]**
- 11894 0R **Solutions to improve novel multiple configurations [11894-26]**
- 11894 0U **Resource management algorithm of indoor visible light communication and WiFi heterogeneous network [11894-29]**
- 11894 0V **Hybrid PWoF-RoF-PON for next-generation access network [11894-31]**

- 11894 0W **Optical trapping of microparticles with cascaded tapered waveguides** [11894-32]
- 11894 0X **Injection-locked optoelectronic oscillator based on frequency conversion filtering** [11894-33]
- 11894 0Y **Research on 5G-oriented millimeter-wave RoF-WDM-PON system** [11894-34]
- 11894 0Z **Reconfigurable all-optical logic AND and OR gates based on VCSEL-SA subject to optical pulse injection** [11894-37]
- 11894 11 **Design of electro-optically tuned silicon micro-ring resonator for tunable laser application with nanosecond switching time** [11894-39]
- 11894 12 **Broadband mid-infrared antireflection metasurfaces based on silicon** [11894-40]
- 11894 13 **All-optical nonlinear activation functions based on germanium silicon hybrid integration** [11894-41]
- 11894 15 **Ultra-compact optical spectrometer based on silicon random medium** [11894-43]
- 11894 16 **Parallel all-optical programmable logic array based on multichannel four-wave mixing** [11894-44]
- 11894 17 **All-dielectric nanostructures for high-efficient angular emission from polarized LEDs** [11894-45]
- 11894 1A **Research on on-resistance of 4H-SiC photoconductive switch** [11894-48]
- 11894 1B **RF spectrum measurement of the versatile microcavity soliton combs** [11894-49]
- 11894 1C **Terahertz polarization rotator based on silicon asymmetrical structure** [11894-50]
- 11894 1E **High-sensitive Bloch surface wave sensing with metasurface/photonic crystal structure** [11894-52]
- 11894 1F **DNN-assisted activity classification using fiber interferometer sensor** [11894-30]
- 11894 1G **SAHS detection using contact-free MZI-BCG sensor** [11894-35]
- 11894 1H **High sensitivity fiber interference strain sensor based on polarized mode coupling and TFBG** [11894-36]
- 11894 1J **Heterogeneous integration of transfer bonded terahertz quantum cascade lasers for improved heat management and light coupling** [11894-54]
- 11894 1K **Efficiency improvement for micro light-emitting diodes with n-doped quantum barriers and single QW** [11894-55]
- 11894 1L **Modeling of high-speed uni-traveling carrier photodiodes** [11894-56]