

# **2021 IEEE CPMT Symposium Japan (ICSJ 2021)**

**Kyoto, Japan  
10-12 November 2021**



**IEEE Catalog Number: CFP21PWJ-POD  
ISBN: 978-1-6654-1154-7**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

|                         |                   |
|-------------------------|-------------------|
| IEEE Catalog Number:    | CFP21PWJ-POD      |
| ISBN (Print-On-Demand): | 978-1-6654-1154-7 |
| ISBN (Online):          | 978-1-6654-4079-0 |
| ISSN:                   | 2373-5449         |

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# TABLE OF CONTENTS

|   |    |
|---|----|
| MILLIMETER-WAVE ANTENNA-IN-PACKAGE DESIGN VALIDATION SOLUTION IN WIRELESS COMMUNICATION APPLICATIONS.....   | 1  |
| <i>Sheng-Chi Hsieh, Fu-Cheng Chu, Cheng-Yu Ho, Chen-Chao Wang</i>   |    |
| DEVELOPMENT OF HIGH-DENSITY HYBRID SUBSTRATE FOR HETEROGENEOUS INTEGRATION .....  | 5  |
| <i>Chia-Yu Peng, John H Lau, Cheng-Ta Ko, Paul Lee, Eagle Lin, Henry Kai-Ming Yang, Puru Bruce Lin, Tim Xia, Leo Chang, Curry Lin, Tzu Nien Lee, Jason Wong, Mike Ma, Tzyy-Jang Tseng</i> |    |
| A HIGH CAPACITY AND COST-EFFECTIVE OFDM EML TO-CAN FOR ROF/IFOF TRANSMISSION SYSTEMS IN BEYOND-5G MOBILE FRONTHAUL.....   | 9  |
| <i>Hayato Sano, Ryota Fujihara, Seiki Nakamura, Masashi Binkai, Fumio Shoda, Nobuo Ohata</i>  |    |
| DENSELY INTEGRATED 1060NM 2D VCSEL ARRAY FOR SPACE-DIVISION MULTIPLEXING TOWARD CO-PACKAGING OPTICS TRANSCEIVERS .....  | 13 |
| <i>Liang Dong, Xiaodong Gu, Mikito Yoshiki, Fumio Koyama</i>  |    |
| ESTIMATION OF ELECTRIC FIELD RADIATED FROM WIRE HARNESS BASED ON APPROXIMATION OF COMMON-MODE CURRENT DISTRIBUTION USING ASYMMETRIC DIPOLE ANTENNA .....                                  | 17 |
| <i>Hiroki Yamada, Jianqing Wang</i>   |    |
| TRANSMISSION LINE PULSE METHOD WITH ARBITRARY CHARACTERISTIC IMPEDANCE FOR IMMUNITY EVALUATION OF ESD PROTECTION DEVICE.....  | 21 |
| <i>Kyousuke Tanaka, Tohlu Matsushima, Yuki Fukumoto</i>   |    |
| MULTI-GIGABIT/S LIFI NETWORKING FOR 6G.....   | 25 |
| <i>Harald Haas</i>  |    |
| LGA PRE BUMP PROCESS ELIMINATION.....   | 27 |
| <i>Jui Ang Tan, Chong Seng Foo, Wen Jie Chen, Szu Han Tan, Shu Chao Sun, Ailsa Liang, Dennis Lidan Lee</i>  |    |
| TECHNOLOGIES FOR POWER DEVICE PACKAGING BY USING SOLID LIQUID INTERDIFFUSION BONDING - SLID .....   | 31 |
| <i>Mario Baum, Jörg Frömel, Christian Hofmann, Maik Wiemer, Karla Hiller, Harald Kuhn</i>   |    |
| SILVER SINTERING TECHNOLOGY BASED ON INDUCTION HEATING FOR CHIP LEVEL BONDING .....   | 33 |
| <i>Christian Hofmann, Mario Baum, Maulik Satwara, Martin Kroll, Sushant Panhale, Patrick Rochala, Soumya-Deep Paul, Kiyoshi Oi, Kei Murayama, Maik Wiemer, Harald Kuhn</i>                |    |
| LIDAR FOR AUTOMATED DRIVING ERA .....   | 37 |
| <i>Toshio Ito</i>   |    |
| FEATURE DETECTION BASED ON VIRTUAL GRADIENT USING SENSOR FUSION FOR LOW-RESOLUTION 3D LIDAR.....  | 41 |
| <i>Shuncong Shen, Mai Saito, Toshio Ito</i>   |    |
| METHOD OF DIAGNOSING ABNORMALITIES IN BIDIRECTIONAL COMMUNICATION CHANNEL BY USING ADAPTIVE DECISION FEEDBACK EQUALIZER.....  | 45 |
| <i>Soshi Shimomura, Yasuhiro Ikeda, Yutaka Uematsu</i>  |    |

|   |    |
|---|----|
| NOVEL APPROACH FOR MACHINE LEARNING WITH EXTRA LOW ENERGY AND VERY LIGHT HARDWARE .....   | 49 |
| <i>Kanji Otsuka, Yutaka Akiyama, Yoichi Sato, Koshi Sato</i>  |    |
| PRECISE THIXOTROPY CONTROLLED BUMP SUPPORT FILM FOR WLCSP .....   | 53 |
| <i>Keisuke Shinomiya, Naoya Saiki, Yousuke Sato, Manabu Miyawaki, Tomotaka Morishita, Reina Kainuma</i>   |    |
| EVALUATION OF WAFER BOND STRENGTH UNDER VACUUM.....   | 57 |
| <i>Kai Takeuchi, Tadatomo Suga</i>  |    |
| ELECTROCHEMICAL ANALYSIS OF SURFACE OXIDE LAYERS OF VARIOUS COPPER FILMS IN MICROELECTRONICS .....  | 61 |
| <i>Chi-Hsuan Lin, Wei-Chen Huang, Yu-Cheng Ke, Jenn-Ming Song</i>   |    |
| MEASUREMENT OF POISSON'S RATIO OF RESIN MATERIALS.....  | 65 |
| <i>Hiroshi Yamaguchi, Toshiaki Enomoto, Takayuki Fujita</i>   |    |
| MULTI-MODAL THIN-FILM-TRANSISTOR BIOSENSING PLATFORMS FOR BIO-MEDICAL INVESTIGATIONS: CONTRIBUTION TO INTERNET-OF-MEDICAL-THINGS.....   | 69 |
| <i>Agnès Tixier-Mita, Tieying Xu, Anne-Claire Eiler, Satoshi Ihida, Hiroshi Toshiyoshi</i>  |    |
| BIOLOGICALLY INSPIRED ULTRATHIN ARRAY CAMERAS.....  | 72 |
| <i>Ki-Hun Jeong</i>   |    |
| FUNCTIONAL INTERFACES FOR AN OPENABLE ARTIFICIAL INTESTINAL TRACT DEVICE AS AN ORGAN-ON-A-CHIP.....   | 74 |
| <i>S. Ishibashi, Y Inoue, S. Shimizu, Satoshi Konishi</i>   |    |
| PRACTICAL SIMULATION METHODS CONSIDERING CHARACTERISTIC VARIATIONS OF WIRES FOR CISPR 25 CONDUCTED EMISSION.....  | 78 |
| <i>H. Sugo, Y. Sarai, B. P. Nayak, H. Muniganti, D. Gope, T. Tsuda</i>  |    |
| ABNORMAL-STATE-DISCRIMINATION METHOD FOR IN-VEHICLE COMMUNICATION CHANNEL WITH POWER-OVER-COAX CIRCUIT .....  | 82 |
| <i>Yutaka Uematsu, Soshi Shimomura, Yasuhiro Ikeda, Hidetatsu Yamamoto, Hideyuki Sakamoto</i>   |    |
| IMPROVE INDUCTIVE CONTACT FAILURE LOSS OF IGBT MODULE TEST .....  | 86 |
| <i>Keita Gunji</i>  |    |
| DEVELOPMENT OF NEWLY LOW-DIELECTRIC ORGANIC SUBSTRATE MATERIAL FOR A MILLIMETER-WAVE RADAR .....  | 90 |
| <i>Chie Chikara, Satoshi Yoshiura, Satoshi Kajita, Koji Fujikawa, Taishi Imazato, Tadashi Nagasawa</i>  |    |
| STUDY OF ATOMIC LAYER DEPOSITION OF HAFNIUM OXIDE AS AN INSULATION LAYER ON CU FOR POTENTIAL FLIP CHIP INTEGRATION.....   | 94 |
| <i>Alaric Yohei Kawai, Shingo Kataza, Shuichi Shoji, Jun Mizuno</i>   |    |
| CHARACTERIZATION OF LOW LOSS DIELECTRIC MATERIALS FOR 5G APPLICATIONS .....   | 98 |
| <i>Tzu Nien Lee, John H Lau, Cheng-Ta Ko, Tim Xia, Eagle Lin, Henry Kai-Ming Yang, Puru Bruce Lin, Tony Chia-Yu Peng, Leo Chang, Jia Shiang Chen, Yi-Hsiu Fang, Li-Yueh Liao, Edward Charn, Jason Wang, Tzzy-Jang Tseng</i> |    |

|  |     |
|--|-----|
| TAPERED PILLAR ON SINGLE-MODE FIBER FACET FABRICATED USING UV CURABLE RESIN FOR HIGH EFFICIENCY COUPLING TO SILICON PHOTONICS CHIP .....                 | 102 |
| <i>Taiga Kurisawa, Yoshiki Kamiura, Chiemi Fujikawa, Osamu Mikami</i>  |     |
| APPLICATION OF A POLYMER MICROLENS WITH A PILLAR FOR HIGH EFFICIENCY COUPLING BETWEEN SINGLE MODE FIBERS AND SIPH CHIPS .....                            | 104 |
| <i>Yoshiki Kamiura, Taiga Kurisawa, Chiemi Fujikawa, Osamu Mikami</i>  |     |
| CONNECTION CHARACTERISTICS OF HOLLOW-CORE FIBER CONNECTOR .....  | 106 |
| <i>Toshiki Maejima, Hideki Kamitsuna, Ryuta Matsuda, Ryo Nagase</i>  |     |
| DEMONSTRATION OF FLEXIBLE POLYIMIDE FIBERS FOR DENSE OPTICAL PACKAGING .....   | 108 |
| <i>Yuki Okada, Taro Itatani, Yoshinobu Okano, Takeru Amano, Satoshi Suda</i>   |     |
| NARROW-BANDPASS FILTER USING ORTHOGONALLY PROPAGATING GUIDED-MODE RESONANCE WITH DOUBLY PERIODIC GRATING .....   | 110 |
| <i>Zhiyu Yang, Ryo Asai, Junichi Inoue, Kenji Kintaka, Shogo Ura</i>   |     |
| MODE-CONFINED ULTRA THIN SILICON/POLYMER HYBRID ELECTRO-OPTIC MODULATOR .....  | 112 |
| <i>Jiawei Mao, Alisa Bannaron, Hiromu Sato, Shiyoshi Yokoyama</i>  |     |
| INTERPOLATION METHOD FOR SPARSE POINT CLOUD AT LONG DISTANCE USING SENSOR FUSION WITH LIDAR AND CAMERA .....   | 116 |
| <i>Mai Saito, Shuncong Shen, Toshio Ito</i>  |     |
| 3D METAL PRINTED DEFORMED ELLIPTICAL CAVITY BANDPASS FILTER WITH AN ADDITIONAL PLATE.....  | 118 |
| <i>Povilas Vaitukaitis, Kenneth Nai, Jiayu Rao, Jiasheng Hong</i>  |     |
| DEVELOPMENT OF THE H-BN MANUFACTURING PROCESS FOR 3D-LSI.....  | 120 |
| <i>Masashi Yokoi, Satoko Shinkai, Satoshi Matsumoto</i>  |     |
| 3D METAL PRINTED CORRUGATED WAVEGUIDE ANTENNA ARRAY WITH HIGH GAIN AND ENHANCED BANDWIDTH.....   | 122 |
| <i>Jiayu Rao, Kenneth Nai, Povilas Vaitukaitis, Jiasheng Hong</i>  |     |
| MODELING OF POLARIZATION-ROTATION BASED ALL-OPTICAL LOGIC SWITCH USING RING-RESONATOR.....   | 124 |
| <i>Gaurav Kumar Bharti, Ramesh Kumar Sonkar</i>  |     |
| MODIFICATION OF POLYURETHANE-BASED BINDER FOR STABILIZING ELECTRICAL CONDUCTIVITY OF SILVER-FILLED STRETCHABLE PRINTED WIRES DURING CYCLIC TENSIONS..... | 126 |
| <i>Kaito Oodzusumi, Hikaru Watanabe, Reina Ohshima, Masahiro Inoue</i>   |     |
| ELECTRICAL CONDUCTIVITY OF AIR-CURABLE ELECTRICALLY CONDUCTIVE ADHESIVES CONTAINING COPPER FILLERS USING MIXED SURFACTANTS.....                          | 128 |
| <i>Yukari Matsunami, Daisuke Otajima, Kenta Kawarai, Yuki Saito, Masahiro Inoue</i>  |     |
| EVALUATION OF HALF-BRIDGE POWER MODULE WITH POL-KW .....   | 130 |
| <i>Shingo Hayashibe, Kei Murayama, Koji Bando, Hitoshi Ito, Hirotsugu Suzuki, Takanori Sugita</i>  |     |

|  |     |
|--|-----|
| CREATING LOW THERMAL RESISTANCE INTERFACES IN WIDE BANDGAP SEMICONDUCTORS THROUGH BONDING.....   | 135 |
| <i>Zhe Cheng, Mark Goorsky, Fengwen Mu, Tadadomo Suga, Samuel Graham</i>   |     |
| OPTICAL INTERCONNECT ECOSYSTEMS AND CHALLENGES IN CO-PACKAGED OPTICS .....   | 138 |
| <i>Tiger Ninomiya, Bernard Hl Lee, Stan Lee, Gavin Hsu, Richard Pitwon</i>   |     |
| SYSTEM TRANSMISSION OVER MULTICORE FIBER FOR DATACOM OPTICAL INTERCONNECT APPLICATIONS .....   | 142 |
| <i>Yi Sun, Robert Lingle, Bob Holland, Roman Shubochkin, Kumar Bansal, David Digiovanni</i>  |     |
| RELIABILITY AND BEND LOSS OF OPTICAL FIBERS IN TIGHT BEND APPLICATIONS.....  | 146 |
| <i>Scott R. Bickham, G. Scott Glaesemann, Yin Shu, Garth W. Scannell</i>   |     |
| HIGH-EFFICIENCY OPTICAL COUPLING BETWEEN VCSEL AND 90-DEGREE-BENT GRADED-INDEX CORE POLYMER WAVEGUIDE WITH NUMERAL APERTURE OPTIMIZATION ..... | 150 |
| <i>Naohiro Kohmu, Maho Ishii, Takaaki Ishigure</i>   |     |
| LIQUID CRYSTAL POLYMER TECHNOLOGY IN THE 5G ERA - METROCIRC .....  | 154 |
| <i>Takashi Noma</i>  |     |
| CONTROL OF ELECTRICAL BEHAVIOR OF STRETCHABLE FILMS PRINTED USING ELECTRICALLY CONDUCTIVE PASTES DURING CYCLIC TENSIONS .....                  | 156 |
| <i>Masahiro Inoue, Hikaru Watanabe, Kaito Oodzutsumi</i>   |     |
| GOLD COATED OPTICAL MICRONEEDLES LENS ARRAY FOR PHOTOTHERMAL THERAPY .....   | 160 |
| <i>Kotaro Shobayashi, Xiaobin Wu, Beomjoon Kim, Jongho Park</i>  |     |
| A RAPID COVID-19 DIAGNOSTIC DEVICE INTEGRATING POROUS MICRONEEDLES AND THE PAPER-BASED IMMUNOASSAY BIOSENSOR.....                              | 164 |
| <i>Leilei Bao, Jongho Park, Soojin Shim, Misako Yoneda, Chieko Kai, Beomjoon Kim</i>   |     |
| IMPROVEMENT IN MEASUREMENT ACCURACY OF ON-WAFER MEASUREMENTS FROM MILLIMETER-WAVE TO TERAHERTZ FREQUENCIES.....                                | 168 |
| <i>Ryo Sakamaki</i>  |     |
| EFFECT OF SURFACE TREATMENT OF TRANSMISSION LINE ON FREQUENCY CHARACTERISTICS.....   | 172 |
| <i>Jumpei Miike, Akira Kon, Makoto Miyoshi, Takatoshi Yagisawa</i>   |     |
| THE ELECTRICAL ANALYSIS ON ULTRA HIGH DENSITY IO FAN-OUT DESIGN .....  | 176 |
| <i>Po-I Wu, Ming-Fong Zhong, Hung-Chun Kuo, Chih-Yi Huang, Chen-Chao Wang</i>  |     |
| NOISE REDUCTION TERMINATION FOR RFI INDUCED CHANNEL RESONANCE USING COMMON-MODE CHOKE AND DIFFERENTIAL SIGNAL BALANCER .....                   | 180 |
| <i>Masaaki Kameya, Eishi Gofuku, Kazuyuki Nakamura</i>   |     |
| DESIGN AND FABRICATION OF Y-BRANCHED POLYMER WAVEGUIDE BASED OPTICAL COUPLER .....   | 184 |
| <i>Ryosuke Hatai, Hiroki Hama, Takaaki Ishigure</i>  |     |
| DEVELOPMENT OF 3-DIMENSIONAL SINGLE-MODE CORE OVER-CROSSING POLYMER OPTICAL WAVEGUIDES USING THE MOSQUITO METHOD .....                         | 188 |
| <i>Md Omar Faruk Rasel, Takaaki Ishigure</i>   |     |

|  |     |
|--|-----|
| FABRICATION OF THE ELECTRO-OPTIC POLYMER MODULATOR FOR O-BAND<br>INTRA-DATACENTER COMMUNICATIONS .....                                   | 192 |
| <i>Alisa Bannaron, Hiromu Sato, Shiyoshi Yokoyama</i>  |     |
| O-BAND SILICON-ORGANIC HYBRID EO MODULATOR .....   | 196 |
| <i>Hiromu Sato, Alisa Bannaron, Shiyoshi Yokoyama</i>  |     |
| >25 GBIT/S LIFI WITH DUAL WAVELENGTH EMISSION, EYE-SAFE, LASER BASED<br>WHITE LIGHT COLLIMATED AND FIBER DELIVERED LIGHT SOURCES.....    | 200 |
| <i>James Raring, Changmin Lee, Mohamed Sufyan Islam, Sovan Das, Adrian Sparks, Stefan<br/>Videv, Binith Shah, Paul Rudy, Harald Haas</i> |     |
| AUTOMATED PHOTONICS TESTING AT WAFER LEVEL .....   | 203 |
| <i>Ignazio Piacentini</i>  |     |

**Author Index**