

2021 36th IEEE/ACM International Conference on Automated Software Engineering (ASE 2021)

**Melbourne, Australia
15-19 November 2021**

Pages 1-704



**IEEE Catalog Number: CFP21075-POD
ISBN: 978-1-6654-4784-3**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP21075-POD
ISBN (Print-On-Demand):	978-1-6654-4784-3
ISBN (Online):	978-1-6654-0337-5
ISSN:	1938-4300

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2021 36th IEEE/ACM International Conference on Automated Software Engineering (ASE) **ASE 2021**

Table of Contents

Message from the Chairs	xxv
Organizing Committee	xxx
Program Committee	xxxii
Sponsors	xlv

Tutorials

Explainable AI for Software Engineering	1
<i>Chakkrit Tantithamthavorn (Monash University, Australia) and Jirayus Jiarpakdee (Monash University, Australia)</i>	
Transforming Monolithic Applications to Microservices with Mono2Micro	3
<i>R. Krishna, A. Kalia, S. Sinha, R. Tzoref-Brill, J. Rofrano, J. Xiao (IBM Research)</i>	
Enhancing Requirements Reuse through Automated Similarity Matching	4
<i>M. Mannion, H Kaindl (Glasgow Caledonian University)</i>	

Research Papers

Automating User Notice Generation for Smart Contract Functions	5
<i>Xing Hu (Zhejiang University, China), Zhipeng Gao (Monash University, China), Xin Xia (Monash University, China), David Lo (Singapore Management University, China), and Xiaohu Yang (Zhejiang University, China)</i>	
End-to-End Automation of Feedback on Student Assembly Programs	18
<i>Zikai Liu (ETH Zurich, Switzerland), Tingkai Liu (University of Illinois at Urbana-Champaign, USA), Qi Li (Purdue University, USA), Wenqing Luo (University of Illinois at Urbana-Champaign, USA), and Steven Lumetta (University of Illinois at Urbana-Champaign, USA)</i>	
Is Historical Data an Appropriate Benchmark for Reviewer Recommendation Systems?: A Case Study of the Gerrit Community	30
<i>Ian X. Gauthier (McGill University, Canada), Maxime Lamothe (Polytechnique Montréal, Canada), Gunter Mussbacher (McGill University, Canada), and Shane McIntosh (University of Waterloo, Canada)</i>	
An Empirical Study of Bugs in WebAssembly Compilers	42
<i>Alan Romano (University at Buffalo, SUNY), Xinyue Liu (University at Buffalo, SUNY), Yonghui Kwon (University of Virginia), and Weihang Wang (University at Buffalo, SUNY)</i>	

Detecting TensorFlow Program Bugs in Real-World Industrial Environment	55
<i>Chen Liu (University of Chinese Academy of Sciences, China; SKL Computer Architecture, ICT, CAS, China), Jie Lu (SKL Computer Architecture, ICT, CAS, China), Guangwei Li (University of Chinese Academy of Sciences, China; SKL Computer Architecture, ICT, CAS, China), Ting Yuan (University of Chinese Academy of Sciences, China; SKL Computer Architecture, ICT, CAS, China), Lian Li (University of Chinese Academy of Sciences, China; SKL Computer Architecture, ICT, CAS, China), Feng Tan (Alibaba Group, China), Jun Yang (Alibaba Group, China), Liang You (Alibaba Group, China), and Jingling Xue (University of New South Wales, Australia)</i>	
Why Do Developers Remove Lambda Expressions in Java?	67
<i>Mingwei Zheng (Hubei Engineering Research Center on Big Data Security, Huazhong University of Science and Technology, China; National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China), Jun Yang (Huazhong University of Science and Technology, China), Ming Wen (Hubei Engineering Research Center on Big Data Security, Huazhong University of Science and Technology, China; National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China), Hengcheng Zhu (The Hong Kong University of Science and Technology, China), Yepang Liu (Southern University of Science and Technology, China), and Hai Jin (National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China; School of Computer Science and Technology, HUST, China)</i>	
Context Debloating for Object-Sensitive Pointer Analysis	79
<i>Dongjie He (University of New South Wales, Australia), Jingbo Lu (University of New South Wales, Australia), and Jingling Xue (University of New South Wales, Australia)</i>	
Dynamic Generation of Python Bindings for HPC Kernels	92
<i>Steven Zhu (The University of Texas at Austin), Nader Al Awar (The University of Texas at Austin), Mattan Erez (The University of Texas at Austin), and Milos Gligoric (The University of Texas at Austin)</i>	
Testing Your Question Answering Software via Asking Recursively	104
<i>Songqiang Chen (Wuhan University, China), Shuo Jin (Wuhan University, China), and Xiaoyuan Xie (Wuhan University, China)</i>	
Improving Test Case Generation for REST APIs Through Hierarchical Clustering	117
<i>Dimitri Stallenberg (Delft University of Technology, The Netherlands), Mitchell Olsthoorn (Delft University of Technology, The Netherlands), and Annibale Panichella (Delft University of Technology, The Netherlands)</i>	
VizSmith: Automated Visualization Synthesis by Mining Data-Science Notebooks	129
<i>Rohan Bavishi (University of California), Shadaj Laddad (University of California), Hiroaki Yoshida (Fujitsu Research of America), Mukul R. Prasad (Fujitsu Research of America), and Koushik Sen (University of California)</i>	

ISPY: Automatic Issue-Solution Pair Extraction from Community Live Chats	142
<i>Lin Shi (Institute of Software Chinese Academy of Sciences, China), Ziyou Jiang (Institute of Software Chinese Academy of Sciences, China), Ye Yang (Stevens Institute of Technology, USA), Xiao Chen (Institute of Software Chinese Academy of Sciences, China), Yumin Zhang (Institute of Software Chinese Academy of Sciences, China), Fangwen Mu (Institute of Software Chinese Academy of Sciences, China), Hanzhi Jiang (Institute of Software Chinese Academy of Sciences, China), and Qing Wang (Institute of Software Chinese Academy of Sciences, China)</i>	
EditSum: A Retrieve-and-Edit Framework for Source Code Summarization	155
<i>Jia Li (Key Lab of High Confidence Software Technology, MoE (Peking University), China), Yongmin Li (Key Lab of High Confidence Software Technology, MoE (Peking University), China), Ge Li (Key Lab of High Confidence Software Technology, MoE (Peking University), China), Xing Hu (Zhejiang University, China), Xin Xia (Monash University, Australia), and Zhi Jin (Key Lab of High Confidence Software Technology, MoE (Peking University), China)</i>	
Interactive Cross-Language Code Retrieval with Auto-Encoders	167
<i>Binger Chen (Technische Universität Berlin, Germany) and Ziawasch Abedjan (Leibniz Universität Hannover, Germany)</i>	
Data-Driven Design and Evaluation of SMT Meta-Solving Strategies: Balancing Performance, Accuracy, and Cost	179
<i>Malte Mues (TU Dortmund University, Germany) and Falk Howar (TU Dortmund University, Germany)</i>	
Reducing Bug Triaging Confusion by Learning from Mistakes with a Bug Tossing Knowledge Graph	191
<i>Yanqi Su (Australian National University, Australia), Zhenchang Xing (Australian National University, Australia), Xin Peng (Fudan University, China), Xin Xia (Monash University, Australia), Chong Wang (Fudan University, China), Xiwei Xu (Data61, CSIRO, Australia), and Liming Zhu (Data61, CSIRO, Australia)</i>	
ASE: A Value Set Decision Procedure for Symbolic Execution	203
<i>Alireza S. Abyaneh (University of Salzburg, Austria) and Christoph M. Kirsch (University of Salzburg, Austria; Czech Technical University in Prague, Czech Republic)</i>	
CorbFuzz: Checking Browser Security Policies with Fuzzing	215
<i>Chaofan Shou (University of California, Santa Barbara), İsmet Burak Kadron (University of California, Santa Barbara), Qi Su (University of California, Santa Barbara), and Tevfik Bultan (University of California, Santa Barbara)</i>	
SMARTIAN: Enhancing Smart Contract Fuzzing with Static and Dynamic Data-Flow Analyses	227
<i>Jaeseung Choi (KAIST), Doyeon Kim (LINE Plus Corporation), Soomin Kim (KAIST), Gustavo Grieco (Trail of Bits), Alex Groce (Northern Arizona University), and Sang Kil Cha (KAIST)</i>	

Restoring the Executability of Jupyter Notebooks by Automatic Upgrade of Deprecated APIs	240
<i>Chenguang Zhu (The University of Texas at Austin), Ripon K. Saha (Fujitsu Research of America, Inc.), Mukul R. Prasad (Fujitsu Research of America, Inc.), and Sarfraz Khurshid (The University of Texas at Austin)</i>	
Adversarial Attacks to API Recommender Systems: Time to Wake Up and Smell the Coffee?	253
<i>Phuong T. Nguyen (University of L'Aquila, Italy), Claudio Di Sipio (University of L'Aquila, Italy), Juri Di Rocco (University of L'Aquila, Italy), Massimiliano Di Penta (University of Sannio, Italy), and Davide Di Ruscio (University of L'Aquila, Italy)</i>	
REPFINDER: Finding Replacements for Missing APIs in Library Update	266
<i>Kaifeng Huang (Fudan University, China), Bihuan Chen (Fudan University, China), Linghao Pan (Fudan University, China), Shuai Wu (Fudan University, China), and Xin Peng (Fudan University, China)</i>	
Targeting Requirements Violations of Autonomous Driving Systems by Dynamic Evolutionary Search	279
<i>Yixing Luo (Peking University, China), Xiao-Yi Zhang (National Institute of Informatics, Japan), Paolo Arcaini (National Institute of Informatics, Japan), Zhi Jin (Peking University, China), Haiyan Zhao (Peking University, China), Fuyuki Ishikawa (National Institute of Informatics, Japan), Rongxin Wu (Xiamen University, China), and Tao Xie (Peking University, China)</i>	
On the Real-World Effectiveness of Static Bug Detectors at Finding Null Pointer Exceptions.....	292
<i>David A. Tomassi (University of California, Davis) and Cindy Rubio-González (University of California, Davis)</i>	
Subtle Bugs Everywhere: Generating Documentation for Data Wrangling Code	304
<i>Chenyang Yang (Peking University), Shurui Zhou (University of Toronto), Jin Guo (McGill University), and Christian Kästner (Carnegie Mellon University)</i>	
Distribution Models for Falsification and Verification of DNNs	317
<i>Felipe Toledo (University of Virginia, USA), David Shriver (University of Virginia, USA), Sebastian Elbaum (University of Virginia, USA), and Matthew B. Dwyer (University of Virginia, USA)</i>	
SATune: A Study-Driven Auto-Tuning Approach for Configurable Software Verification Tools	330
<i>Ugur Koc (University of Maryland College Park, USA), Austin Mordahl (The University of Texas at Dallas, USA), Shiyi Wei (The University of Texas at Dallas, USA), Jeffrey S. Foster (Tufts University, USA), and Adam A. Porter (University of Maryland College Park, USA)</i>	
Efficient SMT-Based Model Checking for Signal Temporal Logic	343
<i>Jia Lee (POSTECH, South Korea), Geunyeol Yu (POSTECH, South Korea), and Kyungmin Bae (POSTECH, South Korea)</i>	
DeepMetis: Augmenting a Deep Learning Test Set to Increase Its Mutation Score	355
<i>Vincenzo Riccio (Università della Svizzera Italiana, Switzerland), Nargiz Humbatova (Università della Svizzera Italiana, Switzerland), Gunel Jahangirova (Università della Svizzera Italiana, Switzerland), and Paolo Tonella (Università della Svizzera Italiana, Switzerland)</i>	

Efficient State Synchronisation in Model-Based Testing Through Reinforcement Learning	368
<i>Uraz Cengiz Turker (The University of Leicester, UK), Robert M. Hierons (The University of Sheffield, UK), Mohammad R. Mousavi (King's College London, UK), and Ivan Tyukin (The University of Leicester, UK)</i>	
Faster Mutation Analysis with Fewer Processes and Smaller Overheads	381
<i>Bo Wang (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China; CAAC Key Laboratory of Intelligent Passenger Service of Civil Aviation, China), Sirui Lu (Key Laboratory of High Confidence Software Technologies (Peking University), China; Peking University, China), Yingfei Xiong (Key Laboratory of High Confidence Software Technologies (Peking University), China; Peking University, China), and Feng Liu (Beijing Jiaotong University, China)</i>	
FRUGAL: Unlocking Semi-Supervised Learning for Software Analytics	394
<i>Huy Tu (North Carolina State University, USA) and Tim Menzies (North Carolina State University, USA)</i>	
PyExplainer: Explaining the Predictions of Just-In-Time Defect Models	407
<i>Chanathip Pornprasit (Monash University, Australia), Chakkrit Tantithamthavorn (Monash University, Australia), Jirayus Jiarapakdee (Monash University, Australia), Michael Fu (Monash University, Australia), and Patanamon Thongtanunam (The University of Melbourne, Australia)</i>	
Groot: An Event-Graph-Based Approach for Root Cause Analysis in Industrial Settings	419
<i>Hanzhang Wang (eBay), Zhengkai Wu (University of Illinois at Urbana-Champaign), Huai Jiang (eBay), Yichao Huang (eBay), Jiamu Wang (eBay), Selcuk Kopru (eBay), and Tao Xie (Peking University)</i>	
Graph-Based Incident Aggregation for Large-Scale Online Service Systems	430
<i>Zhuangbin Chen (The Chinese University of Hong Kong, China), Jinyang Liu (The Chinese University of Hong Kong, China), Yuxin Su (The Chinese University of Hong Kong, China), Hongyu Zhang (The University of Newcastle, Australia), Xuemin Wen (Huawei, China), Xiao Ling (Huawei, China), Yongqiang Yang (Huawei, China), and Michael R. Lyu (The Chinese University of Hong Kong, China)</i>	
On Multi-modal Learning of Editing Source Code	443
<i>Saikat Chakraborty (Columbia University, USA) and Baishakhi Ray (Columbia University, USA)</i>	
Learning Highly Recursive Input Grammars	456
<i>Neil Kulkarni (University of California, Berkeley), Caroline Lemieux (University of California, Berkeley), and Koushik Sen (University of California, Berkeley)</i>	
Automated Testing for Machine Translation via Constituency Invariance	468
<i>Pin Ji (Nanjing University, China), Yang Feng (Nanjing University, China), Jia Liu (Nanjing University, China), Zhihong Zhao (Nanjing University, China; Suzhou City University, China), and Baowen Xu (Nanjing University, China)</i>	

Race Detection for Event-Driven Node.js Applications	480
<i>Xiaoning Chang (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Wensheng Dou (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China; Nanjing Institute of Software Technology, China), Jun Wei (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Tao Huang (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Jinhui Xie (Tencent, Inc., China), Yuetang Deng (Tencent, Inc., China), Jianbo Yang (Tencent, Inc., China), and Jiaheng Yang (Tencent, Inc., China)</i>	
Log-Based Anomaly Detection Without Log Parsing	492
<i>Van-Hoang Le (The University of Newcastle, Australia) and Hongyu Zhang (The University of Newcastle, Australia)</i>	
Finding the Missing Piece: Permission Specification Analysis for Android NDK	505
<i>Hao Zhou (The Hong Kong Polytechnic University), Haoyu Wang (Beijing University of Posts and Telecommunications), Shuohan Wu (The Hong Kong Polytechnic University), Xiapu Luo (The Hong Kong Polytechnic University), Yajin Zhou (Zhejiang University), Ting Chen (University of Electronic Science and Technology of China, China), and Ting Wang (Pennsylvania State University)</i>	
Characterizing and Detecting Configuration Compatibility Issues in Android Apps	517
<i>Huaxun Huang (The Hong Kong University of Science and Technology, Hong Kong, China), Ming Wen (Huazhong University of Science and Technology, China), Lili Wei (The Hong Kong University of Science and Technology, Hong Kong, China), Yepang Liu (Southern University of Science and Technology, China), and Shing-Chi Cheung (The Hong Kong University of Science and Technology, Hong Kong, China)</i>	
Where to Start: Studying Type Annotation Practices in Python	529
<i>Wuxia Jin (Xi'an Jiaotong University, China), Dinghong Zhong (Xi'an Jiaotong University, China), Zifan Ding (Xi'an Jiaotong University, China), Ming Fan (Xi'an Jiaotong University, China), and Ting Liu (Xi'an Jiaotong University, China)</i>	
APIzation: Generating Reusable APIs from StackOverflow Code Snippets	542
<i>Valerio Terragni (University of Auckland, New Zealand) and Pasquale Salza (University of Zurich, Switzerland)</i>	
FIGCPS: Effective Failure-Inducing Input Generation for Cyber-Physical Systems with Deep Reinforcement Learning	555
<i>Shaohua Zhang (Tianjin University, China), Shuang Liu (Tianjin University, China), Jun Sun (Singapore Management University, Singapore), Yuqi Chen (Singapore Management University, Singapore), Wenzhi Huang (Tianjin University, China), Jinyi Liu (Tianjin University, China), Jian Liu (Tianjin University, China), and Jianye Hao (Tianjin University, China)</i>	

InstruGuard: Find and Fix Instrumentation Errors for Coverage-Based Greybox Fuzzing	568
<i>Yuwei Liu (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Yanhao Wang (QiAnXin Technology Research Institute), Purui Su (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Yuanping Yu (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), and Xiangkun Jia (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences)</i>	
RULF: Rust Library Fuzzing via API Dependency Graph Traversal	581
<i>Jianfeng Jiang (Fudan University, China), Hui Xu (Fudan University, China), and Yangfan Zhou (Fudan University, China)</i>	
PyNose: A Test Smell Detector For Python	593
<i>Tongjie Wang (University of California, Irvine, USA), Yaroslav Golubev (JetBrains Research, Russia), Oleg Smirnov (JetBrains Research, Saint Petersburg State University, Russia), Jiawei Li (University of California, Irvine, USA), Timofey Bryksin (JetBrains Research, Saint Petersburg State University, Russia), and Iftekhar Ahmed (University of California, Irvine, USA)</i>	
JSTAR: JavaScript Specification Type Analyzer using Refinement	606
<i>Jihyeok Park (KAIST, South Korea), Seungmin An (KAIST, South Korea), Wonho Shin (KAIST, South Korea), Yusung Sim (KAIST, South Korea), and Sukyoung Ryu (KAIST, South Korea)</i>	
Can Neural Clone Detection Generalize to Unseen Functionalities?	617
<i>Chenyao Liu (Tsinghua University), Zeqi Lin (Microsoft Research Asia), Jian-Guang Lou (Microsoft Research Asia), Lijie Wen (Tsinghua University), and Dongmei Zhang (Microsoft Research Asia)</i>	
Characterizing Transaction-Reverting Statements in Ethereum Smart Contracts	630
<i>Lu Liu (Southern University of Science and Technology, China; Hong Kong University of Science and Technology, China), Lili Wei (Hong Kong University of Science and Technology, China), Wuqi Zhang (Hong Kong University of Science and Technology, China), Ming Wen (Huazhong University of Science and Technology, China), Yepang Liu (Southern University of Science and Technology, China), and Shing-Chi Cheung (Hong Kong University of Science and Technology, China)</i>	
“What Makes my Queries Slow?”: Subgroup Discovery for SQL Workload Analysis	642
<i>Youcef Remil (Infologic; INSA Lyon, France), Anes Bendimerad (Infologic, France), Romain Mathonat (Infologic, France), Philippe Chaleat (Infologic, France), and Mehdi Kaytoue (Infologic; INSA Lyon, France)</i>	
AID: Efficient Prediction of Aggregated Intensity of Dependency in Large-Scale Cloud Systems	653
<i>Tianyi Yang (The Chinese University of Hong Kong, China), Jiacheng Shen (The Chinese University of Hong Kong, China), Yuxin Su (The Chinese University of Hong Kong, China), Xiao Ling (Computing and Networking Innovation Lab, Cloud BU, Huawei), Yongqiang Yang (Computing and Networking Innovation Lab, Cloud BU, Huawei), and Michael R. Lyu (The Chinese University of Hong Kong, China)</i>	

Performance Testing for Cloud Computing with Dependent Data Bootstrapping	666
<i>Sen He (University of Texas at San Antonio, USA), Tianyi Liu (University of Texas at San Antonio, USA), Palden Lama (University of Texas at San Antonio, USA), Jaewoo Lee (University of Georgia, USA), In Kee Kim (University of Georgia, USA), and Wei Wang (University of Texas at San Antonio, USA)</i>	
Nekara: Generalized Concurrency Testing	679
<i>Udit Agarwal (IIIT Delhi, India), Pantazis Deligiannis (Microsoft Research), Cheng Huang (Microsoft), Kumseok Jung (University of British Columbia), Akash Lal (Microsoft Research), Immad Naseer (Microsoft, USA), Matthew Parkinson (Microsoft Research), Arun Thangamani (Microsoft Research), Jyothi Vedurada (IIT Hyderabad), and Yunpeng Xiao (Microsoft)</i>	
QDiff: Differential Testing of Quantum Software Stacks	692
<i>Jiyuan Wang (University of California, Los Angeles), Qian Zhang (University of California, Los Angeles), Guoqing Harry Xu (University of California, Los Angeles), and Miryung Kim (University of California, Los Angeles)</i>	
Finding A Needle in a Haystack: Automated Mining of Silent Vulnerability Fixes	705
<i>Jiayuan Zhou (Centre for Software Excellence, Canada), Michael Pacheco (Centre for Software Excellence, Canada), Zhiyuan Wan (Zhejiang University, China), Xin Xia (Monash University, Australia), David Lo (Singapore Management University, Singapore), Yuan Wang (Centre for Software Excellence, Huawei, Canada), and Ahmed E. Hassan (Software Analysis and Intelligence Lab (SAIL), Queen's University)</i>	
DeepCVA: Automated Commit-Level Vulnerability Assessment with Deep Multi-task Learning ...	717
<i>Triet Huynh Minh Le (The University of Adelaide, Australia), David Hin (The University of Adelaide, Australia), Roland Croft (The University of Adelaide, Australia), and M. Ali Babar (The University of Adelaide, Australia)</i>	
Automated Repair of Size-Based Inaccessibility Issues in Mobile Applications	730
<i>Ali S. Alotaibi (University of Southern California, USA), Paul T. Chiou (University of Southern California, USA), and William G.J. Halfond (University of Southern California, USA)</i>	
Mining Cross-Domain Apps for Software Evolution: A Feature-Based Approach	743
<i>MD Kafil Uddin (Swinburne University of Technology, Australia), Qiang He (Swinburne University of Technology, Australia), Jun Han (Swinburne University of Technology, Australia), and Caslon Chua (Swinburne University of Technology, Australia)</i>	
UI Test Migration Across Mobile Platforms	756
<i>Saghar Talebipour (University of Southern California, USA), Yixue Zhao (University of Massachusetts Amherst, USA), Luka Dojcilović (University of Southern California, USA), Chenggang Li (University of Southern California, USA), and Nenad Medvidović (University of Southern California, USA)</i>	

Intelligent Change Operators for Multi-objective Refactoring	768
<i>Chaima Abid (University of Michigan-Dearborn, USA), James Ivers (Carnegie Mellon University Software Engineering Institute, USA), Thiago do N. Ferreira (University of Michigan-Dearborn, USA), Marouane Kessentini (University of Michigan-Dearborn, USA), Fares E. BenKahla (University of Michigan-Dearborn, USA), and Ipek Ozkaya (Carnegie Mellon University Software Engineering Institute, USA)</i>	
Refactorings and Technical Debt in Docker Projects: An Empirical Study	781
<i>Emna Ksontini (University of Michigan-Dearborn, USA), Marouane Kessentini (University of Michigan-Dearborn, USA), Thiago Ferreira (University of Michigan-Dearborn, USA), and Foyzul Hassan (University of Michigan-Dearborn, USA)</i>	
FirmGuide: Boosting the Capability of Rehosting Embedded Linux Kernels Through Model-Guided Kernel Execution	792
<i>Qiang Liu (Zhejiang University, China), Cen Zhang (Nanyang Technological University, Singapore), Lin Ma (Zhejiang University, China), Muhui Jiang (The Hong Kong Polytechnic University, Hong Kong; Zhejiang University, China), Yajin Zhou (Zhejiang University, China), Lei Wu (Zhejiang University, China), Wenbo Shen (Zhejiang University, China), Xiapu Luo (The Hong Kong Polytechnic University, Hong Kong), Yang Liu (Nanyang Technological University, Singapore), and Kui Ren (Zhejiang University, China)</i>	
iFIZZ: Deep-State and Efficient Fault-Scenario Generation to Test IoT Firmware	805
<i>Peiyu Liu (Zhejiang University, China), Shouling Ji (Zhejiang University, China; Binjiang Institute of Zhejiang University, China), Xuhong Zhang (Zhejiang University, China; Binjiang Institute of Zhejiang University, China; Zhejiang University NGICS Platform, China), Qinming Dai (Zhejiang University, China), Kangjie Lu (University of Minnesota, USA), Lirong Fu (Zhejiang University, China), Wenzhi Chen (Zhejiang University, China), Peng Cheng (Zhejiang University, China), Wenhai Wang (Zhejiang University, China), and Raheem Beyah (Georgia Institute of Technology, USA)</i>	
Learning Patterns in Configuration	817
<i>Ranjita Bhagwan (Microsoft Research), Sonu Mehta (Microsoft Research), Arjun Radhakrishna (Microsoft), and Sahil Garg (University of California)</i>	
Transcode: Detecting Status Code Mapping Errors in Large-Scale Systems	829
<i>Wensheng Tang (The Hong Kong University of Science and Technology, China), Yikun Hu (The Hong Kong University of Science and Technology, China), Gang Fan (The Hong Kong University of Science and Technology, China), Peisen Yao (The Hong Kong University of Science and Technology, China), Rongxin Wu (Xiamen University, China), Guangyuan Bai (Tencent, Inc., China), Pengcheng Wang (Tencent, Inc., China), and Charles Zhang (The Hong Kong University of Science and Technology, China)</i>	
Evolutionary-Guided Synthesis of Verified Pareto-Optimal MDP Policies	842
<i>Simos Gerasimou (University of York, UK), Javier Camara Moreno (University of York, UK), Radu Calinescu (University of York, UK), Naif Alasmari (University of York, UK), Faisal Alhwikem (University of York, UK), and Xinwei Fang (University of York, UK)</i>	

Automating Developer Chat Mining	854
<i>Shengyi Pan (Zhejiang University, China), Lingfeng Bao (Zhejiang University, China), Xiaoxue Ren (Zhejiang University, China), Xin Xia (Monash University, Australia), David Lo (Singapore Management University, Singapore), and Shanping Li (Zhejiang University, China)</i>	
Thinking Like a Developer? Comparing the Attention of Humans with Neural Models of Code	867
<i>Matteo Paltenghi (University of Stuttgart, Germany) and Michael Pradel (University of Stuttgart, Germany)</i>	
Detecting Memory-Related Bugs by Tracking Heap Memory Management of C++ Smart Pointers ..	880
<i>Xutong Ma (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Jiwei Yan (Institute of Software, Chinese Academy of Sciences), Wei Wang (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Jun Yan (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Jian Zhang (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences), and Zongyan Qiu (Peking University)</i>	
Understanding and Detecting Performance Bugs in Markdown Compilers	892
<i>Penghui Li (The Chinese University of Hong Kong), Yinxi Liu (The Chinese University of Hong Kong), and Wei Meng (The Chinese University of Hong Kong)</i>	
Deep GUI: Black-box GUI Input Generation with Deep Learning	905
<i>Faraz YazdaniBanafsheDaragh (University of California, Irvine, USA) and Sam Malek (University of California, Irvine, USA)</i>	
Towards Exploring the Limitations of Active Learning: An Empirical Study	917
<i>Qiang Hu (University of Luxembourg, Luxembourg), Yuejun Guo (University of Luxembourg, Luxembourg), Maxime Cordy (University of Luxembourg, Luxembourg), Xiaofei Xie (Nanyang Technological University, Singapore), Wei Ma (University of Luxembourg, Luxembourg), Mike Papadakis (University of Luxembourg, Luxembourg), and Yves Le Traon (University of Luxembourg, Luxembourg)</i>	
Learning Domain-Specific Edit Operations from Model Repositories with Frequent Subgraph Mining	930
<i>Christof Tinnes (Siemens AG, Germany), Timo Kehrer (Humboldt-Universität zu Berlin, Germany), Mitchell Joblin (Saarland University, Germany), Uwe Hohenstein (Siemens AG, Germany), Andreas Biesdorf (Siemens AG, Germany), and Sven Apel (Saarland University, Germany)</i>	
Unsupervised Labeling and Extraction of Phrase-Based Concepts in Vulnerability Descriptions	943
<i>Sofonias Yitagesu (Tianjin University, China), Zhenchang Xing (Australian National University, Australia), Xiaowang Zhang (Tianjin University, China), Zhiyong Feng (Tianjin University, China), Xiaohong Li (Tianjin University, China), and Linyi Han (Tianjin University, China)</i>	
A Compositional Deadlock Detector for Android Java	955
<i>James Brotherston (University College London, UK), Paul Brunet (University College London, UK), Nikos Gorogiannis (Facebook, UK), and Max Kanovich (University College London, UK)</i>	

Binary Diffing as a Network Alignment Problem via Belief Propagation	967
<i>Elie Mengin (Université Paris 1 Panthéon-Sorbonne, France) and Fabrice Rossi (Université Paris-Dauphine, PSL University, France)</i>	
CiFi: Versatile Analysis of Class and Field Immutability	979
<i>Tobias Roth (Technische Universität Darmstadt, Germany), Dominik Helm (Technische Universität Darmstadt, Germany), Michael Reif (Technische Universität Darmstadt, Germany), and Mira Mezini (Technische Universität Darmstadt, Germany)</i>	
Modeling Team Dynamics for the Characterization and Prediction of Delays in User Stories	991
<i>Eloan Kula (Delft University of Technology, The Netherlands), Arie van Deursen (Delft University of Technology, The Netherlands), and Georgios Gousios (Delft University of Technology, The Netherlands)</i>	
DeepMemory: Model-Based Memorization Analysis of Deep Neural Language Models	1003
<i>Derui Zhu (Technical University of Munich, Germany), Jinfu Chen (Huawei Technologies Canada), Weiyi Shang (Concordia University, Canada), Xuebing Zhou (Huawei Munich Research Center, Germany), Jens Grossklags (Technical University of Munich, Germany), and Ahmed E. Hassan (Queen's University, Canada)</i>	
Automated Verification of Go Programs via Bounded Model Checking	1016
<i>Nicolas Dilley (University of Kent, United Kingdom) and Julien Lange (Royal Holloway, University of London, United Kingdom)</i>	

Doctoral Symposium

A Prediction Model for Software Requirements Change Impact	1028
<i>Kareshna Zamani (University of Technology Sydney, Australia)</i>	
DSInfoSearch: Supporting Experimentation Process of Data Scientists	1033
<i>Shangeetha Sivasothy (Deakin University, Australia)</i>	
Towards the Generation of Machine Learning Defect Reports	1038
<i>Tuan Dung Lai (Deakin University, Australia)</i>	
Leveraging Code Clones and Natural Language Processing for Log Statement Prediction	1043
<i>Sina Gholamian (University of Waterloo, Canada)</i>	
An Automated Pipeline for Privacy Leak Analysis of Android Applications	1048
<i>Yifan Zhou (The University of Adelaide, Australia)</i>	
Training Automated Test Oracles to Identify Semantic Bugs	1051
<i>Charaka Geethal (Monash University, Australia)</i>	
Binary Code Similarity Detection	1056
<i>Zian Liu (Swinburne University of Technology, Australia)</i>	
API Compatibility Issue Detection, Testing and Analysis for Android Apps	1061
<i>Tarek Mahmud (Texas State University, USA)</i>	
Effectively Analyzing Evolving Software with Differential Facts	1064
<i>Xiuheng Wu (Nanyang Technological University, Singapore)</i>	
Automated Approach for System-Level Testing of Unmanned Aerial Systems	1069
<i>Hassan Sartaj (National University of Computer and Emerging Sciences, Pakistan)</i>	

Cross-Lingual Transfer Learning Framework for Program Analysis	1074
<i>Zhiming Li (Nanyang Technological University, Singapore)</i>	
Fuzzing Methods Recommendation Based on Feature Vectors	1079
<i>Chi Zhang (Jiangsu University, China) and Jinfu Chen (Jiangsu University, China)</i>	
Gas Estimation and Optimization for Smart Contracts on Ethereum	1082
<i>Chunmiao Li (National Institute of Informatics, Japan)</i>	
Quality Analysis of Mobile Applications with Special Focus on Security Aspects	1087
<i>Kristiina Rahkema (University of Tartu, Estonia)</i>	
Semi-Automated Cross-Component Issue Management and Impact Analysis	1090
<i>Sandro Speth (Institute of Software Engineering, University of Stuttgart, Germany)</i>	
Tackling Flaky Tests: Understanding the Problem and Providing Practical Solutions	1095
<i>Martin Gruber (BMW Group and University of Passau, Germany)</i>	
How Can Subgroup Discovery Help AIOps?	1098
<i>Youcef Remil (Infologic, INSA Lyon, LIRIS UMR5201, France; Infologic R&D, Bourg-les-Valence, France)</i>	

Industry Showcase

Improving Configurability of Unit-Level Continuous Fuzzing: An Industrial Case Study with SAP HANA	1101
<i>Hanyoung Yoo (Handong Global University), Jingun Hong (SAP Labs Korea), Lucas Bader (SAP SE), Dong Won Hwang (SAP Labs Korea), and Shin Hong (Handong Global University)</i>	
Access Control Tree for Testing and Learning	1106
<i>Davrondzhon Gafurov (Norsk Helsenett SF, Norway; Kristiania University College, Norway), Arne Erik Hurum (Norsk Helsenett SF, Norway), and Margrete Sunde Grovan (Norsk Helsenett SF, Norway)</i>	
FinFuzzer: One Step Further in Fuzzing Fintech Systems	1111
<i>Qingshun Wang (East China Normal University, China), Lihua Xu (New York University Shanghai, China), Jun Xiao (Ant Group Co. Ltd., China), Qi Guo (Ant Group Co. Ltd., China), Haotian Zhang (Ant Group Co. Ltd., China), Liang Dou (East China Normal University, China), Liang He (East China Normal University, China), and Tao Xie (Peking University, China)</i>	
Evaluating Semantic Autocompletion of Business Processes with Domain Experts	1116
<i>Maayan Goldstein (Nokia Bell Labs, Israel) and Cecilia Gonzalez Alvarez (Nokia Bell Labs, Belgium)</i>	
Learning-Based Assistant for Data Migration of Enterprise Information Systems	1121
<i>Sayandeep Mitra (TCS Research, India), Debayan Mukherjee (TCS Research, India), Atreya Bandyopadhyay (TCS Research, India), Rajdip Chowdhury (TCS Research, India), Raveendra Kumar Medicherla (TCS Research, India), Indrajit Bhattacharya (TCS Research, India), and Ravindra Naik (TCS Research, India)</i>	

Reducing Time-to-Fix for Fuzzer Bugs	1126
<i>Rui Abreu (University of Porto, Portugal), Franjo Ivancic (Google, USA), Filip Nikšić (Google, USA), Hadi Ravanbakhsh (Google, USA), and Ramesh Viswanathan (Google, USA)</i>	
Automatically Deciding on the Integration of Commits Based on Their Descriptions	1131
<i>Samuel Fonseca (Sidia Institute of Science and Technology, Brazil), Mateus Lucena (Sidia Institute of Science and Technology, Brazil), Tiago Reis (Sidia Institute of Science and Technology, Brazil), Pedro Cabral (Sidia Institute of Science and Technology, Brazil), Walmir Silva (Sidia Institute of Science and Technology, Brazil), Flavia Santos (Sidia Institute of Science and Technology, Brazil), Felipe Giuntini (Sidia Institute of Science and Technology, Brazil), and Juliano Sales (Sidia Institute of Science and Technology, Brazil)</i>	
BeeSwarm: Enabling Parallel Scaling Performance Measurement in Continuous Integration for HPC Applications	1136
<i>Jake Tronge (Kent State University, USA), Jieyang Chen (Oak Ridge National Laboratory, USA), Patricia Grubel (Los Alamos National Laboratory, USA), Tim Randles (Los Alamos National Laboratory, USA), Rusty Davis (Los Alamos National Laboratory, USA), Quincy Wofford (Los Alamos National Laboratory, USA), Steven Anaya (Los Alamos National Laboratory, USA), and Qiang Guan (Kent State University, USA)</i>	
Lessons Learned from Hyper-Parameter Tuning for Microservice Candidate Identification	1141
<i>Rahul Yedida (North Carolina State University, USA), Rahul Krishna (IBM Research, USA), Anup Kalia (IBM Research, USA), Tim Menzies (North Carolina State University, USA), Jin Xiao (IBM Research, USA), and Maja Vukovic (IBM Research, USA)</i>	
Learning GraphQL Query Cost	1146
<i>Georgios Mavroudeas (Rensselaer Polytechnic Institute, USA), Guillaume Baudart (Inria Paris, Ecole normale superieure - PSL university, France), Alan Cha (IBM Research), Martin Hirzel (IBM Research), Jim A. Laredo (IBM Research), Malik Magdon-Ismael (Rensselaer Polytechnic Institute, USA), Louis Mandel (IBM Research), and Erik Wittern (IBM Research)</i>	
Automatic HMI Structure Exploration via Curiosity-Based Reinforcement Learning	1151
<i>Yushi Cao (Nanyang Technological University, Singapore), Yan Zheng (Tianjin University, China), Shang-Wei Lin (Nanyang Technological University, Singapore), Yang Liu (Nanyang Technological University, Singapore), Yon Shin Teo (Continental Automotive Singapore Pte. Ltd., Singapore), Yuxuan Toh (Continental Automotive Singapore Pte. Ltd., Singapore), and Vinay Vishnumurthy Adiga (Continental Automotive Singapore Pte. Ltd., Singapore)</i>	
Towards a Serverless Java Runtime	1156
<i>Yifei Zhang (Alibaba Group, China), Tianxiao Gu (Alibaba Group, China), Xiaolin Zheng (Alibaba Group, China), Lei Yu (Alibaba Group, China), Wei Kuai (Alibaba Group, China), and Sanhong Li (Alibaba Group, China)</i>	

BiFF: Practical Binary Fuzzing Framework for Programs of IoT and Mobile Devices	1161
<i>Cen Zhang (Nanyang Technological University, Singapore), Yuekang Li (Nanyang Technological University, Singapore), Hongxu Chen (Nanyang Technological University, Singapore), Xiaoxing Luo (Huawei Technologies Co., Ltd., China), Miaohua Li (Huawei Technologies Co., Ltd., China), Anh Quynh Nguyen (Nanyang Technological University, Singapore), and Yang Liu (Nanyang Technological University, Singapore)</i>	
Infrastructure in Code: Towards Developer-Friendly Cloud Applications	1166
<i>Vladislav Tankov (Higher School of Economics; JetBrains; JetBrains Research), Dmitriy Valchuk (JetBrains; ITMO University), Yaroslav Golubev (JetBrains Research), and Timofey Bryksin (JetBrains Research; Higher School of Economics)</i>	

Late Breaking Results

Metamorphic Testing on Multi-module UAV Systems	1171
<i>Rui Li (Swinburne University of Technology, Australia), Huai Liu (Swinburne University of Technology, Australia), Guannan Lou (Macquaire University, Australia), Xi Zheng (Macquaire University, Australia), Xiao Liu (Deakin University, Australia), and Tsong Yueh Chen (Swinburne University of Technology, Australia)</i>	
Decoupling Server and Client Code Through Cloud-Native Domain-Specific Functions	1174
<i>Jose Miguel Perez-Alvarez (Naver Labs Europe, France), Adrian Mos (Naver Labs Europe, France), Benjamin V. Hanrahan (Pennsylvania State University, USA), and Iyadunni J. Adenuga (Pennsylvania State University, USA)</i>	
Automatically Annotating Sentences for Task-Specific Bug Report Summarization	1177
<i>Akalanka Galappaththi (University of Alberta, Canada), John Anvik (University of Lethbridge, Canada), and Rafat Bin Islam (University of Lethbridge, Canada)</i>	
Genetic Optimisation of C++ Applications	1180
<i>Rafail Giavrimis (Turing Intelligence Technology), Alexis Butler (Turing Intelligence Technology), Constantin Cezar Petrescu (University of Surrey, UK), Michail Basios (Turing Intelligence Technology), and Santanu Kumar Dash (University of Surrey, UK)</i>	
Revisiting Textual Feature of Bug-Triage Approach	1183
<i>Zexuan Li (Shanghai Jiao Tong University, China) and Hao Zhong (Shanghai Jiao Tong University, China)</i>	
A First Look at the Effect of Deep Learning in Coverage-Guided Fuzzing	1186
<i>Siqi Siqi Li (Tianjin University, China), Yun Lin (National University of Singapore, Singapore), Xiaofei Xie (Nanyang Technological University, Singapore), Yuekang Li (Nanyang Technological University, Singapore), Xiaohong Li (Tianjin University, China), Weimin Ge (Tianjin University, China), Yang Liu (Nanyang Technological University, Singapore), and Jinsong Dong (National University of Singapore, Singapore)</i>	

Counterexample Guided Inductive Repair of Reactive Contracts	1190
<i>Soha Hussein (University of Minnesota, USA), Vaibhav Sharma (University of Minnesota, USA), Stephen McCamant (University of Minnesota, USA), Sanjai Rayadurgam (University of Minnesota, USA), and Mats Heimdahl (University of Minnesota, USA)</i>	
AST-Transformer: Encoding Abstract Syntax Trees Efficiently for Code Summarization	1193
<i>Ze Tang (The State Key Laboratory for Novel Software Technology, Nanjing University), Chuanyi Li (The State Key Laboratory for Novel Software Technology, Nanjing University), Jidong Ge (The State Key Laboratory for Novel Software Technology, Nanjing University), Xiaoyu Shen (Saarland Informatics Campus), Zheling Zhu (The State Key Laboratory for Novel Software Technology, Nanjing University), and Bin Luo (The State Key Laboratory for Novel Software Technology, Nanjing University)</i>	
Detecting Adversarial Samples with Graph-Guided Testing	1196
<i>Zuohui Chen (Zhejiang University of Technology, China), Renxuan Wang (Zhejiang University of Technology, China), Jingyang Xiang (Zhejiang University of Technology, China), Yue Yu (National University of Defense Technology, China), Xin Xia (Monash University, Australia), Shouling Ji (Zhejiang University, China), Qi Xuan (Zhejiang University of Technology, China), and Xiaoni Yang (Zhejiang University of Technology, China)</i>	
Using Static Analysis to Address Microservice Architecture Reconstruction	1199
<i>Vincent Bushong (Baylor University, USA), Dipta Das (Baylor University, USA), Abdullah Al Maruf (Baylor University, USA), and Tomas Cerny (Baylor University, USA)</i>	
Business Process Extraction using Static Analysis	1202
<i>Md Rofiqul Islam (Baylor University, USA) and Tomas Cerny (Baylor University, USA)</i>	
Improving Mutation-Based Fault Localization with Plausible-Code Generating Mutation Operators	1205
<i>Juyoung Jeon (Handong Global University, South Korea) and Shin Hong (Handong Global University, South Korea)</i>	
Using Version Control and Issue Tickets to Detect Code Debt and Economical Cost	1208
<i>Abdullah Al Maruf (Baylor University, USA), Noah Lambaria (Baylor University, USA), Amr S. Abdelfattah (Baylor University, USA), and Tomas Cerny (Baylor University, USA)</i>	
Human-in-the-Loop XAI-Enabled Vulnerability Detection, Investigation, and Mitigation	1210
<i>Tien Nguyen (University of Texas at Dallas, USA) and Raymond Choo (University of Texas-San Antonio, USA)</i>	

Tool Demonstrations

BeAFix: An Automated Repair Tool for Faulty Alloy Models	1213
<i>Simón Gutiérrez Brida (University of Rio Cuarto and CONICET, Argentina; National Council for Scientific and Technical Research (CONICET), Argentina), Germán Regis (University of Rio Cuarto, Argentina), Guolong Zheng (University of Nebraska-Lincoln, USA), Hamid Bagheri (University of Nebraska-Lincoln, USA), ThanhVu Nguyen (George Mason University, USA), Nazareno Aguirre (University of Rio Cuarto and CONICET, Argentina; National Council for Scientific and Technical Research (CONICET), Argentina), and Marcelo Frias (University of R'io Cuarto, Argentina; Buenos Aires Institute of Technology, Argentina)</i>	
FLACK: Localizing Faults in Alloy Models	1218
<i>Guolong Zheng (University of Nebraska-Lincoln, USA), ThanhVu Nguyen (George Mason University, USA), Simón Gutiérrez Brida (University of Rio Cuarto and CONICET, Argentina), Germán Regis (University of Rio Cuarto, Argentina), Marcelo Frias (Buenos Aires Institute of Technology and CONICET, Argentina), Nazareno Aguirre (University of Rio Cuarto and CONICET, Argentina), and Hamid Bagheri (University of Nebraska-Lincoln, USA)</i>	
IncBL: Incremental Bug Localization	1223
<i>Zhou Yang (Singapore Management University, Singapore), Jieke Shi (Singapore Management University, Singapore), Shaowei Wang (University of Manitoba, Canada), and David Lo (Singapore Management University, Singapore)</i>	
Q&A MAESTRO: Q&A Post Recommendation for Fixing Java Runtime Exceptions	1227
<i>Yusuke Kimura (Fujitsu Limited, Japan), Takumi Akazaki (Fujitsu Limited, Japan), Shinji Kikuchi (Fujitsu Limited, Japan), Sonal Mahajan (Fujitsu Research of America, Inc., USA), and Mukul R. Prasad (Fujitsu Research of America, Inc., USA)</i>	
GenTree: Inferring Configuration Interactions using Decision Trees	1232
<i>KimHao Nguyen (University of Nebraska-Lincoln, USA) and ThanhVu Nguyen (George Mason University, USA)</i>	
Quito: A Coverage-Guided Test Generator for Quantum Programs	1237
<i>Xinyi Wang (Nanjing University of Aeronautics and Astronautic, China), Paolo Arcaini (National Institute of Informatics, Japan), Tao Yue (Nanjing University of Aeronautics and Astronautics, China; Simula Research Laboratory, Norway), and Shaukat Ali (Simula Research Laboratory, Norway)</i>	
Revizor: A Data-Driven Approach to Automate Frequent Code Changes Based on Graph Matching	1242
<i>Oleg Smirnov (JetBrains Research; Saint Petersburg State University), Artyom Lobanov (JetBrains Research; Higher School of Economics), Yaroslav Golubev (JetBrains Research), Elena Tikhomirova (JetBrains Research), and Timofey Bryksin (JetBrains Research; Saint Petersburg State University; Higher School of Economics)</i>	
Scalable Fuzzing of Program Binaries with E9AFL	1247
<i>Xiang Gao (National University of Singapore, Singapore), Gregory Duck (National University of Singapore, Singapore), and Abhik Roychoudhury (National University of Singapore, Singapore)</i>	

EvoMe: A Software Evolution Management Engine Based on Differential Factbase	1252
<i>Xiuheng Wu (Nanyang Technological University, Singapore), Mengyang Li (Nanyang Technological University, Singapore), and Yi Li (Nanyang Technological University, Singapore)</i>	
FixMe: A GitHub Bot for Detecting and Monitoring On-Hold Self-Admitted Technical Debt	1257
<i>Saranphon Phaithoon (Mahidol University, Thailand), Supakarn Wongnil (Mahidol University, Thailand), Patiphol Pussawong (Mahidol University, Thailand), Morakot Choetkiertikul (Mahidol University, Thailand), Chaiyong Ragkhitwetsagul (Mahidol University, Thailand), Thanwadee Sunetnanta (Mahidol University, Thailand), Rungroj Maipradit (Nara Institute of Science and Technology, Japan), Hideaki Hata (Shinshu University, Japan), and Kenichi Matsumoto (Nara Institute of Science and Technology, Japan)</i>	
Automated Code Refactoring upon Database-Schema Changes in Web Applications	1262
<i>Sophie Xie (Whitney Young High School), Junwen Yang (University of Chicago), and Shan Lu (University of Chicago)</i>	
Muskit: A Mutation Analysis Tool for Quantum Software Testing	1266
<i>Eñaut Mendiluze (Simula Research Laboratory, Norway), Shaukat Ali (Simula Research Laboratory, Norway), Paolo Arcaini (National Institute of Informatics, Japan), and Tao Yue (Nanjing University of Aeronautics and Astronautics, China and Simula Research Laboratory, Norway)</i>	
JTDog: a Gradle Plugin for Dynamic Test Smell Detection	1271
<i>Masayuki Taniguchi (Osaka University, Japan), Shinsuke Matsumoto (Osaka University, Japan), and Shinji Kusumoto (Osaka University, Japan)</i>	
RefactorInsight: Enhancing IDE Representation of Changes in Git with Refactorings Information	1276
<i>Zarina Kurbatova (JetBrains Research), Vladimir Kovalenko (JetBrains Research; JetBrains N.V.), Ioana Savu (Delft University of Technology), Bob Brockbernd (Delft University of Technology), Dan Andreescu (Delft University of Technology), Matei Anton (Delft University of Technology), Roman Venediktov (Higher School of Economics), Elena Tikhomirova (JetBrains Research), and Timofey Bryksin (JetBrains Research; Higher School of Economics)</i>	
Shaker: A Tool for Detecting More Flaky Tests Faster	1281
<i>Marcello Cordeiro (Universidade Federal de Pernambuco, Brazil), Denini Silva (Universidade Federal de Pernambuco, Brazil), Leopoldo Teixeira (Universidade Federal de Pernambuco, Brazil), Breno Miranda (Universidade Federal de Pernambuco, Brazil), and Marcelo d' Amorim (Universidade Federal de Pernambuco, Brazil)</i>	
DEVIATE: A Deep Learning Variance Testing Framework	1286
<i>Viet Hung Pham (University of Waterloo), Mijung Kim (Purdue University), Lin Tan (Purdue University), Yaoliang Yu (University of Waterloo), and Nachiappan Nagappan (Microsoft Research)</i>	

SoManyConflicts: Resolve Many Merge Conflicts Interactively and Systematically	1291
<i>Bo Shen (Peking University, China), Wei Zhang (Peking University, China), Ailun Yu (Peking University, China), Yifan Shi (Peking University, China), Haiyan Zhao (Peking University, China), and Zhi Jin (Peking University, China)</i>	

New Ideas and Emerging Results (NIER) track

A Mocktail of Source Code Representations	1296
<i>Dheeraj Vagavolu (Indian Institute of Technology Tirupati, India), Karthik Chandra Swarna (Indian Institute of Technology Tirupati, India), and Sridhar Chimalakonda (Indian Institute of Technology Tirupati, India)</i>	
Empowering Web Applications with WebAssembly: Are We There Yet?	1301
<i>Weihang Wang (University at Buffalo, SUNY)</i>	
Property-Based Test for Part-of-Speech Tagging Tool	1306
<i>Shuo Jin (Wuhan University, China), Songqiang Chen (Wuhan University, China), and Xiaoyuan Xie (Wuhan University, China)</i>	
Understanding Code Fragments with Issue Reports	1312
<i>Zexuan Li (Shanghai Jiao Tong University, China) and Hao Zhong (Shanghai Jiao Tong University, China)</i>	
An Empirical Study on Obsolete Issue Reports	1317
<i>Zexuan Li (Shanghai Jiao Tong University, China) and Hao Zhong (Shanghai Jiao Tong University, China)</i>	
Did You Do Your Homework? Raising Awareness on Software Fairness and Discrimination	1322
<i>Max Hort (University College London, United Kingdom) and Federica Sarro (University College London, United Kingdom)</i>	
Shake Those System Parameters! On the Need for Parameter Coverage for Decision Systems	1327
<i>Thomas Laurent (Lero & University College Dublin, Ireland), Paolo Arcaini (National Institute of Informatics, Japan), Fuyuki Ishikawa (National Institute of Informatics, Japan), and Anthony Ventresque (Lero & University College Dublin, Ireland)</i>	
What do pre-Trained Code Models know About Code?	1332
<i>Anjan Karmakar (Free University of Bozen-Bolzano, Italy) and Romain Robbes (Free University of Bozen-Bolzano, Italy)</i>	
Towards Systematic and Dynamic Task Allocation for Collaborative Parallel Fuzzing	1337
<i>Van-Thuan Pham (University of Melbourne), Manh-Dung Nguyen (Montimage), Quang-Trung Ta (National University of Singapore), Toby Murray (University of Melbourne), and Benjamin Rubinstein (University of Melbourne)</i>	
Systematic Testing of Autonomous Driving Systems using Map Topology-Based Scenario Classification	1342
<i>Yun Tang (Nanyang Technological University, Singapore), Yuan Zhou (Nanyang Technological University, Singapore), Tianwei Zhang (Nanyang Technological University, Singapore), Fenghua Wu (Nanyang Technological University, Singapore), Yang Liu (Nanyang Technological University, Singapore), and Gang Wang (Alibaba DAMO Academy, Alibaba Group, China)</i>	

Adaptation ² : Adapting Specification Learners in Assured Adaptive Systems	1347
<i>Dalal Alrajeh (Imperial College London, UK), Patrick Benjamin (Imperial College London, UK), and Sebastian Uchitel (Imperial College London & University of Buenos Aires, UK)</i>	
Log Anomaly to Resolution: AI Based Proactive Incident Remediation	1353
<i>Ruchi Mahindru (IBM Thomas J. Watson Research Center, USA), Harshit Kumar (IBM Research, India), and Sahil Bansal (IBM Research, India)</i>	
HyperGI: Automated Detection and Repair of Information Flow Leakage	1358
<i>Ibrahim Mesecan (Iowa State University, USA), Daniel Blackwell (University College London, UK), David Clark (University College London, UK), Myra B. Cohen (Iowa State University, USA), and Justyna Petke (University College London, UK)</i>	
Privacy as First-Class Requirements in Software Development: A Socio-Technical Approach	1363
<i>Yizhaq Benbenisty (University of Haifa), Irit Hadar (University of Haifa), Gil Luria (University of Haifa), and Paola Spoletini (Kennesaw State University)</i>	
Towards Fluid Software Architectures: Bidirectional Human-AI Interaction	1368
<i>Ammar Yasser (German University in Cairo, Egypt) and Mervat Abu-Elkhier (German University in Cairo, Egypt)</i>	
Bugs4Q: A Benchmark of Real Bugs for Quantum Programs	1373
<i>Pengzhan Zhao (Kyushu University), Jianjun Zhao (Kyushu University), Zhongtao Miao (Kyushu University), and Shuhan Lan (Kyushu University)</i>	
Assessing Robustness of ML-Based Program Analysis Tools using Metamorphic Program Transformations	1377
<i>Leonhard Applis (TU Delft, Netherlands), Annibale Panichella (TU Delft, Netherlands), and Arie van Deursen (TU Delft, Netherlands)</i>	
Defeating Program Analysis Techniques via Ambiguous Translation	1382
<i>Chijung Jung (University of Virginia, USA), Doowon Kim (University of Tennessee, USA), Weihang Wang (University at Buffalo, USA), Yunhui Zheng (IBM T.J. Watson Research Center, USA), Kyu Hyung Lee (University of Georgia, USA), and Yonghwi Kwon (University of Virginia, USA)</i>	

Student Research Competition

A Program Synthesis Approach for Adding Architectural Tactics to an Existing Code Base	1388
<i>Ali Shokri (Rochester Institute of Technology, USA)</i>	
Program Synthesis with Algorithm Pseudocode Guidance	1391
<i>Zihui Wang (National University of Defense Technology, China)</i>	
py2src: Towards the Automatic (and Reliable) Identification of Sources for PyPI Package	1394
<i>Duc-Ly Vu (University of Trento, Italy)</i>	

Author Index