

# **2021 IEEE International Conference on Telecommunications and Photonics (ICTP 2021)**

**Dhaka, Bangladesh  
22 – 24 December 2021**



**IEEE Catalog Number: CFP21TPA-POD  
ISBN: 978-1-6654-1701-3**

**Copyright © 2021 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP21TPA-POD
ISBN (Print-On-Demand):	978-1-6654-1701-3
ISBN (Online):	978-1-6654-1700-6

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

## Table of Contents

Paper ID	Paper Title	Page #
3	Improvement of Packet Delay and Energy Consumption in Data Aggregation Based M2M Communication System	1
16	Hybrid Conjoined Tube Hollow Core Antiresonant Fiber	6
28	Wideband Mid-Infrared Supercontinuum Generation Using Inverse Tapered Silicon Nitride Waveguide	11
35	Low Loss Tripple Cladding Antiresonant Hollow Core Fiber	16
36	Suspended Core SiN Channel Waveguide for Broadband Supercontinuum Generation	21
38	A Case Study on Information Fusion Modelling in Email Archives	26
39	A Plasmonic Biosensor Based on Dual D-Shaped Photonic Crystal Fiber	31
44	E2RIC: Energy-Efficient Receiver-Initiated Cooperative MAC Protocol for IoUT Networks	35
45	Traffic Flow Prediction Model Using Google Map and LSTM Deep Learning	40
46	Error Performance Analysis of Distributed Spatial Modulation System with UAV Relays	45
49	Enhancing memory performance in silicon nitride-based charge trapping memory device with Al <sub>2</sub> O <sub>3</sub> blocking oxide and TiO <sub>2</sub> capping layers	49
50	High Nonlinearity and Ultra High Birefringence Silicon Core Photonic Crystal Fiber	54
51	Device simulation of a highly efficient CZTS solar cell with CuS as hole transport layer	59
52	A Gunn Diode Based Self-Oscillating Active Integrated Array Antenna With a Concept for Beamwidth Controllability	64
53	An Adaptive Grey Wolf Optimization Algorithm for Secrecy Rate Optimization in Interference Limited Wireless Networks	69
55	k-Safe Labelings of Connected Graphs	74
56	A Millimeter Wave Fronthauling Solution for Open RAN Paradigm in 5G and Beyond Networks	79
57	Smartphone 3D Laser & LED Beam Profiling	84
58	Highly Sesnsitive PCF Based Plasmonic Refractive Index Sensor	88
59	Re-configurable higher order optical modulation format generator based on microring modulator	93

61	A Novel Design of Photonic Crystal Fiber for Robust OAM Transmission	97
64	Calculation of Bit Error Rates for Superdense and ALOHA based Quantum Communication	102
65	X-Shaped Air-Hole Orientation Based Photonic Crystal Fiber Biosensor with Indium Tin Oxide Film	106
73	Performance evaluation of AgBi2I7 based direct conversion X-ray detector	110
75	Design of a broadband metamaterial absorber for visible solar radiation entrapment	114
77	ADO-OFDM Based Visible Light Communication Impaired by Side Effect Modulation	118
78	Design of a Low Power Double AES Crypto-Processor SoC	123
82	Resonant Tunneling Diode Based Photodetectors Design Rules for Telecom Applications	128
89	Design of MgO-doped-LiNbO3 Based Temperature Tunable Dual-narrowband Absorber	133
90	Short-Term Load Forecasting Model Considering the Impact of COVID-19 Lockdown in Bangladesh	138
100	Fused silica based photonic crystal fiber with small modal area and high nonlinearity	143
103	Enhanced and Tunable Absorption Characteristics of Au-nanoparticle Loaded ZnO Nanorods Grown by Hydrothermal Technique	147
104	A Supervised Learning Approach: Detection of Cyber Attacks	152
106	Optimizing chemical bath deposition of cadmium sulfide for CuInGaSe based semi-transparent photovoltaics	157
107	Design and Development of a Disinfecting System for COVID-19	161
109	Efficient Silver Diabolo Hollow Notch Plasmonic Nanotweezer with Improved Heat Sink Capability	166
110	Rotationally Symmetric Nanowire Array-based Virus Detection: Single or Multiple Arrays?	171