

PROCEEDINGS OF SPIE

High-Power Diode Laser Technology XX

Mark S. Zediker
Erik P. Zucker
Editors

22–27 January 2022
San Francisco, California, United States

20–24 February 2022
ONLINE

Sponsored and Published by
SPIE

Volume 11983

Proceedings of SPIE 0277-786X, V. 11983

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *High-Power Diode Laser Technology XX*, edited by Mark S. Zediker, Erik P. Zucker, Proc. of SPIE 11983, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510648371

ISBN: 9781510648388 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2022 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL
LIBRARY**

SPIDigitalLibrary.org

Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

vii *Conference Committee*

WELCOME TO HIGH-POWER DIODE LASER TECHNOLOGY

11983 02 **High-power diode laser technology XX: a retrospective on 20 years of progress** [11983-1]

BROAD-AREA LASER DIODES AND BARS

11983 03 **High-volume manufacturing of state-of-the-art high-power laser diodes on 6-inch GaAs (Invited Paper)** [11983-2]

11983 04 **Kilowatt-class, 1-cm diode laser bars at 910-940 nm with improved power, conversion efficiency, and beam quality** [11983-3]

11983 05 **Advances in 976nm single emitter broad area semiconductor diode lasers for 300W+ fiber laser pump module applications** [11983-4]

11983 06 **Volume manufacturing of high-power diode lasers using 6" wafers (Invited Paper)** [11983-5]

11983 07 **Progress in experimental studies into the beam parameter product of GaAs-based high-power diode lasers (Invited Paper)** [11983-12]

11983 08 **High-power highly-efficient wavelength stabilized pumps operating in 8xx-9xx nm range** [11983-13]

11983 09 **High-brightness 1.4 kW 780 nm QCW laser pump module with low-loss coupling into 1 mm fiber up to 50% duty cycle** [11983-15]

11983 0A **High-brightness fiber-coupled diode module using dense wavelength beam combining technology based on single emitter for material processing and fiber amplifier pumping** [11983-17]

HIGH-BRIGHTNESS, DIFFRACTION-LIMITED LASER DIODES

11983 0B **Ultra-robust watt-class single mode 885 nm diode lasers** [11983-8]

11983 0C **Single-mode operation of electrically pumped edge-emitting lasers through cavity coupling of high order modes** [11983-9]

11983 OD Coherent beam combining progress on diode lasers and tapered amplifiers at 808 nm [11983-10]

LASER DIODE RELIABILITY AND EXTENDED WAVELENGTHS

11983 OE Multiphysics modeling of feedback-induced catastrophic optical damage in 9xx-nm high-power laser diodes [11983-18]

11983 OF Degradation processes in high-power broad-area lasers with strained InGaAs-AlGaAs QW and InAs-GaAs QD active regions [11983-19]

11983 OG High-power individually addressable visible and MID-IR laser arrays for display and other applications [11983-20]

11983 OH Multi-watt (AlGaIn)(AsSb) diode lasers between 1.9 μ m and 2.3 μ m [11983-22]

ADVANCED PACKAGING SOLUTIONS FOR LASER DIODES: JOINT SESSION WITH CONFERENCES 11982 AND 11983

11983 OI Advances in fiber coupled high power diode laser modules at 793nm and 976nm for defense applications [11983-25]

11983 OK The effect of AuSn preform thickness on thermal transfer in semiconductor laser technologies [11983-26]

11983 OJ Hybrid laser system with blue laser and near-infrared fiber laser for copper welding (Invited Paper) [11983-28]

11983 OL Enhanced brightness 180W compact blue diode laser modules [11983-29]

11983 OM Metal 3d printing using high brightness blue laser systems [11983-30]

11983 ON 100 W high-brightness highly-manufacturable low-SWaP multi-emitter blue laser diode source [11983-31]

11983 OO 4XX nm diode-laser beyond 2 kW of output power [11983-32]

LASER SOURCES FOR LIDAR: JOINT SESSION WITH 11982 AND 11983

11983 OP 1550nm triple junction laser diode for long range LiDAR [11983-23]

11983 OQ High peak power tapered RWG laser diodes for eye-safe LIDAR applications around 1.5 μ m wavelength [11983-24]

POSTERS-TUESDAY

- 11983 OR **Development of diode laser stack with high power and long pulse width for medical aesthetic application** [11983-34]
- 11983 OS **Fast inline photometric stereo using coherent illumination and multi-TDI speckle reduction**
[11983-35]