PROCEEDINGS OF SPIE

Eighth Symposium on Novel Photoelectronic Detection Technology and Applications

Junhong Su Lianghui Chen Junhao Chu Shining Zhu Qifeng Yu Editors

7–9 December 2021 Kunming, China

Organized by Yunnan University (China) Xi'an Technological University (China)

Sponsored by Chinese Society for Optical Engineering (China) Science and Technology on Low-light-level Night Vision Laboratory (China)

Published by SPIE

Volume 12169

Part One of Four Parts

Proceedings of SPIE 0277-786X, V. 12169

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Eighth Symposium on Novel Photoelectronic Detection Technology and Applications, edited by Junhong Su, Lianghui Chen, Junhao Chu, Shining Zhu, Qifeng Yu, Proc. of SPIE 12169, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510653115

ISBN: 9781510653122 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

SPIE.org

Copyright © 2022 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xxxi Conference Committee

Part One

	EIGHTH SYMPOSIUM ON NOVEL PHOTOELECTRONIC DETECTION TECHNOLOGY AND APPLICATIONS
12169 02	Study on subsurface damage of fused quartz in grinding stage [12169-2]
12169 03	GPU implementation in real-time target search for push-broom hyperspectral imagery [12169-3]
12169 04	Coded aperture compressive temporal imaging in low light level environments [12169-4]
12169 05	Research on calibration radiation fields of hyperspectral greenhouse gases monitoring instrument [12169-5]
12169 06	Object detection for large-scale outdoor point cloud based on deep learning [12169-6]
12169 07	Research on objective evaluation model for fusion image of multi-source detector [12169-7]
12169 08	Remote sensing radiance image simulation of the non-Lambertian land surface [12169-8]
12169 09	Analysis and elimination of glitch peak disturbance in time-modulated FTIR imaging spectrometers [12169-9]
12169 0A	Research on long wave infrared imaging of sea target [12169-10]
12169 OB	Study on visible-infrared simulation method of water surface target [12169-11]
12169 OC	Modulational instability and excitations in circular-symmetry exciton-polariton condensates [12169-12]
12169 0D	Photoacoustic tomography of rabbit airway imaging [12169-13]
12169 OE	Foreground and background separation of sparse infrared image based on combining sensing matrix [12169-16]
12169 OF	Fast and high-accuracy temperature extraction of BOTDR sensor based on wavelet convolutional neural network [12169-17]

12169 OG	Optical fiber vibration monitoring method based on BOTDA [12169-18]
12169 OH	Modeling of thermal stresses in passivation layers of InSb infrared detector [12169-19]
12169 01	Measuring equivalent background illumination of image intensifier assembly by low light level illuminometer [12169-20]
12169 OJ	Study on the HPM propagation in a femtosecond laser plasma double line [12169-21]
12169 OK	Fabrication and characterization of 4H-SiC APDs for high-temperature ultraviolet detection applications [12169-22]
12169 OL	Optimal design of a wide dynamic range turbidity measurement system based on single photon technology [12169-23]
12169 OM	Measurement scheme and standardization progress of SPD component in commercial QKD system $[12169\text{-}24]$
12169 ON	Experimental study on damping of a vibration absorber for a single-piston linear compressor [12169-25]
12169 00	Research on an adaptive gray stretch algorithm for digital low-light-level devices [12169-26]
12169 OP	Design of high resolution for VIS/IR composite space optical system [12169-27]
12169 0Q	Selection and analysis of translation amount of conjugate translation difference surface absolute measurement technology [12169-28]
12169 OR	Infrared dim and small target detection method based on three-layer four-direction and single-scale local contrast [12169-31]
12169 OS	Enhanced two dimensional turntable radar imaging using minimal sparse nonconvex optimization [12169-33]
12169 OT	Research progress of night vision technology [12169-34]
12169 OU	Modulated pulse characteristics based on nonlinear frequency upconversion [12169-35]
12169 OV	High beam quality and high energy Ho:YLF laser [12169-36]
12169 OW	Application of coordinate measuring distance between the opera mirror in the optical systems [12169-37]
12169 OX	High speed camera image compress and restoration [12169-38]
12169 OY	Location registration of spatial heterodyne spectrometer based on multi-source data [12169-39]

1	2169 OZ	Optical design of three-line array airborne mapping camera with large field of view and high resolution [12169-40]
1	2169 10	Analysis of ecological environment of riparian zone based on airborne hyperspectral imaging: take the Liaohe River section of Liaozhong [12169-41]
1	2169 11	Low noise infrared imaging based on frequency upconversion [12169-42]
1	2169 12	Frequency upconversion photon counting imaging based on Hadamard coding [12169-43]
1	2169 13	Reduced graphene oxide/carbon black thin-film mid-infrared photodetector [12169-44]
1	2169 14	Broadband and angle independent tunable absorber based on phase-change material in THz regime $[12169-45]$
1	2169 15	Broadband and reconfigurable multilayer absorber based on phase-change material in THz regime [12169-46]
1	2169 16	A review of remote sensing of suspended sediment concentration in the Yellow River estuary [12169-53]
1	2169 17	Realization of multi-point laser target detection algorithm based on DM6437 [12169-54]
1	2169 18	Research on rapid scanning technology for imaging with high performance based on rotating of two-mirror [12169-55]
1	2169 19	Super-resolution of infrared image [12169-56]
1	2169 1A	K-edge imaging based on a Thomson scattering x-ray source [12169-57]
1	2169 1B	Calculation of undulator section wakefield at the SHINE [12169-58]
1	2169 1C	Design of three-dimensional imaging laser ladar emission optical system based on bionic vision mechanism [12169-59]
1	2169 1D	Hand gesture recognition system based on laser ladar [12169-60]
1	2169 1E	Triangulation length measurement based on single-line laser Ladar [12169-61]
1	2169 1F	Universal audio and video codec conversion method for cloud deployment [12169-62]
1	2169 1G	Imaging research of 8-14 μm uncooled infrared polarimetric sensor [12169-466]
1	2169 1H	Silicon photonic integrated FMCW coherent LIDAR receiving chip [12169-63]
1	2169 11	Wideband accurate checks for conducted emissions current probe method measurement system [12169-64]

12		Design and implementation of CCD imaging system for directional polarimetric camera [12169-66]
12	169 1K	Experimental investigation on laser in-situ assisted ultra-precision cutting of fused silica [12169-67]
12	169 1L	A calibration system adopting 405 nm laser for soft x-ray TESs [12169-69]
12	169 1M	Diffraction characteristics and application of cross vector volume Bragg grating [12169-70]
12	169 1N	TES-based x-ray spectrometer developed for SHINE project [12169-71]
12	169 10	Long-range active laser detection system based on cat's eye effect [12169-72]
12	169 1P	Experimental investigation on environmental durability of protected-silver mirrors [12169-75]
12		Deformation analysis of the thin mirror with large aperture when various loads are applied on [12169-77]
12	169 1R	Polarization characteristics of infrared radiation of space object [12169-78]
12		Principle and simulation of a novel multi parameter in-situ submarine methane sensor [12169-80]
12	169 IT	Study on influence factors of dilation uniformity in pulse-dilation framing camera [12169-81]
12	:169 1U	A double feature fusion SGM algorithm [12169-82]
12	169 1V	Thermal infrared face detection method based on deep learning [12169-83]
12	169 1W	Research on thermal infrared face alignment method based on regional location [12169-84]
12		Microfocusing compound refractive lenses design for XFEL spectroscopy applications [12169-87]
12	169 1Y	Thermal infrared face recognition with face mask based on the generative method [12169-88]
12	169 1Z	Intelligent identification of radar intra-pulse signals [12169-89]
12	169 20	Research on assembling and adjusting technology of aspherical refraction optical lens [12169-90]
12	169 21	Numerical study on beam-based alignment of SXFEL undulator lattice [12169-91]
12	169 22	640×512 back illuminated EMCCD [12169-92]

12169 23	Characterizing the unconventional oil-gas reservoirs by laser-induced voltage measurement [12169-93]
12169 24	Skylight polarization measurement based on DoFP polarization camera [12169-94]
12169 25	BER analysis of coherent FSO systems with SC receive diversity over correlated turbulence channels [12169-95]
12169 26	A research on submarine cable path planning [12169-97]
12169 27	Analysis of space target fusion reconstruction based on optical image and ISAR image [12169-98]
12169 28	Numerical simulation of atmospheric propagation of coherently combined beams under thermal blooming conditions [12169-100]
12169 29	VO ₂ -based infrared selective emitter for self-adaptive infrared camouflage [12169-101]
12169 2A	Design and development of quenching structure for silicon photomultiplier [12169-102]
12169 2B	Design and verification of flexible belt grinding system for SiC mirror [12169-103]
12169 2C	Structural design of a deformable mirror for space application [12169-104]
12169 2D	A video target detection method based on temporal redundancy [12169-105]
12169 2E	Analysis of polarization characteristics of freeform surface optical system [12169-106]
12169 2F	Optimization of lowpass filtered and amplified PRBS phase modulation for SBS mitigation [12169-107]
12169 2G	Design and verification of secondary mirror support cylinder with high rigidity in space telescope [12169-108]
12169 2H	Research on super-resolution reconstruction of single-frame image of infrared focal plane polarization imaging [12169-110]
12169 21	Construction of freeform surface with adjacent orthogonal tangent vectors for point light source [12169-112]
12169 2J	Design of transmitter parameters for multi-beam staring photon detection [12169-114]
12169 2K	An angle measurement algorithm for high-voltage switch aided by clustering based on ghost reduction PBAS [12169-116]
12169 2L	Blood discrimination based on NIR spectroscopy and BP neural network combined with genetic algorithm [12169-117]
12169 2M	LA-U ² Net: location-aware U ² Net for salient object detection [12] 69-122]

12169 2N	Demodulation method of GaAs fiber optic temperature sensing based on equivalent wavelength [12169-123]
12169 20	Analysis of beam splitting for compact LIDAR sensors [12169-124]
12169 2P	Target detection of hyperspectral imagery [12169-126]
12169 2Q	Characterization of phase transition in few-layer MoTe ₂ induced by laser irradiation [12169-127]
12169 2R	Water surface monitoring of Selincuo Lake based on multi-source remote sensing data [12169-129]
12169 2S	Accurate measurement of strain parameters for spacecraft structure based on optical fiber sensing [12169-131]
12169 2T	An overview of the embedded speech-to-text technology [12169-136]
12169 2U	Data-processing-aided temperature monitoring of composite forming process using unannealed fiber Bragg grating [12169-139]
12169 2V	A spatial target tracking method based on stellar background [12169-142]
12169 2W	A high-reliable dual light sources multiplexing FBG demodulation system for space application [12169-143]
12169 2X	Two-dimensional imaging method based on orbital angular momentum of optical vortex [12169-144]
12169 2Y	Airborne spectrographic imager data observation process and preprocessing [12169-145]
12169 2Z	Ultra-wideband bandpass frequency selective surface designs [12169-146]
12169 30	Infrared radiation calculation of aircraft exhaust system based on improved K-distribution models [12169-147]
12169 31	Experimental research on UAV target tracking in complex background based on polarization imaging [12169-148]
12169 32	Research on electromagnetic effects of MCU under high power microwave stress [12169-149]
12169 33	Coupling characterizes of spatial modes in photonic crystal nanobeam cavity [12169-150]
12169 34	Compressive sensing-based super-resolution multispectral imaging system [12169-151]
12169 35	The multi-wavelength Brillouin laser based on highly nonlinear fiber [12169-153]

12169 36	Target recognition and anti-jamming technology of short-range laser based on high resolution range profile [12169-154]
12169 37	Self-assembled process and electromagnetic shielding properties of carbon nanotubes/graphene films [12169-155]
12169 38	Theoretical analysis and experimental study on 3D real time imaging of photonic array [12169-156]
12169 39	Shape sensing using two outer cores of multi-core fiber based on OFDR [12169-157]
12169 3A	Simulation and experimental investigation on linear expansion micro-stress assembly process of adhesive bonded mirror [12169-158]
12169 3B	Development of fast x-ray imaging beamline at SSRF [12169-160]
12169 3C	Flexible optical pressure sensor with high spatial resolution based on deep learning [12169-162]
Part Two	
12169 3D	Research on distortion wavefront prediction technique for laser communication system based on LSTM network $[12169-163]$
12169 3E	Distributed temperature monitoring of a pumped-storage power station rockfill dam using optical fiber sensors [12169-165]
12169 3F	Investigation of excess noise factor of InGaAs/InP SWIR APDs by direct power method [12169-166]
12169 3G	High-order harmonic soliton generation in a passive hybrid mode-locking fiber laser [12169-168]
12169 3H	Fiber-optic open-cavity Fabry-Perot interferometric sensor for ultrasonic detection [12169-169]
12169 31	A makeup-division method to suppress laser intensity modulation in PGC demodulation in optical fiber sensor [12169-170]
12169 3J	High-power mid-infrared supercontinuum laser source using germania-doped fiber [12169-172]
12169 3K	High efficiency multi-spectral polarization imaging system [12169-173]
12169 3L	Analysis and research on grounding technology of new remote sensing camera [12169-174]
12169 3M	An optical system design of aircraft landing signal lamp [12169-176]
12169 3N	Laser-induced damage threshold and performance degradation of silver nanowires irradiated by a single-pulse laser [12169-177]

12169 30	Computational spectral imaging technology with high light utilization for space target detection [12169-178]
12169 3P	Adaptive spatio-temporal clustering for small object detection using event-based camera [12169-179]
12169 3Q	Research on ferromagnetic target detection based on power frequency electromagnetic field $[12169\text{-}180]$
12169 3R	A method for representation of space non-cooperative target attitude based on point cloud data [12169-181]
12169 3S	Aperture-scanning Fourier ptychography for super-resolution macroscopic imaging [12169-184]
12169 3T	Development technology of large surface source infrared calibration blackbody on satellite [12169-185]
12169 3U	Microscopic fringe projection profilometry system calibration based on double telecentric lenses [12169-189]
12169 3V	Research on FBG sensor used for the strain monitoring of spacecraft structure [12169-190]
12169 3W	A novel surface emitting laser with horn-ridge-waveguide suitable for low-loss on-chip interconnection [12169-191]
12169 3X	Research on the test methods of charge accumulating TDICMOS sensor [12169-192]
12169 3Y	Research on rapid image registration based on feature point detection [12169-194]
12169 3Z	Ultra-compact and high-performance silicon mode (de)multiplexer based on a tapered bent asymmetric directional coupler [12169-195]
12169 40	A quad-slits interferometer for the transverse beam-profile measurement at HLS-II [12169-196]
12169 41	Molecular dynamics simulation of laser-induced graphitization of CVD diamond [12169-197]
12169 42	Design and application of high precision adjustable pulse unit in distributed optical fiber acoustic sensing system [12169-199]
12169 43	An on-orbit high-precision angular vibration measuring device based on laser gyro [12169-200]
12169 44	Applications of miniaturized GRIN lens fiber array in frequency-modulated continuous-wave LIDAR [12169-201]
12169 45	Algorithm for sub-pixel edge detection based on logistic regression [12169-203]
12169 46	Phase-shift digital holographic three-dimensional measurement technology based on gray-level encoded [12169-204]

12169 47	Waveguide integrated trapezoidal germanium photodetector based on lateral PIN junction in SOI [12169-206]
12169 48	Photon counting three-dimensional imaging with a position sensitive micro-channel plate detector [12169-207]
12169 49	An efficient three-waveguide spot size converter using 180nm silicon photonic process node [12169-208]
12169 4A	Common-path and synchronous phase shifting of lateral shearing interferometry based on micro-polarizer array [12169-209]
12169 4B	Electronic image stabilization algorithm for space exploration based on star point extraction [12169-212]
12169 4C	Optical design of geostationary wide swath imaging spectrometer with freeform surfaces [12169-217]
12169 4D	An efficient indoor visible light communication positioning method based on tilt single image sensor using single LED [12169-218]
12169 4E	Performance analysis of hybrid FSO-UWOC dual-hop link for air-ocean communication [12169-219]
12169 4F	Adaptive photoelectric detection system based on system parameter library [12169-220]
12169 4G	A random forest model for boiler drum water level prediction and fault diagnosis based on the characteristic variable stagger method [12169-222]
12169 4H	Power-aware path selection routing algorithm for Benes integrated photonic switches [12169-223]
12169 41	Analysis of self-pulse effect in high power fiber lasers based on seed source broadening with high-order phase modulation [12169-225]
12169 4J	LPM-GAN: lumbar paraspinal muscle segmentation using a generative adversarial network [12169-227]
12169 4K	Design of long optical path and resonant sphere-tube coupled photoacoustic cell [12169-231]
12169 4L	Flattop beam output from high power fiber combiner [12169-232]
12169 4M	Numerical simulation of photocathode temperature and stress strain during heat cleaning [12169-234]
12169 4N	Research on parameter extraction of GaN HEMT equivalent circuit model based on genetic algorithm [12169-235]
12169 40	Field-circuit coupling simulation technology of microwave active circuit based on DGTD [12169-236]

12169 4P	Background simulation study for the space x-ray detector based on CCD [12169-239]
12169 4Q	Study on background suppression of infrared small target image by fast rolling guided filtering [12169-240]
12169 4R	1.5 kW fiber amplifier employing home-made large-mode-area single trench fiber [12169-241]
12169 4S	Detection of moving objects using single-photon counting LIDAR [12169-242]
12169 4T	Research on classification method of abnormal vibration of pipeline based on SVM [12169-243]
12169 4U	Disturbance recognition for φ-OTDR based on Faster-RCNN [12169-244]
12169 4V	Design and implementation of Simulink model for all phase FFT algorithm based on lidar system [12169-246]
12169 4W	Research on the algorithm of marker center positioning under the occlusion of thermoplastic film [12169-247]
12169 4X	Optical system design of spaceborne infrared dual-band hyperspectral imager [12169-248]
12169 4Y	A kind of pigtail with high-reliability used in fiber-coupled laser module [12169-249]
12169 4Z	Photon counting range-finder for moving target detection [12169-250]
12169 50	A demodulation method for a Raman optical time domain reflectometer suitable for laid optical cables [12169-251]
12169 51	Underwater image enhancement using the revised haze-lines method [12169-252]
12169 52	DEDNet: an infrared and visible image fusion architecture based on dual-encoder and channel-picking/Gaussian-filtering models [12169-254]
12169 53	Water attenuation coefficient estimation with pulsed laser range-gated imaging system [12169-255]
12169 54	Distributed forward Brillouin scattering sensor based on chirped fiber Bragg grating array [12169-256]
12169 55	Quasi-distributed temperature sensing using series-integrated fiber Bragg gratings [12169-257]
12169 56	Mapping of acupuncture effects on cortex by photoacoustic tomography [12169-258]
12169 57	Optimal matching based on singular value decomposition for star pattern recognition [12169-263]
12169 58	Simulation research on jamming effect of helicopter airborne infrared decoy [12169-264]

12169 59	Scanning speed test technology of scanning mirror based on image processing [12169-265]
12169 5A	Generating 3000W nanosecond laser of all-fiber structure by using high power pulsed fiber combiner [12169-266]
12169 5B	28km long-distance transmission of high-power laser over few-mode/single-mode fiber system [12169-267]
12169 5C	Influence of prior profile on retrieval of greenhouse gas CO_2 concentration from ground based infrared remote sensing [12169-268]
12169 5D	Bending induced fiber damage resistance of panda polarization-maintaining fiber [12169-269]
12169 5E	Educational experimental platform for engineering training in AI-assisted optical networks for data center [12169-270]
12169 5F	Multi-scale fully convolutional network-based land cover classification method for remote sensing images [12169-271]
12169 5G	Design of off-axis three mirrors optical system with Lyot stop in low f-number and wide line field of view [12169-272]
12169 5H	Surface shape detection of asymmetric double-sided off-axis aspheric lens based on spatial light modulator $[12169-274]$
12169 51	Optical system design of sheet-beam energy homogenization with long focal-depth based on aberration effect of aspheric lens [12169-276]
12169 5J	A new industrial single-module 10kW fiber laser based on 915nm wavelength pump source [12169-277]
12169 5K	The effect of modulation instability on the phase noise of long-haul phase-sensitive optical time-domain reflectometry [12169-278]
12169 5L	The research on the aliasing noise in a dual-pulse heterodyne phase-sensitive OTDR system [12169-279]
12169 5M	Extraction algorithm of space target motion trajectory for long exposure single frame image of starry sky background $[12169\hbox{-}280]$
12169 5N	Influence of fiber mode field diameter on measurement of composite material using optical frequency domain reflectometry [12169-282]
12169 50	An intelligent generating method for multi-target attacking strategy based on environment-aware deep reinforcement learning [12169-283]
12169 5P	A nonlinear fitting correction method for contact image sensor line array camera [12169-284]
12169 5Q	Fusion-based effective noise removal approach with the reconstruction of guided reference image [12169-285]

12169 5R	Research on axle counting sensor based on fiber Bragg grating [12169-287]
12169 5S	Finite element simulation investigation of surface height difference in diamond cutting of bi- crystal aluminum [12169-289]
12169 5T	Offshore atmospheric optical turbulence characteristics relevant to astronomy and atmospheric physics [12169-291]
12169 5U	Long-term frequency-stabilized Er:fiber-based optical frequency comb with nonlinear amplifying loop mirror [12169-292]
12169 5V	Detection of rheumatoid arthritis in the finger joints by thermoacoustic tomography [12169-293]
12169 5W	Study on liquid-liquid phase separation based on optical tweezers [12169-296]
12169 5X	Embedded laser frequency locking for HSRL applications with an iodine absorption cell [12169-299]
12169 5Y	Reliability and lifetime estimation of double clad and triple clad fibers [12169-302]
12169 5Z	Research on beamforming algorithm of underwater visible light communication in strong turbulence channel [12169-303]
12169 60	Feature visualizations in geoacoustic inversion using convolutional neural network [12169-304]
12169 61	Laser-induced damage threshold analysis of high-purity silica fiber based on thermal effects [12169-305]
12169 62	A new approach for automatic testing of diopter [12169-307]
12169 63	Photoacoustic identification of blood via BP combined with particle swarm optimization algorithm [12169-308]
12169 64	Large depth-of-field phase-3D mapping method based on electrically tunable lens [12169-309]
12169 65	Multi-level iterative for multi beam DVL calibration method based on quaternion [12169-313]
12169 66	A multi-dimensional parameters evaluation-based traffic balancing scheme in optical networks [12169-315]
12169 67	Integrated photonic computation accelerator based on a cascaded array of Mach-Zehnder interferometers [12169-316]
12169 68	A new structure of synthetic aperture system [12169-317]
12169 69	Research progress of optical fiber pressure sensing for oil and gas well downhole monitoring [12169-318]
12169 6A	Study of ultra-wideband light source with Erbium-Bismuth co-doped fiber [12169-319]

12169 6B	Preparation and etching of the mask of the type II superlattice for focal plane arrays [12169-320]
12169 6C	The relationship between dynamic performance of ion beam figuring equipment and optical surface accuracy $[12169-321]$
12169 6D	Design of a solar-blind ultraviolet search and rescue system [12169-322]
12169 6E	Two-dimensional beam scanner based on silicon optical phased array with half-wavelength period [12169-324]
12169 6F	Coherent beam combination of kW fiber lasers with a filling aperture [12169-325]
12169 6G	High-robustness good-beam-quality 3×1 signal combiner device for 10-kW all-fiber laser combining applications [12169-326]
12169 6H	Design of ultra-precision grinding process for conformal optical window with high steepness [12169-333]
12169 61	A high coupling efficiency fiber-to-chip edge coupler with four auxiliary thin layers [12169-334]
12169 6J	Design and implementation of portable rang-gated camera for seeing through the fire [12169-335]
12169 6K	Research on micro-cantilever calibration method based on nano indentation technology [12169-336]
12169 6L	Improvement of blue green absorption of reflection mode GaAlAs photocathode with different nanostructures $[12169\hbox{-}337]$
12169 6M	Analysis of transmittance of micro-nano structure [12169-338]
12169 6N	Design of integrated broadband vanadium dioxide hybrid plasmonic modulator [12169-339]
12169 60	High performance tunnel junction for high speed VCSELs [12169-340]
12169 6P	Design of an off-axis two-mirror free-form infrared optical system with wide field of view and fast focal ratio [12169-341]

Part Three

12169 6Q	Study of the surface properties of nickel plating on metal reflectors and the feasibility of optical processing [12169-342]
12169 6R	A new generation based on SDM of repeated trans-oceanic submarine optic cable [12169-344]

12169 6S	Scattering enhanced photoacoustic spectroscopy based on the porous materials [12169-345]
12169 6T	A design of FFOCT imaging system based on InGaAs camera [12169-346]
12169 6U	Study on the measurement of absolute spectral responsivity of terahertz detector [12169-347]
12169 6V	Underwater imaging based on time-of-flight cameras [12169-348]
12169 6W	A fiber optic gyroscope with low relative intensity noise [12169-351]
12169 6X	Improvement of omnidirectional reflection in one dimensional photonic crystals by using silver [12169-352]
12169 6Y	Linewidth characteristics of narrow linewidth lasers with high-sweeping linearity [12169-354]
12169 6Z	Color erasing by ultrafast and nanosecond pulsed laser on titanium [12169-356]
12169 70	Numerical simulation and optimization of 3.5 μ m erbium-doped ZrF4 fiber laser pumped at 655 and 1981 nm [12169-357]
12169 71	Reactive ion etching of Ta ₂ O ₅ /SiO ₂ mixed films using CHF ₃ and Ar [12169-358]
12169 72	Temperature drift compensation for FBG demodulation by utilizing LSTM neural networks [12169-360]
12169 73	Effect of organic membrane thickness on membrane properties and electrical characteristics of the MCP [12169-362]
12169 74	Convenient connectorization technique between single mode polymer optical fiber and single mode silica optical fiber [12169-363]
12169 75	Study on the searching and tracking of antimissile early warning radar network system based on the genetic algorithm [12169-364]
12169 76	Temperature sensing characteristics of borosilicate capillary sensitized low-finesse fiber extrinsic Fabry-Perot interference sensor [12169-366]
12169 77	Research on image restoration technology of photon integrated interferometry imaging system [12169-367]
12169 78	Coordinate conversion method of beam array scanning imaging data [12169-368]
12169 79	Research on distributed space objects detection technology based on optical fiber image bundles [12169-369]
12169 7A	Design of small f-number off-axis three-mirror optical system [12169-371]
12169 7B	Self-temperature compensation approach for fiber specklegram magnetic field sensor based on polarization specklegram analysis [12169-372]

12169 7C	Recent improvement on spatial resolution enhanced distributed temperature sensors [12169-373]
12169 7D	Spatial attenuation study of the vibration sensed by DAS at different radial distances [12169-375]
12169 7E	Research on stray radiation suppression of refrigeration type infrared system with a color separation filter [12169-377]
12169 7F	Design of an ultra-compact 5-piece high-ratio MWIR zoom optical system [12169-378]
12169 7G	Analysis of the influence of microlens array on energy efficiency in APD array receiving system [12169-380]
12169 7H	X-ray focal properties of spherically bent crystals for synchrotron and XFEL spectroscopy [12169-381]
12169 71	Single-use video endoscope for vertebral pedicle puncture [12169-383]
12169 7J	Design of the detection system for the position of the crankshaft flange hole group based on vision measurement technology [12169-384]
12169 7K	Effect of Nd:YAG concentration on dynamic to static ratio of high energy end pumped Q-switched laser [12169-385]
12169 7L	A VCSEL end-pumped high-energy Q-switched Nd:YAG laser [12169-387]
12169 7M	Research on selection of high intensity laser beam expanding system [12169-388]
12169 7N	Design of an off-axis reflective beam expander for multi-wavelength Raman lidar [12169-389]
12169 70	A spot-size converter designed with a SU8 polymer cladding for LNOI waveguide [12169-390]
12169 7P	Windowed Fourier method based on phase compensation in heterodyne detection [12169-391]
12169 7Q	QEPAS sensor for simultaneously sensitive detection of NH3 and H2S based on frequency-division multiplexing [12169-392]
12169 7R	Polarization-dependent nonlinear absorption of Co ²⁺ centers in MgAl ₂ O ₄ spinel [12169-393]
12169 7S	Single photon 3D imaging based on a few echo photons [12169-396]
12169 <i>7</i> T	Study on the impact of pump failure on the performance of submarine communication system [12169-399]
12169 7U	Measurement of Escherichia coli biomass concentration in milk based on two-dimensional dynamic ultraviolet-visible spectrum [12169-400]

12169 7V	Depth estimation of the light field image based on convolutional neural network [12169-402]
12169 7W	Novel fiber-optic distributed refractive index sensing method by optical frequency domain reflectometry [12169-403]
12169 7X	High-sensitivity and fast distributed optical fiber pressure sensor [12169-406]
12169 7Y	Ultra-long large-capacity FBG sensing system with deep learning [12169-410]
12169 7Z	Noise suppression for DAS seismic data with attention-aided generative adversarial network [12169-412]
12169 80	D-shaped single mode fiber SPR sensor for measuring RI and temperature simultaneously [12169-415]
12169 81	High SNR signal processing system for coherent solid-state LIDAR with silicon photonic balanced photodetector array [12169-416]
12169 82	Single-pulse spectrometer for hard x-ray free electron lasers [12169-417]
12169 83	Effects of different passivation and etching methods on the dark current of InAs/GaSb longwave detectors [12169-418]
12169 84	Optimization of corrosion process after diffusion in InSb [12169-419]
12169 85	Precision manufacturing of metal mirrors based on additive manufacturing [12169-422]
12169 86	High-performance and stable 2D/3D perovskite photodetectors enabled by PEAI passivation [12169-423]
12169 87	Realization and performance tests of a dual-polarization fiber optic gyroscope [12169-424]
12169 88	Underwater target detection with quantum illumination [12169-425]
12169 89	Research on key technologies of cross-domain guidance [12169-426]
12169 8A	Flexible printed microwave transmission line with tunable attenuation based on graphene/ion-gel structure [12169-427]
12169 8B	Demonstration platform of programmable constellation in large-scale LEO satellite optical networks [12169-428]
12169 8C	Waveguide mode conversion on anisotropic thin film lithium niobate [12169-429]
12169 8D	Data preprocessing methods and procedures for the wide swath polarized scanning atmospheric corrector onboard HJ-2A/B satellites [12169-430]
12169 8E	Data compression in heterodyne phase-sensitive OTDR using quantization technology

12169 8F	Lightweight memristive gated recurrent unit networks [12169-433]
12169 8G	Parallel recognition for military target in dual band using a joint transform correlator [12169-435]
12169 8H	Study on data processing for x-ray spectrometer based on microcalorimeter [12169-436]
12169 81	Design and research of high-resolution optical fiber image transmission bundle [12169-437]
12169 8J	A flexible optical local area network based on time division multiplexing PON [12169-438]
12169 8K	Hydrogen ingression of optical fiber cable in high pressure high temperature downhole environment [12169-443]
12169 8L	Investigation of a tapered polymer optical fiber sensor for bending angle measurement [12169-444]
12169 8M	Fabrication and characterization of Ag-Cu dendritic periodic array substrate for surface-enhanced Raman scattering [12169-445]
12169 8N	Development of watertight electrical connector at full-ocean depth [12169-447]
12169 80	Robust reverberation reduction for a stationary target in the shallow water [12169-449]
12169 8P	Detecting the flow velocity in the 2 mm 2 -cross-section vessel using multi-exposure speckle imaging [12169-451]
12169 8Q	A non-uniform grating coupler with high coupling efficiency on LNOI [12169-452]
12169 8R	Flat supercontinuum generation by spectral shaping with anti-resonant hollow-core fiber [12169-453]
12169 8S	Research on the method and device for detecting the concentration of methane and ethane dual gas based on TDLAS $[12169\text{-}454]$
12169 8T	A fusion imaging system with visible light camera and photon counting lidar [12169-456]
12169 8U	Evaluation of the detection ability of a multi-sensor system under weak light [12169-458]
12169 8V	Experimental research on low numerical aperture 200W cladding light stripper based on domestic self-development power delivery fiber [12169-459]
12169 8W	New method to eliminate single photon in liquid scintillation counting [12169-460]
12169 8X	Theoretical study on stimulated Raman scattering and mode evolution characteristics in spindle-shaped Ytterbium-doped fiber laser [12169-461]
12169 8Y	Over 150 nJ. sub-100 fs. all-fiber Mamyshev oscillator [12]69-463]

12169 8Z	Real-time monitoring of soil moisture field using ultra-weak fiber Bragg gratings [12169-464]		
12169 90	Study for low-polarization-sensitive dichroic mirrors to space remote sensing [12169-465]		
12169 91	Ground settlement monitoring method based on distributed optical fiber sensing technology [12169-468]		
12169 92	Pipeline leakage localization using internally installed distributed fiber optic sensors [12169-469]		
12169 93	Damage evaluation method for high-speed railway girder based on ultra-weak fiber Bragg grating sensing technology [12169-470]		
12169 94	Landslide intrusion monitoring method based on $\Phi ext{-OTDR}$ [12169-471]		
12169 95	Distributed real-time in-situ monitoring method for deformation measurement of landslide [12169-472]		
12169 96	Research and application verification of intelligent interpretation system for multi-source remote sensing data [12169-473]		
12169 97	Study on image pre-processing technology in the digital video interpretation [12169-474]		
12169 98	Dim and small targets based on the fusion of infrared radiation characteristics and spectral characteristics research on detection methods [12169-475]		
12169 99	Fabrication and properties of domestic long tapered ytterbium-doped fiber with high tapering ratio [12169-476]		
12169 9A	The research on hydrogen sensor based on nanofiber [12169-478]		
12169 9B	Long-distance underwater wireless optical communication with a single photon-counting system [12169-480]		
12169 9C	Intelligent image processing based on VPX architecture [12169-481]		
12169 9D	Subsurface damage reconstruction technology of fused silica based on CdSe/ZnS quantum dots three-dimensional reconstruction [12169-482]		
12169 9E	Scale-aware network with scale equivariance [12169-483]		
12169 9F	Design and application of infrared dynamic dual-target simulator [12169-484]		
12169 9G	Design of infrared detection sensitivity test equipment based on double black body [12169-485]		
12169 9H	4 µm ultra-thin microchannel plate [12169-486]		

12169 91	A novel design of multi-pass pumped Yb:YAG planar waveguide amplifier [12169-487]
12169 9J	Characterization of local regional atmospheric turbulence by parallel laser beams [12169-490]
12169 9K	Analysis of pump power distribution in diode pumped Tm:YAP laser [12169-492]
12169 9L	A wideband probe-type waveguide-to-microstrip transition for 140 GHz applications [12169-493]
12169 9M	Preliminary demonstration of text and real-time video transmission in free space optical communication system at 2 μ m band [12169-495]
12169 9N	Effects of multi-pulses on material removal threshold of superalloy irradiated by ultra-short pulsed lasers [12169-497]
12169 90	Experimental exploration of room-temperature Er:YAG cascade laser [12169-498]
12169 9P	Non-imaging passive ranging method based on oxygen absorption [12169-501]
12169 9Q	Soliton self-frequency shift simulation of cascades of fluorotellurite fiber and chalcogenide fiber [12169-505]
12169 9R	Control of self-excited oscillation by the LD temperature for end-pumped Nd:YAGQ-switched laser [12169-506]
12169 9\$	Research on development method of an artificial intelligent decision-making system [12169-507]
12169 9T	Simulation method of forest return waveform for large-footprint LiDAR [12169-508]
12169 9U	Validation of MODIS C6.1 3km aerosol products over Yuandao region in the North Yellow Sea [12169-509]
12169 9V	High-frequency power behavior of the temporal spectrum by large aperture scintillometer [12169-510]
12169 9W	Preliminary retrieval and validation of aerosol optical depth from the spaceborne synchronization monitoring atmospheric corrector [12169-511]
12169 9X	Fabry-Perot cavity-based high sensitivity fiber optic negative pressure sensor [12169-512]
12169 9Y	Effect of BaO content on properties of SiO ₂ -B ₂ O ₃ -La ₂ O ₃ -BaO glass [12169-517]
12169 9Z	A closed form analytical model for threshold switching mechanism of chalcogenide-based devices [12169-518]
12169 A0	Research of upstream MAC layer used in fiber channel data bus which is based on PON topology [12]69-52]]

12169 A1	Average secrecy capacity in FSO system over F-distribution channel considering the eavesdropper's location [12169-524]
12169 A2	X-ray stress measurement of SiC single-crystal induced by laser ablation [12169-526]
12169 A3	Temporal optical rogue waves in high power short-cavity Yb-doped random fiber laser [12169-527]
12169 A4	Analysis on characteristics of optical turbulence under different stability conditions above the sea surface [12169-528]
12169 A5	Shape control of an adaptive spherical shell reflector under space environment [12169-529]
12169 A6	Quantitative simulating experiment of atmospheric turbulence scintillation for light field imaging [12169-536]
12169 A7	Distribution characteristics of skin temperature over Tibetan plateau in summer [12169-539]
12169 A8	Analysis of the vertical structure and spectrum characteristics of aerosols detected by multirotors UAV in Hefei, China [12169-540]
12169 A9	A temperature insensitive variable-rate spun fiber sensing coil applied in fiber optic current transformer [12169-541]
12169 AA	Stress-released Si ₃ N ₄ microresonator fabrication process for optical frequency comb [12169-543]
Part Four	
12169 AB	Comparative analysis of atmospheric refractive index structure parameter measured in coastal area [12169-544]
12169 AC	Estimation of boundary-layer turbulence parameters in Hefei based on wind profile radar [12169-545]
12169 AD	Analysis of basic characteristics of air convection turbulence simulation device [12169-547]
12169 AE	Influence of wind speed distribution on optical turbulence parameters over the Tibetan Plateau [12169-548]
12169 AF	Research on the prediction method of cross-point information for the radiometric calibration of infrared spectral optical camera [12169-550]
12169 AG	Design and performance analysis of super-resolving continuous phase pupil filters based on deformable mirror eigenmodes [12169-551]

Design and simulation of orthogonal circularly polarized matelens in mid-infrared band

12169 AH

[12169-552]

12169 AI	Analysis of non-uniform magnetic field error and optimization design for fiber optic ultra-high current transformer [12169-553]
12169 AJ	Design and simulation of high speed AllnP/AlGaInP/AllnP double heterostructure visible photodetector [12169-555]
12169 AK	Fabry-Perot liquid refractive index sensor based on polymethyl methacrylate [12169-558]
12169 AL	Method for correcting extinction profile of Mie scattering lidar based on UAV-borne aerosol radiosonde [12169-559]
12169 AM	Analysis of complex refractive index and single scattering albedo of marine aerosol [12169-562]
12169 AN	Inversion of atmospheric turbulence intensity profile based on neural network algorithm [12169-563]
12169 AO	A novel low-NA confined-doped long-tapered fiber for high output power fiber amplifier [12169-564]
12169 AP	Study on preparation of microfiber Bragg grating by reflection wavelength monitoring method $\left[12169\text{-}567\right]$
12169 AQ	High-sensitivity optical fiber flow sensor based on wall shear stress measurement [12169-568]
12169 AR	Design and simulation of the lens hood for space target detection camera system [12169-573]
12169 AS	Design of a light and high-resolution video camera system based on CMV12000 sensor [12169-574]
12169 AT	Adaptive frequency detection method based on frequency difference control [12169-575]
12169 AU	Research on beam expansion characteristic of supercontinuum laser in atmospheric turbulence [12169-579]
12169 AV	3C fiber-optic quasi-distributed acoustic sensing (3C-QDAS) [12169-587]
12169 AW	Design of precision driving control system for standing-wave ultrasonic motor [12169-592]
12169 AX	Analysis of uncertainty in chromaticity measurement of retroreflective color plate [12169-596]
12169 AY	Theoretical analysis of retrace error in Fizeau interferometer for deformed optical flats [12169-599]
12169 AZ	Two-mode quantum entanglement dynamics of underwater quantum communication [12169-602]
12169 BO	Influence of waveguide structure on the optical and electrical properties of high-power semiconductor lasers [12]69-605]

12169 B1	Measurement and analysis of polarization quantitative error for grating spectrometer [12169-607]
12169 B2	Fine-grained remote sensing target detection with oriented bounding box based on improved Yolov5 [12169-608]
12169 B3	Distance estimation of obstacles in monocular vision based on deep learning [12169-609]
12169 B4	Research on a port ship target detection method based on lightweight multi-scale convolutional network [12169-613]
12169 B5	Assessment of 3D reconstructed image quality for computer-generated holographic 3D display [12169-614]
12169 B6	Retrieval of atmospheric temperature profile from the spaceborne infrared spectra with Tikhonov regularization method [12169-615]
12169 B7	Uncertainty analysis of fiber optical current transformer on-site calibration [12169-617]
12169 B8	Design of key performance test scheme for laser indicator system [12169-618]
12169 B9	Long-depth-volume 3D measurements using multithread monocular fringe projection profilometry [12169-619]
12169 BA	Monte-Carlo simulation for range intensity profile of underwater range gated imaging [12169-622]
12169 BB	A deep learning-based approach for motion-induced error reduction in fringe projection profilometry [12169-624]
12169 BC	Fixed pattern noise of microchannel plate [12169-625]
12169 BD	Underwater image stitching method based on optimal seam and multi-resolution fusion algorithms [12169-627]
12169 BE	High-resolution white light scanning stitching measurement of full-surface microstructure [12169-629]
12169 BF	Optimal designing of digitalizing bits for remote sensing camera with photo-electric sensor [12169-635]
12169 BG	Experimental research of high energy electron radiography at HERPL [12169-637]
12169 BH	A negative-curvature hollow-core fiber structure with double trigonal-symmetrical anti- resonant elements [12169-638]
12169 BI	Modeling and simulation of imaging through the water-air Snell's window from underwater [12169-640]
12169 BJ	Design and analysis of the hemispherical optical window used in the deepest sea [12169-641]

12169 BK	Energy prediction with physics-guided neural networks for high-power laser facility [12169-642]
12169 BL	Monte Carlo study on polarization PSF for underwater imaging enhancement [12169-644]
12169 BM	Analysis of aerosol characteristics in the coastal waters of Zhejiang based on satellite remote sensing and on-site long time series observation data [12169-645]
12169 BN	A laser frequency locking control circuit based on FPGA for marine temperature sensor [12169-646]
12169 BO	Inversion of target spectral emissivity, temperature by slow variation characteristic of emissivity assumption $[12169\text{-}647]$
12169 BP	High-resolution x-ray waveguide screen array materials were prepared in glass empty tubes [12169-649]
12169 BQ	Aircraft wake recognition based on deep learning [12169-650]
12169 BR	The influence of urea in seawater on the seawater refractive index using optical refractometer [12169-654]
12169 BS	Study on neutronics performance of the Soller collimator for neutron radiography based on Geant4 [12169-655]
12169 BT	Investigation on inversion method of ocean salinity based on high spectra resolution lidar [12169-657]
12169 BU	A PAPR suppressing technology of OFDM underwater acoustic communication based on fiber optic hydrophone [12169-659]
12169 BV	Coral monitoring system based on polarization vision [12169-660]
12169 BW	The study on object recognition technology based on multispectral polarization [12169-663]
12169 BX	Pre-shifted phase coding approach for absolute phase retrieval [12169-664]
12169 BY	Research on improved faster R-CNN polarization image detection method [12169-671]
12169 BZ	Research on polarization imaging detection and tracking method of low-speed and small UAV targets $[12169\text{-}674]$
12169 C0	Research on a fast infrared dim small targets detection and tracking method combining pipeline filter and kernelized correlation filter [12169-676]
12169 C1	Feasibility study for spectral phase compensation in high-energy petawatt laser facilities with a deformable mirror [12169-679]
12169 C2	Development of high-performance 50nm bandwidth rectangular wave filter [12169-682]

12169 C3	A control method for laser drive system in laser Doppler velocimetry [12169-685]
12169 C4	Underwater image enhancement method based on semi-supervised domain adaptation [12169-686]
12169 C5	Multi-angle optical slice imaging and optical characteristics analysis for underwater microbubbles [12169-693]
12169 C6	Discussion and simulation verification of optical system design method for very high-precision star sensor [12169-695]
12169 C7	Investigation of damage induced by high-power continuous wave laser on SiC-based film [12169-697]
12169 C8	Infrared and passive millimeter wave image fusion based on multi-resolution deep learning method [12169-698]
12169 C9	LSS target tracking algorithm based on optical flow detection and polynomial fitting relocation [12169-702]
12169 CA	Simulation and experimental study on axial rotation of DF chemical laser exhaust gas [12169-704]
12169 CB	Suppression of stimulated Brillouin scattering in narrow linewidth fiber amplifier with white noise signal phase modulated seed [12169-706]
12169 CC	Low noise driver and bias hardware circuit design based on CMOS detector [12169-710]
12169 CD	DAS signal denoising using adaptive beamforming [12169-712]
12169 CE	Influence of chemical-mechanical polishing on the surface roughness of microchannel plate [12169-713]
12169 CF	Multi-task feature fusion network for monocular depth estimation without joint annotations [12169-715]
12169 CG	Learning-based invalid points detection for fringe projection profilometry [12169-716]
12169 CH	Design and adjustment of a stretcher with low chirp and high tolerance [12169-721]
12169 CI	Research on laser ranging technology with low false alarm rate based on DBSCAN algorithm [12169-722]
12169 CJ	Construction of sea surface electromagnetic scattering model and Doppler analysis [12169-724]
12169 CK	Inter-frame feature matching for underwater 3D gated range-intensity correlation imaging [12169-726]
12169 CL	Expansion of 3D measurement area based on scanning mirror [12169-727]

12169 CM	Homemade radiation-resistant Er-doped silica fiber for space application in high-dose radiation environment [12169-729]
12169 CN	Research on large-scale 3D scene rendering method for web application [12169-731]
12169 CO	Preparation of conductive layer of microchannel plate based on atomic layer deposition technology and its influence on electrical properties [12169-732]
12169 CP	Research on sensing based on rectangular connected semi-circular cavity structure [12169-735]
12169 CQ	A rapid approach for point spread function and detection efficiency estimation of Compton camera based on GPU-accelerated differential transmission probability [12169-738]
12169 CR	A polarization image false color fusion method for target against dark background [12169-739]
12169 CS	A 1906.9-nm, 8.7- μ J passively Q-switched Tm:YAlO $_3$ laser with a TiC $_2$ saturable absorber [12169-740]
12169 CT	Preparation and characteristics of silver film mirror for large aperture optical elements by chemical method [12169-741]
12169 CU	Optimization of the dwell time point sampling step length for ion beam polishing [12169-742]
12169 CV	Parameters optimization of high-power Er/Yb co-doped fiber amplifiers used for inter-satellite optical communication [12169-744]
12169 CW	Research on multi-band spectral selective stealth technology and application based on photonic crystal [12169-748]
12169 CX	All-optical wavelength conversion at 2µm based on graphene [12169-750]
12169 CY	Simulation research on holographic modal wavefront sensing of atmospheric propagating laser [12169-751]
12169 CZ	Theoretical analysis on the effect of seed Raman noise on the stimulated Raman scattering suppression of fiber amplifier [12169-752]
12169 D0	Study on scrap steel classification using deep learning [12169-753]
12169 D1	Second harmonic generation of a vector light field with azimuthally varying state of polarization [12169-756]
12169 D2	Remote detection of high temperature target spectral radiation by large aperture grating spectrometer [12169-758]
12169 D3	A high precision measurement method of large-size turbine blade based on structured light 3D measurement [12169-759]
12169 D4	Study on fabrication of mid-infrared fiber Bragg gratings based on femtosecond laser [12169-760]

12169 D5	Design of fluorescent optical fiber temperature sensor for high voltage switchgear [12169-761]
12169 D6	Characterization of image intensifier tubes in vary temperature environments [12169-762]
12169 D7	Supercontinuum generation in a dual-wavelength seeded ytterbium-doped fiber amplifier [12169-763]
12169 D8	SDM-based electronic defense intelligent networking technology [12169-764]
12169 D9	High dynamic dew point measurement with two-wavelength TDLAS [12169-767]
12169 DA	The method to measure transparent ice cross section profile [12169-768]
12169 DB	Research progress of scattering lidar technology for ocean profile detection [12169-769]
12169 DC	The effect of mineralogical assemblages and chemical characteristics of clays mineral particles on absorption properties in coastal waters of China [12169-770]
12169 DD	Experimental results from a thermally tuned silicon photonics-based Fourier transform spectrometer (Si-FTS) [12169-771]
12169 DE	A phase error compensation algorithm for white light phase shift interferometry [12169-772]
12169 DF	The design of graphene-based electro-absorption modulator [12169-773]
12169 DG	Optimization of focusing position in laser induced breakdown spectroscopy system based on quantitative analysis internal standard method of steel [12169-774]
12169 DH	Direct gamma estimation method in Fringe projection profilometry [12169-775]
12169 DI	Research on Integrated space laser communication and lidar system [12169-776]
12169 DJ	The spectral irradiance measurement of a large area UV source [12169-780]
12169 DK	A high penetration depth infrared thermometer based on NaGdF ₄ :Yb³+/Er³+/Tm³+ nanorods [12169-781]
12169 DL	Investigation and optimization of an adaptive integrated high bandwidth driver for high speed optical / electrical interconnection $[12169\text{-}782]$
12169 DM	Core pumped large mode area double cladding ytterbium-doped fiber amplifier [12169-783]
12169 DN	2.7kW narrow linewidth all fiber laser [12169-784]
12169 DO	A real-time photoelectric system for foreign objects debris detection on airport runways [12169-786]

12169 DP	Implementation of optical module performance prediction and maintenance on data-driven [12169-790]
12169 DQ	mK-level temperature measurement and control method for LWIR FPAs [12169-792]
12169 DR	Experimental study of the feasibility of micro-laser-assisted machining in polycrystal ZnSe ceramics [12169-794]
12169 DS	Photonic crystal fiber pressure sensing based on birefringence effect [12169-795]