

2022 IEEE 52nd International Symposium on Multiple-Valued Logic (ISMVL 2022)

**Virtual Conference
18 – 20 May 2022**



**IEEE Catalog Number: CFP22034-POD
ISBN: 978-1-6654-2396-0**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22034-POD
ISBN (Print-On-Demand):	978-1-6654-2396-0
ISBN (Online):	978-1-6654-2395-3
ISSN:	0195-623X

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 IEEE 52nd International Symposium on Multiple-Valued Logic (ISMVL) ISMVL 2022

Table of Contents

ISMVL 2022 Registrant Information	ix
ISMVL 2022 Executive Committee	x
ISMVL 2022 Program Committee	xi

Session 1: Circuits

Quantum Multiple Valued Kernel Circuits	1
<i>Aviraj Sinha (Southern Methodist University, USA) and Mitchell A. Thornton (Southern Methodist University, USA)</i>	
Polynomial-Time Formal Verification of Adder Circuits for Multiple-Valued Logic	9
<i>Philipp Niemann (DFKI GmbH / University of Bremen, Germany; University of Bremen, Germany) and Rolf Drechsler (DFKI GmbH / University of Bremen, Germany; University of Bremen, Germany)</i>	
A Convenient Implementation of the Ternary Logic using Anti-Ambipolar Transistors and PMOS Based on Printed Carbon Nanotubes	15
<i>Jongbeom Kim (Kyungpook National University, (KNU), South Korea), Yeji Kim (Kyungpook National University, (KNU), South Korea), Hyundong Lee (Kyungpook National University, (KNU), South Korea), Jihyeong Yun (Kyungpook National University, (KNU), South Korea), Hyeeseung Jang (Kyungpook National University, (KNU), South Korea), Huijeen Jin (Kyungpook National University, (KNU), South Korea), Juhee Park (Sookmyung Women's University, South Korea), Bongjun Kim (Sookmyung Women's University, South Korea), and Taigon Song (Kyungpook National University, (KNU), South Korea)</i>	
Ternary Competitive to Binary: A Novel Implementation of Ternary Logic using Depletion-Mode and Conventional MOSFETs	21
<i>Hyundong Lee (Kyungpook National University, South Korea), Hyeeseung Jang (Kyungpook National University, South Korea), Jihyeong Yun (Kyungpook National University, South Korea), Huijeen Jin (Kyungpook National University, South Korea), Jongbeom Kim (Kyungpook National University, South Korea), Yeji Kim (Kyungpook National University, South Korea), and Taigon Song (Kyungpook National University, South Korea)</i>	

Session 2: Quantum

Quantum Algorithm for Maximum Satisfiability	27
<i>Abdirahman Alasow (Portland State University, USA) and Marek Perkowski (Portland State University, USA)</i>	
Nearest Neighbor Mapping of Quantum Circuits to Two-Dimensional Hexagonal Qubit Architecture	35
<i>Kamalika Datta (Deutsches Forschungszentrum für Künstliche Intelligenz, Germany), Abhoy Kole (JIS University, India), Indranil Sengupta (JIS University, India; Indian Institute of Technology Kharagpur, India), and Rolf Drechsler (University of Bremen, Germany; German Research Centre for Artificial Intelligence (DFKI), Germany)</i>	
Communication Trade Offs in Intermediate Qudit Circuits	43
<i>Andrew Litteken (University of Chicago, USA), Jonathan M. Baker (University of Chicago, USA), and Federick T. Chong (University of Chicago, USA)</i>	

Session 3: Bent Functions and Clones

Construction of Ternary Bent Functions from Ternary Linear Functions	50
<i>Milena Stanković (Department of Computer Science, Faculty of Electronic Engineering, Niš, Serbia), Radomir S. Stanković (Mathematical Institute of SAsA Belgrade, Serbia), Claudio Moraga (Technical University of Dortmund, Germany; Technical University "Federico Santa María"), and Jaakko T. Astola (Tampere University of Technology, Finland)</i>	
On New Properties of the Maiorana-McFarland Ternary Bent Functions	56
<i>Claudio Moraga (TU Dortmund University, Germany; Technical University "Federico Santa María", Chile), Radomir S. Stanković (Department of Computer Science, Faculty of Electronic Engineering, Niš, Serbia; Mathematical Institute, Serbian Academy of Sciences and Arts, Serbia), and Milena Stanković (Department of Computer Science, Faculty of Electronic Engineering, Niš, Serbia)</i>	
Centralizing Monoids, Majority Operations and the Slupecki Clone	62
<i>Hajime Machida (Hitotsubashi University, Japan)</i>	
Weak Bases for Boolean Relational Clones Revisited	68
<i>Mike Behrisch (Technische Universität Wien; Johannes Kepler Universität Linz, Austria)</i>	
Bent-Based Realization of a Class of Ternary Plateaued Functions	74
<i>Claudio Moraga (Technical University Dortmund, Germany; Technical University "Federico Santa María"), Radomir S. Stankovic (Serbian Academy of Sciences and Arts, Serbia; Mathematical Institute, Serbian Academy of Sciences and Arts, Serbia), and Milena Stankovic (University of Niš, Serbia)</i>	
Current Challenges in Infinite-Domain Constraint Satisfaction: Dilemmas of the Infinite Sheep	80
<i>Michael Pinsker (Technische Universität Wien, Austria)</i>	

Session 4: Theory 1

Constructions of Kleene Lattices	88
<i>Ivan Chajda (Palacký University Olomouc, Czech Republic), Helmut Länger (TU Wien, Austria; Palacký University Olomouc, Czech Republic), and Jan Paseka (Masaryk University, Czech Republic)</i>	
An Algebraic Approach Towards the Fine-Grained Complexity of Graph Coloring Problems	94
<i>Ambroise Baril (Universté de Lorraine: Nancy, France), Miguel Couceiro (Universté de Lorraine: Nancy, France), and Victor Lagerkvist (Linköping University, France)</i>	
Falsification-Aware Semantics for Description Logics	100
<i>Norihiro Kamide (Teikyo University, Japan)</i>	
Non-Deterministic Many-Valued Modal Logic	106
<i>Thomas Ferguson (University of Amsterdam, Netherlands; University of St. Andrews, Scotland)</i>	
Characteristic Vectors of Reversible Boolean Functions with Threshold Components	113
<i>Andrea Karalic (Faculty of Technical Sciences, University of Novi Sad), Jovanka Pantovic (Faculty of Technical Sciences, University of Novi Sad), and Hristina Suknjaja (Faculty of Technical Sciences, University of Novi Sad)</i>	

Session 5: Theory 2

Falsification-Aware Twist Structures in Description Logic	119
<i>Norihiro Kamide (Teikyo University, Japan)</i>	
On the Sensitivity of Boolean and Multiple-Valued Symmetric Functions	125
<i>Jon Butler (Naval Postgraduate School, USA) and Tsutomu Sasao (Meiji University, Japan)</i>	
Liberating Classical Negation from Falsity Conditions	131
<i>Damian Szmuc (CONICET-SADAF, Argentina) and Hitoshi Omori (Ruhr University Bochum, Germany)</i>	
Haack Meets Herzberger and Priest	137
<i>Hitoshi Omori (Ruhr University Bochum, Germany) and Jonas Rafael Becker Arenhart (Federal University of Santa Catarina, Brazil)</i>	

Session 6: Synthesis

Approximate Memory-Based Logic Synthesis of Index Generation Functions using Linear Decomposition	145
<i>Tomasz Mazurkiewicz (Military University of Technology, Warsaw, Poland)</i>	
LUT Cascade Realization of Threshold Functions and Its Application to Implementation of Ternary Weight Neural Networks	151
<i>Tsutomu Sasao (Meiji University, Japan)</i>	

Optimizations of Ternary Generative Adversarial Networks	158
<i>Kennichi Nakamura (Tokyo Institute of Technology, Japan) and Hiroki Nakahara (Tokyo Institute of Technology, Japan)</i>	
On Decision Diagrams for Maximally Asymmetric Functions	164
<i>Shinobu Nagayama (Hiroshima City University, Japan), Tsutomu Sasao (Meiji University, Japan), and Jon T. Butler (Naval Postgraduate School, USA)</i>	

Session 7: Applications

Two-Dimensional Symbol Mapping for Evaluating Multi-valued Data Transmission Quality	170
<i>Yosuke Iijima (National Institute of Technology(KOSEN), Japan), Kazuharu Nakajima (Gunma University, Japan), and Yasushi Yuminaka (Gunma University, Japan)</i>	
A Method to Generate Rules from Examples	176
<i>Tsutomu Sasao (Meiji University, Japan)</i>	
Fast Interface with Ensemble Ternary Neural Network	182
<i>Ryota Kayanoma (Tokyo Institute of Technology, Japan) and Hiroki Nakahara (Tokyo Institute of Technology, Japan)</i>	
Phase & Power in Genomic Harmonic Analysis	188
<i>Micah Thornton (University of Texas Southwestern, USA)</i>	
Author Index	195