

2022 17th Conference on Ph.D Research in Microelectronics and Electronics (PRIME 2022)

**Villasimius, SU, Italy
12-15 June 2022**



**IEEE Catalog Number: CFP22622-POD
ISBN: 978-1-6654-6701-8**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22622-POD
ISBN (Print-On-Demand):	978-1-6654-6701-8
ISBN (Online):	978-1-6654-6700-1

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

Welcome	xiii
Committees	xv
Company Fair	xix
Social Events	xxi
Regular Papers	
RF Circuits and Systems I	
Immunity of ENOP-Based Fractional-N Frequency Synthesizer to Wandering and Horn Spurs <i>V. Mazzaro, M. Kennedy</i> University College Dublin, Ireland	1
Influence of Amplitude and Phase Imbalance on a Y-band Bootstrapped Frequency Doubler using 130-nm SiGe Technology <i>X. Chen, M. Wei, R. Negra</i> RWTH Aachen University, Chair of High Frequency Electronics, Germany	5
A Configurable Active Bandpass Filter with DC Offset Suppression for Direct Down-Conversion Wake-Up Receivers in 28nm <i>C. Nardi, R. Wunderlich, S. Heinen</i> RWTH Aachen University, Germany	9
A Distributed Amplitude Control Loop for VCO-Array-Based EPR-on-a-chip Detectors <i>A. Sakr, M. Hassan, K. Khan, M. Kern, J. Anders</i> University of Stuttgart, Germany	13
Manufacturing and Testing	
Defect Detection in Double-Sided Cooled Power Modules by Structure Functions <i>C. Scognamillo¹, A. Catalano¹, V. D'Alessandro¹, L. Codecasa², A. Castellazzi³</i> ¹ Università degli Studi di Napoli Federico II, Italy, ² Politecnico di Milano, Italy, ³ Solid-State Power Processing Lab, Kyoto University of Advanced Science Kyoto, Japan, Japan	17
A Study on ESD-CDM Cross Power Domain Failures <i>M. Dobre¹, P. Coll², G. Brezeanu³</i> ¹ Microchip Technology Inc., Polytechnic University Bucharest, Romania, ² Microchip Technology Inc., France, ³ Polytechnic University Bucharest, Romania	21
Manufacturing of Silver-Ink Micrometer Inductors Through Multilayer D.O.D. Printing for VHF Power Transfer <i>G. Barbalace¹, D. Natali¹, M. Scolari²</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy	25

Using Formal Methods to Evaluate Hardware Reliability in the Presence of Soft Errors <i>B. Xue, M. Zwolinski</i> University of Southampton, United Kingdom	29
SPAD-Based Circuits	
Three-Wavelength SPAD-Based Photoplethysmography <i>I. Cusini¹, R. Rinaldi¹, P. Castiglioni², A. Faini³, F. Villa¹</i> ¹ Dipartimento di Elettronica, Informazione e Bioingegneria, Politecnico di Milano, Italy, ² Laboratorio Analisi del Movimento e BioIngegneria della Riabilitazione, IRCCS Fondazione Don Carlo Gnocchi, Italy, ³ Dept. Cardiovascular, Neural and Metabolic Sciences, S.Luca Hospital, Istituto Auxologico Italiano, IRCCS, Italy	33
Design Algorithm for N-bit Input Parallel Counters in Application to dSiPM Readout <i>S. Giroletti, L. Ratti, C. Vacchi</i> University of Pavia, Italy	37
The Negative Impact of Anode Resistance on SiPM VLC Receivers <i>W. Matthews, S. Collins</i> University of Oxford, United Kingdom	41
Comparison of Background-Rejection Techniques for SPAD-based LiDAR Systems <i>A. Tontini¹, L. Gasparini², E. Manuzzato², M. Perenzoni², R. Passerone¹</i> ¹ Università di Trento, Italy, ² Fondazione Bruno Kessler, Italy	45
Sensors I	
Planar Capacitive Transducers for a Miniaturized Particulate Matter Detector <i>U. Ferlito¹, A. Cisto¹, L. Ferro², G. Bruno¹, A. Grasso²</i> ¹ STMicroelectronics, Italy, ² University of Catania - DIEEI, Italy	49
Quantum Dots for Explosive Detection in Air - Two Complimentary Approaches <i>F. Mitri, A. De Iacovo, S. De Santis, G. Sotgiu, L. Colace</i> Università degli Studi Roma Tre, Italy	53
Flood Monitoring: a LoRa Based Case-Study in the City of L'Aquila <i>M. Ragnoli¹, V. Stornelli¹, D. Del Tosto², G. Barile¹, A. Leoni¹, G. Ferri¹</i> ¹ Università degli Studi dell'Aquila, Italy, ² Municipal Administration of L'Aquila, Italy	57
Interface Circuit for Low-Resistance Sensors Based on Noise Cancelling Technique <i>M. Mohammadi Abdevand¹, D. Livornes², A. Vergani², P. Malcovati¹, E. Bonizzoni¹</i> ¹ University of Pavia, Italy, ² STMicroelectronics, Analog and MEMS Group, Italy	61
Analog Circuits I	
A 2+1 Hybrid Incremental MASH Converter <i>A. Colucci¹, M. Rigo², C. Fiocchi², P. Malcovati¹, E. Bonizzoni¹</i> ¹ University of Pavia, Italy, ² ams OSRAM Group, Germany	65
High-Efficiency 0.3V OTA in CMOS 130nm Technology Using Current Mirrors with Gain <i>R. Della Sala, F. Centurelli, G. Scotti, P. Monsurrò</i> Università degli Studi di Roma La Sapienza, Italy	69
1-mS Constant-Gm GaN Transconductor with Embedded Process Compensation <i>K. Samperi¹, S. Pennisi¹, F. Pulvirenti², G. Palmisano¹</i> ¹ University of Catania, Italy, ² STMicroelectronics, Italy	73
A 0.5-V 28-nm CMOS Inverter-Based Comparator with Threshold Voltage Control <i>C. Venezia, A. Ballo, S. Pennisi</i> University of Catania - DIEEI, Italy	77

A Novel Common-Gate Comparator with Auto-Zeroing Offset Cancellation <i>A. Dago¹, M. Leoncini¹, A. Cattani², S. Levantino¹, M. Ghioni¹</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy	81
A Triode-Compensated CMOS Bandgap Core for Sub-250 mV Supply Voltages <i>F. Gagliardi¹, A. Ria², G. Manfredini¹, M. Piotta¹, P. Bruschi¹</i> ¹ University of Pisa, Italy, ² IEIT - CNR, Italy	85
Behavioural Current Limiter Optimisation <i>F. Grattacaso¹, D. Mayer², P. Del Croce², A. Baschirotto¹</i> ¹ University of Milano Bicocca, Italy, ² Infineon Technologies, Austria	89
Sensors II	
PixiStamp: A Tool to Acquire, Process, and Sequence AER Data from Event-driven Systems <i>R. De La Rosa Vidal, R. Gómez-Merchán, J. Leñero-Bardallo, A. Rodríguez-Vázquez</i> University of Seville, Spain	93
A Compact Embedded System for Time-Based Electrochemical Impedance Spectroscopy of Gas Sensors <i>A. Radogna¹, S. Capone, L. Francioso, P. Siciliano, S. D'Amico²</i> ¹ CNR-IMM, University of Salento, Italy, ² University of Salento, Italy	97
A 55nm Low-Noise Super-Source-Follower Preamplifier for MEMS Microphones <i>F. Benedini¹, L. Sant², R. Gaggi², A. Baschirotto¹</i> ¹ University of Milano Bicocca, Italy, ² Infineon Technologies, Austria	101
On the Implementation of In-Pixel Controlled Diodes with Sensing and Energy Harvesting Capabilities <i>R. Gómez-Merchán, R. De La Rosa Vidal, J. Leñero-Bardallo, A. Rodríguez-Vázquez</i> Seville Institute of Microelectronics (IMSE-CNM), Spain	105
Optimization and Characterization of Inkjet Printed Interdigitated Electrode Geometries for Impedance Measurements <i>K. Vora¹, N. Kordas¹, K. Seidl²</i> ¹ Fraunhofer IMS, Germany, ² University of Duisburg-Essen, Germany	109
Investigation of Timing Properties for an Event Driven with Access and Reset Decoder Readout Architecture for a Pixel Array <i>D. Gorni, G. Deptuch, S. Miryala</i> Brookhaven National Laboratory, United States	113
Centroid Estimation Method with Sub-Pixel Resolution for Event-Based Sun Sensors <i>L. Farian¹, P. Fernández-Peramo², J. Leñero-Bardallo², P. Hafliger³</i> ¹ Nordic Semiconductor, Norway, ² Seville Institute of Microelectronics (IMSE-CNM), Spain, ³ University of Oslo, Norway	117
Digital Circuits I	
Profiling of CNNs using the MATLAB FPGA-Based Deep Learning Processor <i>S. Spanò, L. Canese, G. Cardarilli</i> University of Rome "Tor Vergata", Italy	121
A 0.63 pJ/bit Fully-Digital BPSK Demodulator for US-Powered IMDs Downlink in a 28-nm Bulk CMOS Technology <i>M. Privitera, A. Ballo, A. Grasso</i> University of Catania - DIEEI, Italy	125

Hardware-Oriented Multi-Exposure Fusion Approach for Real-Time Video Processing on FPGA	
<i>M. Sangiovanni, F. Spagnolo, P. Corsonello</i>	
University of Calabria - DIMES, Italy	129
Logic Synthesis From Incomplete Specifications Using Disjoint Support Decomposition	
<i>A. Costamagna, G. De Micheli</i>	
EPFL, Switzerland	133
Approximate Recursive Multipliers Using Carry Truncation and Error Compensation	
<i>I. Nunziata¹, E. Zacharelos¹, G. Saggese¹, A. Strollo¹, E. Napoli²</i>	
¹ Università degli Studi di Napoli Federico II, Italy, ² University of Salerno, Italy	137
Runtime Reconfigurable Hardware Accelerator for Energy-Efficient Transposed Convolutions	
<i>E. Marrazzo¹, F. Spagnolo¹, S. Perri²</i>	
¹ University of Calabria - DIMES, Italy, ² University of Calabria - DIMEG, Italy	141
Interaction Between Forming Pulse and Integration Process Flow in ePCM	
<i>M. Baldo¹, E. Petroni, L. Laurin, G. Samanni, O. Melnic, D. Ielmini, A. Redaelli</i>	
¹ STMicroelectronics, Politecnico di Milano, Italy	145
RF Circuits and Systems II	
Linearity Analysis of BiCMOS Coherent TIAs	
<i>X. Liu¹, E. Bonizzoni¹, F. Maloberti¹, Y. Liu²</i>	
¹ University of Pavia, Italy, ² Microtera Guangzhou, China	149
A 1.1-to-2.7 GHz CMOS Power Amplifier with Digitally-Reconfigurable-Impedance Matching-Network (DRIMN) for Wideband Performance Optimization	
<i>S. Mariappan¹, J. Rajendran¹, N. Aridas², A. Nathan³, A. Grebennikov⁴, B. Yarman⁵</i>	
¹ Universiti Sains Malaysia, Malaysia, ² University of Malaya, Malaysia, ³ Cambridge University, United Kingdom, ⁴ Sumitomo Electric Europe Ltd, United Kingdom, ⁵ Istanbul University, Turkey	153
A Compact C-band EPR-on-a-chip Transceiver in 130-nm SiGe BiCMOS	
<i>H. Lotfi, M. Atef Hassan, M. Kern, J. Anders</i>	
University of Stuttgart, Germany	157
An Ultra Low-Voltage RF Front-end Receiver for IoT Devices	
<i>F. Malena¹, X. Aragoes², D. Mateo², M. Caselli¹, A. Boni¹</i>	
¹ University of Parma, Department of Engineering and Architecture, Italy, ² Universitat Politècnica de Catalunya, Department of Electronic Engineering, Spain	161
Retrodirective Rectenna Arrays for Passive SHF-RFID Transponders	
<i>S. Böller¹, T. Greuter¹, A. Hennig², A. Grabmaier³</i>	
¹ Fraunhofer IMS, Germany, ² Hochschule Ruhr West, Germany, ³ University of Duisburg-Essen, Germany	165
Human Monitoring and Detection Systems	
Heterogeneous FPGA-Based System for Real-Time Drowsiness Detection	
<i>A. Migali, F. Spagnolo, P. Corsonello</i>	
University of Calabria - DIMES, Italy	169
Two-Stage Human Activity Recognition on Microcontrollers with Decision Trees and CNNs	
<i>F. Daghero, D. Jahier Pagliari, M. Poncino</i>	
Politecnico di Torino, Italy	173
Differential Impedance Biosensing Platform for Early Diagnosis of Viral Infections	
<i>P. Piedimonte¹, L. Sola², M. Chiari², G. Ferrari¹, M. Sampietro¹</i>	
¹ Politecnico di Milano, Italy, ² Istituto di scienze e Tecnologie Chimiche, CNR, Italy	177

Energy-Efficient and Privacy-Aware Social Distance Monitoring with Low-Resolution Infrared Sensors and Adaptive Inference <i>C. Xie, D. Jahier Pagliari, A. Calimera</i> Politecnico di Torino, Italy	181
Design of a CMOS Analog Front-End for Wearable A-Mode Ultrasound Hand Gesture Recognition <i>Y. Zhang, D. Jiang, A. Demosthenous</i> University College London, United Kingdom	185
Analog Circuits II	
A Low-Power, Short Dead-Time ASIC for SiPMs Readout with 200 MS/s Sampling Rate <i>S. Tedesco</i> INFN of Turin, Italy	189
FALCON Readout Channel for X-ray Ptychography Applications <i>P. Lazzaroni¹, M. Hammer², M. Manghisoni¹, A. Miceli², L. Ratti³, V. Re¹</i> ¹ Università degli Studi di Bergamo, Italy, ² Argonne National Laboratory, United States, ³ University of Pavia, Italy	193
16- and 64-Point Analog Computing of FFT with Improved Performance and Efficiency <i>J. Li, X. Chao, Q. Li</i> University of Electronic Science and Technology of China, China	197
A 3-Decade-Frequency-Range Sinewave Synthesizer with Analog Piecewise-Linear Interpolation <i>F. Gagliardi¹, A. Ria², G. Manfredini¹, P. Bruschi¹, M. Piotta¹</i> ¹ University of Pisa, Italy, ² IEIIT - CNR, Italy	201
Design and Characterization of an Active Low-Pass Envelope Detector for Wake-Up Radio Receivers <i>A. Elgani¹, M. D'Addato¹, L. Perilli¹, E. Franchi Scarselli¹, R. Canegallo²</i> ¹ University of Bologna, Italy, ² STMicroelectronics, Italy	205
Design and Optimization of a Vibrational-MEMS Based Energy Harvester <i>E. Holguin¹, L. Trojman¹, L. Procel², A. Brenes³, A. Vladimirescu⁴</i> ¹ Institut supérieur d'électronique de Paris (ISEP), France, ² Universidad San Francisco de Quito (USFQ), Ecuador, ³ Centre for Nanoscience and Nanotechnology (C2N), France, ⁴ University of California, Berkeley, United States	209
Analysis of Chopper Ripple Reduction by Delayed Sampling <i>S. Reich, G. Kunze, M. Sporer, M. Ortmanns</i> University of Ulm, Germany	213
Digital Circuits II	
A Novel Low-Power DLMS Adaptive Filter with Sign-Magnitude Learning and Approximated FIR Section <i>G. Di Meo, D. De Caro, N. Petra, A. Strollo</i> Università degli Studi di Napoli Federico II, Italy	217
An Integrated Multi-Order Digital Control Unit for Maximum Length Sequence Circulant Matrix Generation <i>A. Radogna¹, S. Capone, L. Francioso, P. Siciliano, S. D'Amico²</i> ¹ CNR-IMM, University of Salento, Italy, ² University of Salento, Italy	221

Using Application Profiling Based on a Virtual Platform for SoC Fault Tolerance Assessment <i>L. Noizette¹, F. Miller², T. Colladant³, Y. Helen³, R. Leveugle⁴</i> ¹ TIMA Laboratory / Nucleudes, France, ² Nucleudes, France, ³ DGA, France, ⁴ TIMA Laboratory, France	225
Mitigating Cache Contention-Based Attacks by Logical Associativity <i>X. Liu, M. Zwolinski</i> University of Southampton, United Kingdom	229
Phase-Change Memory Cells Characterization in an Analog In-Memory Computing Perspective <i>A. Antolini¹, A. Lico¹, E. Franchi Scarselli², M. Carissimi³, M. Pasotti³</i> ¹ University of Bologna, Italy, ² ARCES - DEI, University of Bologna, Italy, ³ STMicroelectronics, Italy	233
Analysis of a Fault Tolerant Edge-Computing Microarchitecture Exploiting Vector Acceleration <i>M. Barbirotta, A. Cheikh, A. Mastrandrea, F. Menichelli, M. Olivieri</i> Università degli Studi di Roma La Sapienza, Italy	237
A Novel Fully Digital Particle Detector with High Spatial Resolution <i>M. Franks¹, N. Massari¹, L. Parmesan¹, G. Casse²</i> ¹ Fondazione Bruno Kessler, Italy, ² University of Liverpool, United Kingdom	241
Power Electronics	
Design of an LLC Resonant DC-DC Converter with MOSFET-Based Active Rectifier <i>A. Liotta¹, G. Frattini², P. Giannelli², E. Bonizzoni¹, P. Malcovati¹</i> ¹ University of Pavia, Italy, ² Analog Devices S.r.l., Italy	245
A 240 V to 47.5 V Fully Integrated Switched-Capacitor Converter in GaN Achieving 62.6% Efficiency at 220 mW/mm² <i>B. Veraverbeke, T. Thielemans, T. Van Daele, F. Tavernier</i> KU Leuven, Belgium	249
Integrated Loop-Gain Measurement Circuit for DC/DC Boost Converters with Time-Based Control <i>M. Leoncini¹, P. Melillo¹, A. Bertolini², S. Levantino¹, M. Ghioni¹</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy	253
A Novel Feedforward Technique for Improved Line Transient in Time-Based-Controlled Boost Converters <i>P. Melillo¹, A. Dago¹, A. Gasparini², S. Levantino¹, M. Ghioni¹</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy	257
Design Methodology of the Output Power Stage of a Step-Down DC-DC Converter <i>A. Bella¹, G. Giustolisi¹, M. La Rosa², G. Sicurella²</i> ¹ University of Catania - DIEEI, Italy, ² STMicroelectronics, Italy	261
A Fully-Differential Delay-Line Based Control for Resonant Switched-Capacitor Converter <i>A. Farina¹, A. Nicolosi¹, E. Bonizzoni²</i> ¹ STMicroelectronics, Italy, ² University of Pavia, Italy	265
Modelling and Analysis of $\Delta\Sigma$-Modulation-Based Output Spectrum Spur Reduction in Dual-Path Hybrid DC-DC Converters <i>X. Zhang, Y. Jiang, M. Law, P. Mak, R. Martins</i> University of Macau, China	269
Circuits and Systems for Photonic Applications	

Analysis and Design of a Fully-Integrated Pulsed LiDAR Driver in 100V-GaN IC Technology <i>A. Bettini¹, T. Cosnier², A. Magnani², O. Syshchyk², M. Borga², A. Neviani¹</i> ¹ University of Padova, Italy, ² Imec, Belgium	273
CMOS Driving Circuit Operating down to 77 K for Single-Photon Emitting Diode <i>M. Castriotta¹, A. Falbo¹, L. Orsenigo², F. Olivieri³, G. Ferrari¹</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy, ³ Quantum Motion Technologies Ltd, Italy	277
Near-Infrared Graphene/4H-SiC Schottky Photodetectors <i>E. Mallema¹, T. Crisci², F. Della Corte³, S. Rao¹, M. Casalino⁴</i> ¹ Mediterranea University of Reggio Calabria, Italy, ² University of Campania "Luigi Vanvitelli", Italy, ³ Università degli Studi di Napoli Federico II, Italy, ⁴ Institute of Applied Sciences and Intelligent Systems (ISASI), CNR, Italy	281
Non-Invasive Light Sensor with Enhanced Sensitivity for Photonic Integrated Circuits <i>V. Grimaldi, F. Zanetto, F. Toso, C. De Vita, G. Ferrari</i> Politecnico di Milano, Italy	285
An Open-Circuit Voltage Pixel in a Standard CMOS Process for Low-Light Visible Imaging <i>R. Fragasse¹, R. Tantawy², S. Smith³, S. Ay⁴, W. Khalil¹</i> ¹ The Ohio State University, United States, ² SenselCs Corporation, United States, ³ The ElectroScience Laboratory, United States, ⁴ The University of Idaho, United States	289
A Novel Mixed-Signal Silicon Photomultiplier with Analog-Domain Cross-Correlation Computation for LiDAR Applications <i>A. Morciano¹, M. Gandola, S. D'Amico², M. Perenzoni</i> ¹ University of Salento, Fondazione Bruno Kessler, Italy, ² University of Salento, Italy	293
Circuits and Interfaces for Neural Recording	
How to Design an Input Stage for Neural Recording System in 22 nm FDSOI <i>F. Schüffny, S. Höppner, S. Zeinolabedin, R. George, C. Mayr</i> TU Dresden, Germany	297
Low Power Spike Detector for Brain-Silicon Interface using Differential Amplitude Slope Operator <i>G. Saggese, E. Zacharelos, A. Strollo</i> Università degli Studi di Napoli Federico II, Italy	301
Sub-μW Front-End Low Noise Amplifier for Neural Recording Applications <i>R. Della Sala, F. Centurelli, P. Monsurrò, G. Scotti</i> Università degli Studi di Roma La Sapienza, Italy	305
Development of an Analog Front-End for Brain-Computer Interfaces <i>S. Doliwa¹, A. Erbslöh², K. Seid², I. Iossifidis¹</i> ¹ Hochschule Ruhr West, University of Applied Sciences, Germany, ² University of Duisburg-Essen, Germany	309
Power and Data Transmission	
Complementary High-Voltage Compliant High-Current Output Stages for PoDL <i>F. Schwarze, F. Protze, C. Matthus, F. Ellinger</i> TU Dresden, Germany	313
A Switched Capacitor Approach for Power Line Communication in Differential Networks <i>A. Ott¹, F. D'Aniello², A. Baschirotto²</i> ¹ Melexis GmbH, Germany, ² University of Milano Bicocca, Italy	317
StrongArm-Latch-Based Receiver for Supply Line Embedded Communication <i>F. D'Aniello¹, A. Ott², A. Baschirotto¹</i> ¹ University of Milano Bicocca, Italy, ² Melexis GmbH, Germany	321

Electrical Model of a Wireless mW-Power and Mbps-Data Transfer System Over a Single Pair of Coils <i>D. Palomeque-Mangut¹, A. Schmid², A. Rodríguez-Vázquez¹, M. Delgado-Restituto¹</i> ¹ Seville Institute of Microelectronics (IMSE-CNM), Spain, ² Swiss Federal Institute of Technology Lausanne (EPFL), Switzerland	325
Simultaneous Wireless Power and Data Transmission Through a Single Inductive Link For Multiple Implantable Medical Devices <i>M. Karimi, Y. Zhou, C. Dehollain, A. Schmid</i> EPFL, Switzerland	329
Biomedical Electronics	
Acquisition RX Chain for PMUT-Based Highly Integrated Ultrasound Imaging Systems <i>L. Novaresi¹, M. Terenzi², P. Malcovati¹, A. Mazzanti¹, E. Bonizzoni¹</i> ¹ University of Pavia, Italy, ² ST Microelectronics, Italy	333
Analysis of Current-Reuse and Split-Voltage Topology for Biomedical Amplifier Arrays <i>S. Simmich, R. Rieger</i> University of Kiel, Germany	337
SoC for Retinal Ganglion Cell Stimulation with Integrated Sinusoidal Kilohertz Frequency Waveform Generation <i>P. Löhler¹, A. Pickhinke¹, A. Erbslöh¹, R. Kokozinski², K. Seidl²</i> ¹ University of Duisburg-Essen, Germany, ² Fraunhofer Institute for Microelectronic Circuits and Systems, University of Duisburg-Essen, Germany	341
A Wearable Electronic System for EEG Recording <i>R. Collu, A. Mascia, A. Spanu, M. Frascini, P. Cosseddu, M. Barbaro</i> University of Cagliari, Italy	345
An Automatic Tuning System to Improve Near-Field Powering in Implanted Electronics <i>R. Collu, C. Salis, M. Barbaro</i> University of Cagliari, Italy	349
Cryptography and Neural Networks	
The DD-Cell: a Double Side Entropic Source exploitable as PUF and TRNG <i>R. Della Sala, G. Scotti</i> Università degli Studi di Roma La Sapienza, Italy	353
Programmable Delay Lines on Different LUT Implementations for CRO-PUF <i>G. Diez-Senorans, M. Garcia-Bosque, C. Sanchez-Azqueta, S. Celma</i> University of Zaragoza, Spain	357
An Analysis of Ring Oscillator PUF Behaviour Depending on the Ring Oscillator Locations <i>M. Garcia-Bosque¹, R. Aparicio², G. Diez-Senorans², C. Sanchez-Azqueta², S. Celma²</i> ¹ Centro Universitario de la Defensa de Zaragoza, Spain, ² University of Zaragoza, Spain	361
Leaky Integrate-and-Fire Neuron with a Refractory Period Mechanism for Invariant Spikes <i>H. Lehmann¹, J. Hille², C. Grassmann², V. Issakov³</i> ¹ Infineon Technologies AG / TU Braunschweig, Germany, ² Infineon Technologies AG, Germany, ³ TU Braunschweig / Infineon Technologies AG, Germany	365
A Low-Resource Digital Implementation of the Fitzhugh-Nagumo Neuron <i>A. Leigh, M. Heidarpur, M. Mirhassani</i> University of Windsor, Canada	369

Architectural Implications for Inference of Graph Neural Networks on CGRA-Based Accelerators <i>L. Zulberti, M. Monopoli, P. Nannipieri, L. Fanucci</i> University of Pisa, Italy	373
Author Index	377