

2022 20th IEEE Interregional NEWCAS Conference (NEWCAS 2022)

**Quebec City, Quebec, Canada
19 – 22 June 2022**



**IEEE Catalog Number: CFP22NEW-POD
ISBN: 978-1-6654-0106-7**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22NEW-POD
ISBN (Print-On-Demand):	978-1-6654-0106-7
ISBN (Online):	978-1-6654-0105-0

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENT

ANALOG CIRCUIT DESIGN 1

Performance Improvement of Order Statistics Based Flash ADC Using Multiple Comparator Groups...1

T. Kitamura, M. Islam, T. Hisakado, O. Wada
Kyoto University, Japan

Design of an Energy Efficient Analog Two-Quadrant Multiplier Cell Operating in Weak Inversion...5

R. Nägele, J. Finkbeiner, M. Grözing, M. Berroth
University of Stuttgart, Germany

Generative-Neural-Networks-Based PV-Aware Analog Layout Correction...10

M. Ahmadi, L. Zhang
Memorial University of Newfoundland, Canada

Baseband TIA Design Using Inversion Coefficient MOSFET Model in CMOS 28nm...15

L. Lançon^{3}, H. Vallée^{2}, G. Montoriori^{2}, F. Brunelli^{2}, T. Taxis^{1}
^{1}IMS, UMR 5818 CNRS, Université de Bordeaux, France; ^{2}NXP Semiconductors, France;
^{3}NXP Semiconductors / IMS Bordeaux, France

A 10.2-ENOB, 150-MS/s Redundant SAR ADC with a Quasi-Monotonic Switching Algorithm for Time-Interleaved Converters...20

L. Scaletti, G. Bè, A. Parisi, L. Bertulessi, L. Ricci, M. Mercandelli, S. Levantino, C. Samori, A. Bonfanti
Politecnico di Milano, Italy

DIGITAL AND MIXED-CIRCUIT DESIGN

All-Digital Bi-Directional Gated Ring Oscillator Time Integrator for Mixed-Mode Signal Processing...25

P. Parekh^{2}, F. Yuan^{2}, Y. Zhou^{1}
^{1}Lakehead University, Canada; ^{2}Ryerson University, Canada

High-Performance Multi-Function HMAC-SHA2 FPGA Implementation...30

B. Kieu-Do-Nguyen^{2}, T. Hoang^{2}, A. Tsukamoto^{1}, K. Suzuki^{1}, C. Pham^{2}
^{1}National Institute of Advanced Industrial Science and Technology, Japan; ^{2}University of Electro-Communications, Japan

A 2 GS/s 9-Bit Time-Interleaved SAR ADC with Overlapping Conversion Steps...35

M. Tenhunen^{2}, K. Spoo^{2}, V. Unnikrishnan^{3}, K. Stadius^{1}, M. Kosunen^{1}, J. Ryyänen^{1}
^{1}Aalto University, Finland; ^{2}Aalto University/Saab, Finland; ^{3}Tampere University, Finland

A High Throughput True Random Number Generator Using Metastability and Chaos...40

H. Rohail^{2}, R. Ramzan^{1}
^{1}National University of Computer and Emerging Sciences FAST-NU, Pakistan; ^{2}PI Invent, Pakistan

Novel Pulse Detection System Using Differentiation: Prototyping and Experimental Results...45

S. Patil^{2}, B. Singh^{1}, R. Borwankar^{4}, M. Margala^{3}
^{1}IEEE, United States; ^{2}University of Massachusetts Lowell, United States; ^{3}University of Massachusetts Lowell, University of Louisiana at Lafayette, United States; ^{4}Worcester Polytechnic Institute, United States

BIOMEDICAL CIRCUITS AND SYSTEMS

Motion Detection and Analysis Using Multimaterial Fiber Sensors...50

M. Ozon^{4}, A. Frasier^{1}, M. Janusz^{4}, G. Gagnon-Turcotte^{4}, M. Roudjane^{2}, L. Bouyer^{1}, G. Gagnon^{3}, Y. Messaddeq^{1}, B. Gosselin^{4}
^{1}CIRRIIS, Université Laval, Canada; ^{2}COPL, CIRRIIS, Université Laval, Canada; ^{3}École de Technologie Supérieure, Canada; ^{4}Université Laval, Canada

Artifact-Recovery in Neuromodulators Using Tunable High-Pass Corners...55

S. Reich, D. Fritschi, M. Sporer, M. Ortmanns
University of Ulm, Germany

A Single Channel Concurrent Data Transmission System for Detection of 4-Electrode Dissolved Oxygen and Temperature...60

A. Nag^{2}, T. Narayan^{1}, A. O'riordan^{1}, P. Lovera^{1}, S. Mitra^{2}
^{1}Tyndall National Institute, Ireland; ^{2}University of Edinburgh, United Kingdom

A Broadband Transceiver ASIC for X-Nuclei NMR Spectroscopy in 0.13 μm BiCMOS...65

F. Dreyer^{1}, D. Krüger^{1}, S. Baas^{2}, A. Velders^{2}, J. Anders^{1}
^{1}Institute of Smart Sensors, University of Stuttgart, Germany; ^{2}Laboratory of BioNanoTechnology, Wageningen University, Netherlands

Low Complex Hardware Architecture Design Methodology for Cubic Spline Interpolation Technique for Assistive Technologies...70

G. Cheduluri^{2}, S. Bhardwaj^{4}, V. Hansigida^{4}, A. Nali^{4}, G. Naik^{1}, A. Acharyya^{3}
^{1}Flinders University, Australia; ^{2}Indian Institute of Technology Hyderabad, India; ^{3}Indian Institute of Technology, Hyderabad, India; ^{4}Xilinx, India

RF, MICROWAVE AND COMMUNICATION CIRCUITS 1

Integrated Self-Interference Suppression for Single Antenna Full-Duplex Without Circulator...75

Y. Du, J. Chen, K. Han, G. Li, T. Qu, S. Liu
Northwestern Polytechnical University, China

Circularly Polarized In-Band Full-Duplex Antenna Array for Ka-Band Inter-CubeSat Links...80

H. Hijazi{2}, A. Pen{4}, M. Le Roy{4}, R. Lababidi{2}, D. Le Jeune{2}, A. Pérennec{4}, J. Issler{1}, K. Elis{1}, J. Corre{3}
{1}Centre National d'Etudes Spatiales, France; {2}ENSTA Bretagne, France; {3}Syrlinks, France; {4}Université de Bretagne Occidentale, France

A Novel Ultra-Wideband Low-Noise Amplifier Using an Extended Bandwidth RLC Topology...84

S. Ghaneei Aarani{2}, M. Mehranpouy{1}, B. Gosselin{2}
{1}Islamic Azad University, Iran; {2}Université Laval, Canada

NB-IoT High Linear Doherty Amplifier with Active Balun...89

T. Lecocq, E. Kerhervé, J. Pham
Bordeaux University, IMS Laboratory, CNRS UMR 5218, Bordeaux INP, France

A Wideband Balun-LNA for Sub-6-GHz 5G NR with Multi-Mode Operation in 22-nm FD-SOI...94

I. Ghotbi, B. Behmanesh, M. Törmänen
Lund University, Sweden

NEURAL NETWORKS AND NEUROMORPHIC CIRCUITS

Polyomino: A 3D-SRAM-Centric Architecture for Randomly Pruned Matrix Multiplication with Simple Rearrangement Algorithm and x0.37 Compression Format...99

K. Shiba, M. Okada, A. Kosuge, M. Hamada, T. Kuroda
University of Tokyo, Japan

Hardware Aware Modeling of Mixed-Signal Spiking Neural Network...104

S. Nowshin Chowdhury, S. Shah
University of Maryland, College Park, United States

SqueezeVGGNet: A Methodology for Designing Low Complexity VGG Architecture for Resource Constraint Edge Applications...109

R. Chandrapu{1}, C. Pal{2}, A. Nimbekar{1}, A. Acharyya{2}
{1}Indian Institute of Technology Hyderabad, India; {2}Indian Institute of Technology, Hyderabad, India

Siamese Convolutional Neural Network and Few-Shot Learning for Embedded Gesture Recognition...N/A

S. Tam^{2}, M. Boukadoum^{1}, A. Campeau-Lecours^{2}, B. Gosselin^{2}
^{1}Université du Québec à Montréal, Canada; ^{2}Université Laval, Canada

Neuromorphic Capacitive Tactile Sensors Inspired by Slowly Adaptive Mechanoreceptors...119

E. Janotte^{1}, S. Bamford^{1}, O. Richter^{3}, M. Valle^{2}, C. Bartolozzi^{1}
^{1}Fondazione Istituto Italiano di Tecnologia, Italy; ^{2}University of Genova, Italy;
^{3}University of Groningen, Netherlands

SENSORS AND ACTUATORS

Histogram Compressive Sensing Using Shuffled Cellular Automata: the TCSPC Sensor Use Case...124

V. Poisson, W. Guicquero, D. Coriat, G. Sicard
CEA, France

CMOS Multi-Frequency Lock-In Sensor for Impedance Spectroscopy in Microbiology Applications...129

S. Hosseini, V. Khojasteh Lazarjan, M. Makhdoumi Akram, B. Gosselin
Université Laval, Canada

A Surface-Micromachined Levitating MEMS Speaker...134

A. Verreault^{1}, P. Cicek^{2}, A. Robichaud^{1}
^{1}Université du Québec à Chicoutimi, Canada; ^{2}Université du Québec à Montréal, Canada

Standalone Wearable Lung Performance and Air Quality Monitoring Device for Chronic Respiratory Diseases...139

S. Patel, R. Saha, S. Samain, K. Aishwarya, R. Nazari, M. Karimi, S. Mirbozorgi
University of Alabama at Birmingham, United States

A Low-Power Low-Noise Biopotential Amplifier in 28 nm CMOS...143

E. Ranjbar Koleibi, M. Benhouria, K. Koua, W. Lemaire, S. Roy, R. Fontaine
Interdisciplinary Institute for Technological Innovation, Université de Sherbrooke, Canada

SPECIAL SESSION: ADVANCED CIRCUITS AND SYSTEMS FOR EMBEDDED AI APPLICATIONS

Analog Spiking Neuron in 28 nm CMOS...148

M. Besrou^{2}, S. Zitoun^{2}, J. Lavoie^{2}, T. Omran^{2}, K. Koua^{1}, M. Benhouria^{1}, M. Boukadoum^{3}, R. Fontaine^{1}
^{1}Interdisciplinary Institute for Technological Innovation, Université de Sherbrooke, Canada; ^{2}Université de Sherbrooke, Canada; ^{3}Université du Québec à Montréal, Canada

Neuromorphic-Enabled Security for IoT...153

S. Salehi^{2}, T. Sheaves^{2}, K. Immanuel Gubbi^{2}, S. Beheshti-Shirazi^{1}, S. Manoj P D^{1}, S. Rafatirad^{2}, A. Sasan^{2}, T. Mohsenin^{3}, H. Homayoun^{2}
^{1}George Mason University, United States; ^{2}University of California, Davis, United States;
^{3}University of Maryland, Baltimore County, United States

2D CNN-GRU Model for Multi-Hand Gesture Recognition System Using FMCW Radar...158

K. Alirezazad, G. Rhiel, L. Maurer
Universität der Bundeswehr München, Germany

Hybrid SORN Implementation of k-Nearest Neighbor Algorithm on FPGA...163

N. Hülsmeier^{2}, M. Bärthel^{2}, L. Karsthof^{2}, J. Rust^{1}, S. Paul^{2}
^{1}DSI Aerospace Technologie GmbH, Germany; ^{2}University of Bremen, Germany

Low Complexity Shallow Neural Network with Improved False Negative Rate for Cyber Intrusion Detection Systems...168

J. Ehmer^{3}, B. Granado^{1}, J. Denoulet^{1}, Y. Savaria^{2}, J. David^{2}
^{1}LIP6, CNRS UMR 7606 Sorbonne University, France; ^{2}Polytechnique Montréal, Canada;
^{3}Sorbonne Université, CNRS, LIP6, France

SPECIAL SESSION: UBIQUITOUS DC-DC CONVERTERS

High-and Low-Sides Asymmetric Deadtimes Generator for High-Efficiency Buck Converter Design...173

M. Karimi^{2}, A. Aghajani^{2}, M. Ali^{1}, M. Sawan^{3}, B. Gosselin^{2}
^{1}Polytechnique Montréal, Canada; ^{2}Université Laval, Canada; ^{3}Westlake University, China

Investigation of Different Integrated Temperature Monitoring Sensors for High-Voltage SoC DC-DC Converters...178

N. El-Zarif^{1}, M. Ali^{1}, M. Amer^{1}, A. Hassan^{1}, A. Oukaira^{1}, A. Lakhssassi^{3}, C. Fayomi^{2}, Y. Savaria^{1}
^{1}Polytechnique Montréal, Canada; ^{2}Université du Québec à Montréal, Canada;
^{3}University of Quebec in Outaouais, Canada

Multi-Phase Hybrid Boost Converter with High Conduction Loss Reduction and Fast Dynamic Response for Automotive Applications...183

V. Nguyen^{2}, X. Do^{3}, Y. Blaquière^{2}, G. Cowan^{1}
^{1}Concordia University, Canada; ^{2}École de Technologie Supérieure, University of Québec, Canada; ^{3}LX Semicon, Korea

A Reconfigurable Power System-in-Package Module Using GaN HEMTs and IC Bare Dies on LTCC Substrate: Design - Implementation - Experiment and Future Directions...188

V. Nguyen^{2}, N. Aimaier^{1}, G. Nobert^{2}, T. Pham^{2}, N. Constantin^{2}, Y. Blaqui re^{2}, G. Cowan^{1}

^{1}Concordia University, Canada; ^{2} cole de Technologie Sup rieure, University of Qu bec, Canada

A 400V Gate Driver with Complementary Slope Sensing ZVS Detector and High Voltage Level Shifter for Full-Bridge Phase-Shifted Converters...193

W. Zhu, A. Mishra, A. Karmakar, V. De Smedt
Katholieke Universiteit Leuven, Belgium

SPECIAL SESSION: PHOTONICS INTEGRATED CIRCUITS AND SYSTEMS

Advanced Integration for Silicon Photonics in Datacom Applications...N/A

D. Liang, C. Xie
Alibaba Infrastructure Service / Alibaba Cloud, United States

Photonic Component for Use in Modern Optical Telecommunication...N/A

J. Gagn 
Ciena, Canada

Energy Efficient On-Chip Optical Broadcast with Partial-Absorption Photodiodes...198

R. Cardoso^{2}, L. Arif^{2}, C. Zrounba^{2}, F. Pavanello^{2}, I. O'Connor^{2}, L. Vivien^{3}, L. Virot^{4}, S. Le Beux^{1}

^{1}Concordia University, Canada; ^{2}Ecole Centrale de Lyon, Universit  Claude Bernard Lyon 1, Institut de Nanotechnologies de Lyon, France; ^{3}Universit  Paris-Saclay, France; ^{4}University Grenoble Alpes and CEA-Leti, Universit  Paris-Saclay, France

Design of a Reconfigurable Receiver for Nanophotonic Interconnects...203

S. Zohrei, S. Le Beux
Concordia University, Canada

Silicon Photonics for Machine Learning: Training and Inference...N/A

B. Shastri^{3}, M. Filipovich^{3}, Z. Guo^{3}, P. Prucnal^{2}, S. Shekhar^{4}, V. Sorger^{1}
^{1}George Washington University, United States; ^{2}Princeton University, United States; ^{3}Queen's University, Canada; ^{4}University of British, Canada

ANALOG CIRCUIT DESIGN 2

A Capacitively-Coupled Chopper Instrumentation Amplifier for Implantable Bridge Sensor Systems...208

M. Besirli^{1}, K. Ture^{1}, M. Beghetti^{2}, C. Dehollain^{1}, M. Mattavelli^{1}, D. Barrettino^{1}
^{1} cole Polytechnique F d rale de Lausanne, Switzerland; ^{2}Geneva University Hospitals, Switzerland

A 0.3-V Energy-Efficient Low-Noise CMOS OTA for Portable Bioelectric Signal Acquisition Systems...213

F. Akbar, A. Shabrang, A. Fatemi Mofrad, M. Tazari, A. Isazadeh
Sharif University of Technology, Iran

A Fast Interface Circuit Using Multiple Signal Paths for High Bandwidth Hall Sensors...218

A. Hassan, A. Mahar, K. Faruque, S. Shetty, G. Salamo, H. Mantooth
University of Arkansas, United States

A New Design Methodology to Improve the Input-Referred Noise of Analog Front-End Circuits...222

M. Tarkhan, M. Sawan
Westlake University, China

A Novel Analog-Front-End Circuit of the Touch System for Display Panel...227

X. Guo, H. Li
Beihang University, China

MINI-SYMPOSIUM: WEARABLE AND IMPLANTABLE ON-CHIP INTELLIGENT DEVICES FOR BIOMEDICAL APPLICATIONS 1

A Closed-Loop Ear Wearable EEG Measurement Device with Realtime Electrode Skin Impedance Measurement...231

M. Sheeraz{1}, A. Aslam{1}, M. Altaf{1}, H. Heidari{2}
{1}Lahore University of Management Sciences, Pakistan; {2}University of Glasgow, United Kingdom

A Tiny BLE Platform for Wireless Brain Monitoring and Optogenetics Stimulation...236

G. Gagnon-Turcotte, B. Gosselin
Université Laval, Canada

A 208 μ W PPG-Based Glucose Monitoring SoC Using Ensembled Boosted Trees...241

A. Hina, S. Minto, W. Saadeh
Lahore University of Management Sciences, Pakistan

A 10-b 330nW Third-Order Predictive SAR ADC Dedicated to Neural Recording Brain Implants...246

M. Namavar{2}, R. Lotfi{1}, A. Sodagar{3}
{1}Ferdowsi University of Mashhad, Iran; {2}K. N. Toosi University of Technology, Iran; {3}York University, Canada

A Multilayer Perceptron (MLP) Regressor Network for Monitoring the Depth of Anesthesia...251

M. Ibrahim Dutt, W. Saadeh
Lahore University of Management Sciences, Pakistan

RF, MICROWAVE AND COMMUNICATION CIRCUITS 2

N-Path Mixer with Wide Rejection Including the 7th Harmonic for Low Power Multi-Standard Receivers...N/A

A. Al Shakoush^{3}, S. Ibrahim^{3}, S. Subias^{3}, F. Podevin^{3}, M. Barragan^{2}, D. Pino-Monroy^{3}, I. Bendjeddou^{3}, E. Lauga-Larroze^{3}, L. Fesquet^{3}, T. Taris^{1}, S. Bourdel^{3}
^{1}IMS, UMR 5818 CNRS, Université de Bordeaux, France; ^{2}TIMA, CNRS, Université Grenoble Alpes, France; ^{3}TIMA, Grenoble INP, Université Grenoble Alpes, France

Clock Recovery Circuit Using a Transmission Line as a Delay Element from a 100Gb/s Bit Stream...261

I. Kazi, P. Reynaert, W. Dehaene
Katholieke Universiteit Leuven, Belgium

Impact of Out-of-Band Blockers on RF LNA Performance...265

C. Délégnac^{2}, T. Taris^{1}
^{1}IMS, UMR 5818 CNRS, Université de Bordeaux, France; ^{2}University of Bordeaux, France

MIMO Techniques in a Visible Light Communication (VLC) Link with Imager...270

R. Le Priol^{2}, M. Héléard^{2}, S. Haese^{2}, S. Roy^{1}
^{1}Interdisciplinary Institute for Technological Innovation, Université de Sherbrooke, Canada; ^{2}Université de Rennes, France

A Wideband Low-Power Current-Reuse RF-to-BB Receiver Using a Clock Strategy Technique...275

A. Abbasi, A. Moshrefi, F. Nabki
École de Technologie Supérieure, Canada

MINI-SYMPOSIUM: WEARABLE AND IMPLANTABLE ON-CHIP INTELLIGENT DEVICES FOR BIOMEDICAL APPLICATIONS 2

A 7 GHz VCO-Based EPR Spectrometer Incorporating a UWB Data Link...280

T. Elrifai^{3}, A. Sakr^{3}, H. Lotfi^{3}, M. Hassan^{3}, K. Lips^{1}, J. Anders^{2}
^{1}ASPIN, Helmholtz-Zentrum Berlin für Materialien und Energie, Berlin, Germany; ^{2}Institute of Smart Sensors, University of Stuttgart, Germany; ^{3}University of Stuttgart, Germany

Preliminary Results from a 49-Channel Neural Recording ASIC with Embedded Spike Compression in 28 nm CMOS...285

W. Lemaire^{2}, E. Ranjbar Koleibi^{2}, T. Omrani^{1}, M. Benhouria^{2}, K. Koua^{2}, C. Quesnel^{2}, L. Gauthier^{2}, J. Ménard^{1}, K. Gagnon^{2}, S. Roy^{2}, R. Fontaine^{2}
^{1}Interdisciplinary Institute for Technological Innovation, Canada; ^{2}Interdisciplinary Institute for Technological Innovation, Université de Sherbrooke, Canada

Compact Closed-Loop EEG/fNIRS Recording and TMS Neuromodulation System...290

N. Li, J. Yang, M. Sawan
Westlake University, China

DNA Storage Monitoring with a CMOS Capacitive Sensor...N/A

H. Osouli Tabrizi^{1}, S. Forouhi^{1}, M. Ghafar-Zadeh^{2}, O. Farhanieh^{1}, T. Shaffaf^{1}, S. Magierowski^{2}, E. Ghafar-Zadeh^{1}
^{1}BioSA Laboratory, York University, Canada; ^{2}EMIL Lab, York University, Canada

LOW POWER AND ENERGY MANAGEMENT

Ultra Low Power 32-Bit Microcontroller with Minimal Instruction Set for Internet of Things Applications...298

S. Guigue^{2}, C. Leroux^{2}, J. Begueret^{2}, T. Taris^{1}
^{1}IMS, UMR 5818 CNRS, Université de Bordeaux, France; ^{2}Laboratoire de l'Intégration des Matériaux aux Systèmes, Université de Bordeaux, France

A 3.3 V 0.1-1 a Hybrid Buck-Boost Converter with 85-97 % Power Efficiency Range Highly-Suited for Battery-Powered Devices Using Low-Profile High-DCR Inductor...303

V. Nguyen^{2}, X. Do^{3}, Y. Blaquière^{2}, G. Cowan^{1}
^{1}Concordia University, Canada; ^{2}École de Technologie Supérieure, University of Québec, Canada; ^{3}LX Semicon, Korea

A High Sensitivity RF Energy Harvester with Dynamic Body-Biasing CMOS Rectifier...308

S. Chen^{1}, Y. Lin^{2}, K. Cheng^{1}
^{1}National Cheng Kung University, Taiwan; ^{2}National Cheng-Kung University, Taiwan

Comparison of Two RF Rectifiers Designed in FDSOI 22nm for RF Energy Harvesting...313

F. Naveed, J. Dix
University of Arkansas, United States

A MEMS Electrothermal Actuator Designed for a DC Switch Aimed at Power Switching Applications and High Voltage Resilience...317

A. Shuaibu^{1}, F. Nabki^{1}, Y. Blaquière^{2}
^{1}École de Technologie Supérieure, Canada; ^{2}École de Technologie Supérieure, University of Québec, Canada

POSTER SESSION 1

Towards Current-Mode Analog Implementation of Deep Neural Network Functions...322

S. Wang, K. Al-Tamimi, I. Hammad, K. El-Sankary
Dalhousie University, Canada

Design of an Energy Efficient Voltage-to-Time Converter with Rectified Linear Unit Characteristics for Artificial Neural Networks...327

J. Finkbeiner, R. Nägele, M. Grözing, M. Berroth
University of Stuttgart, Germany

HLS-Based Accelerated Simulation of Large Scale Cyber-Physical Systems on FPGAs...332

M. Louart{2}, J. Le Lann{2}, F. Le Roy{2}, A. Boudraa{1}, J. Szkolnik{1}
{1}Ecole Navale, IRENav, France; {2}ENSTA Bretagne, Lab-STICC, France

Preliminary Results of a Low-Power Wireless Telemetry Module for Long-Term μ ECOG Recordings...337

L. Gauthier{1}, W. Lemaire{1}, K. Gagnon{1}, C. Quesnel{1}, J. Larouche{2}, J. Rossignol{2}, C. Paulin{2}, M. Benhouria{1}, K. Koua{1}, S. Roy{1}, R. Fontaine{1}
{1}Interdisciplinary Institute for Technological Innovation, Université de Sherbrooke, Canada;
{2}University of Sherbrooke, Canada

Efficient Scheduling, Mapping and Memory Bandwidth Allocation for Safety-Critical Systems...342

A. Torres Aurora Dugo{2}, J. Lefoul{2}, A. Ben-Salem{2}, S. Harnois{1}, F. Gohring de Magalhaes{2}, G. Nicolescu{2}
{1}Mannarino Systems and Software, Canada; {2}Polytechnique Montréal, Canada

Reliable Power Efficient Systems Through Run-Time Reconfiguration...347

N. El-Araby{2}, A. Jantsch{1}
{1}Technische Universität Wien, Austria; {2}Technische Universität Wien & Canadian International College, Austria

A Low-Cost, Minimally-Invasive Embedded Monitoring Method for Early Detection of Transistor On-State Resistance Degradation in Power Electronics Systems...352

Authors - S. Fotoohi Piraghaj{1}, N. Constantin{2}
{1}École de Technologie Supérieure, Canada; {2}École de Technologie Supérieure, University of Québec, Canada

Self-Timed Ring Oscillators for Non-Overlapping and Overlapping Phases Synthesis...N/A

H. Moussa{2}, E. Lauga-Larroze{1}, L. Fesquet{1}
{1}TIMA, Grenoble INP, Université Grenoble Alpes, France; {2}University Grenoble Alpes, France

A 83-GHz and 68-dB Ω TIA with 2.3 pA/ $\sqrt{\text{Hz}}$: Towards High Speed and Low Noise Optical Receivers...361

M. Babar^{2}, G. Roberts^{2}, R. Maram^{1}
^{1}Fonex Data Systems, Canada; ^{2}McGill University, Canada

Current TRAM: A Circuit Scheme for Highly-Linear, Tunable V/I Conversion with Ultra-Low Transconductance...N/A

M. Radman^{1}, A. Sodagar^{2}
^{1}K. N. Toosi University of Technology, Iran; ^{2}York University, Canada

A Triple-Mode Programmable 12V Charge Pump for High Dynamic Range Photodiode Array Biasing...371

M. Toubar, S. Ibrahim
Ain Shams University, Egypt

SPECIAL SESSION: NEW TECHNOLOGIES AND APPLICATIONS FOR FLEXIBLE PRINTED ELECTRONICS

Resolving the Unusual Gate Current of Single-Walled Carbon Nanotube Based Thin Film Transistors...N/A

S. Romanuik^{2}, R. Izquierdo^{1}, S. Bhadra^{2}
^{1}École de Technologie Supérieure, Canada; ^{2}McGill University, Canada

Development of Autonomous Power Supplies for Mini IoTs Using Printing Technology...N/A

S. Alem, Y. Zhang, Y. He, J. Lu, Z. Zhang, C. Ramful, Y. Tao, A. Pardasani, G. Newsham National Research Council Canada, Canada

CMOS-Based Distributed Implantable Brain Interface Device...380

T. Tokuda, J. Li, M. Takeuchi, M. Fukamachi, Y. Yokoshiki
Tokyo Institute of Technology, Japan

SPECIAL SESSION: CIRCUITS AND SYSTEMS FOR BRAIN SENSING

CMOS-Based Distributed Implantable Brain Interface Device...380

T. Tokuda, J. Li, M. Takeuchi, M. Fukamachi, Y. Yokoshiki
Tokyo Institute of Technology, Japan

Review of AI-on-the-Edge EEG-Based Patient-Specific Epilepsy Tracking Socs...384

L. Zhang, M. Zhang, C. Tsai, J. Yoo
National University of Singapore, Singapore

Earbud-Based UWB Data Link for Multichannel Brain Neural Recording and Stimulation Interfaces...389

R. Saha, S. Mirbozorgi
University of Alabama at Birmingham, United States

Activity-Adaptive Architectures for Energy-Efficient Scalable Neural Recording Microsystems: A Review of Current and Future Directions...393

M. Sayedi, H. Kassiri
York University, Canada

Passive Localization Algorithm Using a Highly Integrated Acoustic Sensor Array...397

J. McEachern, E. Malekshahi, J. Bousquet
Dalhousie University, Canada

Microsystems and Embedded Systems

Passive Localization Algorithm Using a Highly Integrated Acoustic Sensor Array...397

J. McEachern, E. Malekshahi, J. Bousquet
Dalhousie University, Canada

Clustered Network Adaptation Methodology for the Resource Constrained Platform...402

P. Verma, P. Sasmal, C. Pal, S. Channappayya, A. Acharyya
Indian Institute of Technology, Hyderabad, India

High-Speed and Low-Area Implementations of a Generic and Parallel Integral Image Architecture...407

M. Chehaitly, A. Lalevee, T. Napoleon, M. Jridi
ISEN, France

An Efficient FPGA Overlay for MPI-2 RMA Parallel Applications...412

M. Mba{2}, R. Gamom Ngounou Ewo{4}, J. Denoulet{1}, P. Melatagia Yonta{3}, B. Granado{1}
{1}LIP6, CNRS UMR 7606 Sorbonne University, France; {2}LIP6, CNRS UMR 7606 Sorbonne
University, University of Yaoundé I, France; {3}Sorbonne Université, IRD, UMMISCO, F-93143,
France; {4}University of Douala, France

An FPGA Implementation of a Portable DNA Sequencing Device Based on RISC-V...417

Z. Wu^{3}, K. Hammad^{3}, A. Beyene^{3}, Y. Dawji^{3}, E. Ghafar-Zadeh^{1}, S. Magierowski^{2}
^{1}BioSA Laboratory, York University, Canada; ^{2}EMIL Lab, York University, Canada; ^{3}York University, Canada

FILTERS, SIGNAL AND DATA PROCESSING

High Precision Calibration Method for Asynchronous Time-to-Digital Converters...421

W. Khaddour, W. Uhring, F. Dadouche, N. Dumas, M. Madec
ICube, university of Strasbourg and CNRS, France

A Real-Time Acoustic Spectrum Analyzer on FPGA for the Internet of Underwater Things...426

M. Hotkani^{1}, J. Bousquet^{1}, B. Martin^{2}, L. Bolt^{2}, B. MacDonald^{2}
^{1}Dalhousie University, Canada; ^{2}Jasco Applied Sciences, Canada

Theoretical Study of Uncertainty Impact on Switches Resistance in Inverter Simulation...431

H. Taghizad, M. Caza-Szoka, M. Lemaire, D. Massicotte
Université du Québec à Trois-Rivières, Canada

LSTM with Scattering Decomposition-Based Feature Extraction for Binaural Sound Source Localization...436

P. Massicotte^{1}, H. Chaoui^{1}, M. Ahmed Ouameur^{2}
^{1}Carleton University, Canada; ^{2}Université du Québec à Trois-Rivières, Canada

Superconducting Digital DIT Butterfly Unit for Fast Fourier Transform Using Race Logic...441

M. Bautista, P. Gonzalez-Guerrero, D. Lyles, K. Huch, G. Michelogiannakis
Lawrence Berkeley National Laboratory, United States

CAD AND DESIGN TOOLS

Behavioral Modeling of Low-Frequency Noise in Switched-Capacitor Circuits Using Python...446

S. Kalogiros^{2}, G. Salgado^{1}, K. McCarthy^{3}, I. O'Connell^{1}
^{1}Microelectronic Circuits Centre Ireland, Ireland; ^{2}Microelectronic Circuits Centre, Tyndall National Institute, Ireland; ^{3}University College Cork, Ireland

META: A Layout Based Tool to Estimate the Vulnerability of Digital Circuits to Multiple Event Transient...450

V. Bansal, O. Mohamed, S. Nethula
Concordia University, Canada

Automatic Timing ECO Using Stage-Based Path Delay Prediction...455

T. Yang, Z. Zhao, A. Han, G. Liu
National University of Defense Technology, China

A Logic Cell Design and Routing Methodology Specific to VNWfet ...460

A. Poittevin^{2}, C. Marchand^{2}, I. O'Connor^{1}, A. Bosio^{2}, C. Maneux^{4}, C. Mukherjee^{4}, G. Larrieu^{3}, A. Kumar^{3}
^{1}Ecole Centrale de Lyon, Université Claude Bernard Lyon 1, Institut de Nanotechnologies de Lyon, France; ^{2}Institut des Nanotechnologies de Lyon, France; ^{3}LAAS-CNRS, France; ^{4}Laboratoire de l'Intégration des Matériaux aux Systèmes, Université de Bordeaux, France

An Open-Source RRAM Compiler...465

D. Antoniadis, A. Mifsud, P. Feng, T. Constandinou
Imperial College London, United Kingdom

EMERGING TECHNOLOGIES

Memristor-Assisted Background Calibration for Analog-to-Digital Converter...470

Z. Si^{1}, C. Wang^{1}, A. Malik^{1}, S. Wang^{2}, T. Prodromakis^{2}, C. Papavassiliou^{1}
^{1}Imperial College London, United Kingdom; ^{2}University of Southampton, United Kingdom

A Heterogeneously Integrated Double-Sided Cooling Silicon Carbide Power Module...475

R. Paul^{2}, K. Faruque^{2}, A. Hassan^{2}, S. Salehi Vala^{1}, A. Basit Mirza^{1}, F. Luo^{1}, H. Mantooth^{2}
^{1}Stony Brook University, United States; ^{2}University of Arkansas, United States

Operational Conditions Analysis for Memristive Stateful Logics - A Study on IMPLY and TMSL...480

R. Rahimi Disfani^{1}, N. TaheriNejad^{2}, M. Valinataj^{1}
^{1}Babol Noshirvani University of Technology, Iran; ^{2}Technische Universität Wien, Austria

Quick Compact Model Development Through Slow Transient Simulation: An Alternative Approach to Table Models for Emerging Nanodevices...485

M. Reuter, D. Lee, D. Riehl, K. Hofmann
Technische Universität Darmstadt, Germany

Class ϕ_2 ZVS Regulation Applied to L-Piezo Inverter...490

V. Massavie^{1}, G. Despesse^{1}, S. Carcouet^{1}, X. Maynard^{2}
^{1}CEA-LETI, France; ^{2}CEA-Liten, France

POSTER SESSION 2

Behavioral Modeling of Nonlinear Power Amplifiers Using Spiking Neural Networks...495

S. Wang^{2}, P. Maris Ferreira^{1}, A. Benlarbi-Delai^{2}
^{1}CentraleSupélec, France; ^{2}Sorbonne University, France

A New Field-Effect Transistor Based Sensor for Biosensing Applications...500

A. Panahi^{2}, E. Ghafar-Zadeh^{1}
^{1}BioSA Laboratory, York University, Canada; ^{2}York University, Canada

A Novel Approach to Mitigate Power Side-Channel Attacks for Emerging Negative Capacitance Transistor Technology...504

S. Kumar^{1}, S. Chatterjee^{1}, C. Dabhi^{2}, H. Amrouch^{3}, Y. Chauhan^{1}
^{1}Indian Institute of Technology, Kanpur, India; ^{2}University of California, Berkeley, United States; ^{3}University of Stuttgart, Germany

An On-Chip Voltage Mode Control Circuit with Operation Mode Switch for Phase-Shifted Full-Bridge Isolated DC-DC Bus Converters...509

W. Zhu, A. Mishra, V. De Smedt
Katholieke Universiteit Leuven, Belgium

Portable Multi-Frequency Impedance-Sensing Device for Bacteria Classification in a Flowing Liquid...514

K. Bouzid^{2}, P. Das^{2}, D. Boudreau^{2}, S. Carrara^{1}, B. Gosselin^{2}
^{1}École Polytechnique Fédérale de Lausanne, Switzerland; ^{2}Université Laval, Canada

Impacts of Feedback Current Value and Learning Rate on Equilibrium Propagation Performance...519

F. Kiraz, D. Pham, P. Desgreys
Télécom Paris, France

ASIP Accelerator for LUT-Based Neural Networks Inference...524

M. Traore^{2}, J. Langlois^{1}, J. David^{1}
^{1}Polytechnique Montréal, Canada; ^{2}Polytechnique Montréal, Google, Canada

Pulse-Based, Multi-Beam Optical Link for Data Telemetry to Implantable Biomedical Microsystems...529

H. Alizadeh^{1}, Y. Koolivand^{1}, A. Sodagar^{2}
^{1}K. N. Toosi University of Technology, Iran; ^{2}York University, Canada

Input-Layer Neuron Implementation Using Delta-Sigma Modulators...533

S. Nasrollahi, A. Syutkin, G. Cowan
Concordia University, Canada

FCNet: Deep Learning Architecture for Classification of Fatigue and Corrosion Acoustic Emission Signal...538

D. Joshi{1}, S. Yadao{1}, P. Bhange{1}, S. Kumar{2}, K. Mankari{2}, S. Acharyya{2}, A. Acharyya{1}

{1}Indian Institute of Technology, Hyderabad, India; {2}University of Hyderabad, India

Neural Network-Based Signal Translation with Application to the ECG...542

M. Abdelmadjid, M. Boukadoum

Université du Québec à Montréal, Canada