

# **2022 IEEE International Conference on Integrated Circuits, Technologies and Applications (ICTA 2022)**

**Xi'an, China  
28 – 30 October 2022**



**IEEE Catalog Number: CFP22VVL-POD  
ISBN: 978-1-6654-9270-6**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22VVL-POD
ISBN (Print-On-Demand):	978-1-6654-9270-6
ISBN (Online):	978-1-6654-9269-0
ISSN:	2831-395X

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# Table of Contents

A passive balancing algorithm for multi-cells.....	1
<i>Kaikai Wu, Hongyi Wang, Shucai Wang</i>	
Prediction of Key Metrics of Stacked Nanosheet nFETs using Genetic Algorithm-based Neural Networks .....	3
<i>Haoqing Xu, Weizhuo Gan, Lei Cao, Huaxiang Yin, Zhenhua Wu</i>	
Optical Receiver Front-End for 50G PON in 40nm CMOS .....	5
<i>Nianquan Ran, Jia Li, Shuaizhe Ma, Yuye Yang, Wanqing Zhao, Hao Li, Dan Li</i>	
A Fully-Connected and Area-Efficient Ising Model Annealing Accelerator for Combinatorial Optimization Problems .....	7
<i>Yukang Huang, Dong Jiang, Yongkui Yang, Enyi Yao</i>	
A 77-101GHz 6-Bit Vector-Modulated Phase Shifter with Low RMS Error in 65nm SOI CMOS .....	9
<i>Qingzhe Zhang, Keping Wang</i>	
A Fast Sampling Open-circuit Voltage Algorithm for Piezoelectric Energy Harvesting.....	11
<i>Ying Yu, Xufeng Liao, Lianxi Liu</i>	
A Wideband High-linearity Input Buffer Based on Cascade Complementary Source Follower .....	13
<i>Tian Feng, Dengquan Li, Jiale Ding, Shubin Liu, Yi Shen, Zhangming Zhu</i>	
Low-Latency FPGA Design and Implementation of Hermitian Matrix Inversion Based on Partitioned Systolic Array for Massive MIMO .....	15
<i>Ke Han, Daokun Li</i>	
Accurate 3DIC thermal simulation for BEOL influence study .....	17
<i>Hao Yang, Bin Yan, Jianjun Sun, Jian Pang, Guangyao Li, Ouyang Keqing, Shuqiang Zhang</i>	

Formation Mechanism of high Ni content  $(\text{Cu,Ni})_6\text{Sn}_5$  in Cu/Sn/Ni microbump for solid state aging..... 20

*Haiyang Yu, C.R.Kao*

LIPFD-NPU: Low-overhead Instruction-driven Permanent Fault Detection for Neural Processing Unit..... 22

*Pengfei Wu, Zheng Wang, Zhiming Pan, Weilun Wang*

Large Suppression to Lateral Charge Migration (LCM) Related Error Bits in Charge-Trap TLC 3D NAND Flash..... 24

*Kenie Xie, Peng Guo, Fei Chen, Binglu Chen, Xiaotong Fang, Jixuan Wu, Xuepeng Zhan, Jiezhai Chen*

A Q-Band Low-Noise Amplifier in 40-nm CMOS for Q/V-band satellite communications..... 26

*Qin Tian, Dixian Zhao*

A V-band Power Amplifier for Satellite Communications in 40-nm CMOS..... 28

*Hengzhi Wan, Dixian Zhao*

First Demonstration of High PAE Performance Using InGaN Channel HEMT for 5G RF Applications..... 30

*Hao Lu, Likun Zhou, Longge Deng, Ling Yang, Bin Hou, Xiaohua Ma, Yue Hao*

A 41-GHz 19.4-dBm PSAT CMOS Doherty Power Amplifier for 5G NR Applications..... 32

*Zheng Li, Zixin Chen, Qiaoyu Wang, Jian Pang, Atsushi Shirane, Kenichi Okada*

A 120nW, 121kHz, -20~ 100°C CMOS Relaxation Oscillator with Digital Current Comparator and On-Chip Voltage and Current Reference ..... 34

*Renwei Chen, Yifei Zhang, Chenchang Zhan*

A 4.2-to-5.6 GHz Transformer-Based PMOS-only Stacked-gm VCO in 28-nm CMOS..... 36

*Mingkang Zhang, Zihao Zhu, Yueduo Liu, Zehao Zhang, Rongxin Bao, Jiahui Lin, Haoyu Zhuang, Jiaxin Liu, Xiong Zhou, Shiheng Yang, Qiang Li*

A Multiplying Delay-Locked Loop design with low jitter and high linearity.....	38
<i>Jiahao Hu, Zhongxian Huang, Baoxing Duan, Qing Li, Ziqi Song, Dian He</i>	
Cooperative surface-activation strategy for low-temperature Cu/SiO <sub>2</sub> hybrid bonding....	40
<i>Qiushi Kang, Ge Li, Fanfan Niu, Chenxi Wang</i>	
A DLL-Based Offset Calibration Loop Technology for Wake-Up Receivers .....	42
<i>Yuhang Xie, Xufeng Liao, Xincui Liu, Lianxi Liu</i>	
An Efficient FPGA Design for Fixed-point Exponential Calculation.....	44
<i>Weiyi Zhang, Chun Zhang, Liting Niu, Fasih Ud Din Farrukh, Hanjun Jiang</i>	
A 6-18GHz Low-Noise Amplifier Using Noise Canceling Technique in 130-nm CMOS PD-SOI....	46
<i>Jialong Xue, Tenghao Zou, Hao Xu, Tingting Han, Mi Tian, Weiqiang Zhu, Zhijian Li, Na Yan</i>	
A CGP-based Efficient Approximate Multiplier with Error Compensation.....	48
<i>Qiao Shen, Renyuan Zhang, Hao Zhang, Hao Cai, Bo Liu, Jian Xiao</i>	
Photon-Memristive Device for Neuromorphic Computing.....	50
<i>Yuqing Fang, Qingxuan Li, Tianyu Wang, Jialin Meng, QingQing Sun, David Wei Zhang, Lin Chen</i>	
An Input Buffer with 85dB SFDR for High-Speed Pipeline ADC.....	52
<i>Cece Huang, Yuanfu Zhao, Yafei Ji, Xin Yang, Tieliang Zhang, Weixin Gai</i>	
TSV Defects Classification with Machine Learning Approaches .....	54
<i>Haitao He, Changhao Luo, Junchen Dong, Yudi Zhao, Min Miao, Kai Zhao</i>	
SAUST: A Scheme for Acceleration of Unstructured Sparse Transformer.....	56
<i>Yifan Song, Shunpeng Zhao, Song Chen, Yi Kang</i>	
Improve the Robustness of Diffusive Memristor based True Random Number Generator via Voltage-to-Time Transformation.....	58

*Haoyang Li, Yuyang Fu, Tianqing Wan, Yifan Lu, Ling Yang, Yi Li*

A statistics-based background capacitor mismatch calibration algorithm for SAR ADC.... 60

*Zhiqiang Luo, Peng Wang, Fule Li, Chun Zhang, Zhihua Wang*

TEDOP: A Tiny Event-Driven Neural Network Hardware Core Enabling On- Chip Spike-Driven Synaptic Plasticity..... 62

*Cong Shi, Sihao Chen, Haibing Wang, Zhengqing Zhong, Ping Li, Junxian He, Tengxiao Wang, Jianyi Yu, Min Tian*

A 92.7% Peak Efficiency 48/1V DSD Power Converter with 102mV Droop and 1.6  $\mu$  s Settling Time for a 1A/10ns Load Transient ..... 64

*Yongchao Zhang, Zhuoqi Guo, Zhongming Xue, Zhuoneng Li, Xihao Liu, Shangzhou Zhao, Dexuan Lv, Mengqi Duan, Li Geng*

A 14.39ppm/kPa Stress Sensor with Low Temperature-drift and High Linearity for turbulence Stress..... 66

*Lanxiang Xiao, Lei Chen, Fengwei An*

A 30W and 95% Efficiency Class-E Wireless Power Transfer Transmitter with Vector Algorithm Control..... 68

*Shangzhou Zhao, Zhongming Xue, Yuhao Xiong, Zhuoneng Li, Xihao Liu, Yongchao Zhang, Zhuoqi Guo, Li Geng*

A Novel Segmented Temperature Monitor for Adaptive MRAM..... 70

*Yu' ang Wu, Mingyang Zhou, Hao Cai*

A High Reliability Sensing Amplifier for Hybrid MTJ/CMOS Circuits..... 72

*Jiawei Fu, Pengcheng Wu, Hao Cai*

A 0.7-2.5GHz NB-IoT/GNSS/BLE Hybrid PLL with PA Pulling Mitigation and Out-of-Band Phase Noise Reduction..... 74

*Jiahao Zhao, Xuansheng Ji, Su Han, Ziwei Wang, Woogeun Rhee, Zhihua Wang*

A High-Density Large-Ratio Fuse Based Oxide Devices for One-time- programmable Memory Applications..... 76

*Xuecheng Cui, Dong Liu, Jifang Cao, Xiao Yu, Bing Chen*

A 210nA Quiescent Current Bandgap Reference with 5mA Load Capability Using Shared Error Amplifier ..... 78

*Binwei Yang, Renwei Chen,Chenchang Zhan*

Implementation of Polynomial Fitted Poly-Harmonic Distortion Model with Frequency Defined Device ..... 80

*Xiaoqiang Tang, Jialin Cai*

Dynamic Sensor Arrays Based on Solution-Processed Metal Oxide Semiconductor Thin-Film Transistors..... 82

*Bowen Zhu*

A 22.8 GHz to 32.8 GHz Compact Power Amplifier with a 15 dBm Output  $P_{1dB}$  and 36.5% Peak PAE in 65-nm CMOS ..... 84

*Huabing Liao, Haikun Jia, Xiangrong Huang, Bao Shi, Wei Deng, Baoyong Chi, Zhihua Wang*

A Fully Synthesizable Injection Locked PLL with Dual-DCO Frequency Tracking in 55nm CMOS ..... 86

*Xuanchi Yu, Yan Chen, Gaofeng Jin, Fei Feng, Xun Luo, Xiang Gao*

DFT Architecture for Click-Based Bundled-Data Asynchronous Circuits ..... 88

*Ruimin Zhu, Zeyang Xu, Yuhao Huang, Shanlin Xiao, Zhiyi Yu*

Towards Near LLC Speed STT-MRAM Sensing Using Reconfigurable Clock Trimming..... 90

*Xiaoyun Tian, Zhongjian Bian, Hao Cai*

Characterization and Modeling of Trapping Effects in GaAs Enhanced HEMT under High Input Dynamic Range ..... 92

*Lei Huang, Huanpeng Wang, Qingzhi Wu, Shuman Mao, Yuehang Xu*

A Broadband 20W GaN High Power Amplifier for Ku-band satellite communication..... 94

*Yujie Liu, Zhilong Xiao, Shiquan Zhu, Huanpeng Wang, Shuman Mao, Qingzhi Wu, Ruimin Xu, BO Yan, Yuehang Xu*

Hardware Based RISC-V Instruction Set Randomization..... 96

*Sheng Zuo, Junjie Zhuang, Yao Liu, Mingyu Wang, Zhiyi Yu*

A 28nm, 4.69TOPS/W Training, 2.34  $\mu$  J/Image Inference, on-chip Training Accelerator with Inference-compatible Back Propagation..... 98

*Haitao Ge, Weiwei Shan, Yicheng Lu, Jun Yang*

A 20W Ka-Band Dual-Port Power Amplifier for Communication Satellites..... 100

*Chi Chen, Kuan Hu, Weilin Luo, Kang Yin, RuiYuan Kang, Ying Zhao, Fei Yang*

A Voltage Error Quantizer For Digital Low Dropout Regulators With Fast Transient Response and Low Steady- State Error..... 102

*Kaize Zhou, Dejian Li, Chongfei Shen, Yuxuan Du, Zhuo Chen, Weiwei Shan*

A 200-Gb/s PAM-4 Feedforward Linear Equalizer with Multiple- Peaking and Fixed Maximum Peaking Frequencies in 130nm SiGe BiCMOS..... 104

*Zhengzhe Jia, Taiyang Fan, Dongfan Xu, Dongshen Zhan, Linxuan Hu, Zhengyang Zhang, Yanchao Wang, Chun-Zhang Chen, Xuhui Liu, Hanming Wu, Quan Pan*

An Analog-Assisted Digital LDO with 0.37mV Output Ripple and 5500x Load Current Range in 180nm CMOS..... 106

*Luhua Lin, Bowen Wang, Woogeun Rhee, Zhihua Wang*

A 2.06 $\mu$ W/MHz, 5.05-MHz, -40-125  $^{\circ}$ C , 22ppm/  $^{\circ}$ C Relaxation Oscillator with Single Comparator Control..... 108

*Yifan Yao, Chuqi Chen, Chenchang Zhan*

A 4 to 5GHz Digitally Controlled Ring Oscillator with 100kHz Resolution using Noise Cancellation Technology in 40nm CMOS..... 110

*Shuyue Fang, Jinrui Hu, Haigang Feng, Xinpeng Xing, Han Wang, Lei Yang*

An IMPLY-based Memristive Multiplier for Computing-in-Memory Systems with Weight-Stationary CNN Acceleration..... 112

*Wenhui Liang, Jiarui Xu, Yuansheng Zhao, Zixuan Shen, Guoyi Yu, Yuhui He, Chao Wang*



A Novel Concept of using Double Threshold Voltage Coupling to Improve the linearity of AlGaIn/GaN HEMTs for millimeter-wave applications..... 114

*Pengfei Wang, Minhan Mi, Sirui An, Xiang Du, Xiaohua Ma, Yue Hao*

Photoresponses and Memory Effects in Optoelectronic Synaptic Devices Based on CdSe Quantum Dots and Poly(3-hexylthiophene)..... 116

*Zhicheng Li, Zhulu Song, Zhaojin Wang, Jiayun Sun, Kai Wang*

A Current Domain Computing-in- Memory SRAM Macro with Hybrid IAF-SAR ADC for Signal Margin Enhancement..... 119

*Tianqi Xu, Shumeng Li, Fukun Su, Xian Tang*

A Low Frequency Drift LC-DCO with Wide Temperature Range ..... 121

*Jinrui Hu, Shuyue Fang, Haigang Feng, Xinpeng Xing, Han Wang, Lei Yang*

A High PSR and Fast Transient Response Output-Capacitorless LDO using Gm-Boosting and Capacitive Bulk-Driven Feed-Forward Technique in 22nm CMOS..... 123

*Heng Liu, Dongxu Li, Xian Tang*

ROPY-SLAM: a Heterogeneous CPU- FPGA System for Simultaneous Localization and Mapping ..... 125

*Weiyi Zhang, Liting Niu, Chaoyang Ding, Yiyang Wang, Fasih Ud Din Farrukh, Chun Zhang*

A Single-input Dual-output Three- level Buck Converter for SoC Applications..... 127

*Zhuoneng Li, Zhongming Xue, Chenglong Liang, Yongchao Zhang, Mengqi Duan, Shangzhou Zhao, Xihao Liu, Zhuoqi Guo, Li Geng*

Dynamically Reconfigurable Memory Address Mapping for General- Purpose Graphics Processing Unit ..... 129

*Weiliang Chen, Zhaoshi Li, Leibo Liu, Shaojun Wei*

Strain-regulated flexible molecular sensors enabled by 2D PtTe<sub>2</sub>..... 131

*Zhehan Wang, Dingxuan Kang, Jiayi Chen, Xiao Xu, Xu Jing, Li Tao*

BaFe <sub>12</sub> O <sub>19</sub> based Ferroelectric Memristor for Applications of True Random Number Generator .....	133
<i>Ziyang Chen, Miaocheng Zhang, Zixuan Ding, Aoze Han, Xingyu Chen, Xinpeng Wang, Lei Wang, Hao Zhang, Yi Tong</i>	
Memristor-based Digital Circuits for Realizing the Pavlov's Associative Neural Network.....	135
<i>Yu Wang, Yi Liu, Jiayu Bao, Yu Yan, Ertao Hu, Xiang Wan, Rongqing Xu, Hao Zhang, Yi Tong</i>	
A Split-Ring Resonator with Interdigitated Electrodes Aimed at the Dielectric Characterization of Liquid Mixtures (Invited Paper).....	137
<i>Giovanni Gugliandolo, Xiue Bao, Haoyun Yuan, Jinkai Li, Juncheng Bao, Giovanni Crupi, Nicola Donato</i>	
Two-bit multi-level spin orbit torque MRAM with the fully one-step write operation.....	142
<i>Chenyi Wang, Min Wang, Zhaohao Wang, Weisheng Zhao</i>	
3D-NWA: A Nested-winograd Accelerator for 3D CNNs.....	144
<i>Huafeng Ye, Huipeng Deng, Jian Wang, Mingyu Wang, Zhiyi Yu</i>	
Long Short-Term Memory Networks for Behavioral Modeling of A GaN Sequential Power Amplifier.....	146
<i>Peng Chen, Yucheng Yu, Chao Yu</i>	
A Cap-Less High PSR and Low Output Noise Low-Dropout Regulator for Cryogenic Applications.....	148
<i>Lingyun Liu, Chenglong Liang, Zhuoqi Guo, Zhongming Xue, Li Geng</i>	
All-Digital Full-Precision In-SRAM Computing with Reduction Tree for Energy-Efficient MAC Operations.....	150
<i>Dengfeng Wang, Zhi Li, Chengjun Chang, Weifeng He, Yanan Sun</i>	
A Compact 60 GHz LNA with 22.7-dB Gain and 4.4-dB NF in 40nm CMOS .....	152
<i>Jiacong Ke, Guangyin Feng, Yanjie Wang</i>	

A Fully-integrated 110-GHz Wideband Direct-detection Imaging Unit MMIC Integrating Balanced Power Detector and Log-periodic Antenna..... 154

*Jinyu Xie, Xiaojun Bi*

A 250Mbps 100kV/  $\mu$  s CMTI On-Chip Double-Isolated Transformer-Based Digital Isolator..... 156

*Zhiyong Xiong, Dongfang Pan, Guolong Li, Lin Cheng*

Implementation of CNN Hetero-geneous Scheme Based on Domestic FPGA with RISC-V Soft Core CPU..... 158

*Hailong Wu, Jindong Li, Xiang Chen*

A TWN Inspired Speaker Verification Processor with Hardware-friendly Weight Quantization..... 160

*Xuanhao Zhang, Haige Wu, Renyuan Zhang, Zihang Xu, Hao Zhang, Bo Liu, Hao Cai*

A 64Gb/s PAM-4 Digital Equalizer With Tap-Configurable FFE and Partially Unrolled DFE in 28nm CMOS..... 162

*Xinjie Feng, Yongzhen Chen, Youzhi Gu, Jiangfeng Wu*

A Tunable Monopole Antenna for 5G Communication Applications..... 164

*Liangfan Chen, Lu Zhao, Zihao Chen*

PPBAM: A Preprocessing-based Power-Efficient Approximate Multiplier Design for CNN..... 166

*Yi Hu, Tao Huang, Run Run, Li Yin, Guolin Li, Xiang Xie*

A 0.58-pJ/bit 56-Gb/s PAM-4 Optical Receiver Frontend with an Envelope Tracker for Co-Packaged Optics in 40-nm CMOS..... 168

*Yue Yu, Da Ming, Min Tan*

A Novel Fold-Back Current Limiting Protection used in Sub-threshold LDO for Wireless Sensor Applications..... 170

*Ziyue Chen, Yihui Shi, Ao Hu, Jiarui Xu, Guoyi Yu, Chao Wang*

A Wideband and High Output Swing Analog Frontend Circuit for FMCW LiDAR.....	172
<i>Yiyun Xie, Youze Xin, Bing Zhang, Ruipeng Yang, Yaoxin Li, Li Geng</i>	
A 0.3 V-4 V Input Voltage Range, 0.7 V Cold Start Boost Converter with 1 V Internal Voltage Supply Generator by Using 0.18 $\mu\text{m}$ CMOS Process for Energy Harvesting Application .....	174
<i>Zheng Lu, Shiquan Fan, Weiqing Ma, Ying Xie, Li Geng</i>	
An AOT Buck Converter with Adaptive TON Extender Achieving 2.5 $\mu\text{s}$ Settling Time in 4A Load Transient .....	176
<i>Zhuang Zhang, Hanyu Shi, Danzhu Lu, Peng Cao, Zhiliang Hong</i>	
A 1000 fps Spiking Neural Network Tracking Algorithm for On-Chip Processing of Dynamic Vision Sensor Data .....	178
<i>Chi Zhang, Lei Kang, Xu Yang, Guanghao Guo, Peng Feng, Shuangming Yu, Liyuan Liu</i>	
A Low Supply Sensitivity CMOS Temperature Sensor Using Dynamic- Distributing-Bias Circuit .....	180
<i>Shichong Zhai, Wenchang Li, Jian Liu, Tianyi Zhang</i>	
A Reconfigurable SRAM Computing- in-Memory Macro Supporting Ping- Pong Operation and CIM pipeline for Multi-mode MAC operations.....	182
<i>Kanglin Xiao, Xiaoxin Cui, Xin Qiao, Xin'an Wang, Yuan Wang</i>	
Floorplanning and Power/Ground Network Design for A Programmable Vision Chip.....	184
<i>Haozhe Xu, Siyuan Wei, Nan Qi, Peng Wu, Jian Liu, Nanjian Wu, Liyuan Liu, Shuangming Yu</i>	
An Analytical Model for doping effect in charge-plasma-based TFET.....	186
<i>Wenbo Li, Qian Xie, Zheng Wang</i>	
A Charge Pump Based 1.5A NMOS LDO with 1.0~6.5V Input Range and 110mV Dropout Voltage.....	188
<i>Yifa Wang, Tong Wu, Jianping Guo</i>	

IPOCIM: Artificial Intelligent Proces- sor with Adaptive Ping-pong Compu- ting-in-Memory Architecture.....	190
<i>Liang Chang, Chenglong Li, Xin Zhao, Shuisheng Lin, Jun Zhou</i>	
CVD Monolayer tungsten-based PMOS Transistor with high performance at Vds = -1 V	192
<i>Xin Wang, Yanqing Wu</i>	
Efficient AVS3 Intra Prediction Hardware Design for Real-time Applications.....	194
<i>Yucheng Jiang, Haifeng Guo, Junhao Zheng, Jingsheng Wang, Songping Mai</i>	
Thermal Fatigue Analysis of Microbumps in a 3D TSV Integration Device.....	196
<i>Yuqing Lu, Jun Wang</i>	
A 224-Gb/s Inverter-Based TIA with Interleaved Active-Feedback and Distributed Peaking in 28-nm CMOS for Silicon Photonic Receivers .....	198
<i>Sikai Chen, Jintao Xue, Leliang Li, Guike Li, Zhao Zhang, Jian Liu, Liyuan Liu, Binhao Wang, Yingtao Li, Nan Qi</i>	
A 0.3- $\mu$ W,2.1- $\mu$ Vrms Neural Recording Chopper Amplifer with Low Noise DC-Servo-Loop.....	200
<i>Yuchen Bao, Weijian Chen, Zhixian Li,Yongsen Chen, Yanhan Zeng</i>	
A 56Gb/s De-serializer with PAM-4 CDR for Chiplet Optical-I/O.....	202
<i>Yunqi Yang, Ming Zhong, Qianli Ma, Ziyi Lin, Leliang Li, Guike Li, Liyuan Liu, Jian Liu, Nanjian Wu, Haikun Jia, Xinghui Liu, Nan Qi</i>	
Author Index.....	204