

2022 4th International Conference on Data Intelligence and Security (ICDIS 2022)

**Shenzhen, China
24 – 26 August 2022**



**IEEE Catalog Number: CFP22IEA-POD
ISBN: 978-1-6654-5969-3**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22IEA-POD
ISBN (Print-On-Demand):	978-1-6654-5969-3
ISBN (Online):	978-1-6654-5968-6

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 4th International Conference on Data Intelligence and Security (ICDIS) **ICDIS 2022**

Table of Contents

Message from the General Chair	xv
Organizing Committee	xvi
Program Committee	xviii

2022 4th International Conference on Data Intelligence and Security

Efficient Mixed-Protocol Secure Four-Party Computation with Private Robustness	1
<i>Zoe L. Jiang (Harbin Institute of Technology, China), Songjiang Shi (Harbin Institute of Technology, China), Hongxiao Wang (Harbin Institute of Technology, China), Peng Yang (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China), Yulin Wu (Harbin Institute of Technology, China), Yantao Zhong (China Resources Digital Holdings Co., Ltd., China), and Yan Jia (Harbin Institute of Technology, China)</i>	
Efficient Private Set Intersection Based on Functional Encryption	9
<i>Liyao Xiong (Harbin Institute of Technology, China), Zoe L. Jiang (Harbin Institute of Technology, China), Yi Huang (Harbin Institute of Technology, China), Jianzong Wang (Ping An Technology (Shenzhen) Co., Ltd., China), Jing Xiao (Ping An Technology (Shenzhen) Co., Ltd., China), Weizhe Zhang (Harbin Institute of Technology, China), and Xuan Wang (Harbin Institute of Technology, China)</i>	
Token Open Security Model for Updatable Encryption	16
<i>Yang Song (PLA SSF Information Engineering University, China) and Haiying Gao (PLA SSF Information Engineering University, China)</i>	
Feature Selection of Intrusion Detection Method Based on Improved GWO	22
<i>Zechao Liu (Harbin Engineering University, China), Jing He (Harbin Engineering University, China), and Ran Shi (Harbin Engineering University, China)</i>	
Intrusion Detection Method Based on Improved Sparrow Algorithm and Optimized SVM	27
<i>Zechao Liu (Harbin Engineering University, China), Ran Shi (Harbin Engineering University, China), Mingyu Lei (China Academy of Information and Communication Technology, China), and Yulin Wu (Harbin Institute of Technology, China)</i>	

Improving Network Intrusion Detection Using Autoencoder Feature Residuals	31
<i>Brian Lewandowski (Worcester Polytechnic Institute, USA), Randy Paffenroth (Worcester Polytechnic Institute, USA), and Kayleigh Campbell (Worcester Polytechnic Institute, USA)</i>	
Attacking Malware Detection using Adversarial Machine Learning	40
<i>Utkarsh Verma (McAfee LLC, USA), Yonghong Huang (McAfee LLC, USA), Carl Woodward (McAfee LLC, USA), Craig Schmugar (McAfee LLC, USA), Prashanth Palasamudram Ramagopal (McAfee LLC, USA), and Celeste Fralick (McAfee LLC, USA)</i>	
HLT: A Hierarchical Vulnerability Detection Model Based on Transformer	50
<i>Yupan Chen (Harbin Institute of Technology, China) and Zhihong Liu (Harbin Institute of Technology, China)</i>	
Detecting Vulnerabilities in Ethereum Smart Contracts with Deep Learning	55
<i>Zhendong Wu (National Key Laboratory of Science and Technology on Information System Security), Shan Li (Beijing Key Laboratory of Security and Privacy in Intelligent Transportation, Beijing Jiaotong University), Bin Wang (Beijing Key Laboratory of Security and Privacy in Intelligent Transportation, Beijing Jiaotong University), Tianjian Liu (Beijing Key Laboratory of Security and Privacy in Intelligent Transportation, Beijing Jiaotong University), Yongsheng Zhu (Beijing Key Laboratory of Security and Privacy in Intelligent Transportation, Beijing Jiaotong University), Chenming Zhu (Zhejiang Electronic Information Products Inspection and Research Institute), and Mingqing Hu (iFLYTEK Co., Ltd)</i>	
Data Leakage Attack via Backdoor Misclassification Triggers of Deep Learning Models	61
<i>Xiangkai Yang (Harbin Institute of Technology, China), Wenjian Luo (Harbin Institute of Technology, China; Peng Cheng Laboratory, China), Licai Zhang (Harbin Institute of Technology, China), Zhijian Chen (Harbin Institute of Technology, China), and Jiahai Wang (Sun Yat-sen University, China)</i>	
FBIPT: A New Robust Reversible Database Watermarking Technique Based on Position Tuples	67
<i>Wenchao Wang (Harbin Institute of Technology, China), Chuanyi Liu (Harbin Institute of Technology, China), Zhaoguo Wang (Harbin Institute of Technology, China), and Tiancai Liang (Harbin Institute of Technology, China)</i>	
A Robust Watermarking Method For Image Processing Models	75
<i>Minghua Hou (Harbin Institute of Technology; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), Linlin Tang (Harbin Institute of Technology; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), Shuhan Qi (Harbin Institute of Technology; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), and Yang Liu (Harbin Institute of Technology; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China)</i>	
Performance Comparison of Cryptosystems in Context to Internet of Things	82
<i>Kriti Rai Saini (California State University, USA), Vinayak Jigajinni (California State University, USA), and Jaya Dofe (California State University, USA)</i>	

Black-Box Adversarial Attacks on Deep Neural Networks: A Survey	88
<i>Chenxu Wang (National Key Laboratory of Science and Technology on Information System Security, China), Ming Zhang (National Key Laboratory of Science and Technology on Information System Security, China), Jinjing Zhao (National Key Laboratory of Science and Technology on Information System Security, China), and Xiaohui Kuang (National Key Laboratory of Science and Technology on Information System Security, China)</i>	
A BSO-Based Feature Selection Algorithm Under Privacy Protection	94
<i>Ying Hu (China University of Mining and Technology), Wanqiu Zhang (China University of Mining and Technology), and Yong Zhang (China University of Mining and Technology)</i>	
A Negative Survey Based Method for Preserving Topology Privacy in Social Networks	99
<i>Hao Jiang (Anhui University, China), Yuerong Liao (Anhui University, China), and Qianwei Yu (The Second Affiliated Hospital of Anhui Medical University, China)</i>	
Reconstructing Negative Survey with Least Squares Criterion	105
<i>Ran Liu (China Geoscience University, China), Tian Gao (China Geoscience University, China), and Mingqiang Guo (China Geoscience University, China)</i>	
Accuracy Prediction of Negative Surveys	111
<i>Ran Liu (China Geoscience University, China), Fengzhen Yu (China Geoscience University, China), and Mingqiang Guo (China Geoscience University, China)</i>	
NegDL: Privacy-Preserving Deep Learning Based on Negative Database	118
<i>Dongdong Zhao (Wuhan University of Technology, China), Pingchaun Zhang (Wuhan University of Technology, China), Jianwen Xiang (Wuhan University of Technology, China), and Jing Tian (Wuhan University of Technology, China)</i>	
PyHENet: A Generic Framework for Privacy-Preserving DL Inference Based on Fully Homomorphic Encryption	127
<i>Qian Chen (Harbin Institute of Technology, China; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), Lin Yao (Harbin Institute of Technology, China), Yulin Wu (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), Weizhe Zhang (Harbin Institute of Technology, China; Peng Cheng Laboratory, China), Zoe L. Jiang (Harbin Institute of Technology, China; Peng Cheng Laboratory, China; Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies, China), Yang Liu (Harbin Institute of Technology, China; Peng Cheng Laboratory, China), and Mamoun Alazab (Federation University of Australia, Australia)</i>	

Local Energy Trading Platform Based on Privacy-Preserving Blockchain with Linkable Ring Signature	134
<i>Zoe L. Jiang (Harbin Institute of Technology, China), Yijian Pan (Harbin Institute of Technology, China), Maoshun Fan (Harbin Institute of Technology, China), Lin Yao (Harbin Institute of Technology, China), Yang Liu (Harbin Institute of Technology, China), Yulin Wu (Harbin Institute of Technology, China), Siu-Ming Yiu (The University of Hong Kong, China), Xuan Wang (Harbin Institute of Technology, China), and Junbin Fang (Jinan University, China)</i>	
Achieving Efficient and Privacy-Preserving Arbitrary Geographic Range Query for Cloud	142
<i>Chuan Zhang (Beijing Institute of Technology, China), Chenfei Hu (Beijing Institute of Technology, China), Mingyang Zhao (Beijing Institute of Technology, China), Yulin Wu (Harbin Institute of Technology, China), and Tong Wu (Beijing Institute of Technology, China; Yangtze Delta Region Academy of Beijing Institute of Technology, China)</i>	
Towards Privacy-Preserving Computation on Gene: Construct Covid-19 Phylogenetic Tree using Homomorphic Encryption	148
<i>Peiyi Han (Harbin Institute of Technology, China; Peng Cheng Laboratory, China), Yunzhe Guo (Harbin Institute of Technology, China), Shaoming Duan (Harbin Institute of Technology, China), Chuanyi Liu (Harbin Institute of Technology, China; Peng Cheng Laboratory, China), and Yuxing Zhou (Harbin Institute of Technology, China)</i>	
Empirical Study on Frequency Adversarial Perturbation for Medical Image Privacy Protection.....	155
<i>Yili Fang (Zhejiang Gongshang University, China) and Tao Yang (Zhejiang Gongshang University, China)</i>	
PPSL: Privacy-Preserving Text Classification for Split Learning	160
<i>Walaa Alnasser (Arizona State University, USA), Ghazaleh Beigi (Google, USA), Ahmadreza Mosallanezhad (Arizona State University, USA), and Huan Liu (Arizona State University, USA)</i>	
Data Security Search Based on Semi-Supervised Sensitive Classifier	168
<i>Shuting Jiao (Ocean University of China, China), Shu Zhang (Ocean University of China, China), Feng Gao (Ocean University of China, China), and Ting Wang (Shandong University of Science and Technology, China)</i>	
Reconfigurable Intelligent Surfaces: A Physical Layer Security Perspective	174
<i>Christoph Lipps (Intelligent Networks Research Group, German Research Center for Artificial Intelligence), Jan Herbst (Intelligent Networks Research Group, German Research Center for Artificial Intelligence), Rekha Reddy (Intelligent Networks Research Group, German Research Center for Artificial Intelligence), Lars Franke (Research Center OPTIMAS, Technische Universität Kaiserslautern), Soen Becker (Research Center OPTIMAS, Technische Universität Kaiserslautern), Marco Rahm (Research Center OPTIMAS, Technische Universität Kaiserslautern), and Hans Dieter Schotten (Intelligent Networks Research Group, German Research Center for Artificial Intelligence; Institute for Wireless Communication and Radio Positioning, Technische Universität Kaiserslautern)</i>	

Wireless Smart Electric Meter Operation under Data Security Attacks	182
<i>Patrick Nnaji (University of Texas, USA), Harsh Kumar (University of New Mexico, USA), and Sanjeev Kumar (University of Texas, USA)</i>	
Epsilon-Differentially Private and Fully Secure Logistic Regression on Vertically Split Data	188
<i>Angelo Saadeh (Telecom Paris, France), Vaibhavi Kumari (National University of Singapore, Singapore), and Stéphane Bressan (National University of Singapore, Singapore)</i>	
Decoupling Consensus and Storage in Consortium Blockchains by Erasure Codes	194
<i>Dejun Xiang (Guangdong Power Exchange Company, China), Rui Zhou (Guangdong Power Exchange Company, China), Lingfei Ma (The Chinese University of HongKong), Qingming Zeng (Harbin Institute of Technology, China), Ximing Fu (Harbin Institute of Technology, China), Qiang Wang (Harbin Institute of Technology, China), Bin Chen (Harbin Institute of Technology, China), and Yan Jia (Harbin Institute of Technology, China)</i>	
A Secure and Large-Scale Multiparty Conditional Payment Scheme Based on Blockchain	200
<i>Jinhui Liu (Northwestern Polytechnical University, China), Bowen Zhang (Northwestern Polytechnical University, China), Di Wu (Northwestern Polytechnical University, China), Mingjie Li (Northwestern Polytechnical University, China), and Bo Tang (Northwestern Polytechnical University, China)</i>	
Improved Xception with Dual Attention Mechanism and Feature Fusion for Face Forgery Detection	208
<i>Hao Lin (Sun Yat-Sen University, China), Weiqi Luo (Sun Yat-Sen University, China), Kangkang Wei (Sun Yat-Sen University, China), and Minglin Liu (Sun Yat-Sen University, China)</i>	
Evaluation of Different ML and Text Processing Techniques for Hate Speech Detection	213
<i>Nabil Shawkat (Missouri State University, USA), Jesse Simpson (Missouri State University, USA), and Jamil Saquer (Missouri State University, USA)</i>	
Moving Target Defense Strategy Selection Method Based on Long-Term Traffic Prediction	220
<i>Huan Zhang (Chinese Academy of Sciences; Sangfor Technologies Inc., China), Rongliang Chen (Chinese Academy of Sciences, China), Kangfeng Zheng (Beijing University of Posts and Telecommunications, China), Liang Gu (Sangfor Technologies Inc., China), and Xiujuan Wang (Beijing University of Technology, China)</i>	
Watermarking Pre-Trained Encoders in Contrastive Learning	228
<i>Yutong Wu (Tsinghua University, China), Han Qiu (Tsinghua University, China), Tianwei Zhang (Nanyang Technological University, Singapore), Jiwei Li (Shannon.AI, China), and Meikang Qiu (Texas A&M University Commerce, USA)</i>	
MCTrack: Multi-Head Contrastive Network for Visual Tracking	234
<i>Daohui Ge (Xidian University, China), Yunan Li (Xidian University, China), Bingwen Jia (Xidian University, China), Ruyi Liu (Xidian University, China), and Qiguang Miao (Xidian University, China)</i>	

MultiShadow: Shadow Synthesis for Multiple Virtual Objects	242
<i>Ye Ding (Dongguan University of Technology), Qi Wan (Dongguan University of Technology), Ziyuan Liu (Dongguan University of Technology), and Jie Wang (Dongguan University of Technology)</i>	
IReF: Improved Residual Feature For Video Frame Deletion Forensics	248
<i>Yi Gong Huang (Fujian Agriculture and Forestry University, China), Chun Hui Feng (Fujian Agriculture and Forestry University, China), and Dan Dan Bai (Fujian Agriculture and Forestry University, China)</i>	
Vision and Knowledge Bimodal Fine-Grained Recognition Based on Hierarchical Structured Knowledge Extraction	254
<i>Rongping Zou (National University of Defense Technology, China; State Key Laboratory of Pulsed Power Laser Technology, China; Key Laboratory of Infrared and Low Temperature Plasma of Anhui Province, China), Bin Zhu (National University of Defense Technology, China; State Key Laboratory of Pulsed Power Laser Technology, China; Key Laboratory of Infrared and Low Temperature Plasma of Anhui Province, China), Yi Chen (National University of Defense Technology, China; State Key Laboratory of Pulsed Power Laser Technology, China; Key Laboratory of Infrared and Low Temperature Plasma of Anhui Province, China), and Bo Xie (National University of Defense Technology, China; State Key Laboratory of Pulsed Power Laser Technology, China; Key Laboratory of Infrared and Low Temperature Plasma of Anhui Province, China)</i>	
Context Feature Guided Network for Image Super-Resolution	261
<i>Mengxi Ya (Tsinghua University, China), Tao Dai (Shenzhen University, China), Ling Liu (Shenzhen University, China), Jieyin Lv (CIMC Intelligent Technology Co. Ltd., China), and Shu-Tao Xia (Tsinghua University, China)</i>	
Calibrated Relighting Network for Image Light Transfer	267
<i>Cong Li (Ocean University of China, China), Yuan Rao (Ocean University of China, China), Jian Yang (Ocean University of China, China), Kai Yang (Ocean University of China, China), Hao Fan (Ocean University of China, China), and Junyu Dong (Ocean University of China, China)</i>	
Visual Semantic SLAM Based on Examination of Moving Consistency in Dynamic Scenes	275
<i>Kai Yang (Ocean University of China, China), Yumeng Jiang (Ocean University of China, China), Lin Qi (Ocean University of China, China), Hao Fan (Ocean University of China, China), Shu Zhang (Ocean University of China, China), and Junyu Dong (Ocean University of China, China)</i>	
Open-Set Pets Facial Recognition Using Deep Learning and Statistical Learning	283
<i>Zhizhi Zhang (Wuhan University of Technology, China) and Zihan Ji (Wuhan University of Technology, China)</i>	
Recurrence Quantification Analysis for PPG/ECG-Based Subject Authentication	288
<i>Turkey N. Alotaiby (King Abdulaziz for Science and Technology KACST, Kingdom of Saudi Arabia), Saleh A. Alshebeili (King Saud University, Kingdom of Saudi Arabia), Gaseb Alotibi (University of Tabuk, Kingdom of Saudi Arabia), and Ghaith N. Alotaibi (Central Bank, Kingdom of Saudi Arabia)</i>	

RGCFace: Regularized Global Center Loss for Deep Facial Expression Recognition	292
<i>Qiong Liu (Beijing Information Science and Technology University, China), Yangcheng Zhou (Beijing Information Science and Technology University, China), Wei Liu (Beijing Information Science and Technology University, China), Guangrui Li (Beijing Information Science and Technology University, China), Chenxu Li (Beijing Information Science and Technology University, China), and Wenbai Chen (Beijing Information Science and Technology University, China)</i>	
A Light Model for Corrosion Segmentation with Multi-Scale Information and CRF	298
<i>Jingxu Huang (Beijing Information Science and Technology, China), Lang Xiang (Beijing Information Science and Technology, China), Guangrui Li (Beijing Information Science and Technology, China), and Qiong Liu (Beijing Information Science and Technology, China)</i>	
Dynamic Graph Pattern Matching in Medical Knowledge Graphs	306
<i>Xun Du (Hefei University of Technology, China), Zhenchao Tao (The First Affiliated Hospital of the University of Science and Technology of China, China), and Lei Li (Hefei University of Technology, China)</i>	
Temporal Knowledge Graph Reasoning Based on Graph Convolution Network	314
<i>Chong Mo (Harbin Institute of Technology, China), Ye Wang (Harbin Institute of Technology, China), Yan Jia (Harbin Institute of Technology, China), Cui Luo (Peng Cheng Laboratory, China), and Ye Ding (Dongguan University of Technology, China)</i>	
Cultural Resource Recommender System With Knowledge Graph Convolutional Network	321
<i>Dafeng Zhang (Northeastern University, China), Xingwei Wang (Northeastern University, China), Qiang He (Northeastern University, China), Fei Gao (Northeastern University, China), Bo Yi (Northeastern University, China), and Min Huang (Northeastern University, China)</i>	
Cluster Affiliation Model for Local Community Detection	329
<i>Li Ni (Anhui University, China), Qi Zhou (Anhui University, China), Wei Li (Anhui University, China), and Yiwen Zhang (Anhui University, China)</i>	
Generative Data Augmentation for Non-IID Problem in Decentralized Clinical Machine Learning	336
<i>Zirui Wang (Harbin Institute of Technology, China), Shaoming Duan (Harbin Institute of Technology, China), Chengyue Wu (Harbin Institute of Technology, China), Wenhao Lin (Harbin Institute of Technology, China), Xinyu Zha (Harbin Institute of Technology, China), Peiyi Han (Harbin Institute of Technology, China), and Chuanyi Liu (Harbin Institute of Technology, China; Cyberspace Security Research Center, China)</i>	
Fast Classification of Indoor Functional Areas Based on a Pre-Trained Lightweight Network	344
<i>Wenbai Chen (Beijing Information Science & Technology University, China), Guohong Yi (Beijing Information Science & Technology University, China), Huixiang Liu (Beijing Information Science & Technology University, China), Qili Chen (Beijing Information Science & Technology University, China), Weizhao Chen (Beijing Information Science & Technology University, China), and Peiliang Wu (Yanshan University, China)</i>	

Behavioral Sequence Classification with Constraints	350
<i>Jiayang Wu (Guangdong Ocean University, China), Wensheng Gan (Jinan University, China), and Zhenlian Qi (Guangdong Eco-Engineering Polytechnic, China)</i>	
Weighted Contiguous Sequential Pattern Mining	358
<i>Tingfu Zhou (University of Birmingham Joint Institute, Jinan University, China), Wensheng Gan (Jinan University, China; Pazhou Lab, China), and Zhenlian Qi (Guangdong Eco-Engineering Polytechnic, China)</i>	
Fuzzy Utility Mining on Temporal Data	366
<i>Zhenqiang Ye (Guangdong University of Technology, China), Shicheng Wan (Guangdong University of Technology, China), Wensheng Gan (Jinan University, China; Pazhou Lab, China), Jiahui Chen (Guangdong University of Technology, China), and Linlin Tang (Harbin Institute of Technology, China)</i>	
Membership Inference Countermeasure with A Partially Synthetic Data Approach	374
<i>Wakana Maeda (Fujitsu Limited, Japan), Yuji Higuchi (Fujitsu Limited, Japan), Kazuhiro Minami (The Institute of Statistical Mathematics, Japan), and Ikuya Morikawa (Fujitsu Limited, Japan)</i>	
EFDO: Solving Extensive-Form Games Based On Double Oracle	382
<i>Song Qin (Harbin Insitute of Technology, China), Lei Zhang (Harbin Institute of Technology, China), Shuhan Qi (Harbin Insitute of Technology, China), Jiajia Zhang (Harbin Insitute of Technology, China), Huale Li (Harbin Insitute of Technology, China), Xuan Wang (Harbin Insitute of Technology, China), and Jing Xiao (Ping An Insurance (Group) Company, China)</i>	
NFSP-PER: An Efficient Sampling NFSP-Based Method with Prioritized Experience Replay	388
<i>Huale Li (Harbin institute of Technology, China), Shuhan Qi (Harbin institute of Technology, China), Jiajia Zhang (Harbin Institute of Technology, China), Dandan Zhang (Harbin Institute of Technology, China), Lin Yao (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology), Qi Li (China Merchants Group Digital Transformation Center, China), and Jing Xiao (Ping An Insurance (Group) Company, China)</i>	
CFDMA: A Novel Click Fraud Detection Method in Mobile Advertising	394
<i>Yanglin Liu (Harbin Institute of Technology, China), Yang Liu (Harbin Institute of Technology, China), and Mehdi Gheisari (Harbin Institute of Technology, China)</i>	
Robust Initialization for Stereo Visual-Inertial SLAM with Polar-Based Gravity Estimation	402
<i>Yifan Liu (Ocean University of China, China), Yuan Rao (Ocean University of China, China), Guanqi Qi (Ocean University of China, China), Hao Fan (Ocean University of China, China), and Junyu Dong (Ocean University of China, China)</i>	
A Review on Serious Games for Disaster Relief	408
<i>Huansheng Ning (University of Science and Technology Beijing, China), Zhangfeng Pi (University of Science and Technology Beijing, China), Wenxi Wang (University of Science and Technology Beijing, China), Fadi Farha (University of Science and Technology Beijing, China), and Shunkun Yang (Beihang University, China)</i>	

DE with A New Population Initialization Method for the Dynamic Multidimensional Knapsack Problems	415
<i>Qi Qiu (University of South China, China), Junyi He (University of South China, China), and Tao Zhu (University of South China, China)</i>	
Underwater Object Detection with Swin Transformer	422
<i>Yuqi Sun (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China), Yi Zheng (Resources Link Software Systems (Shenzhen) Company Limited, China), Lin Yao (Harbin Institute of Technology, China), Shuhan Qi (Harbin Institute of Technology, China), Linlin Tang (Harbin Institute of Technology, China), Hong Yi (Ricoh Software Research Center, China), and Kunlei Dong (Resources Link Software Systems (Shenzhen) Company Limited, China)</i>	
Information Entropy of Uncertainty Control: An Uncertainty Management Method in Imperfect Information Games	428
<i>Jiajia Zhang (Harbin Institute of Technology, China), Mingxin Zhan (Harbin Institute of Technology, China), Shuhan Qi (Harbin Institute of Technology, China), Nanwei Yu (Harbin Institute of Technology, China), Dongrun Zheng (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China), and Jing Xiao (Ping An Insurance (Group) Company of China, China)</i>	
LwDeepStack: A Lightweight DeepStack Based on Knowledge Distillation	435
<i>Jiajia Zhang (Harbin Institute of Technology, China), Zengyue Guo (Harbin Institute of Technology, China), Huale Li (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China), Dongming Liu (Harbin Institute of Technology, China), and Shuhan Qi (Harbin Institute of Technology, China)</i>	
Dual Feature Fusion Trade Execution Framework with DDQN	442
<i>Dongrun Zheng (Harbin Institute of Technology, China), Jiajia Zhang (Harbin Institute of Technology, China), Xuan Wang (Harbin Institute of Technology, China), Xiao Guo (Ping An Technology (ShenZhen) Co., Ltd., China), and Jing Xiao (Ping An Technology (ShenZhen) Co., Ltd., China)</i>	
A Multiscale Windows Deep Learning Approach For Sensor-Based Human Activity Recognition	447
<i>Furong Duan (University of South China, China), Tao Zhu (University of South China, China), Jinqiang Wang (University of South China, China), and Zhenyu Liu (University of South China, China)</i>	
Passwordless VPN using FIDO2 Security Keys	453
<i>Emin Huseynov (Azerbaijan Technical University, Azerbaijan; Token2 Sarl, Switzerland)</i>	
Intelligent Residential Demand Response Optimization under Real-Time Pricing: A Comparison of Heuristics	456
<i>Malik Ali Judge (Università degli Studi di Palermo, Italy), Awais Manzoor (Università degli Studi di Napoli PARTHENOPE, Italy), Saif ul Islam (Institute of Space Technology, Pakistan), and Ishfaq Ahmad (The University of Texas at Arlington, USA)</i>	
Stylistic Pattern Guided Tip Extraction from Music Reviews	463
<i>Jingya Zang (Harbin Institute of Technology, China) and Anguo Dong (Harbin Institute of Technology, China)</i>	

Extended Grey Model Based on Particle Swarm Optimization and Its Application in Cotton Yield Prediction	469
<i>Houjun Liang (Anhui University of Finance and Economics, Bengbu, China), Rui Xie (Anhui University of Finance and Economics, Bengbu, China), Wanhuai Zhou (Anhui University of Finance and Economics, Bengbu, China), Bo Li (Anhui University of Finance and Economics, Bengbu, China), Dianjie Bi (Anhui University of Finance and Economics, Bengbu, China), and Hao Chang (Anhui University of Finance and Economics, Bengbu, China)</i>	
Primary Study on the Face-recognition Framework with anti-spoofing function	474
<i>Xiao Wu (Automation School of Qingdao University, China), Dekang Zhang (Automation School of Qingdao University, China), and Xiaorui Liu (Automation School of Qingdao University, China; Shandong Key Laboratory of Industrial Control Technology, China)</i>	
Author Index	479