

2022 International Conference on Networking and Network Applications (NaNA 2022)

**Urumqi, China
3 – 5 December 2022**



**IEEE Catalog Number: CFP22E89-POD
ISBN: 978-1-6654-6132-0**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22E89-POD
ISBN (Print-On-Demand):	978-1-6654-6132-0
ISBN (Online):	978-1-6654-6131-3

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 International Conference on Networking and Network Applications (NaNA) NaNA 2022

Table of Contents

Message from the General Conference Chairs	xviii
Committees	xix
Keynotes	xxi

Track 1: Wireless Networks

A Resource Allocation Scheme Based on Memetic Algorithm for D2D Communication	1
<i>Yongqiang Xia (Changchun University of Science and Technology, China), Luping Tang (Changchun University of Science and Technology, China), Hairui Wang (Changchun University of Science and Technology, China), Yijun Wang (Changchun University of Science and Technology, China), and Jialong Hou (China Mobile Communications Group Jilin Co., Ltd., China)</i>	
Spatiotemporal Emotion Recognition Method Based on EEG Signals During Music Listening Using 1D-CNN & Stacked-LSTM	7
<i>Shengli Liao (Shaanxi Normal University, China), Yumei Zhang (Shaanxi Normal University, China), Honghong Yang (Shaanxi Normal University, China), and Xuening Liao (Shaanxi Normal University, China)</i>	
Feature Extraction and Identification of Specific Radiation Sources Based on Axial Integral Bispectrum and Deep Residual Shrinkage Network	13
<i>Yifan Li (Hainan University, China), Chunjie Cao (Hainan University, China), Hong Zhang (Hainan University, China), Xiuhua Wen (Hainan University, China), Yang Sun (Hainan University, China), and Keqi Zhan (Jingdezhen Ceramic Institute, China)</i>	
Joint Channel Assignment and Routing Using Partially Overlapped Channels in Multi-Radio Multi-Channel Wireless Mesh Networks	19
<i>Yi Tian (Shangluo University, China; Smart Agricultural Technology and Application Research Center of Shangluo, China) and Lin Zhang (Shangluo University, China)</i>	
Capacity Analysis of Diffusive Molecular Communication System with an Interfering Receiver.....	23
<i>Zhen Jia (Future University Hakodate, Japan), Lisheng Ma (Chuzhou University, China), Shigen Shen (Shaoxing University, China), and Xiaohong Jiang (Future University Hakodate, Japan)</i>	

Lightweight Neural Network-Based Web Fingerprinting Model	29
<i>Dingyang Liang (Shaanxi Normal University, China), Jianing Sun (Shaanxi Normal University, China), Yizhi Zhang (Shaanxi Normal University, China), and Jun Yan (Shangluo College, China)</i>	
Optimal Location Design for UAV Covert Communications with a Full-Duplex Receiver	35
<i>Zewei Guo (Xidian University, China), Shuangrui Zhao (Xidian University, China), Jiandong Wang (Xidian University, China), Haipeng Li (Unary Information Technology Inc., China), and Yulong Shen (Xidian University, China)</i>	
Channel Capacity Analysis for Diffusive Molecular Communication with a Partly Covered Comprehensive Reactive Receiver	41
<i>Junning Zhu (Ministry of Education, China; Shaanxi Normal University, China), Xuening Liao (Ministry of Education, China; Shaanxi Normal University, China; Shaanxi Key Laboratory for Network Computing and Security, China), and Zhenqiang Wu (Ministry of Education, China; Shaanxi Normal University, China)</i>	
Covert Monitoring for D2D-Enabled Cellular Networks	47
<i>Wu Wang (Yunnan Minzu University, China), Sibowang (Jiangsu University, China), Kaiguo Qian (Kunming University, China), Shaojun Yu (Kunming University, China), and Bin Yang (Chuzhou University, China)</i>	
Paris Subway Pricing-Based Link Selection in Air-Space-Ground Networks	52
<i>Yuanxin Yan (Xidian University, China), Yang Xu (Xidian University, China), Li Wang (Northwestern Polytechnical University, China), Jianbo Shao (Xidian University, China), Honggang He (Xidian University, China), and Shanshan Zhang (Xidian University, China)</i>	
Cooperative Jamming for Eavesdropping Surveillance in Wireless Networks	58
<i>Sunyan Hong (Kunming University, China), Shikai Shen (Kunming University, China), Bin Yang (Chuzhou University, China), Jun He (Kunming University, China), Fei Deng (Kunming University, China), Yunfei Zhang (Kunming University, China), and Qinbiao Yang (Kunming University, China)</i>	
UAV-Mounted Intelligent Reflecting Surface (IRS) MISO Communications	62
<i>Kaixin Li (Kyungpook National University, South Korea), Ke Zhao (Kyungpook National University, South Korea), Muhammad Fawad Khan (Kyungpook National University, South Korea), Pin-Han Ho (University of Waterloo, Canada), and Limei Peng (Kyungpook National University, South Korea)</i>	
Blind Identification of Channel Codes under AWGN and Fading Conditions via Deep Learning	67
<i>Haifeng Peng (Hainan University, China), Chunjie Cao (Hainan University, China), Yang Sun (Hainan University, China), Haoran Li (Hainan University, China), and Xiuhua Wen (Hainan University, China)</i>	
DNS Attack Detection Based on Multi-Dimensional Fusion Model	74
<i>Yasheng Zhou (Xidian University, China), Li Yang (Xidian University, China), Zhixin Wang (Xidian University, China), Guohao Li (Xidian University, China), and Xuemei Ning (Guiyang Aviation Electrical Machinery Co., Ltd, China)</i>	

Secure YOLOv3-SPP: Edge-Cooperative Privacy-Preserving Object Detection for Connected Autonomous Vehicles	82
<i>Yongjie Zhou (Guizhou University, China), Jinbo Xiong (Fujian Normal University, China), Renwan Bi (Fujian Normal University, China), and Youliang Tian (Guizhou University, China)</i>	
On IRS-Aided Covert Communications of D2D-Enabled Cellular Networks	90
<i>Yihuai Yang (Kunming University, China; Yunnan Collegiate Key Laboratory for Data Governance and Intelligent Decision, China), Shikai Shen (Kunming University, China; Yunnan Collegiate Key Laboratory for Data Governance and Intelligent Decision, China), Yumei She (Yunnan Minzu University, China), Wu Wang (Yunnan Minzu University, China), Bin Yang (Chuzhou University, China), and Yangshui Gao (Kunming University, China; Yunnan Collegiate Key Laboratory for Data Governance and Intelligent Decision, China)</i>	
Research on Intrusion Detection Algorithm Based on Optimized CNN-LSTM	96
<i>Du Jiawei (Xijing University, China), Yang Kai (Xijing University, China), Huang Zhentao (Xijing University, China), Jiang Lingjie (Xijing University, China), Huang Lei (Xijing University, China), and Yu Haixia (Xijing University, China)</i>	
The Test and Evaluation Method for the Effect of WLAN Network Quality on Hosted Services	102
<i>Yiming Pan (China Telecom Research Institute, China), Zhen Shao (China Telecom Research Institute, China), Yiming Li (China Telecom Research Institute, China), Guojin Huang (China Telecom Research Institute, China), and Fangfang Zuo (China Telecom Research Institute, China)</i>	
Load Balancing Strategy for Wireless Multi-Hotspot Networks Based on Improved NSGA-II Algorithm	107
<i>Han Yu (Hunan University of Science and Technology, China), Jie Zhan (Hunan University of Science and Technology, China; Science and Technology on Communication Networks Laboratory, China), Linbin Jiao (Science and Technology on Communication Networks Laboratory, China), and Jun-mei Han (Institute of Systems Engineering, China)</i>	
On Rate Fairness Maximization of Vehicular Networks: A Deep Reinforcement Learning Approach	113
<i>Shenghui Zhao (Chuzhou University, China), Bao Gui (Anhui University of Science and Technology, China), Guilin Chen (Chuzhou University, China), and Bin Yang (Chuzhou University, China)</i>	
Effective Secrecy Throughput Analysis for Communication Systems with a DF Satellite Relay	119
<i>Yeqiu Xiao (Xi'an University of Technology, China), Yichuan Wang (Xi'an University of Technology, China), Wenjiang Ji (Xi'an University of Technology, China), Lei Zhu (Xi'an University of Technology, China), and Xinhong Hei (Xi'an University of Technology, China)</i>	
Trust Evaluation Model of Social Internet of Things Based on Multi-Relationships	124
<i>Fan Fan (Hebei University of Science and Technology, China), Hongbin Zhang (Hebei University of Science and Technology, China), Dongmei Zhao (Hebei Normal University, China), Yanxia Wang (Hebei Geological Workers' University, China), Bin Liu (Hebei University of Science and Technology, China), and Jian Liu (Hebei University of Science and Technology, China)</i>	

A Low-Cost Active Defense Mechanism Against DDoS Attacks in Streaming Media Scenarios	130
<i>Yiting Huang (Beijing University of Posts and Telecommunications, China), Shujie Yang (Beijing University of Posts and Telecommunications, China), Tengchao Ma (Beijing University of Posts and Telecommunications, China), Zhaoyang Liu (Beijing University of Posts and Telecommunications, China), Zhongyi Ding (Beijing University of Posts and Telecommunications, China), and Qingzhao An (Beijing University of Posts and Telecommunications, China)</i>	

Track 2: Wired Networks and Data Center (DC) Networks

An Energy-Efficient and Obstruction-Free Design Scheme for FSO-Based Data Center Network	136
<i>Wenning Lu (Hubei University of Technology, China) and Bingbing Li (Hubei University of Technology, China)</i>	
Privacy Risk Estimation of Online Social Networks	144
<i>Shitong Fu (Fujian Normal University, China) and Zhiqiang Yao (Fujian Provincial University Engineering Research Center, China)</i>	
A Cache-Enabled NDN Forwarding Plane Based on Programmable Switches	152
<i>Lei Yu (Beijing Jiaotong University, China), Shuai Gao (Beijing Jiaotong University, China), Ningchun Liu (Beijing Jiaotong University, China), Hongchao Wang (Beijing Jiaotong University, China), and Wei Su (Beijing Jiaotong University, China)</i>	
Secure Cloud Data Storage with Selecting Auditors	157
<i>Wenyong Yuan (Engineering University of People's Armed Police, China), Zhengge Yi (Engineering University of People's Armed Police, China), Haibin Yang (Engineering University of People's Armed Police, China), Ruifeng Li (Engineering University of People's Armed Police, China), Pei Chen (Engineering University of People's Armed Police, China), and Xiaoyuan Yang (Engineering University of People's Armed Police, China)</i>	
A Secure Authentication Mechanism for Multi-Dimensional Identifier Network	163
<i>Yuan Cheng (Beijing Jiaotong University, China), Shuai Gao (Beijing Jiaotong University, China), and Xindi Hou (Beijing Jiaotong University, China)</i>	
Anteater: Malware Injection Detection With Program Network Traffic Behavior	169
<i>Zuobin Ying (City University of Macau, China), Yangzong Zhang (City University of Macau, China), Shengmin Xu (Fujian Normal University, China), Guowen Xu (Nanyang Technological University, Singapore), and Wenjian Liu (City University of Macau, China)</i>	
A Traceability Method for Bitcoin Transactions Based on Gateway Network Traffic Analysis	176
<i>Dapeng Huang (Fudan University), Haoran Chen (Fudan University), Kai Wang (Fudan University), Chen Chen (Fudan University), and Weili Han (Fudan University)</i>	
Research on DDoS Attack Detection Method Based on Deep Neural Network Model in SDN	184
<i>Wanqi Zhao (Hebei University of Architecture, China), Haoyue Sun (Hebei University of Architecture, China), and Dawei Zhang (Hebei University of Architecture, China)</i>	

A Game Theory Perspective on TCP Congestion Control Evaluation	189
<i>Pin Chen (University of Science and Technology of China, China), Naijie Gu (University of Science and Technology of China, China), Daxing Liu (University of Science and Technology of China, China), and Qianqian Yu (University of Science and Technology of China, China)</i>	
Planning Method of PON Based on Traffic Analysis	194
<i>Qi-Pei Qian (Beijing University of Posts and Telecommunications, China), Hui Li (Beijing University of Posts and Telecommunications, China), Yuefeng Ji (Beijing University of Posts and Telecommunications, China), Qiang Wu (Beijing University of Posts and Telecommunication), Yan Shao (China Unicom Research Institute), and Zheng-da Ma (China Unicom Research Institute)</i>	
An Encrypted Abnormal Stream Detection Method Based on Improved Skyline Computation	198
<i>Xinghong Jiang (Jiangxi Normal University, China), Xuan Li (Jiangxi Normal University, China), Chenyang Lv (Jiangxi Normal University, China), Yong Ma (Jiangxi Normal University, China), Yulong Shen (Xidian University, China), Meibin He (Jiangxi Telecom, China), and Guozheng Li (Guizhou Broadcasting & Tv Information Network Co., Ltd., China)</i>	

Track 3: Network Management, Monitoring, and Automation

Ciphertext Storage Scheme Supporting Data Hierarchical Management and Control	205
<i>Yuxiang Chen (University of Electronic Science and Technology of China, China), Yao Hao (Science and Technology on Communication Security Lab., China), Zhongqiang Yi (Science and Technology on Communication Security Lab., China), Xiaoyu Guo (Science and Technology on Communication Security Lab., China), and Chunxiang Xu (University of Electronic Science and Technology of China, China)</i>	
Network Security Situation Prediction Implemented by Attention and BiLSTM	213
<i>Dongmei Zhao (Hebei Normal University, China), Yaxing Wu (Hebei Normal University, China), and Qingru Li (Hebei Normal University, China)</i>	
Differential Preserving in XGBoost Model for Encrypted Traffic Classification	220
<i>Zhe Wang (Xidian University, China), BaiHe Ma (University of Technology Sydney, Australia), Yong Zeng (Xidian University, China), XiaoJie Lin (University of Technology Sydney, Australia), KaiChao Shi (Xidian University, China), and ZiWen Wang (Xidian University, China)</i>	
Layered Classification Method for Darknet Traffic Based on Weighted K-NN	226
<i>KaiChao Shi (Xidian University, China), BaiHe Ma (University of Technology Sydney, Australia), Yong Zeng (Xidian University, China), XiaoJie Lin (University of Technology Sydney, Australia), Zhe Wang (Xidian University, China), and ZiWen Wang (Xidian University, China)</i>	

Traceability Method of Network Attack Based on Evolutionary Game	232
<i>Hengwei Zhang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Xiaoning Zhang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Pengyu Sun (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Xiaohu Liu (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Junqiang Ma (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), and Yuchen Zhang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China)</i>	
User-Centric Service System for Network beyond IMT-2020 (5G)	237
<i>Zhan Liu (Research Institute of China Telecom Co., Ltd, China), Xiaojie Zhu (Research Institute of China Telecom Co., Ltd, China), Li Peng (Research Institute of China Telecom Co., Ltd, China), Jinlan Ma (Research Institute of China Telecom Co., Ltd, China), Xiaozhi Yuan (Research Institute of China Telecom Co., Ltd, China), Yuxiang Jiang (Research Institute of China Telecom Co., Ltd, China), and Qingyang Wang (Research Institute of China Telecom Co., Ltd, China)</i>	
Lightweight and Efficient Distributed Cooperative Intrusion Detection System for Intelligent Swarms	241
<i>Zhaoyang Li (Xidian University, China), Zhiwei Zhang (Xidian University, China; Institute of Network Information, Academy of Systems Engineering, Academy of Military Sciences, China), Zehan Chen (Xidian University, China), Hao Duan (Xidian University, China), Hongjun Li (Institute of Systems General, Academy of Systems Engineering, Academy of Military Sciences, China), and Baoquan Ren (Institute of Systems General, Academy of Systems Engineering, Academy of Military Sciences, China)</i>	
Visualizable Malware Detection Based on Multi-Dimension Dynamic Behaviors	247
<i>Zhidong Ma (Xidian University, China), Zhiwei Zhang (Xidian University, China; Institute of Network Information, Academy of Systems Engineering, Academy of Military Sciences, China), Chengliang Liu (Xidian University, China), Tianzhu Hu (Xidian University, China), Hongjun Li (Institute of Systems General, Academy of Systems Engineering, Academy of Military Sciences, China), and Baoquan Ren (Institute of Systems General, Academy of Systems Engineering, Academy of Military Sciences, China)</i>	
Feature Matching for Indoor-Oriented Visual Odometry	253
<i>Xinghui Zhu (Xidian University, China), Yongzhen Chen (Xidian University, China), Xiaodong Zhang (Xidian University, China), Zhiwei Zhang (Xidian University, China), and Baoquan Ren (Academy of Military Sciences, Institute of Systems Engineering, China)</i>	

Research on Grassland Grazing Environment Planning Based on GA-ACO Hybrid Algorithm	259
<i>Xiangnan Shi (Inner Mongolia University of Science & Technology, China), Yanbo Yang (Inner Mongolia University of Science & Technology, China), Qiwei Xu (Inner Mongolia University of Science & Technology, China), Teng Li (Xidian University, China), and Jiawei Zhang (Xidian University, China)</i>	
QoS Prediction Based on the Low-Rank Autoregressive Tensor Completion	265
<i>Hong Xia (Xi'an University of Posts and Telecommunications, China; Shaanxi Key Laboratory of Network Data Analysis and Intelligent Processing, China; Xi'an Key Laboratory of Big Data and Intelligent Computing, China), Qingyi Dong (Xi'an University of Posts and Telecommunications, China), Yanping Chen (Xi'an University of Posts and Telecommunications, China; Shaanxi Key Laboratory of Network Data Analysis and Intelligent Processing, China; Xi'an Key Laboratory of Big Data and Intelligent Computing, China), Jiahao Zheng (Xi'an University of Posts and Telecommunications, China), Cong Gao (Xi'an University of Posts and Telecommunications, China; Shaanxi Key Laboratory of Network Data Analysis and Intelligent Processing, China; Xi'an Key Laboratory of Big Data and Intelligent Computing, China), and ZhongMin Wang (Xi'an University of Posts and Telecommunications, China; Shaanxi Key Laboratory of Network Data Analysis and Intelligent Processing, China; Xi'an Key Laboratory of Big Data and Intelligent Computing, China)</i>	
A Study of Service Registration and Discovery Techniques in Microservice Architecture	270
<i>Xinghui Zhu (Xidian University, China), Yalong Lv (Xidian University, China), Jia Liu (Xidian University, China), Xuwen Dong (Xidian University, China), Lin Li (China Electronics Standardization Institute, China), and Jiandong Wang (Xidian University, China)</i>	
TCS Security Analysis in Intel SGX Enclave MultiThreading	276
<i>Tong Zhang (Xi'an University of Technology, China), Xiangjie Cui (Xi'an University of Technology, China), Yichuan Wang (Xi'an University of Technology, China; Shaanxi Key Laboratory for Network Computing and Security Technology, China), Yanning Du (Xi'an University of Technology, China), and Wen Gao (Xi'an University of Technology, China)</i>	
Block-Streaming Service Loading Optimization of Android Dalvik Executable File for Cloud-End Collaboration	282
<i>Yichuan Wang (Xi'an University of Technology, China), Yanhua Feng (Xi'an University of Technology, China), Yanning Du (Xi'an University of Technology, China), Xinhong Hei (Xi'an University of Technology, China; Shaanxi Key Laboratory for Network Computing and Security Technology, China), Yuying Tian (Xi'an University of Technology, China), and Xiangjie Cui (Xi'an University of Technology, China)</i>	
Elastic Optimized Edge Federated Learning	288
<i>Khadija Sultana (Victoria University, Australia), Khandakar Ahmed (Victoria University, Australia), Bruce Gu (Victoria University, Australia), and Hua Wang (Victoria University, Australia)</i>	

An Attributed Network Anomaly Detection Method Based on Dual Autoencoder Joint Embedding	295
<i>Jing Han (Shaanxi Normal University, China), Yizhi Zhang (Shaanxi Normal University, China), and Kenan Qin (Shaanxi Normal University, China)</i>	
EEG-Based Fatigue Detection using PLI Brain Network and Relief Algorithm	300
<i>Yan He (Xi'an University of Posts and Telecommunications, China), Zhongmin Wang (Xi'an University of Posts and Telecommunications, China), and Yupeng Zhao (Xi'an University of Posts and Telecommunications, China)</i>	
Resilient and Reliable Communication for First Responders with Ad-Hoc Network and MPTCP ...	306
<i>Yue Cui (Auburn University, USA), Alvin Lim (Auburn University, USA), Yufei Yan (Auburn University, USA), Abhishek Kulkarni (Auburn University, USA), and Tianhang Lan (Auburn University, USA)</i>	
Relation Transformation Based on Graph Convolution Network for Entity Alignment	311
<i>Luheng Yang (Shaanxi Normal University, Xi'an, China), Zhihui Wang (Shaanxi Normal University, Xi'an, China), Tingting Zhu (Shaanxi Normal University, Xi'an, China), and Jianrui Chen (Shaanxi Normal University, Xi'an, China)</i>	
MARL-MOTAG: Multi-Agent Reinforcement Learning Based Moving Target Defense to Thwart DDoS Attacks	316
<i>Zhuoyuan Li (Beijing University of Posts and Telecommunications, China), Zan Zhou (Beijing University of Posts and Telecommunications, China), Tao Zhang (Beijing University of Posts and Telecommunications, China), and Xiaolin Xing (Beijing University of Posts and Telecommunications, China)</i>	

Track 4: Network Applications

Representing the Topology of Complex Networks Based on Graph Embedding	322
<i>Ruixin Li (Xidian University, China), Zhihong Liu (Xidian University, China), Yong Zeng (Xidian University, China), and Jianfeng Ma (Xidian University, China)</i>	
Bioacoustics Monitoring of Wildlife using Artificial Intelligence: A Methodological Literature Review	329
<i>Sandhya Sharma (Himali Conservation Forum, Nepal), Kazuhiko Sato (Muroran Institute of Technology, Japan), and Bishnu Prasad Gautam (Kanazawa Gakuin University, Japan)</i>	
A Proposal of ClouEdge (Cloud-Edge) Architecture by Using JYAGUCHI Computing Framework	338
<i>Bishnu Prasad Gautam (Kanazawa Gakuin University, Japan), Amit Batajoo (Member, IEEE), and Norio Shiratori (Chuo University, Japan)</i>	
Parallel Algorithm of Geomagnetic Localization in Fire Compartment Based on MapReduce	345
<i>Tao Wang (Chuzhou University, China), Haiyan Zeng (Chuzhou University, China), and Shenghui Zhao (Chuzhou University, China)</i>	
A Novel Least Significant Bit Steganographic Method Based on Hough Transform	349
<i>Dalia Nashat (Assuit University, Egypt) and Loay Mamdouh (South Valley University, Egypt)</i>	

Secure Distributed Processing of NG with Updatable Decomposition Data and Parameters	354
<i>Hirofumi Miyajima (Nagasaki University, Japan), Noritaka Shigei (Kagoshima University, Japan), Hiromi Miyajima (Kagoshima University, Japan), and Norio Shiratori (Chuo University, Japan)</i>	
Optimization Model for Predicting Stored Grain Temperature using Deep Learning LSTMs	361
<i>Koomson Patrick (Henan University of Technology, China; Henan Key Laboratory of Grain Photoelectric Detection and Control, Henan University of Technology, China), Weidong Yang (n/a), and Erbo Shen (n/a)</i>	
Hey! You Photographed My Screen without Approved: A Practical Screen Content Protection Scheme Based on Visual Cryptography	369
<i>Kui Liu (Xidian University, China), Bin Wang (Network and Information Security Laboratory Hangzhou Hikvision Digital Technology Co., LTD., P.R.China; Zhejiang Key Laboratory of Multi-dimensional Perception Technology, Application and Cybersecurity, China), Ziwei Shi (Xidian University, China), Jiadong Chen (Network and Information Security Laboratory Hangzhou Hikvision Digital Technology Co., LTD., P.R.China; Zhejiang Key Laboratory of Multi-dimensional Perception Technology, Application and Cybersecurity, Chian), and Zhiwei Zhang (Xidian University, China)</i>	
Partial Computation Offloading and Resource Allocation via Deep Deterministic Policy Gradient	376
<i>Yingxin Shan (Xidian University, China), Peng Liao (Xidian University, China), Zhuo Wang (Xidian University, China), and Lingling An (Xidian University, China)</i>	
Identifying Those Who Really Need Subsidies: A Data-Driven Approach	384
<i>Chunyan Yu (Anhui University of Science and Technology, China; Chuzhou University, China), Linfeng Gu (Anhui University of Science and Technology, China), Guilin Chen (Chuzhou University, China), and Aiguo Wang (Foshan University, China)</i>	
Comparison of Feature Extraction Techniques for Ambient Sensor-Based In-Home Activity Recognition	391
<i>Aiguo Wang (Foshan University, China), Yue Meng (Donghua University, China), Liang Zhao (Chuzhou University, China), Jinjun Liu (Chuzhou University, China), and Guilin Chen (Chuzhou University, China)</i>	
Short Text Semantic Matching Model Based on Bert and Adversarial Network	397
<i>Tao Zhang (Xinjiang University, China), Zhe Zhang (Xinjiang University, China), Xiang Li (Xinjiang University, China), Yulin Wu (Xinjiang University, China), Bo Peng (Xinjiang University, China), Yurong Qian (Xinjiang University, China), Mengnan Ma (Xinjiang University, China), and Hongyong Leng (Xinjiang University, China)</i>	
Petri Net Model of MITM Attack Based on NDP Protocol	402
<i>Liumei Zhang (Xi'an Shiyou University, China), Yu Han (Xi'an Shiyou University, China), Yichuan Wang (Xi'an Unity of Technology, China; Shaanxi Key Laboratory for Network Computing and Security Technology, China), and Ruiqin Quan (Xinjiang Institute of Engineering)</i>	

A Privacy-Preserving Gait Recognition Scheme Under Homomorphic Encryption	406
<i>Leyu Lin (Science and Technology on Communication Security Laboratory, Chengdu, China), Bo Tian (Science and Technology on Communication Security Laboratory, Chengdu, China), Yue Zhao (Science and Technology on Communication Security Laboratory, Chengdu, China), and Yiru Niu (Science and Technology on Communication Security Laboratory, Chengdu, China)</i>	
Multi-RIS Deployment for High Data-Rate Communications	411
<i>Muhammad Fawad Khan (Kyungpook National University, South Korea), Haoran Mei (Kyungpook National University, South Korea), Shahmila Rahim (Kyungpook National University, South Korea), Limei Peng (Kyungpook National University, South Korea), and Pin-Han Ho (University of Waterloo, Canada)</i>	
Object Detection Algorithm Based on Cosine Similarity IoU	415
<i>Sugang Ma (Xi'an University of Posts and Telecommunications, China), Ningbo Li (Xi'an University of Posts and Telecommunications, China), Guansheng Peng (XIDIAN University, China), Yanping Chen (Xi'an University of Posts and Telecommunications, China), Ying Wang (Xi'an University of Posts and Telecommunications, China), and Zhiqiang Hou (Xi'an University of Posts and Telecommunications, China)</i>	
OKV: Optimized Key-Value Data Collection with Local Differential Privacy	421
<i>Bowen Deng (Xidian University, China), Lele Zheng (Xidian University, China), Ze Tong (Xidian University, China), Jing Gao (Xidian University, China), Tao Zhang (Xidian University, China), and Qi Li (Nanjing University of Posts and Telecommunications, China; Hangzhou Normal University, China)</i>	
A Secure and Anonymous Communication Scheme Based on Internet Public Service Environment	427
<i>Kaijun Wu (Science and Technology on Communication Security Laboratory, China; No.30 Research Institute of China Electronics Technology Group Corporation, China; China Electronics Technology Cyber Security Co., Ltd, China), Bo Tian (Science and Technology on Communication Security Laboratory, China; No.30 Research Institute of China Electronics Technology Group Corporation, China; China Electronics Technology Cyber Security Co., Ltd, China), Xue Wang (Science and Technology on Communication Security Laboratory, China; No.30 Research Institute of China Electronics Technology Group Corporation, China; China Electronics Technology Cyber Security Co., Ltd, China), and Qi Zhao (No.30 Research Institute of China Electronics Technology Group Corporation, China; China Electronics Technology Cyber Security Co., Ltd, China)</i>	

Rotation Model Enhancement for Adversarial Attack	431
<i>Hengwei Zhang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Zheming Li (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Hao Liu (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Bo Yang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), Chenwei Li (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China), and Jindong Wang (State Key Laboratory of Mathematical Engineering and Advanced Computing, Henan Key Laboratory of Information Security, China)</i>	
3D Deployment of UAVs for Communications under Multiple Eavesdroppers	437
<i>Ke Zhao (Kyungpook National University, South Korea), Mian Muaz Razaq (Kyungpook National University, South Korea), Kaixin Li (Kyungpook National University, South Korea), Limei Peng (Kyungpook National University, South Korea), and Pin-Han Ho (University of Waterloo, Canada)</i>	
An Optimized Prediction Algorithm Based on XGBoost	442
<i>Cheng Sheng (Xinjiang University, China) and Haizheng Yu (Xinjiang University, China)</i>	
An Improved Gray Wolf Optimization Algorithm Based on Levy Flight and Adaptive Strategies ...	448
<i>Wenbo Zhang (Shaanxi Normal University, China), Ruoxia Yao (Shaanxi Normal University, China), Xiaoteng Yang (Shaanxi Normal University, China), and Kaiguang Wang (Shaanxi Normal University, China)</i>	
ADN: ATSS-Based Deep Network for Pedestrian Detection on High-Resolution Images	454
<i>Wanghao Mo (Xinjiang University, China), Yan Ke (Xinjiang University, China), Qingao Huo (Xinjiang University, China), Ruyi Cao (Xinjiang University, China), Guochang Song (Xinjiang University, China), and Wendong Zhang (Xinjiang University, China)</i>	
An Efficient Method for Restraining Negative Information Cascades in Online Social Networks	459
<i>Yan Wang (Shaanxi Normal University, China), Li Li (Shaanxi Normal University, China), ZhaoHua Wang (Shaanxi Normal University, China), and XiaoHua Zheng (Shaanxi Normal University, China)</i>	
Blind Signature Scheme Based on QC-MDPC Codes	465
<i>Fang Ren (Xi'an University of Posts and Telecommunications, China), Haiyan Xiu (Xi'an University of Posts and Telecommunications, China), Anqi Gao (Shanxi University, China), and Xuan Shi (Xi'an University of Posts and Telecommunications, China)</i>	
Self-Anomaly-Detection Model Training via Initialized Meta Model	471
<i>Xindi Ma (Xidian University, China), Cunzhu Su (Xidian University, China), Jianfeng Ma (Xidian University, China), Qi Jiang (Xidian University, China), Ning Xi (Xidian University, China), Sheng Gao (Central University of Finance and Economics, China), and Kang Xie (Ministry of Public Security, China)</i>	

A Fair Federated Learning Framework Based on Clustering	477
<i>Jiaomei Zhang (Fujian Normal University, China), Ayong Ye (Fujian Normal University, China), Zhiqiang Yao (Fujian Normal University, China), and Minghui Sun (Fujian Normal University, China)</i>	
FedDBG: Privacy-Preserving Dynamic Benchmark Gradient in Federated Learning Against Poisoning Attacks	483
<i>Mengfan Xu (Key Laboratory of Modern Teaching Technology, China; Shaanxi Normal University, China)</i>	
Class Continuous LOD Algorithm for Lightweight WebGL Rendering Optimization	489
<i>Jiandong Wang (Xidian University, China), Xiang Xia (Xidian University, China), Zhiwei Zhang (Xidian University, China), Yuanyu Zhang (Xidian University, China), Yulong Shen (Xidian University, China), and Baoquan Ren (Academy of Military Sciences, Institute of Systems Engineering, China)</i>	
A LSTM Forecasting Model Based on ASSOMA	495
<i>Xiaofeng Rong (Xi'an Technological University, China), Chang Wang (Xi'an Technological University, China), and Zijian Cao (Xi'an Technological University, China)</i>	
Research on Blockchain Usage for 5G Message Service	501
<i>Ke Wang (China Mobile Research & Institute, China), Yaling He (China Mobile Internet Co., Ltd, China), and YuHuang He (China Mobile Internet Co., Ltd, China)</i>	
A Dynamic Reconfiguration Method of Communication Groups for Parallel Volunteer Computing	506
<i>Taiki Tomita (Yamaguchi University, Japan), Keiichi Inohara (Yamaguchi University, Japan), Yota Kurokawa (Yamaguchi University, Japan), and Masaru Fukushi (Yamaguchi University, Japan)</i>	
Link-Ability: A Prediction Method of Web Service Compatibility Based on Markov Process	511
<i>Shiyang Ma (Xidian University, Xi'an, China), Yahui Li (Xi'an Aeronautics Computing Technique Research Institute AVIC, China; Aviation Key Laboratory of Science and Technology on Airborne and Missleborne Computer, China), Zhonghua Wang (Xi'an Aeronautics Computing Technique Research Institute AVIC, China; Aviation Key Laboratory of Science and Technology on Airborne and Missleborne Computer, China), Di Lu (Xidian University, China), Xuewen Dong (Xidian University, China), Wei Tong (Xidian University, China), and Lingxiao Yang (Xidian University, China)</i>	
Track Irregularity Prediction Based on DWT-DLSTM Model	517
<i>Haining Meng (Xi'an University of Technology, China; Shaanxi Key Lab Network Computer and Security Technology, China), Jiawei Zhang (Xi'an University of Technology, China), Yi Zheng (Xi'an University of Technology, China), Wenjiang Ji (Xi'an University of Technology, China), Xinyu Tong (Xi'an University of Technology, China), and Xinhong Hei (Xi'an University of Technology, China)</i>	
An Optimized Key-Value Raft Algorithm for Satisfying Linearizable Consistency	522
<i>Xiao Liu (Xidian University, China), Zhao Huang (Xidian University, China), Quan Wang (Xidian University, China), and Nan Luo (Xidian University, China)</i>	

EA-Based Mitigation of Hardware Trojan Attacks in NoC of Coarse-Grained Reconfigurable Arrays	528
<i>Zeyu Li (Xidian University, China), Junjie Wang (Xidian University, China), Zhao Huang (Xidian University, China), and Quan Wang (Xidian University, China)</i>	
Feature-Level Attention Pooling for Overlapping Sound Event Detection	534
<i>Mei Wang (Guilin University of Technology, China), Zhengyi An (Guilin University of Electronic Technology, China), Yu Yao (Guilin University of Electronic Technology, China), and Xiyu Song (Guilin University of Electronic Technology, China)</i>	
Design of an OTN-Based Failure/Alarm Propagation Simulator	540
<i>Zening Li (University of Waterloo, Canada), Pin-Han Ho (University of Waterloo, Canada), Yan Jiao (University of Waterloo, Canada), Bingbing Li (Hubei University of Technology, China), and Yuren You (Huawei Ottawa Research and Development Centre, Canada)</i>	
Multivariate-Aided Power-Consumption Prediction Based on LSTM-Kalman Filter	545
<i>Shuai Lyu (Kyungpook National University, Republic of Korea), Haoran Mei (Kyungpook National University, Republic of Korea), Limei Peng (Kyungpook National University, Republic of Korea), Shih Yu Chang (San Jose State University, USA), and Jiang Mo (Pukyung National University, South Korea)</i>	
Pedestrian Detection Based on Improved SSD Object Detection Algorithm	550
<i>Yunchuan Wu (Xinjiang University, China), Cheng Chen (Xinjiang University, China), and Bo Wang (Xinjiang University, China)</i>	
Network Security Situation Assessment Method Based on Absorbing Markov Chain	556
<i>Hongbin Gao (Hebei University of Science and Technology, China), Shangxing Wang (Hebei University of Science and Technology, China), Hongbin Zhang (Hebei University of Science and Technology, China), Bin Liu (Hebei University of Science and Technology, China), Dongmei Zhao (Hebei Normal University, China), and Zhen Liu (Hebei University of Science and Technology, China)</i>	
Author Index	563