

2022 IEEE 63rd Annual Symposium on Foundations of Computer Science (FOCS 2022)

**Denver, Colorado, USA
31 October - 3 November 2022**

Pages 1-611



**IEEE Catalog Number: CFP22053-POD
ISBN: 978-1-6654-5520-6**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP22053-POD |
| ISBN (Print-On-Demand): | 978-1-6654-5520-6 |
| ISBN (Online): | 978-1-6654-5519-0 |
| ISSN: | 1523-8288 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 IEEE 63rd Annual Symposium on Foundations of Computer Science (FOCS) **FOCS 2022**

Table of Contents

| | |
|--------------------------|-------|
| Preface | xvii |
| Committees | xviii |
| External Reviewers | xx |

Session 1A

| | |
|---|----|
| Binary Codes with Resilience Beyond $1/4$ via Interaction | 1 |
| <i>Klim Efremenko (Ben-Gurion University, Israel), Gillat Kol (Princeton University, USA), Raghuvansh R. Saxena (Microsoft Research, USA), and Zhijun Zhang (Princeton University, USA)</i> | |
| Error Correcting Codes that Achieve BSC Capacity Against Channels that are Poly-Size Circuits | 13 |
| <i>Ronen Shaltiel (University of Haifa, Israel) and Jad Silbak (Tel Aviv University, Israel)</i> | |
| Relaxed Locally Decodable and Correctable Codes: Beyond Tensoring | 24 |
| <i>Gil Cohen (Tel Aviv University, Israel) and Tal Yankovitz (Tel Aviv University, Israel)</i> | |
| Punctured Low-Bias Codes Behave Like Random Linear Codes | 36 |
| <i>Venkatesan Guruswami (University of California, Berkeley) and Jonathan Mosheiff (Ben-Gurion University, Israel)</i> | |

Session 1B

| | |
|--|----|
| Classical Verification of Quantum Computations in Linear Time | 46 |
| <i>Jiayu Zhang (California Institute of Technology, USA)</i> | |
| Inapproximability of Positive Semidefinite Permanents and Quantum State Tomography | 58 |
| <i>Alexander Meiburg (University of California, Santa Barbara)</i> | |
| Verifiable Quantum Advantage Without Structure | 69 |
| <i>Takashi Yamakawa (NTT Social Informatics Laboratories, Japan) and Mark Zhandry (NTT Research & Princeton University, USA)</i> | |

Session 1C

| | |
|--|----|
| Properly Learning Monotone Functions via Local Correction | 75 |
| <i>Jane Lange (CSAIL, MIT, USA), Ronitt Rubinfeld (CSAIL, MIT, USA), and Arsen Vasilyan (CSAIL, MIT, USA)</i> | |
| Testing Positive Semidefiniteness using Linear Measurements | 87 |
| <i>Deanna Needell (University of California Los Angeles, USA), William Swartworth (University of California Los Angeles, USA), and David P. Woodruff (Carnegie Mellon University, USA)</i> | |
| Improved Optimal Testing Results from Global Hypercontractivity | 98 |
| <i>Tali Kaufman (Bar-Ilan University, Israel) and Dor Minzer (MIT, USA)</i> | |

Session 2A

| | |
|---|-----|
| Localization Schemes: A Framework for Proving Mixing Bounds for Markov Chains | 110 |
| <i>Yuansi Chen (Duke University) and Ronen Eldan (Microsoft Research)</i> | |
| Optimal Sublinear Sampling of Spanning Trees and Determinantal Point Processes via Average-Case Entropic Independence | 123 |
| <i>Nima Anari (Stanford University), Yang P. Liu (Stanford University), and Thuy-Duong Vuong (Stanford University)</i> | |
| Optimal Learning of Quantum Hamiltonians from high-Temperature Gibbs States | 135 |
| <i>Jeongwan Haah (Microsoft Quantum, USA), Robin Kothari (Microsoft Quantum, USA), and Ewin Tang (University of Washington, USA)</i> | |
| Sampling Lovász Local Lemma for General Constraint Satisfaction Solutions in Near-Linear Time | 147 |
| <i>Kun He (University of Chinese Academy of Sciences, China), Chunyang Wang (Nanjing University, China), and Yitong Yin (Nanjing University, China)</i> | |

Session 2B

| | |
|--|-----|
| Pure-Circuit: Strong Inapproximability for PPAD | 159 |
| <i>Argyrios Deligkas (Royal Holloway, UK), John Fearnley (University of Liverpool, UK), Alexandros Hollender (University of Oxford, UK), and Themistoklis Melissourgos (University of Essex, UK)</i> | |
| Order Selection Prophet Inequality: From Threshold Optimization to Arrival Time Design | 171 |
| <i>Bo Peng (ITCS, Shanghai University of Finance and Economics) and Zhihao Gavin Tang (ITCS, Shanghai University of Finance and Economics)</i> | |
| First Price Auction is $1-1/e^2$ Efficient | 179 |
| <i>Yaonan Jin (Columbia University, United States) and Pinyan Lu (Shanghai University of Finance and Economics, China)</i> | |

Session 2C

| | |
|--|-----|
| Simple Hard Instances for Low-Depth Algebraic Proofs | 188 |
| <i>Nashlen Govindasamy (Imperial College London, UK), Tuomas Hakoniemi (Imperial College London, UK), and Iddo Tzameret (Imperial College London, UK)</i> | |
| Separated Borders: Exponential-gap Fanin-Hierarchy Theorem for Approximative Depth-3 Circuits | 200 |
| <i>Pranjal Dutta (Chennai Mathematical Institute, India) and Nitin Saxena (Indian Institute of Technology, India)</i> | |
| Radical Sylvester-Gallai Theorem for Cubics | 212 |
| <i>Rafael Oliveira (University of Waterloo, Canada) and Akash Kumar Sengupta (Columbia University, United States)</i> | |
| Fast Multivariate Multipoint Evaluation Over All Finite Fields | 221 |
| <i>Vishwas Bhargava (Rutgers University, USA), Sumanta Ghosh (Caltech, USA), Zeyu Guo (UT Austin, USA), Mrinal Kumar (IIT Bombay, India), and Chris Umans (Caltech, USA)</i> | |

Session 3A

| | |
|--|-----|
| Solving SDP Faster: A Robust IPM Framework and Efficient Implementation | 233 |
| <i>Baihe Huang (Peking University, China), Shunhua Jiang (Columbia University, USA), Zhao Song (Adobe Research, USA), Runzhou Tao (Columbia University, USA), and Ruizhe Zhang (The University of Texas at Austin, USA)</i> | |
| Improved Lower Bounds for Submodular Function Minimization | 245 |
| <i>Deeparnab Chakrabarty (Dartmouth College, USA), Andrei Graur (Stanford University, USA), Haotian Jiang (University of Washington, USA), and Aaron Sidford (Stanford University, USA)</i> | |
| Determinant Maximization via Matroid Intersection Algorithms | 255 |
| <i>Adam Brown (Georgia Institute of Technology, USA), Aditi Laddha (Georgia Institute of Technology, USA), Madhusudhan Pittu (Carnegie Mellon University, USA), Mohit Singh (Georgia Institute of Technology, USA), and Prasad Tetali (Carnegie Mellon University, USA)</i> | |
| Interior Point Methods are not Worse than Simplex | 267 |
| <i>Xavier Allamigeon (Inria, CMAP, CNRS, Ecole Polytechnique, IP Paris, France), Daniel Dadush (Centrum Wiskunde & Informatica, The Netherlands), Georg Loho (University of Twente, The Netherlands), Bento Natura (London School of Economics and Political Science, UK), and László A. Végh (London School of Economics and Political Science, UK)</i> | |

Session 3B

| | |
|--|-----|
| Survivable Network Design Revisited: Group-Connectivity | 278 |
| <i>Qingyun Chen (University of California, Merced), Bundit Laekhanukit (Shanghai University of Finance and Economics, China), Chao Liao (Shanghai Jiao Tong University, China), and Yuhao Zhang (Shanghai Jiao Tong University, China)</i> | |

| | |
|---|-----|
| Approximation Algorithms and Hardness for n-Pairs Shortest Paths and All-Nodes Shortest Cycles | 290 |
| <i>Mina Dalirrooyfard (MIT, USA), Ce Jin (MIT, USA), Virginia Vassilevska Williams (MIT, USA), and Nicole Wein (Rutgers University, USA)</i> | |
| Fitting Metrics and Ultrametrics with Minimum Disagreements | 301 |
| <i>Vincent Cohen-Addad (Google Zürich, Switzerland), Chenglin Fan (Sorbonne Université, France), Euiwoong Lee (University of Michigan, USA), and Arnaud de Mesmay (LIGM, CNRS, Univ. Gustave Eiffel, ESIEE Paris, France)</i> | |

Session 3C

| | |
|--|-----|
| Tight Lipschitz Hardness for Optimizing Mean Field Spin Glasses | 312 |
| <i>Brice Huang (MIT, USA) and Mark Sellke (Stanford, USA)</i> | |
| Sampling from the Sherrington-Kirkpatrick Gibbs Measure via Algorithmic Stochastic Localization | 323 |
| <i>Ahmed El Alaoui (Cornell University), Andrea Montanari (Stanford University, USA), and Mark Sellke (Stanford University, USA)</i> | |
| Performance and Limitations of the QAOA at Constant Levels on Large Sparse Hypergraphs and Spin Glass Models | 335 |
| <i>Joao Basso (Google Quantum AI, USA), David Gamarnik (Massachusetts Institute of Technology, USA), Song Mei (University of California, USA), and Leo Zhou (California Institute of Technology, USA)</i> | |
| Algorithms for the Ferromagnetic Potts Model on Expanders | 344 |
| <i>Charlie Carlson (University of Colorado Boulder, USA), Ewan Davies (Colorado State University, USA), Nicolas Fraiman (University of North Carolina at Chapel Hill, USA), Alexandra Kolla (University of California, Santa Cruz, USA), Aditya Potukuchi (York University, Canada), and Corrine Yap (Rutgers University, USA)</i> | |

Plenary Session 1

| | |
|--|-----|
| On Matrix Multiplication and Polynomial Identity Testing | 356 |
| <i>Robert Andrews (University of Illinois Urbana-Champaign, USA)</i> | |

Session 4A

| | |
|--|-----|
| Cheeger Inequalities for Vertex Expansion and Reweighted Eigenvalues | 366 |
| <i>Tsz Chiu Kwok (Shanghai University of Finance and Economics, China), Lap Chi Lau (The University of Waterloo, Canada), and Kam Chuen Tung (The University of Waterloo, Canada)</i> | |
| Almost Ramanujan Expanders from Arbitrary Expanders via Operator Amplification | 378 |
| <i>Fernando Granha Jeronimo (Institute of Advanced Study, USA), Tushant Mittal (University of Chicago, USA), Sourya Roy (UC Riverside, USA), and Avi Wigderson (Institute for Advanced Study, USA)</i> | |

| | |
|--|-----|
| Motif Cut Sparsifiers | 389 |
| <i>Michael Kapralov (EPFL, Switzerland), Mikhail Makarov (EPFL, Switzerland), Sandeep Silval (MIT, USA), Christian Sohler (University of Cologne, Germany), and Jakab Tardos (EPFL, Switzerland)</i> | |

Session 4B

| | |
|---|-----|
| Fooling Polynomials using Invariant Theory | 399 |
| <i>Harm Derksen (Northeastern University, USA) and Emanuele Viola (Northeastern University, USA)</i> | |
| Derandomizing Directed Random Walks in Almost-Linear Time | 407 |
| <i>Rasmus Kyng (ETH Zurich, Switzerland), Simon Meierhans (ETH Zurich, Switzerland), and Maximilian Probst Gutenberg (ETH Zurich, Switzerland)</i> | |
| Linear Hashing with ℓ_∞ Guarantees and two-Sided Kakeya Bounds | 419 |
| <i>Manik Dhar (Princeton University, USA) and Zeev Dvir (Princeton University, USA)</i> | |
| Unstructured Hardness to Average-Case Randomness | 429 |
| <i>Lijie Chen (Massachusetts Institute of Technology, USA), Ron D. Rothblum (Technion, Israel), and Roei Tell (The Institute of Advanced Study and DIMACS, USA)</i> | |

Session 4C

| | |
|---|-----|
| Local Computation of Maximal Independent Set | 438 |
| <i>Mohsen Ghaffari (MIT, USA)</i> | |
| Streaming Facility Location in High Dimension via Geometric Hashing | 450 |
| <i>Artur Czumaj (University of Warwick, UK), Shaofeng H.-C. Jiang (Peking University, China), Robert Krauthgamer (Weizmann Institute of Science, Israel), Pavel Veselý (Charles University, Czechia), and Mingwei Yang (Peking University, China)</i> | |
| The Power of Uniform Sampling for Coresets | 462 |
| <i>Vladimir Braverman (Johns Hopkins University), Vincent Cohen-Addad (Google Research, Switzerland), Shaofeng H. C. Jiang (Peking University), Robert Krauthgamer (Weizmann Institute of Science), Chris Schwiegelshohn (Aarhus University), Mads Bech Toftstrup (Aarhus University), and Xuan Wu (Johns Hopkins University)</i> | |
| On Weighted Graph Sparsification by Linear Sketching | 474 |
| <i>Yu Chen (University of Pennsylvania, USA), Sanjeev Khanna (University of Pennsylvania, USA), and Huan Li (University of Pennsylvania, USA)</i> | |

Session 5A

| | |
|---|-----|
| Factorial Lower Bounds for (Almost) Random Order Streams | 486 |
| <i>Ashish Chiplunkar (IIT Delhi, India), John Kallaughner (Sandia National Labs, USA), Michael Kapralov (EPFL, Switzerland), and Eric Price (UT Austin, USA)</i> | |
| The Quantum and Classical Streaming Complexity of Quantum and Classical Max-Cut | 498 |
| <i>John Kallaughner (Sandia National Labs, USA) and Ojas Parekh (Sandia National Labs, USA)</i> | |
| Cut Query Algorithms with Star Contraction | 507 |
| <i>Simon Apers (CNRS, IRIF, France), Yuval Efron (Columbia University, USA), Pawel Gawrychowski (University of Wroclaw, Poland), Troy Lee (QSI, University of Technology Sydney, Australia), Sagnik Mukhopadhyay (University of Sheffield, UK), and Danupon Nanongkai (Max Planck Institute for Informatics, University of Copenhagen, and KTH)</i> | |
| Memory Bounds for Continual Learning | 519 |
| <i>Xi Chen (Columbia University, USA), Christos Papadimitriou (Columbia University, USA), and Binghui Peng (Columbia University, USA)</i> | |

Session 5B

| | |
|--|-----|
| Induced Cycles and Paths Are Harder Than You Think | 531 |
| <i>Mina Dalirrooyfard (MIT, USA) and Virginia Vassilevska Williams (MIT, USA)</i> | |
| Hardness Self-Amplification from Feasible Hard-Core Sets | 543 |
| <i>Shuichi Hirahara (National Institute of Informatics, Japan) and Nobutaka Shimizu (Tokyo Institute of Technology, Japan)</i> | |
| A Tight (non-Combinatorial) Conditional Lower Bound for Klee's Measure Problem in 3D | 555 |
| <i>Marvin Künnemann (TU Kaiserslautern, Germany)</i> | |

Session 5C

| | |
|---|-----|
| Sparse Random Hypergraphs: Non-Backtracking Spectra and Community Detection | 567 |
| <i>Ludovic Stephan (École Polytechnique Fédérale de Lausanne, Switzerland) and Yizhe Zhu (University of California, Irvine, USA)</i> | |
| Algorithms and Barriers in the Symmetric Binary Perceptron Model | 576 |
| <i>David Gamarnik (Massachusetts Institute of Technology), Eren C. Kizildag (Massachusetts Institute of Technology), Will Perkins (University of Illinois at Chicago), and Changji Xu (Harvard University)</i> | |
| Optimal Mixing for two-State Anti-Ferromagnetic Spin Systems | 588 |
| <i>Xiaoyu Chen (Nanjing University, China), Weiming Feng (University of Edinburgh, China; University of Edinburgh, United Kingdom), Yitong Yin (Nanjing University, China), and Xinyuan Zhang (Nanjing University, China)</i> | |

Plenary Session 2

| | |
|---|-----|
| Negative-Weight Single-Source Shortest Paths in Near-Linear Time | 600 |
| <i>Aaron Bernstein (Rutgers University, USA), Danupon Nanongkai (MPI for Informatics, University of Copenhagen, and KTH), and Christian Wulff-Nilsen (University of Copenhagen, Denmark)</i> | |
| Maximum Flow and Minimum-Cost Flow in Almost-Linear Time | 612 |
| <i>Li Chen (Georgia Tech, USA), Rasmus Kyng (ETH Zurich, Switzerland), Yang P. Liu (Stanford University, USA), Richard Peng (University of Waterloo, Canada), Maximilian Probst Gutenberg (ETH Zurich, Switzerland), and Sushant Sachdeva (University of Toronto, Canada)</i> | |

Session 7A

| | |
|---|-----|
| Randomised Composition and Small-Bias Minimax | 624 |
| <i>Shalev Ben-David (University of Waterloo, Canada), Eric Blais (University of Waterloo, Canada), Mika Göös (EPFL, Switzerland), and Gilbert Maystre (EPFL, Switzerland)</i> | |
| A Proof of the Kahn-Kalai Conjecture | 636 |
| <i>Jinyoung Park (Stanford University, USA) and Huy Tuan Pham (Stanford University, USA)</i> | |
| On the Range Avoidance Problem for Circuits | 640 |
| <i>Hanlin Ren (University of Oxford, UK), Rahul Santhanam (University of Oxford, UK), and Zhikun Wang (Xi'an Jiaotong University, China)</i> | |

Session 7B

| | |
|--|-----|
| Correlation Clustering with Sherali-Adams | 651 |
| <i>Vincent Cohen-Addad (Google Research), Euiwoong Lee (University of Michigan), and Alantha Newman (CNRS, Université Grenoble-Alpes, France)</i> | |
| Explicit Lower Bounds Against $\Omega(n)$ -Rounds of Sum-of-Squares | 662 |
| <i>Max Hopkins (University of California San Diego, USA) and Ting-Chun Lin (University of California San Diego, USA; Hon Hai Research Institute, Taiwan)</i> | |

Session 7C

| | |
|--|-----|
| Gap Edit Distance via Non-Adaptive Queries: Simple and Optimal | 674 |
| <i>Elazar Goldenberg (The Academic College of Tel Aviv-Yaffo, Israel), Tomasz Kociumaka (Max Planck Institute for Informatics, Germany), Robert Krauthgamer (Weizmann Institute of Science, Israel), and Barna Saha (University of California, San Diego, USA)</i> | |

| | |
|---|-----|
| $\tilde{O}(n + \text{Poly}(k))$ -Time Algorithm for Distance k Tree Edit Distance | 686 |
| <i>Debarati Das (Pennsylvania State University, United States), Jacob Gilbert (University of Maryland, United States), MohammadTaghi Hajiaghayi (University of Maryland, United States), Tomasz Kociumaka (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany), Barna Saha (University of California San Diego, United States), and Hamed Saleh (University of Maryland, United States)</i> | |
| Faster Pattern Matching Under Edit Distance | 698 |
| <i>Panagiotis Charalampopoulos (Birkbeck, University of London, UK), Tomasz Kociumaka (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany), and Philip Wellnitz (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany)</i> | |

Session 8A

| | |
|---|-----|
| Estimating the Longest Increasing Subsequence in Nearly Optimal Time | 708 |
| <i>Alexandr Andoni (Columbia University, USA), Negev Shekel Nosatzki (Columbia University, USA), Sandip Sinha (Columbia University, USA), and Clifford Stein (Columbia University, USA)</i> | |
| Almost 3-Approximate Correlation Clustering in Constant Rounds | 720 |
| <i>Soheil Behnezhad (Northeastern University, USA), Moses Charikar (Stanford University, USA), Weiyun Ma (Stanford University, USA), and Li-Yang Tan (Stanford University, USA)</i> | |
| High-Dimensional Geometric Streaming in Polynomial Space | 732 |
| <i>David P. Woodruff (Carnegie Mellon University) and Taisuke Yasuda (Carnegie Mellon University)</i> | |
| Active Linear Regression for ℓ_p Norms and Beyond | 744 |
| <i>Cameron Musco (University of Massachusetts Amherst), Christopher Musco (New York University), David Woodruff (Carnegie Mellon University), and Taisuke Yasuda (Carnegie Mellon University)</i> | |

Session 8B

| | |
|--|-----|
| Differential Privacy from Locally Adjustable Graph Algorithms: k -Core Decomposition, Low Out-Degree Ordering, and Densest Subgraphs | 754 |
| <i>Laxman Dhulipala (University of Maryland, USA), Quanquan C. Liu (Northwestern University, USA), Sofya Raskhodnikova (Boston University, USA), Jessica Shi (Massachusetts Institute of Technology, USA), Julian Shun (Massachusetts Institute of Technology, USA), and Shangdi Yu (Massachusetts Institute of Technology, USA)</i> | |
| Having Hope in Hops: New Spanners, Preservers and Lower Bounds for Hopsets | 766 |
| <i>Shimon Kogan (Weizmann Institute, Israel) and Merav Parter (Weizmann Institute, Israel)</i> | |
| New Additive Spanner Lower Bounds by an Unlayered Obstacle Product | 778 |
| <i>Greg Bodwin (University of Michigan, USA) and Gary Hoppenworth (University of Michigan, USA)</i> | |

| | |
|---|-----|
| Deterministic Small Vertex Connectivity in Almost Linear Time | 789 |
| <i>Thatchaphol Saranurak (University of Michigan, USA) and Sorrachai Yingchareonthawornchai (Aalto University, Finland)</i> | |

Session 8C

| | |
|---|-----|
| Balanced Allocations: The Heavily Loaded Case with Deletions | 801 |
| <i>Nikhil Bansal (University of Michigan, USA) and William Kuszmaul (Massachusetts Institute of Technology, USA)</i> | |
| Binary Iterative Hard Thresholding Converges with Optimal Number of Measurements for 1-Bit Compressed Sensing | 813 |
| <i>Namiko Matsumoto (University of California San Diego, USA) and Arya Mazumdar (University of California San Diego, USA)</i> | |
| Minimax Rates for Robust Community Detection | 823 |
| <i>Allen Liu (MIT, USA) and Ankur Moitra (MIT, USA)</i> | |
| A (Slightly) Improved Bound on the Integrality Gap of the Subtour LP for TSP | 832 |
| <i>Anna Karlin (University of Washington, USA), Nathan Klein (University of Washington, USA), and Shayan Oveis Gharan (University of Washington, USA)</i> | |

Session 9A

| | |
|---|-----|
| Generalised Entropy Accumulation | 844 |
| <i>Tony Metger (ETH Zurich, Switzerland), Omar Fawzi (ENS Lyon, UCBL, CNRS, Inria, LIP, France), David Sutter (IBM Research Europe -- Zurich, Switzerland), and Renato Renner (ETH Zurich, Switzerland)</i> | |
| Post-Quantum Zero Knowledge, Revisited or: How to Do Quantum Rewinding Undetectably | 851 |
| <i>Alex Lombardi (MIT), Fermi Ma (Simons Institute and UC Berkeley), and Nicholas Spooner (University of Warwick)</i> | |
| What is in #P and what is not? | 860 |
| <i>Christian Ikenmeyer (University of Liverpool, United Kingdom) and Igor Pak (University of California, Los Angeles, USA)</i> | |
| Quantum Tanner codes | 872 |
| <i>Anthony Leverrier (Inria) and Gilles Zémor (Institut de Mathématiques de Bordeaux)</i> | |

Session 9B

| | |
|---|-----|
| Breaking the Cubic Barrier for All-Pairs Max-Flow: Gomory-Hu Tree in Nearly Quadratic Time..... | 884 |
| <i>Amir Abboud (Weizmann Institute of Science, Israel), Robert Krauthgamer (Weizmann Institute of Science, Israel), Jason Li (University of California, USA), Debmalya Panigrahi (Duke University, USA), Thatchaphol Saranurak (University of Michigan, Ann Arbor, USA), and Ohad Trabelsi (University of Michigan, Ann Arbor, USA)</i> | |

| | |
|--|-----|
| Constant Approximation of Min-Distances in Near-Linear Time | 896 |
| <i>Shiri Chechik (Tel Aviv University, Israel) and Tianyi Zhang (Tel Aviv University, Israel)</i> | |
| Algorithms and Lower Bounds for Replacement Paths Under Multiple Edge Failures | 907 |
| <i>Virginia Vassilevska Williams (MIT, USA), Eyob Woldegebriel (MIT, USA), and Yinzhan Xu (MIT, USA)</i> | |
| Solving the Hamilton Cycle Problem fast on Average | 919 |
| <i>Michael Anastos (Institute of Science and Technology Austria, Austria)</i> | |

Session 9C

| | |
|--|-----|
| Planting Undetectable Backdoors in Machine Learning Models | 931 |
| <i>Shafi Goldwasser (UC Berkeley), Michael P. Kim (UC Berkeley), Vinod Vaikuntanathan (MIT), and Or Zamir (IAS)</i> | |
| A Characterization of Multiclass Learnability | 943 |
| <i>Nataly Brukhim (Princeton University, United States), Daniel Carmon (Technion, Israel), Irit Dinur (Weizmann Institute, Israel), Shay Moran (Technion, Google Research, Israel), and Amir Yehudayoff (Technion, Israel)</i> | |
| Polynomial-Time Power-Sum Decomposition of Polynomials | 956 |
| <i>Mitali Bafna (Harvard University, USA), Jun-Ting Hsieh (Carnegie Mellon University, USA), Pravesh K. Kothari (Carnegie Mellon University, USA), and Jeff Xu (Carnegie Mellon University, USA)</i> | |
| NP-Hardness of Learning Programs and Partial MCSP | 968 |
| <i>Shuichi Hirahara (National Institute of Informatics, Japan)</i> | |

Session 10A

| | |
|--|------|
| Online List Labeling: Breaking the $\log^2 n$ Barrier | 980 |
| <i>Michael A. Bender (Stony Brook University, USA), Alex Conway (VMWare Research, USA), Martín Farach-Colton (Rutgers University, USA), Hanna Komlós (Rutgers University, USA), William Kuszmaul (MIT, USA), and Nicole Wein (DIMACS, USA)</i> | |
| A Hash Table Without Hash Functions, and How to Get the Most Out of Your Random Bits | 991 |
| <i>William Kuszmaul (Massachusetts Institute of Technology, USA)</i> | |
| Near-Optimal Deterministic Vertex-Failure Connectivity Oracles | 1002 |
| <i>Yaowei Long (University of Michigan, USA) and Thatchaphol Saranurak (University of Michigan, USA)</i> | |
| Fast Deterministic Fully Dynamic Distance Approximation | 1011 |
| <i>Jan van den Brand (Georgia Institute of Technology, USA), Sebastian Forster (University of Salzburg, Austria), and Yasamin Nazari (University of Salzburg, Austria)</i> | |

Session 10B

| | |
|---|------|
| Indistinguishability Obfuscation via Mathematical Proofs of Equivalence | 1023 |
| <i>Abhishek Jain (Johns Hopkins University, USA) and Zhengzhong Jin (Johns Hopkins University, USA)</i> | |
| Geometry of Secure Two-Party Computation | 1035 |
| <i>Saugata Basu (Purdue University, USA), Hamidreza Amini Khorasgani (Purdue University, USA), Hemanta K. Maji (Purdue University, USA), and Hai H. Nguyen (Purdue University, USA)</i> | |
| Incrementally Verifiable Computation via Rate-1 Batch Arguments | 1045 |
| <i>Omer Paneth (Tel Aviv University, Israel) and Rafael Pass (Cornell Tech and Tel Aviv University, Israel)</i> | |
| Rate-1 Non-Interactive Arguments for Batch-NP and Applications | 1057 |
| <i>Lalita Devadas (MIT), Rishab Goyal (University of Wisconsin-Madison), Yael Kalai (Microsoft Research and MIT), and Vinod Vaikuntanathan (MIT)</i> | |

Session 10C

| | |
|--|------|
| Killing a Vortex | 1069 |
| <i>Dimitrios M. Thilikos (LIRMM, Univ. de Montpellier, CNRS, France) and Sebastian Wiederrecht (LIRMM, Univ. de Montpellier, CNRS and DIMAG, IBS, South Korea)</i> | |
| Low Treewidth Embeddings of Planar and Minor-Free Metrics | 1081 |
| <i>Arnold Filtser (Bar-Ilan University) and Hung Le (University of Massachusetts at Amherst)</i> | |
| An Approximate Generalization of the Okamura-Seymour Theorem | 1093 |
| <i>Nikhil Kumar (Hasso Plattner Institute, University of Potsdam, Germany)</i> | |
| Shortest Paths Without a Map, but with an Entropic Regularizer | 1102 |
| <i>Sébastien Bubeck (Microsoft Research, United States), Christian Coester (University of Oxford, United Kingdom), and Yuval Rabani (The Hebrew University of Jerusalem, Israel)</i> | |

Session 11A

| | |
|---|------|
| Deterministic Low-Diameter Decompositions for Weighted Graphs and Distributed and Parallel Applications | 1114 |
| <i>Václav Rozhon (ETH Zurich), Michael Elkin (Ben-Gurion University of the Negev), Christoph Grunau (ETH Zurich), and Bernhard Haeupler (ETH Zurich & Carnegie Mellon University)</i> | |
| Computing in Anonymous Dynamic Networks Is Linear | 1122 |
| <i>Giuseppe A. Di Luna (Sapienza University of Rome, Italy) and Giovanni Viglietta (JAIST, Japan)</i> | |
| The Implicit Graph Conjecture is False | 1134 |
| <i>Hamed Hatami (McGill University, Canada) and Pooya Hatami (The Ohio State University, USA)</i> | |

Session 11B

| | |
|--|------|
| On Bounded Depth Proofs for Tseitin Formulas on the Grid; Revisited | 1138 |
| <i>Johan Hästad (KTH Royal Institute of Technology, Sweden) and Kilian Risse (KTH Royal Institute of Technology, Sweden)</i> | |
| Separations in Proof Complexity and TFNP | 1150 |
| <i>Mika Göös (EPFL, Switzerland), Alexandros Hollender (University of Oxford, United Kingdom), Siddhartha Jain (EPFL, Switzerland), Gilbert Maystre (EPFL, Switzerland), William Pires (McGill University, Canada), Robert Robere (McGill University, Canada), and Ran Tao (McGill University, Canada)</i> | |
| Continuous LWE is as Hard as LWE & Applications to Learning Gaussian Mixtures | 1162 |
| <i>Aparna Gupte (MIT, USA), Neekon Vafa (MIT, USA), and Vinod Vaikuntanathan (MIT, USA)</i> | |

Session 11C

| | |
|--|------|
| Nearly Optimal Communication and Query Complexity of Bipartite Matching | 1174 |
| <i>Joakim Blikstad (KTH Royal Institute of Technology), Jan van den Brand (Georgia Institute of Technology), Yuval Efron (Columbia University), Sagnik Mukhopadhyay (University of Sheffield), and Danupon Nanongkai (MPI-INF, University of Copenhagen and KTH)</i> | |
| Strong XOR Lemma for Communication with Bounded Rounds | 1186 |
| <i>Huacheng Yu (Princeton University, USA)</i> | |
| Rounds vs Communication Tradeoffs for Maximal Independent Sets | 1193 |
| <i>Sepehr Assadi (Rutgers University, USA), Gillat Kol (Princeton University, USA), and Zhijun Zhang (Princeton University, USA)</i> | |
| Tight Bounds for Quantum State Certification with Incoherent Measurements | 1205 |
| <i>Sitan Chen (UC Berkeley), Brice Huang (MIT), Jerry Li (Microsoft Research), and Allen Liu (MIT)</i> | |

Author Index