2022 International Conference on 3D Vision (3DV 2022)

Prague, Czech Republic 12 – 15 September 2022



IEEE Catalog Number: CFP22203-POD **ISBN:**

978-1-6654-5671-5

Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	
ISBN (Print-On-Demand):	
ISBN (Online):	
ISSN:	

CFP22203-POD 978-1-6654-5671-5 978-1-6654-5670-8 2378-3826

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633 E-mail: curran@proceedings.com Web: www.proceedings.com



2022 International Conference on 3D Vision (3DV) **3DV 2022**

Table of Contents

Message from the General Chairs	xiv
Message from the Program Chairs	xv
Organizing Committee	xvi
Program Committee	xvii
Steering Committee	xviii
Reviewers	xix
Emergency Reviewers	xxvi
Sponsors	xxvii

Orals 1: Humans & Non-Rigid Shapes

MoCapDeform: Monocular 3D Human Motion Capture in Deformable Scenes Zhi Li (Saarland University, SIC; MPI for Informatics, SIC), Soshi Shimada (Saarland University, SIC; MPI for Informatics), Bernt Schiele (MPI for Informatics, SIC), Christian Theobalt (MPI for Informatics, SIC), and Vladislav Golyanik (MPI for Informatics, SIC)	1
Long Term Motion Prediction Using Keyposes Sena Kiciroglu (CVLab, EPFL), Wei Wang (CVLab, EPFL; MHUG, University of Trento), Mathieu Salzmann (CVLab, EPFL; Clearspace), and Pascal Fua (CVLab, EPFL)	. 12
Garment Ideation: Iterative View-Aware Sketch-Based Garment Modeling Pinaki Nath Chowdhury (University of Surrey; Adobe Research, United Kingdom), Tuanfeng Wang (Adobe Research, United Kingdom), Duygu Ceylan (Adobe Research, United Kingdom), Yi-Zhe Song (University of Surrey), and Yulia Gryaditskaya (University of Surrey, United Kingdom)	22
Spectral Teacher for a Spatial Student: Spectrum-Aware Real-Time Dense Shape Correspondence Omri Efroni (Tel Aviv University), Dvir Ginzburg (Tel Aviv University), and Dan Raviv (Tel Aviv University)	. 32

Spotlights 1

 LC-NAS: Latency Constrained Neural Architecture Search for Point Cloud Networks
 Adjoint Rigid Transform Network: Task-Conditioned Alignment of 3D Shapes
ACDet: Attentive Cross-View Fusion for LiDAR-Based 3D Object Detection
ManiFlow: Implicitly Representing Manifolds with Normalizing Flows
 SphereDepth: Panorama Depth Estimation from Spherical Domain
Efficient Human Pose Estimation via 3D Event Point Cloud
CADOps-Net: Jointly Learning CAD Operation Types and Steps from Boundary-Representations . 114 Elona Dupont (SnT, University of Luxembourg, Luxembourg), Kseniya Cherenkova (SnT, University of Luxembourg, Luxembourg; Artec 3D, Luxembourg), Anis Kacem (SnT, University of Luxembourg, Luxembourg), Sk Aziz Ali (SnT, University of Luxembourg, Luxembourg), Ilya Arzhannikov (Artec 3D, Luxembourg), Gleb Gusev (Artec 3D, Luxembourg), and Djamila Aouada (SnT, University of Luxembourg, Luxembourg)
Push-the-Boundary: Boundary-Aware Feature Propagation for Semantic Segmentation of 3D Point Clouds 124 Shenglan Du (Delft University of Technology), Nail Ibrahimli (Delft University of Technology), Jantien Stoter (Delft University of Technology), Julian Kooij (Delft University of Technology), and Liangliang Nan (Delft University of Technology)

Distortion-Aware Depth Estimation with Gradient Priors from Panoramas of Indoor Scenes 1	34
Ruihong Yin (University of Amsterdam, The Netherlands), Sezer Karaoglu	
(University of Amsterdam, The Netherlands; 3DUniversum, The	
Netherlands), and Theo Gevers (University of Amsterdam, The	
Netherlands; 3DUniversum, The Netherlands)	

SRFeat: Learning Locally Accurate and Globally Consistent Non-Rigid Shape Correspondence 144 Lei Li (LIX, École Polytechnique, IP Paris), Souhaib Attaiki (LIX, École Polytechnique, IP Paris), and Maks Ovsjanikov (LIX, École Polytechnique, IP Paris)

Spotlights 2

The 8-Point Algorithm as an Inductive Bias for Relative Pose Prediction by ViTs
GNPM: Self Supervised Geometric-Aware Neural Parametric Model
Keypoint Cascade Voting for Point Cloud Based 6DoF Pose Estimation
There and Back Again: 3D Sign Language Generation from Text Using Back-Translation
HVTR: Hybrid Volumetric-Textural Rendering for Human Avatars
The Surprising Positive Knowledge Transfer in Continual 3D Object Shape Reconstruction
Human Body Measurement Estimation with Adversarial Augmentation
Progressive Multi-Scale Light Field Networks

Spotlights 3

MonoNHR: Monocular Neural Human Renderer	242
Simultaneous Localisation and Mapping with Quadric Surfaces	252
Domain Adaptive 3D Pose Augmentation for In-the-Wild Human Mesh Recovery	261
SHRAG: Semantic Hierarchical Graph for Floorplan Representation	271
SO(3) Rotation Equivariant Point Cloud Completion Using Attention-Based Vector Neurons 2 Hang Wu (Shanghai Jiao Tong University) and Yubin Miao (Shanghai Jiao Tong University)	280
High-Speed and Low-Latency 3D Sensing with a Parallel-Bus Pattern	291
 Panoptic NeRF: 3D-to-2D Label Transfer for Panoptic Urban Scene Segmentation	301
 Articulated 3D Human-Object Interactions From RGB Videos: An Empirical Analysis of Approaches and Challenges	312
Spotlights 4	

A Flexible Multi-View Multi-Modal Imaging System for Outdoor Scenes	.322
Meng Zhang (Tsinghua University, China), Wenxuan Guo (Tsinghua	
University, China), Bohao Fan (Tsinghua University, China), Yifan Chen	
(Tsinghua University, China), Jianjiang Feng (Tsinghua University,	
China), and Jie Zhou (Tsinghua University, China)	
Cut-and-Paste Object Insertion by Enabling Deep Image Prior for Reshading	. 332
Anand Bhattad (University of Illinois Urbana Champaign) and D.A.	
Forsyth (University of Illinois Urbana Champaign)	

3INGAN: Learning a 3D Generative Model from Images of a Self-Similar Scene
Reconstructing Action-Conditioned Human-Object Interactions Using Commonsense Knowledge
 Priors
Dual-Space NeRF: Learning Animatable Avatars and Scene Lighting in Separate Spaces
 Fast Gradient Descent for Surface Capture Via Differentiable Rendering
 Structure-Aware 3D VR Sketch to 3D Shape Retrieval
Visual Localization via Few-Shot Scene Region Classification
 Robust RGB-D Fusion for Saliency Detection
 TEACH: Temporal Action Composition for 3D Humans

Temporal Shape Transfer Network for 3D Human Moti-	on
João Regateiro (Univ. Grenoble Alpes, France) and Edmo	nd Boyer (Univ.
Grenoble Alpes, France)	

Orals 2: (Neural) Scene Representations & Point Clouds

GO-Surf: Neural Feature Grid Optimization for Fast, High-Fidelity RGB-D Surface Reconstruction	433
Neural Feature Fusion Fields: 3D Distillation of Self-Supervised 2D Image Representations	443
Dimensions of Motion: Monocular Prediction Through Flow Subspaces Richard Strong Bowen (Google Research; Cornell Tech), Richard Tucker (Google Research), Ramin Zabih (Google Research; Cornell Tech), and Noah Snavely (Google Research; Cornell Tech)	454
Arbitrary Point Cloud Upsampling with Spherical Mixture of Gaussians Anthony Dell'Eva (University of Bologna), Marco Orsingher (University of Parma), and Massimo Bertozzi (University of Parma)	465
Guided Co-Modulated GAN for 360° Field of View Extrapolation	475

Orals 3: 3D Shapes & Shape Correspondences, View Synthesis, Object Pose Estimation

 Smooth Non-Rigid Shape Matching via Effective Dirichlet Energy Optimization	SNE: Spatial Discontinuity-Awa mic Programming an Ming (Tongji University, China, iina), and Rui Fan (Tongji Universi	e Surface Normal Estimation via Multi-Directional Yi Feng (Tongji University, y, China)	486
	oth Non-Rigid Shape Matching vi obin Magnet (LIX, École Polytechni urich), Olga Sorkine-Hornung (ETH cole Polytechnique, IP Paris)	Effective Dirichlet Energy Optimization ue, IP Paris), Jing Ren (ETH Zurich), and Maks Ovsjanikov (LIX,	495
 Bidirectional Feature Globalization for Few-Shot Semantic Segmentation of 3D Point Cloud Scenes	ectional Feature Globalization for ongqiang Mao (University of Chinese onghao Guo (University of Chinese iaonan Lu (University of Chinese A hiqiang Yuan (University of Chinese aowen Guo (Wuhan University, Ch	Few-Shot Semantic Segmentation of 3D Point Cloud Academy of Sciences, China), cademy of Sciences, China), idemy of Sciences, China), Academy of Sciences, China), and ia)	505

PIZZA: A Powerful Image-Only Zero-Shot Zero-CAD Approach to 6 DoF Tracking	515
Van Nguyen Nguyen (Univ Gustave Eiffel, CNRS, France), Yuming Du (Univ	
Gustave Eiffel, CNRS, France), Yang Xiao (Univ Gustave Eiffel, CNRS,	
France), Michaël Ramamonjisoa (Univ Gustave Eiffel, CNRS, France), and	
Vincent Lepetit (Univ Gustave Eiffel, CNRS, France)	
Any-Shot GIN: Generalizing Implicit Networks for Reconstructing Novel Classes	526
Yongqin Xian (ETH Zurich; Max Planck Institute for Informatics),	
Iulian Chibane (Max Planck Institute for Informatics: University of	

Julian Chibane (Max Planck Institute for Informatics; University of Tübingen), Bharat Lal Bhatnagar (Max Planck Institute for Informatics;

University of Tübingen), Bernt Schiele (Max Planck Institute for

Informatics), Zeynep Akata (Max Planck Institute for Informatics; University of Tübingen; Max Planck Institute for Intelligent System),

and Gerard Pons-Moll (Max Planck Institute for Informatics; University

of Tübingen)

Spotlights 5

SC6D: Symmetry-Agnostic and Correspondence-Free 6D Object Pose Estimation Dingding Cai (Tampere University), Janne Heikkilä (University of Oulu), and Esa Rahtu (Tampere University)	536
SVNet: Where SO(3) Equivariance Meets Binarization on Point Cloud Representation Zhuo Su (University of Oulu, Finland), Max Welling (University of Amsterdam, Netherlands), Matti Pietikäinen (University of Oulu, Finland), and Li Liu (National University of Defense Technology, China; University of Oulu, Finland)	547
A Structured Latent Space for Human Body Motion Generation Mathieu Marsot (Univ. Grenoble Alpes, Inria, France), Stefanie Wuhrer (Univ. Grenoble Alpes, Inria, France), Jean-Sébastien Franco (Univ. Grenoble Alpes, Inria, France), and Stephane Durocher (University of Manitoba, Canada)	557
gCoRF: Generative Compositional Radiance Fields Mallikarjun BR (Max Planck Institute for Informatics), Ayush Tewari (Max Planck Institute for Informatics; MIT), Xingang Pan (Max Planck Institute for Informatics), Mohamed Elgharib (Max Planck Institute for Informatics), and Christian Theobalt (Max Planck Institute for Informatics)	567
On Triangulation as a Form of Self-Supervision for 3D Human Pose Estimation Soumava Kumar Roy (Computer Vision Lab, EPFL), Leonardo Citraro (Computer Vision Lab, EPFL), Sina Honari (Computer Vision Lab, EPFL), and Pascal Fua (Computer Vision Lab, EPFL)	577
Pose Guided Human Motion Transfer by Exploiting 2D and 3D Information Yahui Zhang (University of Amsterdam, The Netherlands), Shaodi You (University of Amsterdam, The Netherlands), Sezer Karaoglu (University of Amsterdam, The Netherlands; 3DUniversum, The Netherlands), and Theo Gevers (University of Amsterdam, The Netherlands; 3DUniversum, The Netherlands)	587

 HoW-3D: Holistic 3D Wireframe Perception from a Single Image
Cross-Spectral Neural Radiance Fields
 HybridSDF: Combining Deep Implicit Shapes and Geometric Primitives for 3D Shape Representation and Manipulation
 TempCLR: Reconstructing Hands via Time-Coherent Contrastive Learning
A Benchmark and a Baseline for Robust Multi-View Depth Estimation
Spotlights 6
Controllable Radiance Fields for Dynamic Face Synthesis
Benchmarking Pedestrian Odometry: The Brown Pedestrian Odometry Dataset (BPOD)
 MonoViT: Self-Supervised Monocular Depth Estimation with a Vision Transformer

Neural Point-Based Shape Modeling of Humans in Challenging Clothing	579
Polar-Photometric Stereo Under Natural Illumination	590
Interactive Sketching of Mannequin Poses	'00
GAN2X: Non-Lambertian Inverse Rendering of Image GANs	'11
OoD-Pose: Camera Pose Regression From Out-of-Distribution Synthetic Views	'22

1thor Index
