# **2022 IEEE International Conference on Trust, Security** and Privacy in Computing and **Communications** (TrustCom 2022)

Wuhan, China 9-11 December 2022

Pages 1-809



**IEEE Catalog Number: CFP22TRU-POD ISBN:** 

978-1-6654-9426-7

# Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP22TRU-POD

 ISBN (Print-On-Demand):
 978-1-6654-9426-7

 ISBN (Online):
 978-1-6654-9425-0

ISSN: 2324-898X

### **Additional Copies of This Publication Are Available From:**

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



# 2022 IEEE International Conference on Trust, Security and Privacy in Computing and Communications (TrustCom)

# **TrustCom 2022**

### **Table of Contents**

Message from the General Chairs xxxv  Message from the Program Chairs xxx  Organizing Committee  Program Committee x  Steering Committee xlv  Reviewers xl  Sponsors	cix xl lii iii lix
Trust Track	
Booting IoT Terminal Device Securely with eMMC Siyuan Ma (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yuewu Wang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Lingguang Lei (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yingjiao Niu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Haotian Shi (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Jie Wang (Huazhong University of Science and Technology, China)	. 1
Malicious Family Identify Combining Multi-Channel Mapping Feature Image and Fine-Tuned CNN	. 9

Truthfully Negotiating Usage Policy for Data Sovereignty  Chunlei Yang (Institute of Information Engineering, Chinese Academy of Sciences; School of Cyber Security, University of Chinese Academy of Sciences), Yunchuan Guo (Institute of Information Engineering, Chinese Academy of Sciences; School of Cyber Security, University of Chinese Academy of Sciences), Mingjie Yu (Institute of Information Engineering, Chinese Academy of Sciences; School of Cyber Security, University of Science and Technology of China), and Lingcui Zhang (Institute of Information Engineering, Chinese Academy of Sciences; School of Cyber Security, University of Chinese Academy of Sciences)	20
GTMS: A Gated Linear Unit Based Trust Management System for Internet of Vehicles Using	
Blockchain Technology	28
TECS: A Trust Model for VANETs Using Eigenvector Centrality and Social Metrics	36
Efficiently Constructing Topology of Dynamic Networks	44
Hash Proof System with Auxiliary Inputs and Its Application  Cailing Cai (The University of Hong Kong), Tsz Hon Yuen (The  University of Hong Kong), and Siu-Ming Yiu (The University of Hong  Kong)	52
The Power Allocation for SWIPT-Based Cognitive Two-Way Relay Networks with Rate Fairness	
Consideration	60
HashDroid:Extraction of Malicious Features of Android Applications Based on Function Call Graph Pruning  Pengfei Liu (Central South University, China), Weiping Wang (Central South University, China), Hong Song (Central South University, China), Shigeng Zhang (Central South University, China), and Yulu Hong (Central South University, China)	66
Coverage Reliability of IoT Intrusion Detection System Based on Attack-Defense Game Design Siyu Sun (Huazhong University of Science and Technology, China), Xiaoxuan Fan (Huazhong University of Science and Technology, China), Yunzhi Xia (Huazhong University of Science and Technology, China), Chenlu Zhu (Hubei Chutian Expressway Digital Technology Co.Ltd, China), Shenghao Liu (Huazhong University of Science and Technology, China), and Lingzhi Yi (Zhongnan University of Economics and Law, China)	74

# **Security Track**

A Lightweight Honeynet Design In the Internet of Things
Graph Encryption for Shortest Path Queries With k Unsorted Nodes
Differential Game Approach for Modelling and Defense of False Data Injection Attacks  Targeting Energy Metering Systems 97  Jichao Bi (Zhejiang University, China), Shibo He (Zhejiang University,  China), Fengji Luo (University of Sydney, China), Jiming Chen  (Zhejiang University, China), Da-Wen Huang (Sichuan Normal University,  China), and Mingyang Sun (Zhejiang University, China)
TPIPD: A Robust Model for Online VPN Traffic Classification
MATTER: A Multi-Level Attention-Enhanced Representation Learning Model for Network Intrusion Detection
A Longitudinal Measurement and Analysis Study of Mozi, an Evolving P2P IoT Botnet
SecretHunter: A Large-Scale Secret Scanner for Public Git Repositories
SEEKER: A Root Cause Analysis Method Based on Deterministic Replay for Multi-Type Network Protocol Vulnerabilities

Challenges and Approaches for Mitigating Byzantine Attacks in Federated Learning
HAXSS: Hierarchical Reinforcement Learning for XSS Payload Generation
From Passive to Active: Near-Optimal DNS-Based Data Exfiltration Defense Method Based on Sticky Mechanism
IDROP: Intelligently Detecting Return-Oriented Programming Using Real-Time Execution Flow and LSTM
Mal-Bert-GCN: Malware Detection by Combining Bert and GCN
Towards Adversarial Robustness with Multidimensional Perturbations via Contrastive Learning

DRSN with Simple Parameter-Free Attention Module for Specific Emitter Identification  Xiuhua Wen (Hainan University, China), Chunjie Cao (Hainan University, China), Yifan Li (Hainan University, China), and Yang Sun (Hainan University, China)	192
Secure Access Control for eHealth Data in Emergency Rescue Case Based on Traceable Attribute-Based Encryption	201
Deceiving Learning-Based Sketches to Cause Inaccurate Frequency Estimation	209
AVMiner: Expansible and Semantic-Preserving Anti-Virus Labels Mining Method	217
EnShare: Sharing Files Securely and Efficiently in the Cloud Using Enclave  Yun He (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Xiaoqi Jia (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Shengzhi Zhang (Boston University), and Lou Chitkushev (Boston University)	225
Steganalysis for Small-Scale Training Image Pairs with Cover-Stego Feature Difference  Model	. 233
AutoSlicer: Automatic Program Partitioning for Securing Sensitive Data Based-On Data Dependency Analysis and Code Refactoring  Weizhong Qiang (Hubei Engineering Research Center on Big Data Security, Huazhong University of Science and Technology, China) and Hao Luo (Hubei Engineering Research Center on Big Data Security, Huazhong University of Science and Technology, China)	. 239
Security Support on Memory Controller for Heap Memory Safety	. 248
CGDF-GNN: Cascaded GNN Fraud Detector with Dual Features Facing Imbalanced Graphs w Camouflaged Fraudsters	

You Cannot Fully Trust Your Device: An Empirical Study of Client-Side Certificate	266
Validation in WPA2-Enterprise Networks	266
Li Song (State Key Laboratory of Information Security, Institute of	
Information Engineering, Chinese Academy of Sciences, China;	
University of Chinese Academy of Sciences, China), Qiongxiao Wang	
(State Key Laboratory of Information Security, Institute of	
Information Engineering, Chinese Academy of Sciences, China;	
University of Chinese Academy of Sciences, China), Shijie Jia (State	
Key Laboratory of Information Security, Institute of Information	
Engineering, Chinese Academy of Sciences, China; University of Chinese	
Academy of Sciences, China), Jingqiang Lin (University of Science and	
Technology of China, China; Beijing Institute of USTC, China), Linli	
Lu (State Key Laboratory of Information Security, Institute of	
Information Engineering, Chinese Academy of Sciences, China;	
University of Chinese Academy of Sciences, China), and Yanduo Fu	
(State Key Laboratory of Information Security, Institute of	
Information Engineering, Chinese Academy of Sciences, China;	
University of Chinese Academy of Sciences, China)	
CPGBERT: An Effective Model for Defect Detection by Learning Program Semantics via Cod Property Graph	le 274
Jingqiang Liu (Institute of Information Engineering, Chinese Academy	2/4
of Sciences, China; University of Chinese Academy of Sciences, China),	
Xiaoxi Zhu (Institute of Information Engineering, Chinese Academy of	
Sciences, China), Chaoge Liu (Institute of Information Engineering,	
Chinese Academy of Sciences, China; University of Chinese Academy of	
Sciences, China), Xiang Cui (Zhongguancun Laboratory, China), and Qixu	
Liu (Institute of Information Engineering, Chinese Academy of	
Sciences, China; University of Chinese Academy of Sciences, China)	
Detecting Unknown Network Attacks With Attention Encoding and Deep Metric Learning .	283
Chunlan Fu (Huazhong University of Science and Technology, China),	
Shirong Han (Huazhong University of Science and Technology, China),	
and Gang Shen (Huazhong University of Science and Technology, China)	
A Lightweight Graph-Based Method to Detect Pornographic and Gambling Websites with	
Imperfect Datasets	291
Xiaoqing Ma (Institute of Information Engineering, Chinese Academy of	
Sciences, China; National Engineering Laboratory for Information	
Security Technologies, China; University of Chinese Academy of	
Sciences, China), Chao Zheng (Geedge Networks, China), Zhao Li	
(Institute of Information Engineering, Chinese Academy of Sciences,	
China; National Engineering Laboratory for Information Security	
Technologies, China; University of Chinese Academy of Sciences,	
China), Jiangyi Yin (Institute of Information Engineering, Chinese	
Academy of Sciences, China; National Engineering Laboratory for	
Information Security Technologies, China; University of Chinese	
Academy of Sciences, China), Qingyun Liu (Institute of Information	
Engineering, Chinese Academy of Sciences, China; National Engineering	
Laboratory for Information Security Technologies, China), and Xunxun	
Chen (National Computer Network Emergency Response Technical	
Team/Coordination Center of China, China)	
Towns Cool williant of Cities of Cities, Cities,	

A Terminal Security Authentication Protocol for Zero-Trust Satellite IoT
DCC-Find: DNS Covert Channel Detection by Features Concatenation-Based LSTM
To Fix or Not to Fix: A Critical Study of Crypto-Misuses in the Wild
Bidirectional LSTM-Based Attention Mechanism for CNN Power Theft Detection
An Efficient Certificateless Authentication Scheme for Satellite Internet
tTree+: A Threat Tree Model for Representing Complex Semantics
Data Poisoning Attack to χ-Armed Bandits
CDGA: A GAN-Based Controllable Domain Generation Algorithm

WBA: A Warping-Based Approach to Generating Imperceptible Adversarial Examples 36 Chengyao Hua (Central South University, China), Shigeng Zhang (Central South University, China), Weiping Wang (Central South University, China), Zhankai Li (Central South University, China), and Jian Zhang (Central South University, China)
Optimal Block Propagation and Incentive Mechanism for Blockchain Networks in 6G
Eye-Based Keystroke Prediction for Natural Texts a Feasibility Analysis
"Comments Matter and The More The Better!": Improving Rumor Detection with User Comments 383
Yang Xu (Shanghai Jiao Tong University, China), Jie Guo (Shanghai Jiao Tong University, China), Weidong Qiu (Shanghai Jiao Tong University, China), Zheng Huang (Shanghai Jiao Tong University, China), Enes Altuncu (University of Kent, UK), and Shujun Li (University of Kent, UK)
MFFAN: Multiple Features Fusion with Attention Networks for Malicious Traffic Detection 39 Weiqing Huang (Institute of Information Engineering, Chinese Academy of Sciences, China), Xinbo Han (Institute of Information Engineering, Chinese Academy of Sciences, China), Meng Zhang (Institute of Information Engineering, Chinese Academy of Sciences, China), Min Li (Institute of Information Engineering, Chinese Academy of Sciences, China), Wen Liu (Institute of Information Engineering, Chinese Academy of Sciences, China), Zheng Yang (Institute of Information Engineering, Chinese Academy of Sciences, China), and Haitian Yang (Institute of Information Engineering, Chinese Academy of Sciences, China)
A Comparative Study on the Security of Cryptocurrency Wallets in Android System
TFCFI: Transparent Forward Fine-Grained Control-Flow Integrity Protection

nproved Zero-Knowledge Proofs for Commitments from Learning Parity with Noise
n Optimized Isomorphic Design for the SM4 Block Cipher Over the Tower Field
ECAS: A Cloud-Edge Collaboration Authentication Scheme Based on V2G Short Randomizable ignature
Teural-FacTOR: Neural Representation Learning for Website Fingerprinting Attack over TOR nonymity
RICP: Defect Risk Identification Using Sample Category Perception
ero Trust-NIDS: Extended Multi-View Approach for Network Trace Anonymization and uto-Encoder CNN for Network Intrusion Detection
Durce Code Vulnerability Detection Using Vulnerability Dependency Representation Graph . 45 Hongyu Yang (Civil Aviation University of China, China), Haiyun Yang (Civil Aviation University of China, China), Liang Zhang (The University of Arizona, USA), and Xiang Cheng (Yangzhou University, China)
ode-Based Encryption Algorithms for Generating and Verifying Digital Signature
n Efficient and Secure Scheme of Verifiable Computation for Intel SGX

Intelligent Recognition Method of Web Application Categories Based on Multi-Layer Simhash  Algorithm	3
Dongjun Zhu (Huazhong University of Science and Technology, China)	
Near Field Air-Gap Covert Channel Attack	0'
Privacy Track	
Diabetes Mellitus Type 2 Data Sharing System Based on Blockchain and Attribute-Encryption . 49 Weiqi Dai (National Engineering Research Center for Big Data Technology and System, Hubei Engineering Research Center on Big Data Security, Huazhong University of Science and Technology, China), Zhenhui Lu (National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China), Xia Xie (Hainan University), Duoqiang Wang (National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China), and Hai Jin (National Engineering Research Center for Big Data Technology and System, Huazhong University of Science and Technology, China)	8
Shared Incentive System for Clinical Pathway Experience	16
Dynamically Selected Mixup Machine Unlearning	4
Efficient and Highly Accurate Differentially Private Statistical Genomic Analysis Using Discrete Fourier Transform	:5
An Efficient Epsilon Selection Method for DP-ERM with Expected Accuracy Constraints 53  Yuzhe Li (Institute of Information Engineering, Chinese Academy of Sciences, China), Bo Li (Institute of Information Engineering, Chinese Academy of Sciences, China), Weiping Wang (Institute of Information Engineering, Chinese Academy of Sciences, China), and Nan Liu (Institute of Information Engineering, Chinese Academy of Sciences, China)	3
Energy-Efficient Privacy-Preserving Time-Series Forecasting on User Health Data Streams54 Muhammad Arsalan (Technische Universität Braunschweig, Germany), Davide Di Matteo (KTH Royal Institute of Technology, Sweden), Sana Imtiaz (KTH Royal Institute of Technology, Sweden; KRY International AB, Sweden), Zainab Abbas (KTH Royal Institute of Technology, Sweden; KRY International AB, Sweden), Vladimir Vlassov (KTH Royal Institute of Technology, Sweden), and Vadim Issakov (Technische Universität Braunschweig, Germany)	:1

Marking Based Obfuscation Strategy to Resist Side Channel Attack in Cross-User Deduplication for Cloud Storage  Xin Tang (University of International Relations, China), Xiong Chen (University of International Relations, China), Ran Zhou (University of International Relations, China), Linchi Sui (University of International Relations, China), and Tian'e Zhou (University of International Relations, China)	. 547
Privacy-Preserving and Verifiable Outsourcing Message Transmission and Authentication Protocol in IoT	. 556
An Enhanced MinHash Encryption Scheme for Encrypted Deduplication	. 565
Extending Expressive Access Policies with Privacy Features  Stefan More (Graz University of Technology, Austria), Sebastian  Ramacher (AIT Austrian Institute of Technology, Austria), Lukas Alber (Graz University of Technology, Austria), and Marco Herzl (Graz University of Technology, Austria)	. 574
Robust Secure Aggregation with Lightweight Verification for Federated Learning	. 582
Privacy-Preserving Recommendation With Debiased Obfuscaiton	590
Privacy-Preserving Robust Federated Learning With Distributed Differential Privacy	. 598

A Green Neural Network with Privacy Preservation and Interpretability  De Li (Guangxi Normal University, China), Hongyan Zheng (Shaoyang  University, China), Zeming Gan (Guangxi Normal University, China),  Xianxian Li (Guangxi Normal University, China), and Jinyan Wang  (Guangxi Normal University, China)	606
HyperMean: Effective Multidimensional Mean Estimation with Local Differential Privacy  Tao Zhang (Xidian University, China), Bowen Deng (Xidian University, China), Lele Zheng (Xidian University, China), Ze Tong (Xidian University, China), and Qi Li (Nanjing University of Posts and Telecommunications, China)	615
VoiceSketch: a Privacy-Preserving Voiceprint Authentication System	623
LLDP: A Layer-Wise Local Differential Privacy in Federated Learning	631
Towards Automated Detection and Prevention of Regrettable (Self-)Disclosures on Social  Media  Hervais Simo (Fraunhofer SIT, Germany; ATHENE, Germany) and Michael  Kreutzer (Fraunhofer SIT, Germany; ATHENE, Germany)	638
Enabling Anonymous Authenticated Encryption with a Novel Anonymous Authenticated Credential Key Agreement (AACKA)  Raphael Schermann (Institute for Technical Informatics, Graz  University of Technology, Austria; Development Center Graz, Infineon  Technologies AG, Austria), Rainer Urian (Infineon Technologies AG,  Germany), Ronald Toegl (Development Center Graz, Infineon Technologies  AG, Austria), Holger Bock (Development Center Graz, Infineon  Technologies AG, Austria), and Christian Steger (Institute for  Technical Informatics, Graz University of Technology, Austria)	646
Adap DP-FL: Differentially Private Federated Learning with Adaptive Noise	656
Privacy-Preserving Smart Lock System for IoT-Enabled Rental House Markets  Bo Wang (Qingdao University of Science and Technology, China),  Lingling Wang (Qingdao University of Science and Technology, China),  Hongliang Guo (Qingdao University of Science and Technology, China),  and Peng Zhou (Qingdao University of Science and Technology, China)	664
Kgastor: a Privacy By Design Knowledge Graph Anonymized Store	670
Utility-Aware Privacy-Preserving Federated Learning Through Information Bottleneck	680

FLightNER: A Federated Learning Approach to Lightweight Named-Entity Recognition 68. Macarious Abadeer (Carleton University, Canada), Wei Shi (Carleton University, Canada), and Jean-Pierre Corriveau (Carleton University, Canada)
Federated Learning Scheme with Dual Security of Identity Authentication and Verification 695 Yuting Xu (Nanjing University of Science and Technology, China), Mang Su (Nanjing University of Science and Technology, China), Jinpeng Hou (Nanjing University of Science and Technology, China), and Chong Nie (Nanjing University of Science and Technology, China)
Secure and Efficient Publicly Verifiable Ridge Regression Outsourcing Scheme
Privacy-Preserving Data Analysis Without Trusted Third Party
Privacy-Preserving Top-k Spatio-Textual Similarity Join
Privacy-Preserving Decision Making Based on Q-Learning in Cloud Computing
Forensics and Analytics Track
Forgery Detection Scheme of Deep Video Frame-Rate Up-Conversion Based on Dual-Stream Multi-Scale Spatial-Temporal Representation
Pyramid Copy-Move Forgery Detection Using Adversarial Optimized Self Deep Matching Network
Yaqi Liu (Beijing Electronic Science and Technology Institute, China), Chao Xia (Beijing Electronic Science and Technology Institute, China), Qiang Cai (Beijing Technology and Business University, China), and Xin Jin (Beijing Electronic Science and Technology Institute, China)

DEEPRO: Provenance-Based APT Campaigns Detection via GNN  Na Yan (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yu Wen (Institute of Information Engineering, Chinese Academy of Sciences, China), Luyao Chen (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yanna Wu (Institute of Information Engineering, Chinese Academy of Sciences, China), Boyang Zhang (Institute of Information Engineering, Chinese Academy of Sciences, China), Zhaoyang Wang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Dan Meng (Institute of Information Engineering, Chinese Academy of Sciences, China)	747
A General Backdoor Attack to Graph Neural Networks Based on Explanation Method  Lu Yao Chen (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Na Yan (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), BoYang Zhang (Institute of Information Engineering, Chinese Academy of Sciences, China), ZhaoYang Wang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yu Wen (Institute of Information Engineering, Chinese Academy of Sciences, China), and YanFei Hu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)	759
APT Attribution for Malware Based on Time Series Shapelets  Qinqin Wang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Hanbing Yan (National Computer Network Emergency Response Technical Team/Coordination Center of China, China), Chang Zhao (Beijing Chaitin Technology Co., Ltd, China), Rui Mei (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Zhihui Han (National Computer Network Emergency Response Technical Team/Coordination Center of China, China), and Yu Zhou (National Computer Network Emergency Response Technical Team/Coordination Center of China, China)	769
ProcGuard: Process Injection Behaviours Detection Using Fine-Grained Analysis of API Ca Chain with Deep Learning	
A Novel Asynchronous Evolution Opinion Dynamics Model	786
SpecRNet: Towards Faster and More Accessible Audio DeepFake Detection	792

Software Side Channel Vulnerability Detection Based on Similarity Calculation and Deep
Learning
Robust Document Image Forgery Localization Against Image Blending
A Dynamic Transaction Pattern Aggregation Neural Network for Money Laundering Detection
Xuejiao Luo (Qilu University of Technology (Shandong Academy of Sciences), China), Xiaohui Han (Qilu University of Technology (Shandong Academy of Sciences), China), Wenbo Zuo (Qilu University of Technology (Shandong Academy of Sciences), China), Zhengyuan Xu (Qilu University of Technology (Shandong Academy of Sciences), China), Zhiwen Wang (Qilu University of Technology (Shandong Academy of Sciences), China), and Xiaoming Wu (Qilu University of Technology (Shandong Academy of Sciences), China)
Emerging Tech Track
Leveraging Model Poisoning Attacks on License Plate Recognition Systems 82  Jian Chen (Huazhong University of Science and Technology, China), Yuan  Gao (Huazhong University of Science and Technology, China), Yang Liu  (JD Logistics, China), Chen Wang (Huazhong University of Science and Technology, China), and Kai Peng (Huazhong University of Science and Technology, China)
Smarkchain: An Amendable and Correctable Blockchain Based on Smart Markers
CNN-Based Autonomous Traffic Detection on Unknown Home Security Cameras
Implementation of One-Time Editable Blockchain Chameleon Hash Function Construction Scheme
Data Integrity Verification Scheme Based on Blockchain Smart Contract

A Faster Blockchain Sharding Protocol for Decentralized Ledger	864
Squeezing Network Performance for Secure and Efficient PoW With Better Difficulty	074
Adjustment Yuhang Ding (Renmin University of China, China), Zihan Yang (Renmin University of China, China), Bo Qin (Renmin University of China, China), Qin Wang (CSIRO Data61, Australia), Yanran Zhang (Renmin University of China, China), and Qianhong Wu (Beihang University, China)	8/4
Practical Side-Channel Attack on Message Encoding in Masked Kyber  Jian Wang (Institute of Software, Chinese Academy of Sciences, China;  University of Chinese Academic of Sciences, China), Weiqiong Cao (Institute of Software, Chinese Academy of Sciences, China), Hua Chen (Institute of Software, Chinese Academy of Sciences, China), and  Haoyuan Li (Institute of Software, Chinese Academy of Sciences, China; University of Chinese Academic of Sciences, China)	882
Efficient SM2 Hardware Design for Digital Signature of Internet of Vehicles  Mei Yang (University of South China, China; Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China), Chong Liu (University of South China, China), Huiyun Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China), and Cuiping Shao (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, China)	890
MCFM: Discover Sensitive Behavior from Encrypted Traffic in Industrial Control System  Zhishen Zhu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China),  Junzheng Shi (Institute of Information Engineering, Chinese Academy of Sciences, China), Chonghua Wang (China Industrial Control Systems  Cyber Emergency Response Team, China), Gang Xiong (Institute of Information Engineering, Chinese Academy of Sciences, China;  University of Chinese Academy of Sciences, China), Zhiqiang Hao (China Industrial Control Systems Cyber Emergency Response Team, China), and Gaopeng Gou (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)	897
One-Time Rewritable Blockchain with Traitor Tracing and Bilateral Access Control Lifeng Guo (Shanxi University, China), Huide Lei (Shanxi University, China), and Wei-Chuen Yau (Xiamen University Malaysia, Malaysia)	905
A Flow Attack Strategy Based on Critical Links for Cyber-Attack  Qi Jiming (Huazhong University of Science and Technology, China),  Jiazheng Zhang (Huazhong University of Science and Technology, China),  Qingxia Liu (Huazhong University of Science and Technology, China),  and Bang Wang (Huazhong University of Science and Technology, China)	913

Reducing Gas Consumption of Tornado Cash and Other Smart Contracts in Ethereum	1
A Quantum Inspired Differential Evolution Algorithm with Multiple Mutation Strategies 92: Jie Liu (Guangxi Normal University, China), XingShe Qin (n/a), and F Jiang (University of Technology, Australia)	7
A Multidimensional Blockchain Framework For Mobile Internet of Things	5
CDEdit: Redactable Blockchain with Cross-Audit and Diversity Editing	5
VecSeeds: Generate Fuzzing Testcases from Latent Vectors Based on VAE-GAN	3
Development of Blockchain-Based e-Voting System: Requirements, Design and Security Perspective	9
CPDT: A Copyright-Preserving Data Trading Scheme Based on Smart Contracts and Perceptual Hashing	3
Dynamic and Diverse Transformations for Defending Against Adversarial Examples	5

A Hardware Security Isolation Architecture for Intelligent Accelerator
A Blockchain-Based Privacy-Preserving Scheme for Cross-Domain Authentication
Self-Supervised Adversarial Example Detection by Disentangled Representation
Multi-Pipeline HotStuff: A High Performance Consensus for Permissioned Blockchain

Yixuan Shen (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Yu Cheng (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Yini Lin (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Sicheng Long (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Canjian Jiang (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Danjie Li (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Siyuan Dai (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China), You Jiang (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Junbin Fang (Guangdong Provincial Key Laboratory of Optical Fiber Sensing and Communications, China; Guangdong Provincial Engineering Technology Research Center on VLC, China; Guangzhou Municipal Key Laboratory of Engineering Technology on VLC, China; Jinan University, China), Zoe Jiang (Harbin Institute of Technology, China), and Siu-Ming Yiu (The University of Hong Kong, China)

## Workshops

Stewart Sentanoe (University of Passau, Germany), Christofer Fellicious (University of Passau, Germany), Hans P. Reiser (Reykjavík University, Iceland), and Michael Granitzer (University of Passau, Germany)

5G-A Capability Exposure Scheme Based on Harmonized Communication and Sensing 1036 Lin Lin (China Unicom Research Institute, China), Bin Zhu (China Unicom Research Institute, China), Zelin Wang (China Unicom Research Institute, China), Guangquan Wang (China Unicom Research Institute, China), Jianzhi Wang (China Unicom Research Institute, China), Lexi Xu (China Unicom Research Institute, China), Sai Han (China Unicom Research Institute, China), and Yuwei Jia (China Unicom Research Institute, China)
A Blockchain-Assisted Collaborative Ensemble Learning for Network Intrusion Detection 1042 Lijian Liu (Shanghai University of Electric Power, China) and Jinguo Li (Shanghai University of Electric Power, China)
A Compatible and Identity Privacy-Preserving Security Protocol for ACARS
A Formalization-Based Vulnerability Detection Method for Cross-Subject Network Components 1054  Jinfu Chen (Jiangsu University, China), Haodi Xie (Jiangsu University, China), Saihua Cai (Jiangsu University, China), Ye Geng (Jiangsu University, China), Yemin Yin (Jiangsu University, China), and Zikang Zhang (Jiangsu University, China)
A Heart Sound Classification Method Based on Residual Block and Attention Mechanism 1060 Yujie Chen (Soochow University, China), Wenliang Zhu (University of Science and Technology of China, China), Jinke Xu (Soochow University, China), Junwei Zhang (Soochow University, China), Zhanpeng Zhu (Department of Neurosurgery, The First Hospital of Jilin University, China), and Lirong Wang (Soochow University, China)
A Hybrid BCI System Combining Motor Imagery and Conceptual Imagery in a Smart Home Environment
A K-Induction Method Extended with Value Analysis for C Program Safety Verification 1072 Hui Guo (Tianjin University of Technology, China), Chunyan Hou (Tianjin University of Technology, China), Jinsong Wang (Tianjin University of Technology, China), and Chen Chen (Nankai University, China)
A Novel User Mobility Prediction Scheme Based on the Weighted Markov Chain Model 1078 Yuwei Jia (Research Institute, China United Network Communications Corporation, China), Kun Chao (Research Institute, China United Network Communications Corporation, China), Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China), Lin Lin (Research Institute, China United Network Communications Corporation, China), Lijuan Cao (Research Institute, China United Network Communications Corporation, China), Yi Li (Research Institute, China United Network Communications Corporation, China), Yuchao Jin (Research Institute, China United Network Communications Corporation, China), Zixiang Di (Research Institute, China United Network Communications Corporation, China), and Chen Cheng (Research Institute, China United Network Communications Corporation, China)
A Secure Remote Password Protocol From The Learning With Errors Problem

A Study on the Exoskeleton Motion Intent Recognition Algorithm for Embedded C	alculation
Lei Shi (Mechanical and Automotive Engineering, South China University	
of Technology, China; Guangzhou Shiyuan Electronic Technology Company	
Limited, China), Peng Yin (Mechanical and Automotive Engineering,	
South China University of Technology, China; Guangzhou Shiyuan	
Electronic Technology Company Limited, China), Ming Yang (Guangzhou	
Shiyuan Electronic Technology Company Limited, China), Shengguan Qu	
(Mechanical and Automotive Engineering, South China University of	
Technology, China), and Zhen Liu (Nagasaki Institute of Applied Science, Japan)	
A Thermal-Aware Digital Twin Model of Permanent Magnet Synchronous Motors	(PMSM) Based
on BP Neural Networks	100
Heng Li (Central South University, China), Zeyu Zhu (Central South	102
University, China), Peinan He (Central South University, China),	
Yingze Yang (Central South University, China), Bin Chen (Changsha	
University of Science and Technology, China), Jun Peng (Central South	
University, China), and Zhiwu Huang (Central South University, China)	
A Trusted, Verifiable and Differential Cyber Threat Intelligence Sharing Framewor	k Using
Blockchain	_
Kealan Dunnett (Queensland University of Technology, Australia),	
Shantanu Pal (Deakin University, Australia), Guntur Dharma Putra	
(University of New South Wales, Australia), Zahra Jadidi (Griffith	
University, Australia), and Raja Jurdak (Queensland University of	
Technology, Australia)	
Action-Manipulation Attack and Defense to χ-Armed Bandits	111
Zhi Luo (Huazhong University of Science and Technology), Youqi Li	
(Beijing Institute of Technology), Lixing Chen (Shanghai Jiao Tong	
University), Zichuan Xu (Dalian University of Technology), and Pan	
Zhou (Huazhong University of Science and Technology)	
Adversarial Attacks on Deep Learning-Based Methods for Network Traffic Classifi	cation 112
Meimei Li (Institution of Information Engineering, University of	
Chinese Academy of Sciences, China), Yiyan Xu (Institution of	
Information Engineering, University of Chinese Academy of Sciences,	
China), Nan Li (Institution of Information Engineering, University of	
Chinese Academy of Sciences, China), and Zhongfeng Jin (Institution of	
Information Engineering, University of Chinese Academy of Sciences,	
China)	
AI Based Collaborative Optimization Scheme for Multi-Frequency Heterogeneous	4G/5G
Networks	112
Tian Xiao (China Unicom Research Institute, China), Guoping Xu (China	
United Network Communications Group Co.Ltd), Bei Li (China Unicom	
Research Institute, China), Lexi Xu (China Unicom Research Institute,	
China), Xinzhou Cheng (China Unicom Research Institute, China), Feibi	
Lyu (China Unicom Research Institute, China), Guanghai Liu (China	
Unicom Research Institute, China), Yi Zhang (China Unicom Research	
Institute, China), and Qingqing Zhang (China Unicom Research Institute, China)	

S 0 0 S Y S T T I	Attribute-Attack-Proof Watermarking Technique for Relational Database
2 2 5	Empirical Study Towards SAR Adversarial Examples
Sign Y 7 Z	End-to-End Multi-Label Classification Model for Arrhythmia Based on Varied-Length ECG tals
An I Netv I L	Energy-Efficient Scheme for Industrial Wireless Sensor Network Based on Hierarchical work Structure
R U T	Improved Actor-Critic Method for Auto-Combating In Infantry Vehicles
Tran J U (	eriovenous Fistula Stenosis Classification Method Based on Auxiliary Wave and ensformer
S U F C (( L U	Omatic Association of Cross-Domain Network Topology

Battery Aging-Robust Driving Range Prediction of Electric Bus
Benchmark Tool for Detecting Anomalous Program Behaviour on Embedded Devices
Big Data Based Potential Fixed-Mobile Convergence User Mining
Cache Design Effect on Microarchitecture Security: A Contrast Between Xuantie-910 and BOOM  1199  Zhe Zhou (Southeast University, China), Xiaoyu Cheng (Southeast University, China), Yang Sun (Southeast University, China), Fang Jiang (Southeast University, China), Fei Tong (Southeast University, China; Purple Mountain Laboratories, China), Yuxing Mao (Chongqing University, China), and Ruilin Wang (Newcastle University, United Kingdom)
Cache Top-Level Domain Locally: Make DNS Respond Quickly in mobile network
CAHOOT: A Context-Aware veHicular Intrusion Detection sysTem
CCTVCV: Computer Vision Model/dataset Supporting CCTV Forensics and Privacy Applications . 1219  Hannu Turtiainen (University of Jyvaskyla, Finland), Andrei Costin (University of Jyvaskyla, Finland), Timo Hämäläinen (University of Jyvaskyla, Finland), Tuomo Lahtinen (University of Jyvaskyla, Finland), and Lauri Sintonen (University of Jyvaskyla, Finland)

CCTV-FullyAware: Toward end-to-end Feasible Privacy-Enhancing and CCTV Forensics Applications	1227
Hannu Turtiainen (University of Jyvaskyla), Andrei Costin (University of Jyvaskyla), Timo Hämäläinen (University of Jyvaskyla), Tuomo Lahtinen (University of Jyvaskyla), and Lauri Sintonen (University of Jyvaskyla)	
Clean-Label Backdoor Attack on Machine Learning-Based Malware Detection Models and Countermeasures  Wanjia Zheng (University of Tsukuba, Japan) and Kazumasa Omote (University of Tsukuba, Japan)	1235
Collaborative Improvement of User Experience and Network Quality Based on Big Data	1243
Confusing Traffic Against Intra-Domain Webpage Fingerprinting Attacks	1249
Coverage Estimation of Wireless Network Using Attention U-Net  Feibi Lyu (Research Institute, China United Network Communications Corporation, China), XinZhou Cheng (Research Institute, China United Network Communications Corporation, China), Lexi Xu (Research Institute, China United Network Communications Corporation, China), Liang Liu (Research Institute, China United Network Communications Corporation, China), Jinjian Qiao (Research Institute, China United Network Communications Corporation, China), Lu Zhi (Research Institute, China United Network Communications Corporation, China), Zixiang Di (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), and Chen Cheng (Research Institute, China United Network Communications Corporation, China)	1255
Create Persona of Elderly Users by Clustering Analysis of Needs  Xiaoying Li (Huaiyin Institute of Technology, China; Nagasaki Institute of Applied Science, Japan), Guangxiang Zhang (Huaiyin Institute of Technology, China), Yuzhou Wu (Huaiyin Institute of Technology, China), Yang Yang (Huaiyin Institute of Technology, China), Yuelei Wang (Huaiyin Institute of Technology, China), and Zhen Liu (Nagasaki Institute of Applied Science, Japan)	1261
Data Driven Based Malicious URL Detection Using Explainable AI  Saranda Poddar (RCC Institute of Information Technology, India),  Deepraj Chowdhury (International Institute of Information Technology,  India), Ashutosh Dhar Dwivedi (Centre for Business Data Analytics,  Denmark), and Raghava Rao Mukkamala (Centre for Business Data  Analytics, Denmark)	1266

Denoising Method of ECG Signal Based on Channel Attention Mechanism	3
Design and Development of Operation Status Monitoring System for Large Glass Substrate  Handling Robot	8
University of Technology, China), Liangsen Li (Wuhan University of Technology, China), and Weiming Ji (Wuhan University of Technology, China)	
Detection of Impurity Content in Wheat Based on Cone-Beam CT	6
DIV-SC: A Data Integrity Verification Scheme for Centralized Database Using Smart Contract 1290	
Siqi He (Guangzhou University, China), Xiaofei Xing (Guangzhou University, China), and Guojun Wang (Guangzhou University, China)	
Dynamic Resource Allocation for Beam Hopping Satellites Communication System: An Exploration	6
China), Xin Hu (Beijing University of Posts and Telecommunications, China), Yin Wang (Beijing University of Posts and Telecommunications, China), and WeiDong Wang (Beijing University of Posts and Telecommunications, China)	
EEG Classification Algorithm of Motor Imagery Based on CNN-Transformer Fusion Network  1302  Haofeng Liu (Inner Mongolia University of Science & Samp; Technology, China), Yuefeng Liu (Inner Mongolia University of Science & Technology, China), Yue Wang (Inner Mongolia University of Science & Technology, China), Bo Liu (Inner Mongolia University of Science & Technology, China), and Xiang Bao (Inner Mongolia University of Science & Technology, China)	
End-to-End Speech Recognition Technology Based on Multi-Stream CNN	0
Energy-Efficient and Traffic-Aware VNF Placement for Vertical Services in 5G Networks 1316 Yi Yue (China Unicom Research Institute, China), Wencong Yang (China Unicom Research Institute, China), Xiao Liang (École Nationale de l'Aviation Civil, France), Xihuizi Meng (China Unicom Research Institute, China), Rong Huang (China Unicom Research Institute, China), and Xiongyan Tang (China Unicom Research Institute, China)	6
Enhancing Intellectual Property Protection in Deep Neural Network with Confidential  Computing	1

False Data Injection Attack Detection in a Platoon of CACC in RSU
Ferrite Microstrip Limiter Based on the Equivalent Nonlinear Loss Simulation Model for the Narrow Microwave Pulse Environment
Forgery Trajectory Injection Attack Detection for Traffic Lights Under Connected Vehicle Environment
Fuzzy Keyword Search over Encrypted Cloud Data with Dynamic Fine-Grained Access Control 1340  Boshen Shan (University of Science and Technology of China, China), Yuanzhi Yao (University of Science and Technology of China, China), Weihai Li (University of Science and Technology of China, China), Xiaodong Zuo (University of Science and Technology of China, China), and Nenghai Yu (University of Science and Technology of China, China)
Guide Tracking Method Based on Particle Filter Fusion
Hierarchical Classification of Android Malware Traffic
HOLMES: An Efficient and Lightweight Semantic Based Anomalous Email Detector
Image Encryption Algorithm Based on Convolutional Neural Network and Four Square Matrix Encoding
Listing the Ingredients for IFTTT Recipes

Mahalanobis Distance and Pauta Criterion Based Log Anomaly Detection Algorithm for 5G  Mobile Network
Yuting Zheng (Research Institute, China United Network Communications Corporation, China), Yi Li (Research Institute, China United Network Communications Corporation, China), Yuchao Jin (Research Institute, China United Network Communications Corporation, China), Xiaomeng Zhu (Research Institute, China United Network Communications Corporation, China), Lexi Xu (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), Bei Li (Research Institute, China United Network Communications Corporation, China), and Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China)
Measurement of Malware Family Classification on a Large-Scale Real-World Dataset
MGF-GAN: Multi Granularity Text Feature Fusion for Text-Guided-Image Synthesis
Multi-Channel Live Video Processing Method Based on Cloud-Edge Collaboration
Multimodal Graph Reasoning and Fusion for Video Question Answering

Research and Application of 5G Edge AI in Medical Industry  Shangyu Tang (China United Network Communications Corporation, China),  Mingde Huo (China United Network Communications Corporation, China),  Yi Du (Donghua University, China), Yuwen Huo (Southwest University,  China), Yan Zhang (China United Network Communications Corporation,  China), Lexi Xu (Research Institute, China United Network  Communications Corporation, China), Ying Ji (China United Network  Communications Corporation, China), and Guoyu Zhou (China United  Network Communications Corporation, China)	1462
Research and Implementation of Fault Diagnosis of Switch Machine Based on Data Enhand and CNN  MingYue Li (Xi'an University of Technology, China) and Rong Fei (Xi'an	
University of Technology, China)	
Research on 5G Network Capacity and Expansion	
Jian Guan (Research Institute, China United Network Communications Corporation, China), Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China), Kun Chao (Research Institute, China United Network Communications Corporation, China), Xin He (Research Institute, China United Network Communications Corporation, China), Yuwei Jia (Research Institute, China United Network Communications Corporation, China), Lexi Xu (Research Institute, China United Network Communications Corporation, China), Yunyun Wang (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), and Bei Li (Research Institute, China United Network Communications Corporation, China)	14/9
Research on Enterprises Loss in Regional Economic Risk Management	1485
Heng Zhang (Research Institute, China United Network Communications Corporation, China), Wenyu Li (China Academy of Information and Communications Technology, China), Lianbo Song (China Academy of Information and Communications Technology, China), Lexi Xu (Research Institute, China United Network Communications Corporation, China), Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China), Lijuan Cao (Research Institute, China United Network Communications Corporation, China), Kun Chao (Research Institute, China United Network Communications Corporation, China), Wei Xia (Global Tone Communication Technology Corporation, China), Qinqin Yu (Global Tone Communication Technology Corporation, China), and Sai Han (Research Institute, China United Network Communications Corporation, China)	

T C C C (I C C C C C C C C C C C C C C C	arch on Intelligent 5G Remote Interference Avoidance and Clustering Scheme
B C N U (I C C C C	arch on OTFS Systems for 6G
Big I  Ji  C  C  C  C  U  In  B  C  N	arch on User Complaint Problem Location and Complaint Early Warning Stragegy Based on Data Analysis
Research Z C N C (I C C U (I C C C C C C C C C C C C C C C C C C	arch on Voice Quality Evaluation Method Based on Artificial Neural Network

Robust Perception for Autonomous Vehicles Using Dimensionality Reduction	1516
SCEVD: Semantic-Enhanced Code Embedding for Vulnerability Discovery  Joseph Gear (Queensland University of Technology, Australia), Yue Xu (Queensland University of Technology, Australia), Ernest Foo (Griffith University, Australia), Praveen Gauravaran (Tata Consultancy Services, Australia), Zahra Jadidi (Griffith University, Australia), and Leonie Simpson (Queensland University of Technology, Australia)	1522
Short Signatures via Multiple Hardware Security Modules with Key Splitting in Circuit Breaking Environments  Łukasz Krzywiecki (Wrocław University of Science and Technology, Poland) and Hannes Salin (Swedish Transport Administration, Sweden)	1528
Smart Grid Data Aggregation Scheme Based on Local Differential Privacy  Lei Zhang (Southeast University Nanjing, China), Dong Mao (State Grid  Zhejiang Electric Power Company Information & Telecommunication Branch  Hangzhou, China), Zuge Chen (State Grid Zhejiang Electric Power  Company Information & Telecommunication Branch Hangzhou, China), Yubo  Song (Southeast University Nanjing, China), Liquan Chen (Southeast  University Nanjing, China), and Zhongyuan Qin (Southeast University  Nanjing, China)	1534
Study on Gateway Station Deployment for Large Scale LEO Satellite Constellation Networl Lei Cheng (Institute of Software Chinese Academy of Sciences & University of Chinese Academy of Sciences, China), Shuaijun Liu (Institute of Software Chinese Academy of Sciences, China), Lixaing Liu (Institute of Software Chinese Academy of Sciences & University of Chinese Academy of Sciences, China), Hailong Hu (Institute of Software Chinese Academy of Sciences, China), Jingyi Chen (Institute of Software Chinese Academy of Sciences, China), and Xiandong Mneg (Tianlong Communication Co., Ltd, China)	ks 1540
Sybil-Resistant Truth Discovery in Crowdsourcing by Exploiting the Long-Tail Effect Dejia Lin (Jinan University, China), Yongdong Wu (Jinan University, China), and Wensheng Gan (Jinan University, China)	1545
Technical Architecture of Integrated Big Data Platform	1551

Telecom Big Data Assisted Algorithm and System of Campus Safety Management Chen Cheng (Research Institute, China United Network Communications Corporation, China), Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China), Shikun Jiang (Government and Enterprise Customer Business Group, China United Network Communications Group Corporation, China), Xin Zhao (Management of Technology Division Science & Technology Innovation Department, China United Network Communications Group Corporation, China), Yuhui Han (Research Institute, China United Network Communications Corporation, China), Tao Zhang (Research Institute, China United Network Communications Corporation, China), Lijuan Cao (Research Institute, China United Network Communications Corporation, China), Yuwei Jia (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), and Bei Li (Research Institute, China United Network Communications Corporation, China)	t 1557
Telecom Customer Churn Prediction Based on Half Termination Dynamic Label a	and XGBoost
Yi Zhang (Research Institute, China United Network Communications Corporation, China), Fan Zhang (Research Institute, China United Network Communications Corporation, China), Chuntao Song (Research Institute, China United Network Communications Corporation, China), Xinzhou Cheng (Research Institute, China United Network Communications Corporation, China), Chen Cheng (Research Institute, China United Network Communications Corporation, China), Lexi Xu (Research Institute, China United Network Communications Corporation, China), Tian Xiao (Research Institute, China United Network Communications Corporation, China), and Bei Li (Research Institute, China United Network Communications Corporation, China)	
TINKER: A Framework for Open Source Cyberthreat Intelligence	1569
Towards Logical Specification of Adversarial Examples in Machine Learning Marwa Zeroual (Université Paris Saclay, CEA, France), Brahim Hamid (IRIT, Université de Toulouse CNRS UT2, France), Morayo Adedjouma (Université Paris Saclay, CEA, France), and Jason Jaskolka (Carleton University, Canada)	1575
Towards the Concept of Trust Assurance Case	1581
Trusted Hart for Mobile RISC-V Security	1587

e-Government Application	597
User Analysis and Traffic Prediction Method Based on Behavior Slicing  Xin He (China United Network Communications Corporation, China),  Lijuan Cao (China United Network Communications Corporation, China),  Yuwei Jia (China United Network Communications Corporation, China),  Kun Chao (China United Network Communications Corporation, China),  Miaoqiong Wang (China Academy of Information and Communications  Technology, China), Chao Wang (China Communications Standards  Association, China), Yunyun Wang (China United Network Communications  Corporation, China), Runsha Dong (China United Network Communications  Corporation, China), and Zhenqiao Zhao (China United Network  Communications Corporation, China)	505
Vehicle Classification System With Mobile Edge Computing Based on Broad Learning	511

### **Author Index**