

2022 Tenth International Symposium on Computing and Networking Workshops (CANDARW 2022)

**Himeji, Japan
21-22 November 2022**



**IEEE Catalog Number: CFP22S28-POD
ISBN: 978-1-6654-7533-4**

**Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP22S28-POD
ISBN (Print-On-Demand):	978-1-6654-7533-4
ISBN (Online):	978-1-6654-7532-7
ISSN:	2832-1340

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2022 Tenth International Symposium on Computing and Networking Workshops (CANDARW) **CANDARW 2022**

Table of Contents

Message from the Organizers	xiv
Organization	xv
Workshop Organizers	xvi
Reviewers	xxiv

15th International Workshop on Autonomous Self-Organizing Networks (ASON'22): Regular Papers

M2M-SCM: A Spatial Channel Model for Mobile-to-Mobile Communications in the VHF and UHF Band	1
<i>Jörg Fischer (Fraunhofer Institute for Integrated Circuits IIS, Germany), Gerald Ulbricht (Fraunhofer Institute for Integrated Circuits IIS, Germany), and Robert Koch (Fraunhofer Institute for Integrated Circuits IIS, Germany)</i>	
Causality-Aware Metadata Propagation Scheme for Federated Social Network Servers	7
<i>Hiromi Fukuyama (Hiroshima University, Japan) and Satoshi Fujita (Hiroshima University, Japan)</i>	
Evaluation of Sightseeing Application Using BLE Beacon in Oku-Nikko	14
<i>Haruto Kawakami (Chuo university, Japan), Yosei Sato (Chuo university, Japan), Haruka Nakayama (Chuo university, Japan), Yuko Hiramatsu (Chuo university, Japan), Madoka Hasegawa (Utsunomiya University, Japan), Hiromu Niitsuma (Utsunomiya University, Japan), Kazutaka Ueda (University of Tokyo, Japan), Yasunari Harada (Waseda University, Japan), Akira Sasaki (GClue Inc., Japan), and Atsushi Ito (Chuo University, Japan)</i>	
A Portable Time Synchronization Method Using eBPF	20
<i>Kazuto Kobori (Hosei University, Japan), Chunghan Lee (Toyota Motor Corporation, Japan), and Toshio Hirotsu (Hosei University, Japan)</i>	
An Evacuation System Using Autonomous Clustering-Based MANET for Sharing Disaster Information	26
<i>Yuki Matsunaga (Hiroshima City University, Japan) and Tomoyuki Ohta (Hiroshima City University, Japan)</i>	

ALR Switching and Routing Strategy for Multiple Sites Based on Traffic Splitting Method for Power Saving	33
<i>Chao Zhang (University of Tsukuba, Japan) and Shigetomo Kimura (University of Tsukuba, Japan)</i>	

15th International Workshop on Autonomous Self-Organizing Networks (ASON'22): Poster Papers

Measurement of pH in the cow's Rumen for High- Quality Dairy Product	40
<i>Rika Fukumori (Rakunou Gakuen University, Japan), Kaori Hara (Chuo University, Japan), Yuko Hiramatsu (Chuo University, Japan), Atsushi Ito (Chuo University, Japan), Kento Arai (Utsunomiya University, Japan), Shiori Ashibe (Utsunomiya University, Japan), Yoshikazu Nagao (Utsunomiya University, Japan), Akira Sasaki (GClue Inc., Japan), Hirotsugu Yamamoto (Utsunomiya University, Japan), Yukitoshi Otani (Utsunomiya University, Japan), Masaki Yasugi (Utsunomiya University, Japan), and Yasutoshi Yoshiura (Fukui Prefectural University, Japan)</i>	
Delivery Routing to Reduce Calculation Load of Drones on Divided Logistics Areas for Drone Logistics Networks	44
<i>Kazuuya Matsutani (University of Tsukuba, Japan) and Shigetomo Kimura (University of Tsukuba, Japan)</i>	

10th International Workshop on Computer Systems and Architectures (CSA'22): Regular Papers

Construction of Hierarchical Matrix on Distributed Memory Systems Using a Task Parallel Language	48
<i>Zhengyang Bai (Graduate School of Informatics, Kyoto University, Japan), Tasuku Hiraishi (Kyoto Tachibana University, Japan), Akihiro Iida (Research Institute for Value-Added-Information Generation, Japan Agency for Marine-Earth Science and Technology, Japan), Masahiro Yasugi (Kyushu Institute of Technology, Japan), and Keiichiro Fukazawa (Academic Center for Computing and Media Studies, Kyoto University, Japan)</i>	
Communication Size Reduction of Federated Learning Based on Neural ODE Model	55
<i>Yuto Hoshino (Keio University, Japan), Hiroki Kawakami (Keio University, Japan), and Hiroki Matsutani (Keio University, Japan)</i>	
Accelerating Next Generation Genome Sequencing Leveraging High Bandwidth Memory on FPGAs .. 62	
<i>Till Lehmann (Hasso Plattner Institute for Digital Engineering, University of Potsdam, Germany), Lukas Wenzel (Hasso Plattner Institute for Digital Engineering, University of Potsdam, Germany), Max Plauth (Hasso Plattner Institute for Digital Engineering, University of Potsdam, Germany), Sven Köhler (Hasso Plattner Institute for Digital Engineering, University of Potsdam, Germany), and Andreas Polze (Hasso Plattner Institute for Digital Engineering, University of Potsdam, Germany)</i>	

A Study of Reconfigurable Switch Architecture for Chiplets Interconnection	69
<i>Hui Meng (Kyushu Institute of Technology, Japan), Qian Zhao (ByteDance, China), and Takaichi Yoshida (Kyushu Institute of Technology, Japan)</i>	
A Packet Routing Using Lightweight Reinforcement Learning Based on Online Sequential Learning	76
<i>Kenji Nemoto (Keio University, Japan) and Hiroki Matsutani (Keio University, Japan)</i>	
FPGA Implementation of Stream Cipher SOSEMANUK	83
<i>Yuki Shibuya (National Defense Academy of Japan, Japan), Keisuke Iwai (National Defense Academy of Japan, Japan), Takashi Matsubara (National Defense Academy of Japan, Japan), and Takakazu Kurokawa (National Defense Academy of Japan, Japan)</i>	
Multi-Input Adaptive Activation Function for Binary Neural Networks	90
<i>Peiqi Zhang (The University of Tokyo, Japan) and Shinya Takamaeda-Yamazaki (The University of Tokyo, Japan)</i>	

7th International Workshop on GPU Computing and AI (GCA'22): Regular Papers

Extraction of Preference and Classification Rules in Floor Plan Databases Using Answer Set Programming	97
<i>Ryu Hashimoto (Nihon University, Japan) and Tomonobu Ozaki (Nihon University, Japan)</i>	
A Driver-Based Approach for DMA Transfer Between FPGA-GPU	103
<i>Shun Kasai (University of the Ryukyus, Japan) and Yasunori Osana (University of the Ryukyus, Japan)</i>	
Accelerating Convolution Neural Networks in Embedded Intel GPUs	109
<i>Taiki Kondo (Iwate Prefectural University, Japan) and Hiroyuki Sato (Iwate Prefectural University, Japan)</i>	
Rule-Based Role Estimation in Werewolf Games Using Probabilistic Logic Programming	114
<i>Rento Kurokochi (Nihon University, Japan) and Tomonobu Ozaki (Nihon University, Japan)</i>	
Towards Massively Parallel GPU Assisted SAT	120
<i>Filippos Pantekis (Swansea University, United Kingdom) and Phillip James (Swansea University, United Kingdom)</i>	
ConvUNeXt: A Lightweight Convolutional Neural Network for Watercolor Image Translation	127
<i>Hao Su (Hiroshima University, Japan), Jiamian Huang (Hiroshima University, Japan), Yasuaki Ito (Hiroshima University, Japan), and Koji Nakano (Hiroshima University, Japan)</i>	
Toward Ensuring Better Learning Performance in Reinforcement Learning	134
<i>Menglei Zhang (University of Hyogo, Japan) and Yukikazu Nakamoto (University of Hyogo, Japan)</i>	
Influence of Time Integration Method on GPU Performance for Industry Relevant CFD Simulations	140
<i>Paul Zehner (Japanese Aerospace Exploration Agency, Japan) and Atsushi Hashimoto (Japanese Aerospace Exploration Agency, Japan)</i>	

8th International Workshop on GPU Computing and AI (GCA'22): Poster Papers

Dialogue System to Make Humor by Tatoe-Tsukkomi	147
<i>Yosuke Seki (Tokushima University, Japan)</i>	
Bicycle-Based Collision Prevention System Using Pedestrian Trajectory Prediction	151
<i>Nobuhiko Yamaguchi (Saga University, Japan), Hiroki Tokumaru (Saga University, Japan), Osamu Fukuda (Saga University, Japan), Hiroshi Okumura (Saga University, Japan), and Wen Liang Yeoh (Saga University, Japan)</i>	

14th International Workshop on Parallel and Distributed Algorithms and Applications (PDAA'22): Regular Papers

Performances of Symmetric Loss for Private Data from Exponential Mechanism	154
<i>Jing Bi (The University of Tokyo, Japan) and Vorapong Suppakitpaisarn (The University of Tokyo, Japan)</i>	
Gathering Despite a Linear Number of Weakly Byzantine Agents	161
<i>Jion Hirose (Nara Institute of Science and Technology, Japan), Junya Nakamura (Toyohashi University of Technology, Japan), Fukuhito Ooshita (Fukui University of Technology, Japan), and Michiko Inoue (Nara Institute of Science and Technology, Japan)</i>	
A Linear-Time Self-Stabilizing Distributed Algorithm for the Minimal Minus (L,K,Z)-Domination Problem Under the Distance-2 Model	168
<i>Hirotsugu Kakugawa (Ryukoku University, Japan) and Sayaka Kamei (Hiroshima University, Japan)</i>	
Hybrid Model Convolutional Stage-Positive Definite Metric Operator-Infinity Laplacian Applied to Depth Completion	174
<i>Vanel Lazcano (Universidad Mayor, Chile) and Felipe Calderero (VP of Data @ Ladorian \ Nuclio Digital School, Spain)</i>	
Bit Duplication Technique to Generate Hard QUBO Problems	180
<i>Xiaotian Li (Hiroshima University, Japan), Koji Nakano (Hiroshima University, Japan), Yasuaki Ito (Hiroshima University, Japan), Daisuke Takafuji (Hiroshima University, Japan), Takashi Yazane (NTT DATA Corporation, Japan), Junko Yano (NTT DATA Corporation, Japan), Shiro Ozaki (NTT DATA Corporation, Japan), Ryota Katsuki (NTT DATA Corporation, Japan), and Rie Mori (NTT DATA Corporation, Japan)</i>	
Design of Elixir-Based Edge Server for Responsive IoT Applications	185
<i>Yushan Li (Hiroshima University, Japan) and Satoshi Fujita (Hiroshima University, Japan)</i>	
Self-Replication and Mutation of Polymeric Molecules Simulated by Simplified Chemistry	192
<i>Taisei Mori (Tohoku University, Japan), Ibuki Kawamata (Tohoku University, Japan), and Satoshi Murata (Tohoku University, Japan)</i>	

An Asynchronous P System for Solving the Maximum Clique Problem with the Bron-Kerbosch Algorithm	199
<i>Takuya Noguchi (Kyushu Institute of Technology, Japan) and Akihiro Fujiwara (Kyushu Institute of Technology, Japan)</i>	
Image Generation from Text and Segmentation	206
<i>Masato Osugi (Kyushu University, Japan) and Danilo Vasconcellos Vargas (Kyushu University, Japan)</i>	
QUBO Model Formulation for Flow-Shop Scheduling Problems with Changeover Based on Timed Colored Petri Nets	212
<i>Takuya Shinjo (University of the Ryukyus, Japan), Morikazu Nakamura (University of the Ryukyus, Japan), and Norihiko Itani (QUANTUM LABORATORY, Fujitsu Ltd., Japan)</i>	
3D Mesh Generation from a Defective Point Cloud Using Style Transformation	218
<i>Kenshiro Tamata (Osaka University, Japan) and Tomohiro Mashita (Osaka University, Japan)</i>	
An Extension of Optimal Fashion Capsule Wardrobe Construction by Considering Visual Dissimilarity and Number of Good Coordinates	224
<i>Yuta Tanaka (Nihon University, Japan) and Tomonobu Ozaki (Nihon University, Japan)</i>	

5th Sustainable Computing Systems Workshop (SUSCW'22): Regular Papers

Toward a Training of CNNs on a Multi-FPGA System	229
<i>Aoi Hiruma (Keio University, Japan), Kensuke Iizuka (Keio University, Japan), and Hideharu Amano (Keio University, Japan)</i>	
An FPGA off-Loading of HARK Sound Source Localization	236
<i>Zhongyang Hou (Keio University, Japan), Kaijie Wei (Keio University, Japan), Hideharu Amano (Keio University, Japan), and Kazuhiro Nakadai (Tokyo Institute of Technology, Japan)</i>	
Just-In-Time Compiler System in Aspect-Oriented Programming Based Building Block Platform for Constructing Domain-Specific Language for HPC Application	241
<i>Osamu Ishimura (The University of Tokyo, Japan) and Yoshihide Yoshimoto (The University of Tokyo, Japan)</i>	
Detecting DDoS Attacks in SDN Using a Hybrid Method with Entropy and Machine Learning	248
<i>Marcos J. Santos-Neto (University of Brasilia - UnB, Brazil), Jacir L. Bordim (University of Brasilia - UnB, Brazil), Eduardo A. P. Alchieri (University of Brasilia - UnB, Brazil), Edison Ishikawa (University of Brasilia - UnB, Brazil), and Leonardo S. Dourado (University of Brasilia - UnB, Brazil)</i>	
Topic-Based Clustering of Japanese Sentences Using Sentence-BERT	255
<i>Kenshin Tsumuraya (Toyo University, Japan), Miki Amano (Toyo University, Japan), Minoru Uehara (Toyo University, Japan), and Yoshihiro Adachi (Toyo University, Japan)</i>	
Load-Balancing Routing Algorithms for Reducing Packet Latency and Avoiding Deadlock in Datacenter Interconnection Networks	261
<i>Yaodong Wang (Hosei University) and Yamin Li (Hosei University)</i>	

Analysis of Modern and Ancient Chinese Literature Using a Chinese Emotional Expression Analysis System	268
<i>Yonghui Huang (Toyo University, Japan), Siyuan Cheng (Toyo University, Japan), Xin Zhao (Toyo University, Japan), Minoru Uehara (Toyo University, Japan), and Yoshihiro Adachi (Toyo University, Japan)</i>	

5th Sustainable Computing Systems Workshop (SUSCW'22): Poster Paper

An Implementation of a Pattern Matching Accelerator on a RISC-V Processor	273
<i>Riku Takayama (Graduate School of Science and Engineering, Yamagata University, Japan) and Jubee Tada (Graduate School of Science and Engineering, Yamagata University, Japan)</i>	

9th International Workshop on Information and Communication Security (WICS'22): Regular Papers

Group Signatures with Equality Test on Signers	276
<i>Kyoya Anzai (University of Nagasaki, Japan), Masayuki Fukumitsu (University of Nagasaki, Japan), Hiroaki Anada (Aomori University, Japan), and Shingo Hasegawa (Tohoku University, Japan)</i>	
Covert Communication in NOMA Systems with Decision-Assisted Q-Learning	283
<i>Jiaqing Bai (Future University Hakodate, Japan), Ji He (Xidian University, China), and Xiaohong Jiang (Future University Hakodate, Japan)</i>	
Evaluation of Low-Cost Operation of a Malware Detection Mechanism Using Processor Information Targeting the IoT	288
<i>Mutsuki Deguchi (University of Nagasaki, Japan), Masahiko Katoh (University of Nagasaki, Japan), and Ryotaro Kobayashi (Kogakuin University, Japan)</i>	
On Multi-user Security of Schnorr Signature in Algebraic Group Model	295
<i>Masayuki Fukumitsu (University of Nagasaki, Japan) and Shingo Hasegawa (Tohoku University, Japan)</i>	
Side-Channel Attack on COSO-Based TRNG to Estimate Output Bits	302
<i>Kotaro Hayashi (SOKA University, Japan), Ryuichi Minagawa (Soka University, Japan), and Naoya Torii (Soka University, Japan)</i>	
Improvement of Optimal-Ate Pairing on Cocks-Pinch Curve with Embedding Degree 6 in Affine Coordinates	309
<i>Tomohiro Iida (Okayama University, Japan), Kazuma Ikesaka (Okayama University, Japan), Yuta Koderu (Okayama University, Japan), Takuya Kusaka (Okayama University, Japan), and Yasuyuki Nogami (Okayama University, Japan)</i>	

Optimized Software Implementations of Ascon, Grain-128AEAD, and TinyJambu on ARM Cortex-M0 316	
<i>Tomoaki Kitahara (The University of Electro-Communications, Japan), Ryota Hira (The University of Electro-Communications, Japan), Yuko Hara-Azumi (Tokyo Institute of Technology, Japan), Daiki Miyahara (The University of Electro-Communications, Japan), Yang Li (The University of Electro-Communications, Japan), and Kazuo Sakiyama (The University of Electro-Communications, Japan)</i>	
Medical Knowledge Discovery by Randomly Sampled “patient Characteristics” Formatted Data ... 323	
<i>Kenta Kitamura (The University of Tokyo, Japan), Mhd Irvan (The University of Tokyo, Japan), and Rie Shigetomi Yamaguchi (The University of Tokyo, Japan)</i>	
Conformance Testing for 5G O-RAN Entities Through MEC 330	
<i>Yu-Xiang Lin (National Taiwan University of Science and Technology, Taipei, Taiwan), Bing-Kai Hong (National Taiwan University of Science and Technology, Taipei, Taiwan), and Shin-Ming Cheng (National Taiwan University of Science and Technology, Taipei, Taiwan)</i>	
Privacy-Preserving Social Media with a Disclosure 337	
<i>Hideaki Miyaji (Osaka University, Japan), Po-Chu Hsu (Osaka University, Japan), and Atsuko Miyaji (Osaka University, Japan)</i>	
Proposal and Evaluation of a Method for Secure Division Sum Using the Secret Sharing Scheme by Rounding Off Real Numbers 344	
<i>Yunosuke Noso (Tokyo University of Science, Japan), Keiichi Iwamura (Tokyo University of Science, Japan), and Masaki Inamura (Hiroshima City University, Japan)</i>	
Koga2022 Dataset: Comprehensive Dataset with Detailed Classification for Network Intrusion Detection Systems 351	
<i>Hideya Sato (Kogakuin University, Japan) and Ryotaro Kobayashi (Kogakuin University, Japan)</i>	
Hook Point Estimation for System Call Detection by Virtual Machine Monitor 358	
<i>Masaya Sato (Okayama Prefectural University, Japan), Taku Omori (Okayama Prefectural University, Japan), Toshihiro Yamauchi (Okayama University, Japan), and Hideo Taniguchi (Okayama University, Japan)</i>	
A New Higher Order Differential of RAGHAV 363	
<i>Naoki Shibayama (Japan Air Self-Defense Force, Japan) and Yasutaka Igarashi (Tokyo University of Science, Japan)</i>	
How to Implement non-Committed Card Protocols to Realize AND Operations Satisfying the Three-Valued Logics 370	
<i>Yuji Suga (Internet Initiative Japan Inc., Japan)</i>	
Threat Analysis of Cyber Security Exercise for Reservoir Testbed Based on Attack Tree 375	
<i>Sú-Goân Tân (National Cheng Kung University, Taiwan), I-Hsien Liu (National Cheng Kung University, Taiwan), and Jung-Shian Li (National Cheng Kung University, Taiwan)</i>	

9th International Workshop on Information and Communication Security (WICS'22): Poster Papers

Analysis of Variance of Searching Time for Serial Concatenation of Graph-Clique Based Cryptocurrency Mining	380
<i>Kei Ikebe (Kyushu University, Japan) and Kouichi Sakurai (Kyushu University, Japan)</i>	
On the Identity Match Rate in Web Browsing History	384
<i>Takuya Kato (Kanazawa University, Japan), Hiroto Shiba (Kanazawa University, Japan), and Masahiro Mambo (Kanazawa University, Japan)</i>	
Correlation Analysis of Features for Fusing in User Verification Using EEG Evoked by Ultrasound	388
<i>Isao Nakanishi (Tottori University, Japan), Yuta Ishikawa (Tottori University, Japan), and Kotaro Mukai (Tottori University, Japan)</i>	
Square Table Lookup Multiparty Computation Protocol	392
<i>Zhongqi Wang (University of Tsukuba, Japan), Keita Fuse (University of Tsukuba, Japan), and Takashi Nishide (University of Tsukuba, Japan)</i>	

13th International Workshop on Advances in Networking and Computing (WANC'22): Short Papers

Load-Based Content Allocation for Mobile Cooperative Cache	396
<i>Taiki Akiba (The University of Electro-Communications, Japan), Celimuge Wu (The University of Electro-Communications, Japan), and Tsutomu Yoshinaga (The University of Electro-Communications, Japan)</i>	
Accuracy Improvement by Occurrence Probability of Service Identification Based on SNI	401
<i>Ryo Asaoka (Kogakuin University, Japan), Akihiro Nakao (The University of Tokyo, Japan), Masato Oguchi (Ochanomizu University, Japan), and Saneyasu Yamaguchi (Kogakuin University, Japan)</i>	
Multi-Board FPGA Implementation to Solve the Satisfiability Problem for Multi-Agent Path Finding in Smart Factory	406
<i>Pengyu Huang (Keio University, Japan), Kaijie Wei (Keio University, Japan), Hideharu Amano (Keio University, Japan), Kaori Ohkoda (Amoeba Energy Co., Ltd., Japan), and Masashi Aono (Amoeba Energy Co., Ltd., Japan)</i>	
FPGA Implementation of Contour Detection Based on Helmholtz Principle	411
<i>Shintaro Matsui (Nagasaki University, Japan), Taito Manabe (Nagasaki University, Japan), and Yuichiro Shibata (Nagasaki University, Japan)</i>	
Fully Dynamic Algorithm for the Steiner Tree Problem in Planar Graphs	416
<i>Hemraj Raikwar (Indian Institute of Technology Guwahati, India) and Sushanta Karmakar (Indian Institute of Technology Guwahati, India)</i>	
Proposal for Optical Fiber Network Monitoring System Using IoT Technology	421
<i>Kengo Shimizu (Meijo University, Japan) and Hidekazu Suzuki (Meijo University, Japan)</i>	

13th International Workshop on Advances in Networking and Computing (WANC'22): Poster Papers

A Study on Subjective Information in Deep Neural Network Models	426
<i>Atsuya Kobayashi (Kogakuin University, Japan), Yoshihaya Takahashi (Kogakuin University, Japan), and Saneyasu Yamaguchi (Kogakuin University, Japan)</i>	
Robust Optimization Algorithms for Multi-Objective Knapsack Problem	430
<i>Takuya Miyamoto (Kyushu Institute of Technology, Japan) and Akihiro Fujiwara (Kyushu Institute of Technology, Japan)</i>	
Weaving Heart Rate into the Authentication Based on Spatiotemporal Information and Actions.....	433
<i>Akira Nishihara (Kindai University, Japan) and Masateru Tsunoda (Kindai University, Japan)</i>	
Energy Consumption Reduction Through Resource Allocation Using Docker	436
<i>Eiji Sugahara (Ritsumeikan University, Japan), Hiroki Nishikawa (Osaka University, Japan), Xiangbo Kong (Ritsumeikan University, Japan), and Hiroyuki Tomiyama (Ritsumeikan University, Japan)</i>	
FPGA-Based Control of Remote Robotic Hands and ROS2 Integration	438
<i>Ludi Wang (Tokai University, Japan) and Takeshi Ohkawa (Tokai University, Japan)</i>	
Author Index	441