2022 IEEE/WIC/ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology (WI-IAT 2022)

Niagara Falls, Ontario, Canada 17-20 November 2022

Pages 1-472



IEEE Catalog Number: ISBN:

CFP22WEB-POD 978-1-6654-9403-8

Copyright © 2022 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	CFP22WEB-POD
ISBN (Print-On-Demand):	978-1-6654-9403-8
ISBN (Online):	978-1-6654-9402-1

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633 E-mail: curran@proceedings.com Web: www.proceedings.com



2022 IEEE/WIC/ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology (WI-IAT) **WI-IAT 2022**

Table of Contents

Preface	xx
Organizing Committee	
Program Committee	xxiii
Steering Committee	
Reviewers	xxvii
Sponsors	xxx

Volume 1: Regular Articles

Track 1: Web of People

Job Recommendation Based on Multiple Behaviors and Explicit Preferences	
Predicting Hateful Discussions on Reddit using Graph Transformer Networks and Communal Context)
Liam Hebert (University of Waterloo, Canada), Lukasz Golab (University of Waterloo, Canada), and Robin Cohen (University of Waterloo, Canada)	
EurOpi: Multilingual Aspect-Based Sentiment Analysis Enabled by a Knowledge Base	

Track 2: Web of Data

SMAT: String Matching in Action Theory Xing Tan (Lakehead University, Canada), Jingwei Huang (Old Dominion University, USA), and Yilan Gu (TD Bank Financial Group, Canada)	. 26
Active Learning Strategies Based on Text Informativeness	32
Ruide Li (Kyoto University, Japan), Yoko Yamakata (The University of	
Tokyo, Japan), and Keishi Tajima (Kyoto University, Japan)	

Multiple Neighbor Relation Enhanced Graph Collaborative Filtering
Coalitional Game Theoretic Federated Learning
Morphologically-Aware Vocabulary Reduction of Word Embeddings
Discovering Structural Hole Spanners in Dynamic Networks via Graph Neural Networks 64 Diksha Goel (University of Adelaide, Australia), Hong Shen (Sun Yat-sen University, China), Hui Tian (Griffith University, Australia), and Mingyu Guo (University of Adelaide, Australia)
Predicting the Score of Atomic Candidate OWL Class Axioms
Optimizing the Computation of a Possibilistic Heuristic to Test OWL SubClassOf Axioms Against RDF Data
 Handling out of Vocabulary Words at the Semantical Level using Recurrent Neural Networks 88 Paula M. L. Pedroso (State University of Maranhao (UEMA), Brazil), Fábio M. F. Lobato (Federal University of Western Para (UFOPA), Brazil), Eveline de J. V. Sá (Federal Institute of Maranhão, Brazil), and Antonio Fernando Lavareda Jacob Jr (State University of Maranhao (UEMA), Brazil)
Discovering Causal Rules in Knowledge Graphs using Graph Embeddings
NLI-Based Filtering for Data Augmentation in Topic Classification

Track 3: Web of Things

User Embedding Sharing with Deep Canonical Correlation Analysis for Dual-Target	
Cross-Domain Recommender System	
Pongsakorn Jirachanchaisiri (National Institute of Informatics, Japan;	
The Graduate University for Advanced Studies (SOKENDAI), Japan),	
Saranya Maneeroj (Chulalongkorn University, Thailand), and Atsuhiro	
Takasu (National Institute of Informatics, Japan; The Graduate	
University for Advanced Studies (SOKENDAI), Japan)	

POWoT : a Privacy Ontology for the Web of Things	.19
Mixture of Linear Additive Markov Processes: A Probabilistic Model for Joint Clustering and History-Dependent Transition Estimation	.27
Track 4: Web of Trust	
LMs go Phishing: Adapting Pre-Trained Language Models to Detect Phishing Emails	.35
Adaptive Neighborhood Distribution-Based Model for Estimating Helpful Votes of Customer Review	.43
Explainable Recommendation Enhancing Review Properties and PPLM	.51

Track 5: Web of Agents

Search on Asymmetric DCOPs by Strategic Agents	9
 Improving Generalization to new Environments and Removing Catastrophic Forgetting in Reinforcement Learning by using an eco-System of Agents	6
MENTA: how to Balance Authorial Intention and user Agency in Virtual Environments 17 Domitile Lourdeaux (CNRS Heudiasyc, France), Mohamed Sallak (CNRS Heudiasyc, France), and Rémi Lacaze-Labadie (CNRS Heudiasyc, France)	4
Behavior Trees as Executable Representation of Milner Calculus Notations	3
Obtaining and Providing Partial Information in Binary Contests	1

Special Track: Emerging Web in Health and Smart Living

Personalized Video Fragment Recommendation	199
Jiaai Wang (The University of Hong Kong, China), Ricky Y.K. Kwok (The	
Hong Kong Metropolitan University, China), and Edith C.H. Ngai (The	
University of Hon'z Kong, China)	

Emotion Detection for Children on the Autism Spectrum using BCI and Web Technology 207 Akib Zaman (United International University, Bangladesh), Anika Tahsin (Military Institute of Science and Technology, Bangladesh), Mostafizur Rahman (Military Institute of Science and Technology, Bangladesh), Rabeya Akhter (Military Institute of Science and Technology, Bangladesh), Hinoy Rahman (Military Institute of Science and Technology, Bangladesh), Shobnom Mustary (Military Institute of Science and Technology, Bangladesh), and Dewan Md. Farid (United International University, Bangladesh)
 Stable Trade Coordinations in Smart Agriculture
Gesture Recognition using MediaPipe for Online Realtime Gameplay

Special Track: Cyber System, Software Network, and Internet of Things

Auto-Tagging System Based on Song's Latent Representations for Inferring Contextual User Information
Álvaro Lozano Murciego (University of Salamanca, Spain), Diego M. Jiménez-Bravo (University of Salamanca, Spain), André Sales Mendes (University of Salamanca, Spain), Vivian F. López Batista (University of Salamanca, Spain), and Maria N. Moreno-García (University of Salamanca, Spain)
PININ: Increasing Customer Awareness Through an Innovative IoT and Blockchain-Based high
Quality Food Product Tracking System
Federica Cena (University of Turin, Italy), Claudio Schifanella
(University of Turin, Italy), Cristina Tortia (University of Turin,
Italy), Valeria Maritano (University of Turin, Italy), Oscar Bruschi
(Interlogic, Italy), Valentina Cobetto (Enhancers, Italy), and Serena
Ambrosini (Alten Italia SPA, Italy)

Volume 2: Short Articles

Track 1: Web of People

Predicting Response Probability by Embedding Questions in Online Question Recommendation ... 243

Yuki Hoshino (Tokyo Institute of Technology, Japan), Makoto Tasaki (Tokyo Institute of Technology, Japan), Kota Ishizuka (Tokyo Institute of Technology, Japan), Motoya Azami (Tokyo Institute of Technology, Japan), Keisuke Mizutani (Tokyo Institute of Technology, Japan), and Kazuhide Nakata (Tokyo Institute of Technology, Japan)

 Online Discussion Transition Analysis for Group Learning Support	
Intelligent Prediction-Intervention Approach to Support Students' Success in Web-Based Learning Environments: A Case Study in Higher Education	
 What Really Matters in a Table? Insights from a User Study	
Entity Level QA Pairs Dataset for Sentiment Analysis	
An Entire Space Multi-Gate Mixture-of-Experts Model for Recommender Systems	

Track 2: Web of Data

Organizing Search Results into a Table to Assist in Understanding and Expanding Search Target	32
Impact of Injecting Ground Truth Explanations on Relational Graph Convolutional Networks and Their Explanation Methods for Link Prediction on Knowledge Graphs	38
Question Answering over Knowledge Graphs: a Graph-Driven Approach	€
Retrieving and Ranking Relevant Products from Boolean Natural Language Queries)3
Accurate Context Extraction from Unstructured Text Based on Deep Learning)9

Pointspectrum: Equivariance Meets Laplacian Filtering for Graph Representation Learning315 Marinos Poiitis (Aristotle University of Thessaloniki, Greece), Pavlos Sermpezis (Aristotle University of Thessaloniki, Greece), and Athena Vakali (Aristotle University of Thessaloniki, Greece)

Track 4: Web of Trust

Proof of Earnestness- Subjective Information's Trustworthiness in Blockchains as a Service 321 Hang Bui (UNSW Canberra, Australia), Omar K. Hussain (UNSW Canberra, Australia), Morteza Saberi (University of Technology Sydney, Australia), and Farookh K. Hussain (University of Technology Sydney, Australia)
Real-World Popularity Estimation from Community Structure of Followers on SNS
Filtering Relevant Comments in Social Media using Deep Learning

Track 5: Web of Agents

Special Track: Emerging Web in Health and Smart Living

ProxySense: An Effective Approach for gas Concentration Estimation using Low-Cost IoT Sensors	7
Time-Series Flexible Resampling for Continuous and Real-Time Finger Character Recognition 357 Takuma Nitta (Musashino University, Japan), Shinpei Hagimoto (Musashino University, Japan), Kyosuke Miyamura (Musashino University, Japan), Ryotaro Okada (Musashino University, Japan), and Takafumi Nakanishi (Musashino University, Japan)	7
Patient History Summarization on Outpatient Conversation	F

(National Taiwan University, Taiwan)

Special Track: Cyber System, Software Network, and Internet of Things

Using Multi-Task Deep Neural Network to Explore Person Interaction from Social Media 371 Yung-Chun Chang (Taipei Medical University, Taiwan), Tzu-Ying Chen (Taipei Medical University, Taiwan), Ting-Yu Lin (Data Science Degree Program National Taiwan University, Taiwan), and Yu-Lun Hsieh (Taipei Medical University, Taiwan)	
 Educational Decision Support System Adopting Sentiment Analysis on Student Feedback 377 Thanveer Shaik (University of Southern Queensland, Australia), Xiaohui Tao (University of Southern Queensland, Australia), Chris Dann (University of Southern Queensland, Australia), Carol Quadrelli (University of Southern Queensland, Australia), Yan Li (University of Southern Queensland, Australia), and Shirley O'Neill (University of Southern Queensland, Australia) 	
Categorizing Citation Relations in Scientific Papers Based on the Contributions of Cited Papers	

Workshops

A Novel Position-Based VR Online Shopping Recommendation System Based on Optimized Collaborative Filtering Algorithm <i>Jianze Huang (Ningbo Tech University, China), Haolan Zhang (Ningbo</i> <i>Tech University, China), Huanda Lu (Ningbo Tech University, China),</i> <i>Xin Yu (Ningbo Tech University, China), and Shaoyin Li (Ningbo Tech</i> <i>University, China)</i>	. 390
Audience Research on Media-Enterprise Cooperation Products of Knowledge Graph Xiang Li (Zhejiang University, China) and Zhenbiao He (NingboTech University, China)	397
On the Relationship Between the Self-Efficacy and the English Achievement of English Majors: A Case Study of NingboTech University Students <i>Chen Ou (NingboTech University, China) and Lu Yang (Fujian Normal</i> <i>University, China)</i>	. 403
Predict Turnaround Time of Hospital Discharge Bin Jia (University of Nottingham Ningbo China, China), Jing Zhang (University of Nottingham, United Kingdom), and Xuewen Jia (Ningbo No.1 Hospital, China)	408
Reexamining the Echo Chamber Effect of COVID-19 Vaccine Videos on YouTube Tianlun Zhou (Hong Kong Baptist University, China) and Paolo Mengoni (Hong Kong Baptist University, China)	415
Oscillation Patterns of A Complex Exponential Neural Network Lei Zhang (University of Regina, Canada)	. 423
An Optimized High Dimension Data Reduction Method Based on Covariance Qiqi Huang (Zhejiang Sci-Tech University, China), Haolan Zhang (Ningbo Tech University, China), Genlang Chen (Ningbo Tech University, China), Jijun Tong (Zhejiang Sci-Tech University, China), and Sanghyuk Lee (Xi'an Jiaotong Liverpool University, China)	431
Learning to Rank using Fuzzy-Enhanced LSTM Model Sara Abri (Mavinci Informatics Inc., Turkey), Rayan Abri (Mavinci Informatics Inc., Turkey), and Salih Cetin (Mavinci Informatics Inc., Turkey)	437

 Family Classification of Malicious Applications using Hybrid Analysis and Computationally Economical Machine Learning Techniques
Machine Learning Data Markets: Trading Data using a Multi-Agent System
Characterizing the Nature of Trust & Misinformation on Twitter
Developing a Dataset for Mining Reviews in Tweets Focusing on Celebrities' Aspects
Investigating Users' Motives for Engaging in Flaming by Analyzing Despise Tweets
Comparative Analysis of Information Spreading Focused on Topics and Emotions via Temporal Point Process
 Visualization and Extraction of Important Structural Changes via Dynamic Hypergraph Embedding
Improving Recommendation Diversity by Maximizing Semantic Volume 496 Atom Sonoda (The University of Tokyo, Japan), Fujio Toriumi (The 97 University of Tokyo, Japan), and Hiroto Nakajima (Nikkei Inc., Japan) 98
 Artificial Intelligence, Blockchain, Big Data Analytics, Machine Learning and Data Mining in Traditional CRM and Social CRM: A Critical Review
Ethical Issues in Social CRM: a Literature Review
Social CRM to Reduce Perceived Risks in Online Purchase Behavior

Technology Transfer in e-Communication for Small and Medium Enterprises as Promoters of Innovation and Competitiveness
Analyzing Events' Impacts on Mental Health using Tweets
Machine Learning Techniques on X-ray Images for Covid-19 Classification
MediBox: An Integrated Web Service System for Personalized Medical Assistance
Detecting Adverse Drug Reaction from User-Generated Twitter Data: A Case Study
Research on Question Answering over Knowledge Graph of Chronic Diseases
MTPL-G2T Graph-to-Text Generation Task Based on Mixed Template Prompt Learning 567 Jianhe Cen (Zhengzhou University, China), Kun Zhang (Chinese Academy of Sciences, China), Jingyuan Li (Beijing Technology and Business University, China), Shiqi Sun (Zhengzhou University, China), and Yuanzhuo Wang (Chinese Academy of Sciences, China)
A Comparative Experimental Study of Link Prediction Methods with Structural Information 572 Dawei Liu (Shandong Technology and Business University, China)
A Knowledge Graph Construction Method for Food Nutrition
NCG-LS: Named Entity Recognition Model Specializing for Analyzing Product Titles
KEvent - A Semantic-Enriched Graph-Based Approach Capitalizing Bursty Keyphrases for Event Detection in OSN
Mining and Understanding Arabic Tweets Related to Cognitive Disabilities

ConTED: Towards Content Trust for the Decentralized Web
Understanding how Social Discussion Platforms Like Reddit are Influencing Financial Behavior
Sachin Thukral (Tata Consultancy Services, India), Suyash Sangwan (Tata Consultany Services, India), Arnab Chatterjee (Tata Consultany Services, India), Lipika Dey (Tata Consultany Services, India), Aaditya Agrawal (IIT Kharagpur, India), Pramit Kumar Chandra (IIT Kharagpur, India), and Animesh Mukherjee (IIT Kharagpur, India)
Web Mining from Interpretable Compressed Representation of Sparse web
 Visual Analysis of Clinical Studies of Xuebijing Injection Based on Bibliometrics
Drug Data Mining of Sini Decoction Based on Ancient and Modern Medical Cases
Bibliometric Analysis of Pediatric Massage Based on CNKI
Management Course Knowledge Graph Construction Based on Ontology
On using the DIET Architecture for Sentiment Analysis and Emotion Detection
A 4D LSTM Network for Emotion Recognition from the Cross-Correlation of the Power Spectral Density of EEG Signals
A Study on Agent Expression and User Gaze Behavior in Product Endorsement Videos

Emotional Coloring of Kazakh People's Names in the Semantic Knowledge Database of "Fascinating Onomastics" Mobile Application
Defining Classification Ambiguity to Discover a Potential Bias Applied to Emotion Recognition Data Sets
Recognizing and Predicting Neonatal Pain in Preterm Intensive Care Unit: a Study Protocol680 Valentina Franzoni (University of Perugia, Italy; Hong Kong Baptist University, China) and Daniele Mezzetti (Neonatology and Neonatal Intensive Care Unit Perugia Hospital, Italy)
Emergency Auscultation Sound Transmission System using Web Conferencing Services in Japan 683
Masayuki Onda (Maebashi Institute of Technology, Japan), Junya Kawahara (Gunma Industrial Technology Center, Japan), and Hiroki Matsumoto (Maebashi Institute of Technology, Japan)
Basic Research on Information Systems to Support Nurses in the Event of a Large-Scale Disaster
Information Sharing Among Senior Parents and Children for the Prevention of Frailty using ICT
 Study on Application of Communication in JS8 Mode in the Amateur Radio high Frequency Band for Telemedicine in the Event of a Major Disaster
An Intelligent Assistant to Provide Social Support to Informal Caregivers of People with Dementia: Alzaid Assistant
Modified Regularization for High-Dimensional Data Decomposition

3D Facial Biometric Verification using a DNA Sample for Law Enforcement Applications 715 Niraj Pandkar (San Jose State University, USA), Teng-Sheng Moh (San Jose State University, USA), and Mark Barash (San Jose State University, USA)
A Survey of Explainable E-Commerce Recommender Systems
Research on Clustering Algorithm of Hyperspectral Images Based on Fuzzy Kernel P System731 Shi Qiu (Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, China), Geng Zhang (Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, China), and Miao Zhang (Xi'an Institute of Optics and Precision Mechanics, Chinese Academy of Sciences, China)
 Chinese Character Font Classification in Calligraphy and Painting Works Based on Decision Fusion
A Noise-Enhanced Fuse Model for Passage Ranking
Multiple Linear Combination Approaches for Information Search in Ranking
Recommender Systems: its Explainability, Interpretability and BeyondN/A Runjie Zhu (York University, Canada)
How Severe is Your COVID-19? Predicting SARS-CoV-2 Infection with Graph Attention Capsule Networks
Herb Recommendation in Reinforcing Knowledge Graph Approach
Event Detection Based on Generative Adversarial Learning
SparseMult: A Tensor Decomposition Model Based on Sparse Relation Matrix
A Survey of Pet Action Recognition with Action Recommendation Based on HAR
Recommender System for Government Service in Smart Cities
Task Offloading in Mobile Edge Computing: Intractability and Proposed Approaches

Artificial Intelligence and Data Science for Social Good: The Case for the SDGs
A Contact Matrix-Based Approach for Predicting COVID-19 using Influenza Data
Can Higher-Order Structural Features Improve the Performance of Graph Neural Networks for Graph Classification?
DFS-NER: Description Enhanced Few-Shot NER via Prompt Learning and Meta-Learning 796 Huinan Huang (University of Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences, China), Yuming Feng (University of Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences; CAS Key Laboratory of Network Data Science and Technology, Institute of Computing Technology, Chinese Academy of Sciences, China)
Additive Consistency Analysis for Picture Fuzzy Preference Relation
Cascade-Based Adversarial Optimization for Influence Prediction
Weighted Multi-Granulation Containment Neighborhood Rough Set Model
(Anhui University, China)
 (Anhui University, China) Orientation Invariant Tensor Completion In Both Spectual And Space Domains

GrS Algorithm for Solving Gas Transmission Compressor Design Problem
Deep Model Pruning By Parallel Pooling Attention Block
Research on Predicting Food Allergy Based on Recurrent Neural Network
 Data Information Prediction Based on Deep Fusion GRU-Stacking
A Multi-Dimensional Semantic Pseudo-Relevance Feedback Information Retrieval Model 866 Min Pan (Hubei Normal University, China), Yu Liu (Hubei Normal University, China), Quanli Pei (York University, Canada), Huixian Mao (Hubei Normal University, China), Aoqun Jin (Hubei Normal University, China), Sheng Huang (Hubei Normal University, China), and Yinhan Yang (Hubei Normal University, China)
A Context-Aware BERT Retrieval Framework Utilizing Abstractive Summarization
Chinese Painting Algorithm: A Study of Scene Characterization by Chromatographic Multiple Analysis and Handwriting Co-Construction
 Ancient Migration Algorithm: A Behavioral Path Model Study of the Lowest-Cost Goal from an Anthropological Perspective

Military Seal Algorithm: Research on Inverse Interpretation Model of Behavior Trajectory Data and Image Hidden Spatial Information
Algorithm for Cartography: Adding Out-Domain Knowledge to the Level of Complexity Can Improve the Evolutionary Nature of Multilevel Genotype GIS
A ConceptNet-Based Semantic Constraint Method for Query Expansion
 PHIHNE: Predicting Phage-Host Interaction Through Heterogeneous Network Embedding 914 <i>Qiang Zhu (Hubei Provincial Engineering Research Center for</i> <i>Intelligent Textile and Fashion, China; Engineering Research Center of</i> <i>Hubei Province for Clothing Information, China; Wuhan Textile</i> <i>University, China), Qinghui Dai (Hubei Provincial Engineering Research Center for Intelligent Textile and Fashion, China; Engineering Research Center of Intelligent Textile and Fashion, China; Engineering</i> <i>Research Center of Hubei Province for Clothing Information, China;</i> <i>Wuhan Textile University, China), Ruhen He (Hubei Provincial Engineering Research Center for Intelligent Textile and Fashion, China; Engineering Research Center of Hubei Province for Clothing Information, China; Engineering Research Center of Hubei Province for Clothing Information, China; Engineering Research Center of Hubei Province for Clothing Information, China; Wuhan Textile University, China), and Junjie Huang (Hubei Provincial Engineering Research Center for Intelligent Textile and Fashion, China; Wuhan Textile University, China), and Junjie Huang (Hubei Provincial Engineering Research Center for Intelligent Textile and Fashion, China; Engineering Research Center for Intelligent Textile and Fashion, China; Wuhan Textile University, China), and Junjie Huang (Hubei Provincial Engineering Research Center for Intelligent Textile and Fashion, China; Engineering Research Center of Hubei Province for Clothing Information, China; Wuhan Textile University, China)</i>
Adversarial Sample Generation Method for Spam SMS Classification
A Deep Skin Cancer Classification Approach using Image and Structured Information
Collection and Analysis of Narratives for a Values Charter of the Italian Society for Hospital Pharmacy

Author Index