

PROCEEDINGS OF SPIE

# ***Solid State Lasers XXXII: Technology and Devices***

W. Andrew Clarkson  
Ramesh K. Shori  
*Editors*

31 January – 1 February 2023  
San Francisco, California, United States

*Sponsored and Published by*  
SPIE

**Volume 12399**

Proceedings of SPIE 0277-786X, V. 12399

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at [SPIDigitalLibrary.org](http://SPIDigitalLibrary.org).

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings:

Author(s), "Title of Paper," in *Solid State Lasers XXXII: Technology and Devices*, edited by W. Andrew Clarkson, Ramesh K. Shori, Proc. of SPIE 12399, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510659032

ISBN: 9781510659049 (electronic)

Published by

**SPIE**

P.O. Box 10, Bellingham, Washington 98227-0010 USA

Telephone +1 360 676 3290 (Pacific Time)

[SPIE.org](http://SPIE.org)

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at [copyright.com](http://copyright.com). Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.

**SPIE. DIGITAL  
LIBRARY**

[SPIDigitalLibrary.org](http://SPIDigitalLibrary.org)

---

**Paper Numbering:** A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

# Contents

vii *Conference Committee*

---

## CRYSTALLINE FIBER LASERS

---

12399 02 **Claddings for YAG single crystal high power fiber lasers** [12399-1]

12399 03 **In-fiber crystal growth** [12399-3]

---

## ULTRAFAST LASERS

---

12399 04 **Versatile ultrashort pulse laser tunable up to nanosecond range** [12399-8]

---

## DONUT MODE AND VORTEX BEAM LASERS

---

12399 05 **Yb fiber vortex laser using an interferometric mode converting output coupler** [12399-10]

12399 06 **Generation and detection of OAM-carrying beamlets for underwater optical systems using a HOBbit system** [12399-13]

---

## EYE-SAFE AND MID-IR LASERS

---

12399 07 **A multi-wavelength hybrid waveguide-fiber cavity 2.1  $\mu\text{m}$  laser** [12399-14]

12399 08 **Q-switched, high energy, high repetition rate, mini-laser transmitters at 1.54 $\mu\text{m}$**  [12399-15]

12399 09 **Q-switched Ho<sup>3+</sup>:YAG Porro resonators with improved alignment stability** [12399-18]

12399 0A **Challenges in designing and building a high energy, pulsed diode-pumped MWIR Fe:ZnSe laser** [12399-19]

---

## PULSED LASERS

---

12399 0B **Numerical modelling of Cr:YAG Q-switched Yb:YAG micro-lasers and comparison with experimental results** [12399-21]

---

#### CHALLENGES AND ISSUES IN FIELD, FLIGHT, AND SPACE QUALIFIED LASER COMPONENTS AND SYSTEMS

---

- 12399 0C Environmental testing of high-quality Alexandrite crystals and coatings for space applications [12399-25]
- 12399 0D Laser and optical transport line for laser-based ion beam diagnostics and control in the SNS linear accelerator [12399-27]
- 12399 0E Technology development of a solid state 266 nm laser for NASA's Dragonfly mission [12399-28]
- 12399 0F Optical characteristics of radiated multifunctional optical materials [12399-29]

---

#### LASER MATERIALS AND CHARACTERIZATION

---

- 12399 0G Highly-compact and power-scalable transition-metal-doped single-frequency lasers [12399-30]
- 12399 0H Modelling the effect of astigmatism on the beam quality factor of Laguerre-Gaussian optical beams [12399-32]
- 12399 0I Enhanced photoluminescence via energy transfer from plasmon Ag to  $\text{Eu}^{3+}$  ions in ZABS glasses for solid-state device applications [12399-35]

---

#### POSTER SESSION

---

- 12399 0J Diode pumped cryogenically cooled Tm:LuVO<sub>4</sub> laser [12399-37]
- 12399 0K High spectral resolution LIDAR source at 1 kHz amplifying spectrally single mode ns-pulses with active ASE suppression [12399-38]
- 12399 0L Gain-switched Ti:Sapphire microchip laser investigation within 78-300 K temperature range [12399-39]
- 12399 0M Benchmark evaluation of a single frequency continuous wave OPO seeded pulsed dye amplifier for high-resolution laser spectroscopy [12399-40]
- 12399 0N Temperature dependence of spectroscopy and laser parameters of Er:Y<sub>2</sub>O<sub>3</sub> ceramic from 80 to 300 K [12399-41]
- 12399 0O Delivery of Er:YAG laser radiation with repetition rate up to 150 Hz by a hollow glass waveguide [12399-42]
- 12399 0P Nd:YAG/Cr:YAG microchip-based system for laser-induced damage threshold measurement [12399-47]

- 12399 0Q **The influence of Cr<sup>2+</sup> to Fe<sup>2+</sup> ions concentration ratio on the Cr,Fe:Zn<sub>1-x</sub>Mn<sub>x</sub>Se (x≈0.15) laser properties excited via Cr<sup>2+</sup> → Fe<sup>2+</sup> energy transfer [12399-48]**
- 12399 0R **20km high accuracy, low false alarm probability laser rangefinder [12399-49]**
- 12399 0S **Passively Q-switched sub-100 ps Yb<sup>3+</sup>:YAG/Cr<sup>4+</sup>:YAG microchip laser: experimental results and numerical analysis [12399-51]**
- 12399 0T **10 mJ, 100 W, 1 ps hybrid laser system based on amplification in Yb:YAG [12399-52]**
- 12399 0U **Tm, Ho:GGAG 2.1 μm laser diode-pumped at 1.7 μm [12399-53]**

---

DIGITAL POSTER SESSION

- 12399 0V **Comparison analysis of Freetrig mode and universal trigger mode [12399-50]**