PROCEEDINGS OF SPIE

Conference on Infrared, Millimeter, Terahertz Waves and Applications (IMT2022)

Songlin Zhuang Junhao Chu Editors

8–10 November 2022 Shanghai, China

Organized by Infrared Technology and Application Committee (China)

Sponsored by Chinese Society for Optical Engineering (CSOE) (China)

Published by SPIE

Volume 12565

Part One of Two Parts

The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Conference on Infrared, Millimeter, Terahertz Waves and Applications (IMT2022), edited by Songlin Zhuang, Junhao Chu, Proc. of SPIE 12565, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X

ISSN: 1996-756X (electronic)

ISBN: 9781510662476

ISBN: 9781510662483 (electronic)

Published by

SPIE

P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time)

Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

xi Conference Committee

Part One

CONFERENCE ON INFRARED, MILLIMETER, TERAHERTZ WAVES AND APPLICATIONS

	CONTERENCE ON INTRAKED, MILLIMETER, TERAHERIZ WAVES AND ATTECATIONS
12565 02	Chinese sign language recognition based on multi-view deep neural network for millimeterwave radar [12565-1]
12565 03	Design and light field analysis of biconical axicon for generating terahertz Bessel beam [12565-2]
12565 04	Application and analysis of integrated sensing and communication technology based on millimeter wave $[12565-3]$
12565 05	Optical passive athermalization design of a catadioptric infrared optical system with large aperture and long focal length [12565-4]
12565 06	An EM response predicting method for coding metasurface based on pole-residue transfer functions and joint learning [12565-5]
12565 07	Light field multi-scale blocked local binary pattern feature in the spatial-angular domain [12565-6]
12565 08	Reconstructing hyperspectral images from RGB images fused with multi-scale features [12565-9]
12565 09	Research on calibrating technology for multi-spectral and multi-optical axis system [12565-11]
12565 0A	Research on an integrated infrared detector supporting structure [12565-12]
12565 OB	Rapid implementation of GB-ArcSAR BP imaging algorithm [12565-14]
12565 OC	Research on multi-band compatible stealth film based on D/M/D structure in green circumstance [12565-16]
12565 0D	Research on visible, infrared, and laser stealth performance of two composite structures [12565-17]
12565 OE	Optical system design of high-resolution and asymmetric Czerny-Turner spectrometer on near-infrared broadband [12565-18]
12565 OF	TCIE-ResNeXtGAN: infrared and water vapor satellite image fusion model using dual discriminator generative adversarial networks and ResNeXt for improving tropical cyclone intensity estimation accuracy [12565-19]

12565 OG	Detectability of onboard infrared detection system to hypersonic vehicles [12565-20]
12565 OH	Research on rapid prediction model of temperature characteristics in target re-entry process [12565-21]
12565 OI	Improved Faster-RCNN algorithm combined with infrared satellite image for tropical cyclone detection [12565-22]
12565 OJ	Fire detection algorithm of infrared thermal imaging in petrochemical area based on improved YOLOv4-tiny framework and time-domain feature analysis [12565-23]
12565 OK	A DCNN method for phase unwrapping [12565-24]
12565 OL	A novel method of heterologous image registration based on SURF and feature inertial following [12565-25]
12565 OM	PAM4 baseband demodulation circuit for mmWave communication [12565-26]
12565 ON	Analysis and suppression of stray light in the pre-optical system based on AOTF imaging spectrometer [12565-27]
12565 00	Parametric modeling of EM behavior of coding metasurface using multitask neural networks and pole-residue-based transfer functions [12565-32]
12565 OP	Low-threshold and high-extinction-ratio optical bistability within a graphene-silicon-based perfect absorber [12565-33]
12565 0Q	Three-dimensional reconstruction of stereo SAR target based on BP imaging [12565-35]
12565 OR	Terahertz identification of inclusion defects in hot melt joint of polyethylene pipe [12565-36]
12565 OS	A Wirtinger flow algorithm with optimal stepsize for STFT phase retrieval [12565-38]
12565 OT	Positioning and imaging methods for moving target ghost imaging LIDAR based on correlation intensity weighting $[12565-40]$
12565 OU	Design of continuous time linear equalizer for mmWave receiver [12565-41]
12565 OV	Retinex model with learned prior for partly-paired low-light image enhancement [12565-42]
12565 OW	Design of PAM4 modulation circuit with 2-tap pre-emphasis for millimeter-wave application [12565-43]
12565 OX	Development of on-board radiation calibration device for water color and water temperature scanner [12565-44]
12565 OY	Rapid intensification forecast for tropical cyclone by combining Multi-ConvLSTM model with infrared and microwave satellite images [12565-45]

12565 OZ	Hyperspectral image joint super-resolution via implicit neural representation [12565-46]
12565 10	Optical design of spaceborne CO2 imaging spectrometer with wide field of view [12565-50]
12565 11	Computational imaging in mid-infrared waveband hybrid imaging optical system under wide temperature range [12565-52]
12565 12	Effects of RbI doping on perovskite film and photovoltaic performance [12565-53]
12565 13	Over-the-horizon camera calibration on smartphones with planar mirror reflections [12565-54]
12565 14	Improved long-term operational stability of optical humidity sensing by mixed-halide perovskite [12565-55]
12565 15	Inverse design multilayers for infrared camouflage with thermal management [12565-56]
12565 16	Biaxial strain on the Rashba spin splitting and optical absorption of MoSSe/WSe2 heterostructures [12565-58]
12565 17	Research on real-time monitoring of total phosphorus in water based on microfluidic optical technology [12565-60]
12565 18	Influence analysis of wide dynamic infrared image quantization on target detection performance [12565-61]
12565 19	High-performance surface plasmon resonance sensor based on Ag/TiO2/MoS2 [12565-62]
12565 1A	Intensity classification for tropical cyclone using feature fusion of infrared satellite image [12565-64]
12565 1B	DR-UNet: dynamic residual U-Net for blind correction of optical degradation [12565-65]
12565 1C	Trends of E-band high-capacity mobile communication system [12565-66]
12565 1D	Design of APD focal plane detector test system for 3D imaging [12565-67]
12565 1E	Mid-infrared photoelectric detectors for gas sensing [12565-68]
12565 1F	Switchable waveguide mode converter based on phase change material [12565-69]
12565 1G	Quantum entanglement source model pumped by low-power laser diode [12565-71]
12565 1H	Spectral reconstruction with sparse representation for the imaging spectrometer using broadbandpass filters $[12565-72]$
12565 11	Defect detection of precision optics by bright-dark-field structured illumination microscopy [12565-73]

12565 1J	Single-laser photonic-wireless millimeter-wave communication system based on Kramers-Kronig receiver [12565-74]
12565 1K	Adaptive power allocation and beamwidth design for terahertz joint radar and communication [12565-75]
12565 1L	Accurate performance prediction and full-chain quantitative characterization of active imaging quality degradation $[12565-76]$
12565 1M	Shadow tracking for airborne terahertz video-SAR based on SORT algorithm [12565-77]
12565 1N	Application of convolutional neural network in ore sorting technology based on dual-energy x-ray transmission image [12565-78]
12565 10	Simultaneous in-and-out-of-plane deformation measurements using speckle projection and fluorescent digital image correlation [12565-79]
12565 1P	Lightweight design of all-aluminum Cassegrain laser receiving system structure [12565-80]
12565 1Q	A fully etched high efficiency silicon nitride waveguide grating coupler [12565-81]
12565 1R	Long-distance power-over-fiber system based on single-mode optical fiber [12565-82]
12565 18	A simplified filterless photonic frequency octupling scheme using a PDM-DPMZM operated over a wide range of modulation index [12565-87]
12565 1T	A space-based infrared radiation measurement system for star calibration [12565-88]
12565 1U	A multi-point fed circularly polarized millimeter wave antenna element with $\pi\text{-shaped}$ coupling apertures $[12565\text{-}89]$
12565 1V	A low-cost system for fast 3D reconstruction based on laser speckle projection [12565-90]
12565 1W	Research on target intrusion detection algorithm based on improved ViBe using infrared thermal imaging [12565-93]
12565 1X	Research on intelligent fire image detection based on FPGA [12565-95]
12565 1Y	Research on dual-band infrared passive ranging algorithm by airborne remote single station [12565-96]
12565 1Z	Experimental analysis of polarization characteristics of surface targets based on active illumination $[12565-99]$
12565 20	Implementation of a full-color holographic system using RGB-D salient object detection [12565-100]
12565 21	Terahertz ultra-wideband polarization conversion metasurfaces based on mutual coupling enhancement [12565-101]

Part Two

12565 22	A Q-band 50W solid-state amplifier based on a new 24-way waveguide dividing and combining integrative network with electromagnetic emulation and thermal analysis cooperating worked [12565-102]
12565 23	A flow rate control-based method to improve aerosol capture efficiency in Raman optical tweezers [12565-103]
12565 24	A simulation method of accuracy prediction based on axis vector rendezvous for medium and long distance pose measurement $[12565-104]$
12565 25	All-photon non-volatile multi-level optical switch based on phase change material [12565-105]
12565 26	High accuracy phase retrieval algorithm based on the transport of intensity equation under multi-wavelength [12565-106]
12565 27	The design of integrated SWIR/visible optical lens [12565-108]
12565 28	The system design of mid-wave infrared zoom lens [12565-110]
12565 29	Development and performance test of infrared channel field radiometer [12565-111]
12565 2A	A cross-age face generation method based on CGAN and LSTM [12565-113]
12565 2B	Study of high efficiency semitransparent polymer solar cells with stable color render index [12565-114]
12565 2C	Mid-infrared IPDA lidar for probing atmospheric toluene concentration [12565-115]
12565 2D	Adversarial attacks against face recognition: a study [12565-116]
12565 2E	Refrigeration infrared focal plane response model considering integrating time and black-body radiation temperature [12565-117]
12565 2F	Single-pixel imaging by using Zernike patterns illumination [12565-118]
12565 2G	Crystal engineering of 2,7-bis(10-alkoxy)-9-fluorenone at homologous series of fatty acids/graphite interface [12565-119]
12565 2H	Polarization-dependent metasurface for generation and detection of orbital angular momentum [12565-120]
12565 21	A mono-view pose processing and accuracy evaluation method for axisymmetric rotating targets [12565-121]

12565 2J	Detecting unknown gas clouds with multispectral imagery based on spectral angle matching [12565-122]
12565 2K	Design of a millimeter-wave silicon-based dielectric resonator antenna [12565-124]
12565 2L	Investigation of InGaAs/InAlAs superlattices for quantum cascade laser structures grown by MOCVD [12565-127]
12565 2M	Research of base 4 FFT algorithm in infrared interference imaging spectrometer based on GPU [12565-128]
12565 2N	Single-grating interferometry for at-wavelength wavefront metrology at Shanghai Synchrotron Radiation Facility [12565-130]
12565 20	Research on polarizing properties of integrated double-layer subwavelength grating in midwave infrared [12565-133]
12565 2P	Shock-layer radiance effect on IR waveband selection considerations from molecular radiometry perspective [12565-134]
12565 2Q	Electromagnetic inverse scattering of a charged spherical particle based on neural network [12565-135]
12565 2R	Underwater visual image denoising based on total variation method [12565-136]
12565 2S	Research on large-range electric field enhancement of SERS substrate based on metal sinusoidal grating [12565-138]
12565 2T	Design on long-wave infrared diffractive optical system [12565-139]
12565 2U	Simplified design and simulation analysis of wavefront coding athermal system [12565-142]
12565 2V	Nonlinear adaptive photonics-assisted intensity modulation and direct detection system for millimeter-wave communications [12565-144]
12565 2W	Wide field-of-view metalens array for the long-wavelength infrared [12565-145]
12565 2X	Research on verification of infrared scene simulation model based on remote sensing data [12565-146]
12565 2Y	Image classification through scattering media using optronic convolutional neural networks [12565-147]
12565 2Z	Large-area growth of high-quality transition metal dichalcogenides for optoelectronics and electronics [12565-148]
12565 30	Multifunctional dual-view head-up display with both privacy protection and information sharing based on holographic optical elements [12565-149]
12565 31	A network combining deep residual shrinkage block for infrared and visible image fusion

12565 32	Software and algorithms for high-throughput multimodal experiments at advanced synchrotron light sources [12565-151]
12565 34	Bragg scattering of power lines based on W-band SAR [12565-153]
12565 35	A new calibration method of camera arrays based on infinite scene registration for long-range infrared detection [12565-155]
12565 36	Investigation of aspherical microlens based on reflow technique [12565-156]
12565 37	Fourier phase retrieval with untrained generative prior [12565-157]
12565 38	Electro-optically Q-switching performance of diode-pumped HoGdVO ₄ laser [12565-159]
12565 39	Design of data acquisition system for a near-infrared imaging spectrometer [12565-161]
12565 3A	Color complex amplitude holographic display based on band-limited angular spectrum method [12565-162]
12565 3B	Study on eigenfrequency reduction method of whispering gallery mode microcavity magnetic sensor $[12565\text{-}163]$
12565 3C	Dynamic infrared display with centimeter scale graphene film array [12565-165]
12565 3D	Analysis of antenna architecture for armed helicopter fire-control radar [12565-166]
12565 3E	A novel scanning for high-resolution optical lens with large field [12565-167]
12565 3F	A method of fault location based on graph convolution neural network in optical transport [12565-169]
12565 3G	Distributed long-wave infrared array camera based on fiber image bundle [12565-170]
12565 3H	Design of strain-adjustable Si _{0.1} Ge _{0.78} Sn _{0.12} /Ge _{0.90} Sn _{0.10} /Si _{0.012} Ge _{0.848} Sn _{0.14} double-heterostructure SWIR photodetectors with giant magnetostrictive stressor [12565-171]
12565 31	Research on emissivity of surface blackbody with microarray structure based on Monte-Carlo method [12565-175]
12565 3J	Influence of metasurface on the performance of vacuum photoelectric devices [12565-176]
12565 3K	A new method to enhance the driving TFT Vth compensation of OLED pixel internal compensation circuit [12565-178]
12565 31	Structural and electronic properties of tri-layer Van der Waals heterostructure [12565-179]

12565 3M	Near natural color mapping and band difference enhancement fusion of MWIR/LWIR images $\left[12565\text{-}180\right]$
12565 3N	Quantitative phase imaging via Fresnel biprism-based digital holographic microscopy [12565-181]
12565 30	Research on a new integrated autonomous tracking mode supporting multi-mode and multi-task [12565-183]
12565 3P	Research on wearable multi-health parameter monitoring system based on Internet of Things [12565-184]
12565 3Q	Infrared small target detection based on local image alignment in complex background [12565-185]
12565 3R	Improving optical properties of blue emission perovskite by plasmonic enhancement [12565-186]
12565 3S	Free-form surface reconstruction of off-axis three mirror optical system based on rhino [12565-188]
12565 3T	Research on YOLOX for small target detection in infrared aerial photography based on NAM channel attention mechanism [12565-189]
12565 3U	Measurement of infrared radiation based on real-time calibration of atmospheric correction parameters [12565-191]
12565 3V	Optical synthetic aperture imaging in diffuse reflection with a wide field, high resolution, and high signal-to-noise ratio $[12565-193]$
12565 3X	Pixel-level temperature sensor design for image sensors [12565-198]
12565 3Y	Multidimensional imaging method for measuring microscopic characteristics of geological profile [12565-203]
12565 3Z	Effect of different doping methods of EBCMOS on charge collection efficiency and analysis [12565-205]
12565 40	Study on the ablation performance of semiconductor lasers on different materials [12565-206]
12565 41	Application of 3D imaging lidar technology on helicopter platform [12565-210]
12565 42	Theoretical analysis and experimental research of LD array beam shaping for end-pumped 1064nm Q-switched laser [12565-211]
12565 43	Unitary learning in conditional modes for deep optics neural networks [12565-213]
12565 44	Field test of supercontinuum laser in atmospheric turbulence [12565-218]