## PROCEEDINGS OF SPIE

# Advanced Fiber Laser Conference (AFL2022)

**Pu Zhou** Editor

11–13 November 2022 Changsha, China

Organized by

College of Advanced Interdisciplinary Studies, National University of Defense Technology (China) • Beijing University of Technology (China) • Huazhong University of Science and Technology (China) • Institute of Chemical Materials, China Academy of Engineering Physics (China) • Key Laboratory of High Energy Laser Science and Technology, China Academy of Engineering Physics (China) • Laser Fusion Research Center, China Academy of Engineering Physics (China) • Shandong University (China) • Shanghai Institute of Optics and Fine Mechanics, CAS (China) • Shanghai University (China) • Shenzhen Technology University (China) South China University of Technology (China) • Tianjin University (China) • Tisinghua University (China) • Hunan Optical Society (China) • Tianjin Society of Laser Technology (China)

Sponsored by The Chinese Society for Optical Engineering (China)

Published by SPIE

Volume 12595

Proceedings of SPIE 0277-786X, V. 12595 SPIE is an international society advancing an interdisciplinary approach to the science and application of light. The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in Advanced Fiber Laser Conference (AFL2022), edited by Pu Zhou, Proc. of SPIE 12595, Seven-digit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510663145 ISBN: 9781510663152 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

• The first five digits correspond to the SPIE volume number.

• The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

## Contents

#### ix Conference Committee

### ADVANCED FIBER LASER CONFERENCE (AFL2022)

12595 02	Generation of multi-band reconfigurable microwave waveforms based on dual-chirped fiber combs [12595-1]
12595 03	<b>1.3 μJ ultrashort pulse generation with gain-managed nonlinear Yb-doped fiber amplifier</b> [12595-2]
12595 04	Vortex beam generation by fabricating spiral phase plate on fiber tips [12595-3]
12595 05	Dynamical time-frequency analysis of wavelength-swept laser based on chirp-frequency signal decomposition [12595-4]
12595 06	Linewidth depth narrowing and control of linear cavity fiber laser based on distributed external feedback [12595-6]
12595 07	Suppression of SBS with phase modulation in high power laser [12595-7]
12595 08	Preparation of nickel/iron/cobalt-coated graphene and infrared interference performance [12595-8]
12595 09	Generating the optical vortex array based on a coherent phased array [12595-10]
12595 OA	Integrated narrow-linewidth laser source based on self-injection locking [12595-11]
12595 OB	The using of x-ray grazing incidence diffraction technique in KDP surface characterization [12595-12]
12595 OC	Preparation and characteristics of a high-frequency-selective absorber from CrFe-based MOFs materials [12595-13]
12595 0D	Numerical simulation of dual MCP hard x-ray imaging detector on spatial resolution and detection quantum efficiency [12595-14]
12595 OE	Robust pulse generation with lead-free halide perovskites micro-rods [12595-15]
12595 OF	<b>2 µm high repetition frequency active mode-locked pulsed fiber laser and digital modulation</b> [12595-16]
12595 0G	Research progress of multifunctional metamaterials based on vanadium dioxide [12595-17]

12595 OH	Correction of smile effect in external cavity spectral beam combining system without output coupler for diode laser array [12595-18]
12595 01	A fast automatic focusing method for infrared imaging system based on gradient calculation [12595-20]
12595 OJ	Research on evaluation method of anti-infrared smoke screen interference performance [12595-21]
12595 OK	Visible imaging for high-speed moving targets via synthetic aperture [12595-22]
12595 OL	Optimize design of thermal infrared reflective baffle [12595-24]
12595 OM	Optical design of dual-axis line scanning chromatic confocal measurement system using linear variable filter [12595-25]
12595 ON	Research on the field hyperspectral calibration technology based on the portable calibration light source [12595-26]
12595 00	In-situ TEM laser engineering on low dimensional halide perovskite nanocubes [12595-27]
12595 OP	High thermal conductivity and low stress potting adhesive for high precision optical fiber coil and its influence on the shupe error of FOG [12595-28]
12595 0Q	Optical design of the N.A.1.1 infinite conjugate microscopic objective [12595-29]
12595 OR	Unidirectional transport in amorphous topological photonic crystals [12595-30]
12595 OS	Spectral characteristics analysis of different minerals impregnated by crude oil fractions [12595-31]
12595 OT	Holographic display in future automotive smart cockpit: application scenarios, interaction modals, and VACP analysis [12595-32]
12595 OU	Designs of fiber coupling without collimation based on photonic crystal laser diodes [12595-33]
12595 OV	Random fiber laser based on femtosecond weak grating array [12595-34]
12595 OW	A distributed destruction-resistant on-demand routing algorithm for space-based self- organizing network [12595-36]
12595 OX	Homemade polarization maintaining Yb-doped fibers for high power fiber amplifier [12595-37]
12595 OY	Inverse design of photonic crystal fiber for four-wave-mixing application [12595-39]
12595 OZ	Single point diamond turning of aspherical surface with high precision assisted by ion beam figuring [12595-40]

- 12595 10 High-precision speed imaging using photon heterodyne detection based on a real-time noisefiltering algorithm [12595-42]
- 12595 11 Control of ablation anisotropy in fluoride crystal by a linearly polarized femtosecond laser [12595-43]
- 12595 12 Efficient cascaded Raman pulse generation in an all-fiber configuration based on 2 μm electronically modulated pulse pumping [12595-44]
- 12595 13 VCSEL end-pumped 1319nm Nd:YAG Q-switched laser [12595-45]
- 12595 14 Theoretical demonstration of a novel bidirectional output oscillating-amplifying integrated fiber laser [12595-46]
- 12595 15 An atmospheric refractive index estimation method based on multispectral stellar observation data [12595-47]
- 12595 16 Enlarging field of view in free space optical signal receiver via pump and signal combiner [12595-48]
- 12595 17 Fourier contour embedding deep learning for arbitrary-shaped target detection [12595-49]
- 12595 18 Modeling and simulation of high precision pulse laser ranging system [12595-50]
- 12595 19 Research on the optimal design and manufacture of TC4 titanium alloy structural parts with selective laser melting technology [12595-52]
- 12595 1A Passive synchronous ultrashort pulse fiber laser based on dual wavelength cross absorption modulation theory [12595-53]
- 12595 1B Power density analysis and experimental verification of shaped Gaussian laser field [12595-55]
- 12595 1C Overview of image fusion technology for low-cost UAVs perception system [12595-56]
- 12595 1D Russian quadrupole based electron beam optics for ultrafast electron microscopy [12595-57]
- 12595 1E The simulation of ultra-broadband radar cross section reduction metasurface [12595-62]
- 12595 1F Thermal control design and analysis for the femtosecond optical frequency comb of spacecraft [12595-63]
- 12595 1G Numerical simulation of waveguide plasma limiter under high power microwave based on the SETD method [12595-64]
- 12595 1H Combination of Rayleigh scattering and Brillouin scattering for highly sensitive distributed dynamic strain sensing [12595-65]
- 12595 11 Homemade radiation-resistant Er/Yb co-doped silica fiber for space applications in low and high-dose radiation environments [12595-69]

12595 1J	Present situation and development of laser angle deception jamming technology [12595-71]
12595 1K	Ultralow loss hollow-core nested-tube negative curvature fiber [12595-72]
12595 1L	Combining efficiency promotion of an all-fiber coherent combination system with special coupling-ratio fiber couplers for spatial diversity antennas in FSOC [12595-73]
12595 1M	Analysis and inhibition of the stray light on space-based camera with wide field [12595-74]
12595 1N	Ultra-broadband polarized beam splitter based on double-layer plasmonic metasurfaces [12595-76]
12595 10	Multi-mechanism enhanced photoacoustic spectroscopy H <sub>2</sub> S analyzer based on ultrasensitive fiber-optic acoustic sensor [12595-77]
12595 1P	Simulation and fabrication of electromagnetic shielding metallic mesh microstructure based on germanium substrate [12595-78]
12595 1Q	Measurement of single bubble sonoluminescence in potassium dihydrogen phosphate solutions [12595-79]
12595 1R	Phase retrieval of color images based on a self-supervised deep neural network [12595-80]
12595 1S	Narrowband fast tunable acousto-optic filter based on dispersion-compensating fiber [12595-81]
12595 IT	Enhanced upconversion based on surface plasmon resonance in a multilayered UCNPs- metamaterial absorber [12595-82]
12595 10	Regulatory method of 3D multi-focus controllable distribution based on computer generated holography [12595-84]
12595 1V	Low-temperature preparation and optical properties of Bi/Al co-doped silica glass [12595-85]
12595 1W	Effects of complex refractive index on extinction efficiency factor [12595-86]
12595 1X	Modified oscillating-amplifying integrated fiber laser for stimulated Raman scattering suppression [12595-87]
12595 1Y	All-fiber flat 1.9~3.5 µm supercontinuum source based on germania-core fiber [12595-91]
12595 1Z	Ultra high power fiber laser employing homemade (1+1) side-pumped fiber and tandem- pumping technique [12595-92]
12595 20	High-power all-fiber supercontinuum generation in normal dispersion region [12595-93]
12595 21	Analysis of strong radiation interference source acting on infrared imaging system [12595-95]
12595 22	The digital design and implementation of space-borne laser power supply [12595-96]

12595 23	Off-axis parabolic receiver based LIDAR for blind navigation [12595-97]
12595 24	1090 nm all-fiberized and polarization-maintained fiber laser with narrow linewidth and near- single-mode beam quality [12595-98]
12595 25	Research on icing test technology of intelligent recognition camera for electric transmission line status [12595-99]
12595 26	Improvement on the plasma excitation probability of aerosol particles based on aerodynamic lens [12595-100]
12595 27	Design and analysis of the kinematic mount between the space camera and the satellite platform [12595-101]
12595 28	Design of a wide-angle, ultra-thin planar two-dimensional geometrical waveguide combiner [12595-105]
12595 29	Fabrication of high-power fiber Bragg grating in double-clad fiber by femtosecond laser plane-by-plane technology [12595-106]
12595 2A	High performance Raman distributed high-temperature sensing system based on sapphire fiber [12595-107]
12595 2B	Design of flexible mechanical sensor based on PDMS grating [12595-109]
12595 2C	Design of a high power slab-coupled optical waveguide DFB semiconductor laser around 1550 nm [12595-110]
12595 2D	New avenues for high-power high-brightness tandem-pumped fiber lasers [12595-111]
12595 2E	Pixel definition evaluation of turbine blade air film hole [12595-112]
12595 2F	Study on the generation of near infrared supercontinuum based on fiber amplifier [12595-113]
12595 2G	3 kW polarization maintained fiber lasers with 10.6 GHz linewidth and near diffraction limited beam quality [12595-114]
12595 2H	Widely tunable visible random lasing generated from second-harmonic generation and sum- frequency generation of a random fiber laser [12595-115]