

2023 18th Conference on Ph.D Research in Microelectronics and Electronics (PRIME 2023)

**Valencia, Spain
18 – 21 June 2023**



**IEEE Catalog Number: CFP23622-POD
ISBN: 979-8-3503-0321-6**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23622-POD
ISBN (Print-On-Demand):	979-8-3503-0321-6
ISBN (Online):	979-8-3503-0320-9

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

Table of Contents

Welcome	xi
Committees	xiii
Company Fair	xvii
Social Events	xix
Regular Papers	
Radio Frequency Circuits and Systems I	
A 0.13μm GaAs HEMT Reconfigurable Balance-to-Doherty Stacked Power Amplifier for 5G mm-wave Applications <i>D. Yan¹, Y. Zhang², M. Ingels², P. Wambacq¹</i> ¹ Vrije Universiteit Brussel, Belgium, ² IMEC, Belgium	1
Switching Mode Power Amplifier for Fully Digital RF Transmitter at 3.6 GHz in 22 nm FD-SOI CMOS <i>M. Wittlinger, M. Grözing, M. Berroth</i> University of Stuttgart, Germany	5
Improving Performance of InGaP/GaAs HBT Arrays by means of Temperature-Dependent Base Ballasting Resistors <i>C. Scognamillo¹, A. Catalano¹, V. D'Alessandro¹, P. Zampardi², K. Burger²</i> ¹ Università di Napoli Federico II, Italy, ² Qorvo, Inc., United States	9
A mmW RadCom System for Short-Range Hand Gesture Sensing and Data Synchronization <i>N. Rzaik, C. Dehos, M. Zarudniev, A. Siligaris, J. Gonzalez Jimenez</i> CEA LETI Grenoble, France	13
Area-Efficient and Wideband Input Stages for SiGe BiCMOS G-Band LNAs <i>A. Urain¹, D. Del Rio², R. Berenguer¹</i> ¹ TECNUN-University of Navarra, Spain, ² CEIT - Basque Research and Technology Alliance (BRTA), Spain	17
Comparators	
A Novel Ultra-Low Voltage Fully Synthesizable Comparator exploiting NAND Gates <i>R. Della Sala, C. Bocciarelli, F. Centurelli, V. Spinogatti, A. Trifiletti</i> Sapienza University of Rome, Italy	21
Robust body biasing techniques for dynamic comparators <i>V. Spinogatti, C. Bocciarelli, R. Della Sala, F. Centurelli, A. Trifiletti</i> Sapienza University of Rome, Italy	25
Analysis and Design of a Low Power Double Tail Comparator with Dynamic Bias in 5nm	

FinFET Technology <i>V. Marazzi¹, E. Monaco², C. Nani², D. Manstretta¹</i> ¹ University of Pavia, Italy, ² Marvell, Italy	29
Minimizing Quiescent Power in a Dynamically Biased Comparator and its Application in Relaxation Oscillator <i>A. Chakraborty, A. Maity</i> IIT Kharagpur, India	33
A 2.5 GHz, 0.6 V Body Driven Dynamic Comparator Exploiting Charge Pump Based Dynamic Biasing <i>C. Bocciarelli, R. Della Sala, V. Spinogatti, F. Centurelli, A. Trifiletti</i> Sapienza University of Rome, Italy	37
Automotive Circuits	
A 21kHz Phase Boost through Split & Filter Loop Stability Optimisation in Automotive Current Limitation <i>F. Grattacaso¹, P. Del Croce², A. Baschiroto¹</i> ¹ University of Milano Bicocca, Italy, ² Infineon Technologies, Austria	41
RF Solder Ball Break Detection in Automotive FMCW Radars Using Isolated Targets' Phase <i>E. Ghafi¹, O. Lang¹, M. Wagner¹, A. Melzer², M. Huemer¹</i> ¹ Johannes Kepler University Linz, Austria, ² Infineon Technologies, Austria	45
An Asynchronous Constant Toff, 10 A, Buck Converter with peak current mode control for automotive applications <i>M. Tettamanti¹, A. Pidutti², P. Del Croce², A. Baschiroto¹</i> ¹ University of Milano Bicocca, Italy, ² Infineon Technologies, Austria	49
A 0-360° phase shifter for 77-GHz automotive radar sensors in 28-nm FD-SOI CMOS technology <i>A. Minnella¹, G. Papotto², A. Parisi², A. Finocchiaro², G. Palmisano¹</i> ¹ University of Catania, Italy, ² STMicroelectronics, Italy	53
Control Circuits for Adjustable Digitally Programmed DC Power Supplies <i>D. Colaiuda, A. Leoni, R. Paolucci, S. Horikawa, V. Stornelli</i> University of L'Aquila, Italy	57
Analog circuits	
A Compact All-MOSFETs PVT-compensated Current Reference with Untrimmed 0.88%-(σ/μ) <i>F. Gagliardi, A. Catania, A. Ria, P. Bruschi, M. Piotto</i> University of Pisa, Italy	61
A Novel High-Performance Parallel-Type Slew- Rate Enhancer for LCD-Driving Applications <i>F. Gagliardi, A. Catania, M. Piotto, P. Bruschi, M. Dei</i> University of Pisa, Italy	65
Noninverting Schmitt Trigger Circuit with Improved Hysteresis Behavior <i>A. Kannaujiya¹, U. Jangral², A. Shah¹</i> ¹ IIT Jammu, India, ² NIT Srinagar, India	69
15 nA CMOS Analog Voltage Buffer Insensitive to PVT Variations <i>C. Venezia¹, A. Rizzo², S. Pennisi¹</i> ¹ University of Catania, Italy, ² STMicroelectronics, Italy	73
A compact bidirectional reconfigurable 2nd-order low-pass filter for 5G FR2 applications <i>L. Paquien¹, B. Martineau¹, D. Belot¹, N. Deltimple²</i> ¹ CEA, LETI, MINATEC Campus, Grenoble Alpes University, France, ² Univ. Bordeaux, France	77

A 560 MHz Frequency Multiplier Employing a Novel Pseudo-Differential Charge-Pump PLL <i>M. Kisa¹, B. Kelleci¹, M. Yelten²</i> ¹ ASELSAN A.S., Turkey, ² Istanbul Technical University, Turkey	81
Photon and Particle Detection Circuits	
A 60 μW front-end for 10 ps resolution monolithic pixel sensors in a 130nm SiGe BiCMOS process <i>A. Picardi¹, R. Cardella², G. Iacobucci², T. Kugathasan², L. Paolozzi²</i> ¹ CERN, Switzerland, ² University of Geneva, Switzerland	85
A Scalable Frame-Based Readout Architecture for Monolithic Pixel Detectors with Local ADC and Time Digitization <i>C. Fenoglio, R. Cardella, G. Iacobucci, T. Kugathasan, L. Paolozzi</i> University of Geneva, Switzerland	89
8-channel time-of-flight single-photon detection module based on InGaAs/InP SPAD array <i>K. Herrera Pesantes, E. Conca, S. Riccardo, F. Telesca, F. Signorelli, A. Tosi</i> Politecnico di Milano, Italy	93
65 nm CMOS 8 mV/fC, 14.6 ns Rising Time Analog Front-End for ATLAS Muon Drift Tubes Detectors <i>S. Shah, M. De Matteis, A. Baschirotto</i> University of Milano Bicocca, Italy	97
Monte Carlo simulations of Fully Depleted CMOS pixel sensors for radiation detection applications <i>C. Ferrero¹, C. Neubuser², L. Pancheri³, A. Rivetti⁴</i> ¹ Politecnico di Torino, Italy, ² Trento Institute for Fundamental Physics and Applications - INFN, Italy, ³ University of Trento, Italy, ⁴ INFN Sez. di Torino, Italy	101
Charge sensitive amplifiers with bi- and trilinear signal compression feature for LGAD detectors <i>S. Giroletti, L. Ratti, C. Vacchi</i> University of Pavia, Italy	105
Sensing and Biomedical Circuits	
Oscillator Based Bio-Sensor for Skin Sweating Detection: A Feasibility of Survey <i>N. Srinivassane¹, A. Said², F. Hameau², R. Vauché³, F. Podevin¹, S. Bourdel¹</i> ¹ Univ. Grenoble Alpes, France, ² CEA LETI Grenoble, France, ³ Univ. Aix Marseille, IM2NP, France	109
56-MHz-Bandwidth 2.4-3.5 μV/Pascal-Sensitivity- Range Polyvinylidene Fluoride Ultrasound Sensor Array for Biomedical Thermoacoustic Imaging <i>M. Baig, E. Vallicelli, M. De Matteis, G. Chirico</i> University of Milano Bicocca, Italy	113
A Time-Based CMOS Readout Circuit for Amperometric Biosensors <i>H. Ashrafirad, V. Valente</i> Toronto Metropolitan University (Formerly Ryerson), Canada	117
A Sustainable, Printed Chitosan-Based Sensor for Acetone Detection <i>J. Zikulnig¹, S. Lengger¹, L. Rauter¹, J. Kosel¹, S. Carrara²</i> ¹ Silicon Austria Labs, Austria, ² Swiss Federal Institute of Technology Lausanne (EPFL), Switzerland	121
A 0.26 dB Noise-Figure 2.4 mW-Power Low-Noise-Amplifier with Auto-Tuned Pseudo-Resistors for Ionoacoustic Range Verification <i>L. Stevenazzi, A. Baschirotto, L. Gelmi, E. Vallicelli, M. De Matteis</i> University of Milano Bicocca, Italy	125

Radio Frequency Circuits and Systems II

On the Design Challenges of Class-C Oscillators in Ultra-Scaled CMOS Technologies

N. Zugno¹, F. Brandonisio², T. Niederfriniger², A. Bevilacqua¹

¹University of Padova, Italy, ²MaxLinear, Villach, Austria

129

A 20-GHz multi-core Digitally Controlled Oscillator with -118 dBc/Hz Phase Noise at 1MHz Offset in 28nm CMOS

I. Apostolina, D. Manstretta

University of Pavia, Italy

133

A Wide Bandwidth, Low Power, Linear Quantized-Analog VGA in 28 nm CMOS Technology and 1.2V Supply

G. Singh¹, X. Selmani¹, R. Castello¹, A. Liscidini²

¹University of Pavia, Italy, ²University of Toronto, Canada

137

A 28 GHz and 38 GHz Dual-Band Up-Conversion Mixer for 5G Applications in 22 nm FD-SOI CMOS

X. Xu, J. Wagner, F. Ellinger

Dresden University of Technology, Germany

141

A Low Power Differential Delay Cell without Cross-Coupled Latch for Ring VCO

M. Singh, P. Singh, D. Das, M. Sakare

Indian Institute of Technology Ropar, India

145

Data Converters I

A Skew-Insensitive Switched Source-Follower Analog Frontend for Time-Interleaved ADCs

D. Leonardo¹, J. Xavier², J. Oliveira², J. Goes²

¹NOVA School of Science and Technology, Portugal, ²NOVA University of Lisbon, Portugal

149

Homogeneity Enforced Calibration for Pipelined ADCs Including Nonlinear Stage Amplifiers

M. Wagner¹, O. Lang¹, E. Ghafi¹, A. Schwarz², M. Huemer¹

¹Johannes Kepler University Linz, Austria, ²Infineon Technologies, Austria

153

A flexible column parallel successive-approximation ADC for hybrid neuromorphic computing

P. Dauer, M. Czierlinski, S. Billaudelle, A. Grübl, J. Schemmel

Heidelberg University, Kirchhoff-Institut für Physik, Germany

157

MMSE Estimator for Linearized Analysis and SNR of ADCs Tested with Sinusoidal Inputs

X. Wang, M. Kennedy

University College Dublin, Ireland

161

Trade-Offs in Active and Passive NS-SAR ADCs Architectures for Ultra-Low Power Audio Activity Detection Applications

M. Tambussi, M. Grassi, E. Bonizzoni, P. Malcovati

University of Pavia, Italy

165

VLSI and SoC Applications

Automatic Hardware Accelerators Reconfiguration through LinearUCB Algorithms on a RISC-V Processor

M. Angioli, M. Barbirotta, A. Mastrandrea, S. Jamili, M. Olivieri

Sapienza University of Rome, Italy

169

CFPM: Run-time Configurable Floating-Point Multiplier

G. Saggese¹, E. Napoli², A. Strollo¹

¹Università di Napoli Federico II, Italy, ²Università di Salerno, Italy

173

Enhanced Soft GPU Architecture for FPGAs

G. Todaro, M. Monopoli, G. Benelli, L. Zulberti, T. Pacini

University of Pisa, Italy

177

Exploiting FPGA Dynamic Partial Reconfiguration for a Soft GPU-based System-on-Chip <i>M. Monopoli, L. Zulberti, G. Todaro, P. Nannipieri, L. Fanucci</i> University of Pisa, Italy	181
Power Circuits I	
A Fast-Response Resonant GaN Converter with Post-Regulation for Distributed DC-Grid Feed-In <i>J. Grobe, L. Weihs, J. Zoche, R. Wunderlich, S. Heinen</i> RWTH Aachen University, Germany	185
A Fast-Response Reference Current Source for High- and Low-Side High-Voltage Current Mirrors for Gate-Shaping Digital Gate Drivers <i>T. Zekorn, E. Wehr, K. Vohl, R. Wunderlich, S. Heinen</i> RWTH Aachen University, Germany	189
Integrated GaN digital soft start-up for switching power converters <i>K. Samperi¹, N. Spina², S. Pennisi¹, G. Palmisano¹</i> ¹ University of Catania, Italy, ² STMicroelectronics, Italy	193
Enhancement-mode p-GaN Comparators for power applications <i>N. Pozo¹, L. Trojman², L. Prócel¹</i> ¹ Universidad San Francisco de Quito, Ecuador, ² Institut Supérieur d'Electronique de Paris, France	197
Adaptive Constant On-Time Control Technique Application in Boost Converters <i>A. Gemelli¹, F. Rezzi², M. Grassi¹, E. Bonizzoni¹, P. Malcovati¹</i> ¹ University of Pavia, Italy, ² INVENTVM Semiconductor, Pavia, Italy	201
Time-Based Buck Converter with Variable Frequency DCM and ON-Time Correction for Seamless Transitions <i>P. Melillo¹, S. Zaffin¹, A. Gasparini², S. Levantino¹, M. Ghioni¹</i> ¹ Politecnico di Milano, Italy, ² STMicroelectronics, Italy	205
Hardware Security	
Hardware architecture for CRYSTALS-Kyber post-quantum cryptographic primitives <i>A. Dolmeta, M. Martina, G. Maserà</i> Politecnico di Torino, Italy	209
Blockchain-based implementation of Tradable Green Certificates <i>A. Cabrera Gutierrez¹, E. Castillo², A. Escobar-Molero¹, D. Morales², L. Parrilla²</i> ¹ Infineon Technologies, Germany, ² University of Granada, Spain	213
Correlation Electromagnetic Analysis on an FPGA Implementation of CRYSTALS-Kyber <i>R. Carrera Rodriguez¹, F. Bruguier¹, E. Valea², P. Benoit¹</i> ¹ University of Montpellier, France, ² Univ. Grenoble Alpes, France	217
Low-complexity Machine Learning Architecture for Hardware-aware True Random Number Generators Assessment and Continuous Monitoring <i>F. Spinelli¹, R. Moretti¹, T. Addabbo¹, P. Vitolo², G. Licciardo²</i> ¹ University of Siena, Italy, ² University of Salerno, Italy	221
Design of a 28nm CMOS Self-Biased Ring Oscillator for Intrinsically Robust PVT TRNG <i>J. Cabacinho, J. Casaleiro, L. Oliveira</i> CTS-UNINOVA, Portugal	225
Design Space Exploration of TRNG Latches for Improved Entropy and Efficiency <i>S. Ellicott, M. Kines, W. Khalil</i> The Ohio State University, United States	229

Modeling, Optimization and Characterization

- A DC SPICE Level 3 Model for 4H-SiC lateral NMOSFET under strong inversion conditions**
N. Rinaldi¹, M. Rommel², T. Erlbacher², G. Licciardo¹, L. Di Benedetto¹
¹University of Salerno, Italy, ²Semiconductor Devices Fraunhofer Institute for Integrated Systems and Device Technology (IISB), Germany 233
- Characterization of an integrated High-Voltage capacitance in Silicon-On-Insulator technology**
M. Sartori¹, M. Arosio², A. Baschirotto¹
¹University of Milano Bicocca, Italy, ²Infineon Technologies, Italy 237
- Noise Analysis in Voltage Mode Controlled DC-DC Converters**
M. Alecci¹, A. Bertolini², A. Gasparini², C. Bona², E. Bonizzoni¹, P. Malcovati¹
¹University of Pavia, Italy, ²STMicroelectronics, Italy 241
- A RRAM Characterization System with Flexible Readout Operations using an Integrating ADC**
R. Jia¹, S. Pechmann¹, A. Baroni², C. Wenger², A. Hagelauer¹
¹TU Munich, Germany, ²IHP-Leibniz Institut fuer innovative Mikroelektronik, Germany 245
- Self-Adaptation of Line Driver Pre-Emphasis Parameters via Embedded Line Loss Sensing**
N. St. John, S. Mandal, E. Raguzin, P. Maj, G. Deptuch
 Brookhaven National Laboratory, United States 249
- Variability-aware electrochemical metallization based memristive neural network for pattern classification**
R. Sasikumar, R. Padmanabhan
 Indian Institute of Technology Palakkad, India 253

Data Converters II

- A Calibration Scheme for a Sigma-Delta Modulator Using Passive Integrators**
I. Brito¹, N. Paulino¹, B. Nowacki²
¹Universidade de Lisboa, Portugal, ²Renesas Electronics Corporation, Portugal 257
- Ultra-Low Power Heart Rate Estimation with VCO-based ADCs**
L. Alvero-Gonzalez¹, C. Perez¹, N. Martinez², A. Mejon¹, E. Gutierrez¹
¹Carlos III University of Madrid, Spain, ²University of Burgos, Spain 261
- A Power-Efficient Successive Approximation Algorithm for Low-Activity Signals**
H. Nasiri, C. Li, L. Zhang
 Faculty of Engineering and Applied Science Memorial University of Newfoundland, Canada 265
- A 880nW, 100 kS/s, 13 bit Differential Relaxation-DAC in 180 nm**
R. Rubino¹, F. Musolino¹, Y. Chen², A. Richelli³, P. Crovetto¹
¹Politecnico di Torino, Italy, ²University of Macau, Macao, ³University of Brescia, Italy 269
- A PWM-DAC for Analog In-Memory Computing in Mixed-Signal Accelerators**
F. Malena, A. Boni, M. Caselli
 University of Parma, Italy 273

Image and Data Processing

- ERODE: Error Resilient Object DetEction by Recovering Bounding Box and Class Information**
E. Valpreda¹, G. Palumbo², G. Maserà¹, M. Martina¹, M. Caon¹
¹Politecnico di Torino, Italy, ²STMicroelectronics, Italy 277
- A hardware-aware neural architecture search algorithm targeting low-end microcontrollers**
A. Garavagno¹, E. Ragusa¹, A. Frisoli², P. Gastaldo¹
¹University of Genova, Italy, ²Scuola Superiore Sant'Anna, Italy 281
- Assessment of Recurrent Spiking Neural Networks on Neuromorphic Accelerators for Natu-**

Realistic Texture Classification <i>H. Al Haj Ali¹, A. Dabbous², A. Ibrahim³, M. Valle¹</i> ¹ University of Genova, Italy, ² ASELSAN A.S., Turkey, ³ Lebanese International University, Lebanon	285
Modular 76-channel instrument for Broadband Raman Spectroscopy <i>G. Gubello, G. Mantovani, A. Gaburro, D. Polli, G. Ferrari</i> Politecnico di Milano, Italy	289
Digital One-Shot Charge-Balancing Method for Implantable Current-Mode Electrical Stimulation <i>K. Farhang Razi, A. Schmid</i> Swiss Federal Institute of Technology Lausanne (EPFL), Switzerland	293
Sensing and Driving Circuits	
Comparison of Interface Circuits for Continuous-Time Read-Out from MEMS Microphones <i>S. Gaspar¹, I. Mucha¹, P. Malcovati²</i> ¹ Invensense Slovakia, Slovakia, ² University of Pavia, Italy	297
9.9 V High-Voltage Switch in a standard 180 nm CMOS technology for MEMS Inclinometers <i>F. Barreira¹, I. García-Lopez², T. Darós², G. Minas¹, J. Piteira²</i> ¹ University of Minho, Portugal, ² International Iberian Nanotechnology Laboratory, Spain	301
A pilot study: electronic skin sensitive to the grasping speed <i>C. Micheli, Y. Abbass, C. Gianoglio, L. Seminara</i> University of Genova, Italy	305
A C/V Converter for MEMS Gyroscope Readouts Featuring a Single Stage Class AB OTA <i>R. Maier¹, M. Elsobky¹, T. Alpert¹, J. Anders²</i> ¹ Robert Bosch GmbH, Germany, ² Institute of Smart Sensors, University of Stuttgart, Germany	309
A Reconfigurable Dual-Mode Integrated CMOS Laser Diode Driver for iToF/dToF Based 3D Sensing <i>R. Yang, H. Li, Y. Yang, S. Ma, B. Zhang, L. Geng, D. Li</i> Faculty of Electronic and Information Engineering of Xi'an Jiaotong University, China	313
Analysis and Modeling of Radio Frequency Circuits	
Performance Limits of Fractional-N Digital PLLs with Mid-Rise TDCs <i>X. Wang, M. Kennedy</i> University College Dublin, Ireland	317
Noise Figure Analysis in Current Mode Direct Conversion Receivers <i>A. Luongo¹, S. D'Amico¹, M. Inversi², A. Malvasi²</i> ¹ University of Salento, Italy, ² Cortus S.r.l., Italy	321
A Time-Variant Analysis of Passive Resistive Mixers Using Thevenin Theorem <i>L. Tomasin, A. Bevilacqua</i> University of Padova, Italy	325
Influence of Transistor Compact Model Accuracy on Phase Noise Simulation <i>L. Schramm¹, P. Baumgartner¹, J. Aghassi-Hagmann²</i> ¹ Intel Germany, Germany, ² Karlsruhe Institute for Technology, Germany	329
Bi-directional Distributed Amplifier in 0.11 μm CMOS Technology <i>M. Gölçek Yazıcı¹, A. Kepkep², M. Yazgi¹</i> ¹ Istanbul Technical University, Turkey, ² Mikroelektronik Ltd. (MKR-IC), Turkey	333
Low-Loss Tunable-Phase Transmission Line Couplers - A Comparative Study <i>B. Thota, P. Reynaert</i> KU Leuven, Belgium	337

Power Circuits II**An External-Capacitorless High-PSR Linear Voltage Regulator With Source-Follower-Based Pre-Filter***E. Wehr, T. Zekorn, K. Vohl, R. Wunderlich, S. Heinen*

RWTH Aachen University, Germany

341

A Transient Response Improved Output Capacitorless LDO*X. Wu, T. Tian*

Shanghai Institute of Microsystem and Information Technology, Chinese Academy of Sciences, China

345

A Fast-Transient mitigation technique for a dual-loop, linear search, self-timed, Asynchronous Digital LDO*F. Dumitru¹, O. Serpedin¹, G. Brezeanu²*¹Infinion Technologies, Romania, ²University "Politehnica" of Bucharest, Romania

349

Common-Gate Zero Current Detector with Body-Voltage Based Offset Compensation*S. Zaffin¹, S. Macario¹, A. Bertolini², M. Leoncini¹, M. Ghioni¹*¹Politecnico di Milano, Italy, ²STMicroelectronics, Italy

353

A Sub-100 mV AC/DC Converter with Impedance Matching for Magnetic Field Energy Harvesting*H. Dillersberger¹, D. Tham², B. Deutschmann¹*¹Graz University of Technology, Austria, ²Matrix Industries, United States

357

Sub-modular MPPT for Decentralised Grid Feed-in Under Fast Changing Irradiation Applications*L. Weihs, J. Zoche, J. Grobe, R. Wunderlich, S. Heinen*

RWTH Aachen University, Germany

361

Digital Circuits and Sub-Systems**A 270 fJ/op 5.8 GHz MOS Current Mode Logic D-Latch for High-Speed Application***A. Alshehri, A. Alqarni, K. Yang, H. Fariborzi*

King Abdullah University of Science & Technology, Saudi Arabia

365

Improving Functional Coverage of Network-On-Chip Using Differential Evolution*N. Krishna, R. Tripathy, J. Marrisudi, S. J*

Birla Institute Of Technology & Science - Pilani, Hyderabad Campus, India

369

Design and FPGA implementation of a high-speed transposed Farrow structure for arbitrary decimation in digital receivers*E. Pagani¹, N. Corsinovi¹, M. Bertolucci², L. Fanucci¹*¹University of Pisa, Italy, ²IngeniArs S.r.l., Italy

373

Design-Space Exploration of Mixed-precision DNN Accelerators based on Sum-Together Multipliers*L. Urbinati, M. Casu*

Politecnico di Torino, Italy

377

Author Index

381