

2023 IEEE 39th International Conference on Data Engineering (ICDE 2023)

**Anaheim, California, USA
3-7 April 2023**

Pages 1-637



**IEEE Catalog Number: CFP23026-POD
ISBN: 979-8-3503-2228-6**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23026-POD
ISBN (Print-On-Demand):	979-8-3503-2228-6
ISBN (Online):	979-8-3503-2227-9
ISSN:	1063-6382

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2023 IEEE 39th International Conference on Data Engineering (ICDE) ICDE 2023

Table of Contents

Message from the Chairs	liii
Organizing Committee	lv
Program Committees	lvii

Research Track

Verification-Free Approaches to Efficient Locally Densest Subgraph Discovery	1
<i>Tran Ba Trung (Hanoi University of Science and Technology), Lijun Chang (The University of Sydney), Nguyen Tien Long (Hanoi University of Science and Technology), Kai Yao (The University of Sydney), and Huynh Thi Thanh Binh (Hanoi University of Science and Technology)</i>	
HyperCalm Sketch: One-Pass Mining Periodic Batches in Data Streams	14
<i>Zirui Liu (Peking University, China), Chaozhe Kong (Peking University, China), Kaicheng Yang (Peking University, China), Tong Yang (Peking University;Peng Cheng Laboratory, China), Ruijie Miao (Peking University, China), Qizhi Chen (Peking University, China), Yikai Zhao (Peking University, China), Yaofeng Tu (ZTE Corporation), and Bin Cui (Peking University, China)</i>	
DBAugur: An Adversarial-based Trend Forecasting System for Diversified Workloads	27
<i>Yuanning Gao (Shanghai Jiao Tong University), Xiuqi Huang (Shanghai Jiao Tong University), Xuanhe Zhou (TsingHua University), Xiaofeng Gao (Shanghai Jiao Tong University), Guoliang Li (TsingHua University), and Guihai Chen (Shanghai Jiao Tong University)</i>	
Sequential Recommendation with User Causal Behavior Discovery	28
<i>Zhenlei Wang (Renmin University of China;Beijing Key Laboratory of Big Data Management and Analysis Methods, China), Xu Chen (Renmin University of China;Beijing Key Laboratory of Big Data Management and Analysis Methods, China), Rui Zhou (Renmin University of China;Beijing Key Laboratory of Big Data Management and Analysis Methods, China), Quanyu Dai (Noah's Ark Lab, Huawei, China), Zhenhua Dong (Noah's Ark Lab, Huawei, China), and Ji-Rong Wen (Renmin University of China;Beijing Key Laboratory of Big Data Management and Analysis Methods, China)</i>	

Learning from Noisy Crowd Labels with Logics	41
<i>Zhijun Chen (Beihang University, China), Hailong Sun (Beihang University, China), Haoqian He (Beihang University, China), and Pengpeng Chen (Beihang University;China's Aviation System Engineering Research Institute, China)</i>	
AFaVS: Accurate Yet Fast Version Switching for Graph Processing Systems	53
<i>Long Zheng (Huazhong University of Science and Technology;Zhejiang Lab, China), Xiangyu Ye (Huazhong University of Science and Technology;Zhejiang Lab, China), Haifeng Liu (Huazhong University of Science and Technology;Zhejiang Lab, China), Qinggang Wang (Huazhong University of Science and Technology;Zhejiang Lab, China), Yu Huang (Huazhong University of Science and Technology;Zhejiang Lab, China), Chuangyi Gui (Huazhong University of Science and Technology;Zhejiang Lab, China), Pengcheng Yao (Huazhong University of Science and Technology;Zhejiang Lab, China), Xiaofei Liao (Huazhong University of Science and Technology, China), Hai Jin (Huazhong University of Science and Technology, China), and Jingling Xue (UNSW Sydney, Australia)</i>	
A Reachability Index for Recursive Label-Concatenated Graph Queries	67
<i>Chao Zhang (Lyon 1 University, Lyon, France), Angela Bonifati (Lyon 1 University, Lyon, France), Hugo Kapp (Oracle Labs, Zürich, Switzerland), Vlad Ioan Haprian (Oracle Labs, Zürich, Switzerland), and Jean-Pierre Lozi (Inria, Paris, France)</i>	
Instant Representation Learning for Recommendation over Large Dynamic Graphs	82
<i>Cheng Wu (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Jingcao Xu (Tsinghua University, China), Ziwei Fang (Tsinghua University, China), Tiankai Gu (Tsinghua University, China), Changping Wang (Kuaishou Inc., China), Yang Song (Kuaishou Inc., China), Kai Zheng (Kuaishou Inc., China), Xiaowei Wang (Kuaishou Inc., China), and Guorui Zhou (Kuaishou Inc., China)</i>	
MMKGR: Multi-hop Multi-Modal Knowledge Graph Reasoning	96
<i>Shangfei Zheng (Soochow University), Weiqing Wang (Monash University), Jianfeng Qu (Soochow University), Hongzhi Yin (The University of Queensland), Wei Chen (Soochow University), and Lei Zhao (Soochow University)</i>	
GAR: A Generate-and-Rank Approach for Natural Language to SQL Translation	110
<i>Yuankai Fan (Fudan University, China), Zhenying He (Fudan University, China), Tonghui Ren (Fudan University, China), Dianjun Guo (Fudan University, China), Lin Chen (Fudan University, China), Ruisi Zhu (Fudan University, China), Guanduo Chen (Fudan University, China), Yanan Jing (Fudan University, China), Kai Zhang (Fudan University, China), and X. Sean Wang (Fudan University, China)</i>	
Relational Temporal Graph Convolutional Networks for Ranking-Based Stock Prediction	123
<i>Zetao Zheng (University of Electronic Science and Technology of China, China), Jie Shao (University of Electronic Science and Technology of China;Sichuan Artificial Intelligence Research Institute, China), Jia Zhu (Zhejiang Normal University, China), and Heng Tao Shen (University of Electronic Science and Technology of China;Sichuan Artificial Intelligence Research Institute, China)</i>	

TDB: Breaking All Hop-Constrained Cycles in Billion-Scale Directed Graphs	137
<i>You Peng (The University Of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), Michael Yu (The University Of New South Wales), Wenjie Zhang (The University Of New South Wales), and Lu Qin (University of Technology, Australia)</i>	
LCL: A Lock Chain Length-Based Distributed Algorithm for Deadlock Detection and Resolution.....	151
<i>Zhenkun Yang (AntGroup, China), Chen Qian (AntGroup, China), Xuwang Teng (AntGroup, China), Fanyu Kong (AntGroup, China), Fusheng Han (AntGroup, China), and Quanqing Xu (AntGroup, China)</i>	
Track Merging For Effective Video Query Processing	164
<i>Daren Chao (University of Toronto, Canada), Yueting Chen (York University, Canada), Nick Koudas (University of Toronto, Canada), and Xiaohui Yu (York University, Canada)</i>	
Towards Higher-Order Topological Consistency for Unsupervised Network Alignment	177
<i>Qingqiang Sun (University of New South Wales, Australia), Xuemin Lin (Shanghai Jiao Tong University, China), Ying Zhang (University of Technology Sydney, Australia), Wenjie Zhang (University of New South Wales, Australia), and Chaoqi Chen (University of Hong Kong, China)</i>	
Efficient Multi-GPU Graph Processing with Remote Work Stealing	191
<i>Ke Meng (Alibaba Group, China), Liang Geng (Alibaba Group, China), Xue Li (Alibaba Group, China), Qian Tao (Alibaba Group, China), Wenyuan Yu (Alibaba Group, China), and Jingren Zhou (Alibaba Group, China)</i>	
Exploring Both Individuality and Cooperation for Air-Ground Spatial Crowdsourcing by Multi-Agent Deep Reinforcement Learning	205
<i>Yuxiao Ye (Beijing Institute of Technology, China), Chi Harold Liu (Beijing Institute of Technology, China), Zipeng Dai (Beijing Institute of Technology, China), Jianxin Zhao (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Jian Tang (Midea Group, China)</i>	
Automatic Feasibility Study via Data Quality Analysis for ML: A Case-Study on Label Noise	218
<i>Cedric Renggli (ETH Zurich), Luka Rimanic (ETH Zurich), Luka Kolar (ETH Zurich), Wentao Wu (Microsoft Research), and Ce Zhang (ETH Zurich)</i>	
FLASH: A Framework for Programming Distributed Graph Processing Algorithms	232
<i>Xue Li (Alibaba Group, China), Ke Meng (Alibaba Group, China), Lu Qin (University of Technology, Australia), Longbin Lai (Alibaba Group, China), Wenyuan Yu (Alibaba Group, China), Zhengping Qian (Alibaba Group, China), Xuemin Lin (Shanghai Jiaotong University, China), and Jingren Zhou (Alibaba Group, China)</i>	
Explainable Hyperlink Prediction: A Hypergraph Edit Distance-Based Approach	245
<i>Hongchao Qin (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Yongheng Dai (Diankeyun Technologies Co., Ltd, China)</i>	

Online Anomalous Subtrajectory Detection on Road Networks with Deep Reinforcement Learning
246

Qianru Zhang (The University of Hong Kong, China), Zheng Wang (Nanyang Technological University, Singapore), Cheng Long (Nanyang Technological University, Singapore), Chao Huang (The University of Hong Kong, China), Siu-Ming Yiu (The University of Hong Kong, China), Yiding Liu (Baidu Inc, China), Gao Cong (Nanyang Technological University, Singapore), and Jieming Shi (The Hong Kong Polytechnic University, China)

Saguaro: An Edge Computing-Enabled Hierarchical Permissioned Blockchain 259

Mohammad Javad Amiri (University of Pennsylvania), Ziliang Lai (Chinese University of Hong Kong), Liana Patel (Stanford University), Boon Thau Loo (University of Pennsylvania), Eric Lo (Chinese University of Hong Kong), and Wenchao Zhou (Georgetown University)

GAMMA: A Graph Pattern Mining Framework for Large Graphs on GPU 273

Lin Hu (Peking University, China), Lei Zou (Peking University, China), and M. Tamer Ozsu (University of Waterloo, Canada)

Scalable Algorithms for Densest Subgraph Discovery 287

Wensheng Luo (Hunan University, China), Zhuo Tang (Hunan University, China), Yixiang Fang (The Chinese University of Hong Kong, China), Chenhao Ma (The Chinese University of Hong Kong, China), and Xu Zhou (Hunan University, China)

Reliable Transactions in Serverless-Edge Architecture 301

Suyash Gupta (University of California, Berkeley), Sajjad Rahnama (University of California, Davis), Erik Linsenmayer (University of California, Davis), Faisal Nawab (University of California, Irvine), and Mohammad Sadoghi (University of California)

Cutting Learned Index into Pieces: An In-Depth Inquiry into Updatable Learned Indexes 315

Jiake Ge (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), Boyu Shi (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), Yanfeng Chai (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), Yuanhui Luo (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), Yunda Guo (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), Yinxuan He (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China), and Yunpeng Chai (Key Laboratory of Data Engineering and Knowledge Engineering;Renmin University of China, China)

VEND: Vertex Encoding for Edge Nonexistence Determination 328

Youhuan Li (Hunan University, China), Hangyu Zheng (Hunan University, China), Lei Zou (Peking University, China), Xiaosen Li (Tencent Inc., China), Ziming Li (Hunan University, China), Pin Xiao (Tencent Inc., China), Yangyu Tao (Tencent Inc., China), and Zheng Qin (Hunan University, China)

FedKNOW: Federated Continual Learning with Signature Task Knowledge Integration at Edge	341
<i>Yaxin Luopan (Beijing Institute of Technology, China), Rui Han (Beijing Institute of Technology, China), Qinglong Zhang (Beijing Institute of Technology, China), Chi Harold Liu (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Lydia Y. Chen (TU Delft, Netherlands)</i>	
Discovering Editing Rules by Deep Reinforcement Learning	355
<i>Yinan Mei (Tsinghua University, China), Shaoxu Song (Tsinghua University, China), Chenguang Fang (Tsinghua University, China), Ziheng Wei (Huawei Cloud Computing Technologies Co., Ltd, China), Jingyun Fang (Huawei Cloud Computing Technologies Co., Ltd, China), and Jiang Long (Huawei Cloud Computing Technologies Co., Ltd, China)</i>	
Finding Top-k Optimal Routes with Collective Spatial Keywords on Road Networks	368
<i>Jiajia Li (Shenyang Aerospace University, China), Xing Xiong (Shenyang Aerospace University, China), Lei Li (The Hong Kong University of Science and Technology (Guangzhou); The Hong Kong University of Science and Technology, China), Dan He (The University of Queensland, Australia), Chuanyu Zong (Shenyang Aerospace University, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology; The Hong Kong University of Science and Technology (Guangzhou), China)</i>	
Disconnected Emerging Knowledge Graph Oriented Inductive Link Prediction	381
<i>Yufeng Zhang (Soochow University), Weiqing Wang (Monash University), Hongzhi Yin (The University of Queensland), Pengpeng Zhao (Soochow University), Wei Chen (Soochow University), and Lei Zhao (Soochow University)</i>	
PA-FEAT: Fast Feature Selection for Structured Data via Progress-Aware Multi-Task Deep Reinforcement Learning	394
<i>Jianing Zhang (Tangshan Research Institute, BIT), Zhaojing Luo (National University of Singapore), Quanqing Xu (OceanBase), and Meihui Zhang (Tangshan Research Institute, BIT)</i>	
CompressStreamDB: Fine-Grained Adaptive Stream Processing Without Decompression	408
<i>Yu Zhang (Renmin University of China), Feng Zhang (Renmin University of China), Hourun Li (Renmin University of China), Shuhao Zhang (Singapore University of Technology and Design), and Xiaoyong Du (Renmin University of China)</i>	
Finer-Grained Engagement in Hypergraphs	423
<i>Qi Luo (Shandong University, China), Dongxiao Yu (Shandong University, China), Yu Liu (Shandong University, China), Yanwei Zheng (Shandong University, China), Xiuzhen Cheng (Shandong University, China), and Xuemin Lin (Shanghai Jiao Tong Univeristy, China)</i>	
Lightweight-Yet-Efficient: Revitalizing Ball-Tree for Point-to-Hyperplane Nearest Neighbor Search	436
<i>Qiang Huang (National University of Singapore, Singapore) and Anthony K. H. Tung (National University of Singapore, Singapore)</i>	
Data Ambiguity Profiling for the Generation of Training Examples	450
<i>Enzo Veltri (University of Basilicata, Italy), Gilbert Badaro (EURECOM, France), Mohammed Saeed (EURECOM, France), and Paolo Papotti (EURECOM, France)</i>	

Inconsistency Detection with Temporal Graph Functional Dependencies	464
<i>Morteza Alipourlangouri (McMaster University), Adam Mansfield (McMaster University), Fei Chiang (McMaster University), and Yinghui Wu (Case Western Reserve University)</i>	
On Sharding Across Heterogeneous Blockchains	477
<i>Yuechen Tao (HKUST, China), Bo Li (HKUST, China), and Baochun Li (University of Toronto, Canada)</i>	
Ziziphus: Scalable Data Management Across Byzantine Edge Servers	490
<i>Mohammad Javad Amiri (University of Pennsylvania), Daniel Shu (University of California Santa Barbara), Sujaya Maiyya (University of Waterloo), Divyakant Agrawal (University of California Santa Barbara), and Amr El Abbadi (University of California Santa Barbara)</i>	
Ver: View Discovery in the Wild	503
<i>Yue Gong (The University of Chicago), Zhiru Zhu (The University of Chicago), Sainyam Galhotra (The University of Chicago), and Raul Castro Fernandez (The University of Chicago)</i>	
When Spatio-Temporal Meet Wavelets: Disentangled Traffic Forecasting via Efficient Spectral Graph Attention Networks	517
<i>Yuchen Fang (Beijing University of Posts and Telecommunications, China), Yanjun Qin (Beijing University of Posts and Telecommunications, China), Haiyong Luo (Institute of Computing Technology, Chinese Academy of Sciences, China), Fang Zhao (Beijing University of Posts and Telecommunications, China), Bingbing Xu (Institute of Computing Technology, Chinese Academy of Sciences, China), Liang Zeng (Tsinghua University, China), and Chenxing Wang (Beijing University of Posts and Telecommunications, China)</i>	
Scaling Blockchain Consensus via a Robust Shared Mempool	530
<i>Fangyu Gai (University of British Columbia;Okanagan Campus), Jianyu Niu (Southern University of Science and Technology), Ivan Beschastnikh (University of British Columbia;Vancouver Campus), Chen Feng (University of British Columbia;Okanagan Campus), and Sheng Wang (Alibaba Group, China)</i>	
Voting-Based Opinion Maximization	544
<i>Arkaprava Saha (CNRS@CREATE, Singapore), Xiangyu Ke (ZJU, China), Arijit Khan (AAU, Denmark), and Laks V.S. Lakshmanan (UBC, Canada)</i>	
HyTGraph: GPU-Accelerated Graph Processing with Hybrid Transfer Management	558
<i>Qiange Wang (Northeastern University, China), Xin Ai (Northeastern University, China), Yanfeng Zhang (Northeastern University, China), Jing Chen (Northeastern University, China), and Ge Yu (Northeastern University, China)</i>	
JanusAQP: Efficient Partition Tree Maintenance for Dynamic Approximate Query Processing ..	572
<i>Xi Liang (University of Chicago), Stavros Sintos (University of Illinois Chicago), and Sanjay Krishnan (University of Chicago)</i>	

Neighborhood Skyline on Graphs: Concepts, Algorithms and Applications	585
<i>Qi Zhang (Beijing Institute of Technology, China), Rong-Hua Li (Beijing Institute of Technology, China), Hongchao Qin (Beijing Institute of Technology, China), Yongheng Dai (Diankeyun Technologies Co., Ltd.), Ye Yuan (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Discovering Frequency Bursting Patterns in Temporal Graphs	599
<i>Qianzhen Zhang (National University of Defense Technology, China), Deke Guo (National University of Defense Technology, China), Xiang Zhao (National University of Defense Technology, China), Long Yuan (Nanjing University of Science and Technology, China), and Lailong Luo (National University of Defense Technology, China)</i>	
BERT-Trip: Effective and Scalable Trip Representation using Attentive Contrast Learning	612
<i>Ai-Te Kuo (Auburn University, USA), Haiquan Chen (California State University, USA), and Wei-Shinn Ku (Auburn University, USA)</i>	
Experimental Evaluation of Indexing Techniques for Shortest Distance Queries on Road Networks	624
<i>Shikha Anirban (Griffith University, Australia), Junhu Wang (Griffith University, Australia), and Md. Saiful Islam (Griffith University, Australia)</i>	
Co-Utilizing SIMD and Scalar to Accelerate the Data Analytics Workloads	637
<i>Zewen Sun (ECNU, China), Zhifang Li (ECNU, China), and Chuliang Weng (ECNU, China)</i>	
Efficient Parallel Mining of High-utility Itemsets on Multicore Processors	638
<i>Genki Kimura (The University of Tokyo, Japan), Yuto Hayamizu (The University of Tokyo, Japan), Rage Uday Kiran (The University of Aizu, Japan), Masaru Kitsuregawa (The University of Tokyo, Japan), and Kazuo Goda (The University of Tokyo, Japan)</i>	
Dynamic Shapley Value Computation	639
<i>Jiayao Zhang (Zhejiang University, China), Haocheng Xia (Zhejiang University, China), Qiheng Sun (Zhejiang University, China), Jinfei Liu (Zhejiang University, China), Li Xiong (Emory University), Jian Pei (Simon Fraser University), and Kui Ren (Zhejiang University, China)</i>	
Benchmarking Filtering Techniques for Entity Resolution	653
<i>George Papadakis (National and Kapodistrian University of Athens, Greece), Marco Fisichella (L3S Research Center, Germany), Franziska Schoger (L3S Research Center, Germany), George Mandilaras (National and Kapodistrian University of Athens, Greece), Nikolaus Augsten (University of Salzburg, Austria), and Wolfgang Nejdl (L3S Research Center, Germany)</i>	
Jointly Attacking Graph Neural Network and its Explanations	654
<i>Wenqi Fan (The Hong Kong Polytechnic University; PolyU-Shenzhen Research Institute), Han Xu (Michigan State University), Wei Jin (Michigan State University), Xiaorui Liu (North Carolina State University), Xianfeng Tang (Amazon), Suhang Wang (The Pennsylvania State University), Qing Li (The Hong Kong Polytechnic University), Jiliang Tang (Michigan State University), Jianping Wang (City University of Hong Kong), and Charu Aggarwal (IBM T.J. Watson)</i>	

Sequence-Oriented DBMS Fuzzing	668
<i>Jie Liang (Tsinghua University, China), Yaoguang Chen (Ant Group, China), Zhiyong Wu (Tsinghua University, China), Jingzhou Fu (Tsinghua University, China), Mingzhe Wang (Tsinghua University;ShuiMuYuLin Ltd, China), Yu Jiang (Tsinghua University, China), Xiangdong Huang (Tsinghua University, China), Ting Chen (UEST-Center for Cybersecurity, China), Jiashui Wang (Ant Group;Zhejiang University, China), and Jiajia Li (Ant Group, China)</i>	
Revisiting Citation Prediction with Cluster-Aware Text-Enhanced Heterogeneous Graph Neural Networks	682
<i>Carl Yang (Emory University, USA) and Jiawei Han (University of Illinois, USA)</i>	
CLDG: Contrastive Learning on Dynamic Graphs	696
<i>Yiming Xu (Xi'an Jiaotong University, China), Bin Shi (Xi'an Jiaotong University, China), Teng Ma (Xi'an Jiaotong University, China), Bo Dong (Xi'an Jiaotong University, China), Haoyi Zhou (Beihang University, China), and Qinghua Zheng (Xi'an Jiaotong University, China)</i>	
TSEXPLAIN: Explaining Aggregated Time Series by Surfacing Evolving Contributors	708
<i>Yiru Chen (Columbia University, USA) and Silu Huang (Microsoft Research, USA)</i>	
TxAllo: Dynamic Transaction Allocation in Sharded Blockchain Systems	721
<i>Yuanzhe Zhang (Monash University), Shirui Pan (Griffith University), and Jiangshan Yu (Monash University)</i>	
Leopard: A Black-Box Approach for Efficiently Verifying Various Isolation Levels	722
<i>Keqiang Li (East China Normal University, China), Siyang Weng (East China Normal University, China), Peiyuan Liu (East China Normal University, China), Lyu Ni (East China Normal University, China), Chengcheng Yang (East China Normal University, China), Rong Zhang (East China Normal University, China), Xuan Zhou (East China Normal University, China), Jianghang Lou (Alibaba Group, China), Gui Huang (Alibaba Group, China), Weining Qian (East China Normal University, China), and Aoying Zhou (East China Normal University, China)</i>	
A Contextual Master-Slave Framework on Urban Region Graph for Urban Village Detection	736
<i>Congxi Xiao (University of Science and Technology of China;Baidu Research), Jingbo Zhou (Baidu Research), Jizhou Huang (Baidu Inc.), Hengshu Zhu (Baidu Inc.), Tong Xu (University of Science and Technology of China), Dejing Dou (Baidu Research), and Hui Xiong (The Hong Kong University of Science and Technology (Guangzhou); Guangzhou HKUST Fok Ying Tung Research Institute)</i>	
Bayesian Negative Sampling for Recommendation	749
<i>Bin Liu (Huazhong University of Science and Technology (HUST), China) and Bang Wang (Huazhong University of Science and Technology (HUST), China)</i>	

Hop-Constrained s-t Simple Path Enumeration on Large Dynamic Graphs	762
<i>Jiujing Zhang (Guangzhou University, China), Shiyu Yang (Guangzhou University, China), Dian Ouyang (Guangzhou University, China), Fan Zhang (Guangzhou University, China), Xuemin Lin (Shanghai Jiao Tong University, China), and Long Yuan (Nanjing University of Science and Technology, China)</i>	
Towards Capacity-Aware Broker Matching: From Recommendation to Assignment	776
<i>Shuyue Wei (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (City University of Hong Kong, China), Qiaoyang Liu (Beihang University, China), Lulu Zhang (Ke Holdings Inc., China), Yuxiang Zeng (Beihang University, China), and Jieping Ye (Ke Holdings Inc., China)</i>	
Minimizing the Influence of Misinformation via Vertex Blocking	789
<i>Jiadong Xie (University of New South Wales;Zhejiang Lab), Fan Zhang (Guangzhou University), Kai Wang (Shanghai Jiao Tong University), Xuemin Lin (Shanghai Jiao Tong University), and Wenjie Zhang (University of New South Wales)</i>	
Personalized Diversification for Neural Re-Ranking in Recommendation	802
<i>Weiwen Liu (Huawei Noah's Ark Lab, China), Yunjia Xi (Shanghai Jiao Tong University, China), Jiarui Qin (Shanghai Jiao Tong University, China), Xinyi Dai (Shanghai Jiao Tong University, China), Ruiming Tang (Huawei Noah's Ark Lab, China), Shuai Li (Shanghai Jiao Tong University, China), Weinan Zhang (Shanghai Jiao Tong University, China), and Rui Zhang (ruizhang. info)</i>	
Active Sampling for Sparse Table by Bayesian Optimization with Adaptive Resolution	816
<i>Xiao He (Alibaba Group, China), Jian Tan (Alibaba Group, China), Bin Wu (Alibaba Group, China), Feifei Li (Alibaba Group, China), Xinpeng Zhang (Alibaba Group, China), Gaozhong Liang (Alibaba Group, China), and Jinfeng Xu (City University of Hong Kong, China)</i>	
RNTrajRec: Road Network Enhanced Trajectory Recovery with Spatial-Temporal Transformer .	829
<i>Yuqi Chen (Fudan University, China), Hanyuan Zhang (Fudan University, China), Weiwei Sun (Fudan University, China), and Baihua Zheng (Singapore Management University, Singapore)</i>	
Self-Supervised Trajectory Representation Learning with Temporal Regularities and Travel Semantics	843
<i>Jiawei Jiang (Beihang University;Z-park Strategic Alliance of Smart City Industrial Technology Innovation, China), Dayan Pan (Beihang University;Z-park Strategic Alliance of Smart City Industrial Technology Innovation, China), Houxing Ren (Beihang University;Z-park Strategic Alliance of Smart City Industrial Technology Innovation, China), Xiaohan Jiang (Beihang University, China), Chao Li (Beihang University;Z-park Strategic Alliance of Smart City Industrial Technology Innovation, China), and Jingyuan Wang (Beihang University; Pengcheng Laboratory, China)</i>	

Efficiently Answering Quality Constrained Shortest Distance Queries in Large Graphs	856
<i>You Peng (Zhejiang Lab;The University Of New South Wales), Zhuo Ma (The University Of New South Wales), Wenjie Zhang (The University Of New South Wales), Xuemin Lin (Shanghai Jiao Tong University, China), Ying Zhang (University of Technology, Australia), and Xiaoshuang Chen (Data Principles (Beijing) Technology Co., Ltd)</i>	
Collision-Aware Route Planning in Warehouses Made Efficient: A Strip-Based Framework	869
<i>Dingyuan Shi (Beihang University, China), Nan Zhou (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (City University of Hong Kong, China), Yi Xu (Beihang University, China), and Ke Xu (Beihang University, China)</i>	
LightTraffic: On Optimizing CPU-GPU Data Traffic for Efficient Large-Scale Random Walks	882
<i>Yipeng Xing (University of Science and Technology of China, China), Yongkun Li (University of Science and Technology of China;Anhui Province Key Laboratory of High Performance Computing, China), Zhiqiang Wang (University of Science and Technology of China, China), Yinlong Xu (University of Science and Technology of China;Anhui Province Key Laboratory of High Performance Computing, China), and John C. S. Lui (The Chinese University of Hong Kong, china)</i>	
PSPC: Efficient Parallel Shortest Path Counting on Large-Scale Graphs	896
<i>You Peng (The Chinese University of Hong Kong, China), Jeffrey Xu Yu (The Chinese University of Hong Kong, China), and Sibow Wang (The Chinese University of Hong Kong, China)</i>	
Distributed (α, β) -Core Decomposition over Bipartite Graphs	909
<i>Qing Liu (Hong Kong Baptist University;Zhejiang University, China), Xuankun Liao (Hong Kong Baptist University, China), Xin Huang (Hong Kong Baptist University, China), Jianliang Xu (Hong Kong Baptist University, China), and Yunjun Gao (Zhejiang University, China)</i>	
SASPAR: Shared Adaptive Stream Partitioning	922
<i>Jeyhun Karimov (Huawei) and Hans-Arno Jacobsen (University of Toronto)</i>	
The Art of Losing to Win: Using Lossy Image Compression to Improve Data Loading in Deep Learning Pipelines	936
<i>Lennart Behme (Technische Universität Berlin), Saravanan Thirumuruganathan (Qatar Computing Research Institute), Alireza Rezaei Mahdiraji (Glooko GmbH), Jorge-Arnulfo Quiané-Ruiz (Technische Universität Berlin;DFKI GmbH), and Volker Markl (Technische Universität Berlin;DFKI GmbH)</i>	
Parallelizing Stream Compression for IoT Applications on Asymmetric Multicores	950
<i>Xianzhi Zeng (Singapore University of Technology and Design, Singapore) and Shuhao Zhang (Singapore University of Technology and Design, Singapore)</i>	
Keyword-Based Socially Tenuous Group Queries	965
<i>Huaijie Zhu (Sun Yat-sen University, China), Wei Liu (Sun Yat-sen University, China), Jian Yin (Sun Yat-sen University, China), Ningning Cui (An Hui University), Jianliang Xu (Hong Kong Baptist University), Xin Huang (Hong Kong Baptist University), and Wang-Chien Lee (The Pennsylvania State University, USA)</i>	

Group Buying Recommendation Model Based on Multi-Task Learning	978
<i>Shuoyao Zhai (Fudan University, China), Baichuan Liu (Fudan University, China), Deqing Yang (Fudan University;Shanghai Key Laboratory of Data Science, China), and Yanghua Xiao (Fudan University;Shanghai Key Laboratory of Data Science, China)</i>	
Uncertainty Quantification for Traffic Forecasting: A Unified Approach	992
<i>Weizhu Qian (Aalborg university, Denmark), Dalin Zhang (Aalborg university, Denmark), Yan Zhao (Aalborg university, Denmark), Kai Zheng (University of Electronic Science and Technology of China, China), and James J.Q. Yu (Southern University of Science and Technology, China)</i>	
Efficient Deep Ensemble Inference via Query Difficulty-Dependent Task Scheduling	1005
<i>Zichong Li (University of Science and Technology of China, China), Lan Zhang (University of Science and Technology of China;Institute of Artificial Intelligence, China), Mu Yuan (University of Science and Technology of China, China), Miaohui Song (University of Science and Technology of China, China), and Qi Song (University of Science and Technology of China, China)</i>	
Optimizing Graph Partition by Optimal Vertex-Cut: A Holistic Approach	1019
<i>Wenwen Qu (East China Normal University, China), Weixi Zhang (Huawei Technologies Co., Ltd, China), Ji Cheng (Huawei Technologies Co., Ltd, China), Chaorui Zhang (Huawei Technologies Co., Ltd, China), Wei Han (Huawei Technologies Co., Ltd, China), Bo Bai (Huawei Technologies Co., Ltd, China), Chen Jason Zhang (Hong Kong Polytechnic University), Liang He (East China Normal University, China), and Xiaoling Wang (East China Normal University, China)</i>	
TSC-AutoML: Meta-Learning for Automatic Time Series Classification Algorithm Selection	1032
<i>Tianyu Mu (Harbin Institute of Technology, China), Hongzhi Wang (Harbin Institute of Technology;Peng Cheng Laboratory (PCL), China), Shenghe Zheng (Harbin Institute of Technology, China), Zhiyu Liang (Harbin Institute of Technology, China), Chunnan Wang (Harbin Institute of Technology, China), Xinyue Shao (Harbin Institute of Technology, China), and Zheng Liang (Harbin Institute of Technology, China)</i>	
MetricJoin: Leveraging Metric Properties for Robust Exact Set Similarity Joins	1045
<i>Manuel Widmoser (University of Salzburg, Austria), Daniel Kocher (University of Salzburg, Austria), Nikolaus Augsten (University of Salzburg, Austria), and Willi Mann (Celonis SE, Germany)</i>	
Extreme-Aware Local-Global Attention for Spatio-Temporal Urban Mobility Learning	1059
<i>Huiqun Huang (University of Connecticut), Suining He (University of Connecticut), and Mahan Tabatabaie (University of Connecticut)</i>	
Incremental Learning for Multi-Interest Sequential Recommendation	1071
<i>Zhikai Wang (Shanghai Jiao Tong University, China) and Yanyan Shen (Shanghai Jiao Tong University, China)</i>	

Reinforcement Learning Enhanced Weighted Sampling for Accurate Subgraph Counting on Fully Dynamic Graph Streams	1084
<i>Kaixin Wang (Nanyang Technological University, Singapore), Cheng Long (Nanyang Technological University, Singapore), Da Yan (University of Alabama at Birmingham, USA), Jie Zhang (Nanyang Technological University, Singapore), and H. V. Jagadish (University of Michigan, USA)</i>	
Redesigning High-Performance LSM-Based Key-Value Stores with Persistent CPU Caches	1098
<i>Yijie Zhong (Xiamen University), Zhirong Shen (Xiamen University), Zixiang Yu (Xiamen University), and Jiwu Shu (Xiamen University; Tsinghua University)</i>	
Intent-Aware Multi-Source Contrastive Alignment for Tag-Enhanced Recommendation	1112
<i>Haolun Wu (McGill University, Canada), Yingxue Zhang (Huawei Noah's Ark Lab), Chen Ma (City University of Hong Kong, Hong Kong SAR), Wei Guo (Huawei Noah's Ark Lab, China), Ruiming Tang (Huawei Noah's Ark Lab, China), Xue Liu (McGill University, Canada), and Mark Coates (McGill University, Canada)</i>	
DBCatcher: A Cloud Database Online Anomaly Detection System Based on Indicator Correlation...	1126
<i>Guangyu Zhang (Huazhong University of Science and Technology, China), Chunhua Li (Huazhong University of Science and Technology, China), Ke Zhou (Huazhong University of Science and Technology, China), Li Liu (Huazhong University of Science and Technology, China), Ce Zhang (ETH Zurich, Switzerland), Wancheng Chen (Huazhong University of Science and Technology, China), Haotian Fang (Huazhong University of Science and Technology, China), Bin Cheng (Tencent Inc, China), Jie Yang (Tencent Inc, China), and Jiashu Xing (Tencent Inc, China)</i>	
Non-Blocking Raft for High Throughput IoT Data	1140
<i>Tian Jiang (Tsinghua University, China), Xiangdong Huang (Tsinghua University, China), Shaoxu Song (Tsinghua University, China), Chen Wang (Tsinghua University, China), Jianmin Wang (Tsinghua University, China), Ruibo Li (Alibaba Group, China), and Jincheng Sun (Alibaba Group, China)</i>	
ADAMANT: A Query Executor with Plug-In Interfaces for Easy Co-Processor Integration	1153
<i>Bala Gurumurthy (University of Magdeburg, Germany), David Broneske (German Center for Higher Education Research and Science Studies, Germany), Gabriel Campero Durand (University of Magdeburg, Germany), Thilo Pionteck (University of Magdeburg, Germany), and Gunter Saake (University of Magdeburg, Germany)</i>	
Towards Explainable Table Interpretation using Multi-view Explanations	1167
<i>Yunjun Gao (Zhejiang University), Pengfei Wang (Zhejiang University), Xiaocan Zeng (Zhejiang University), Lu Chen (Zhejiang University), Yuren Mao (Zhejiang University), Ziheng Wei (Huawei Cloud Computing Technologies Co., Ltd.), and Miao Li (Huawei Cloud Computing Technologies Co., Ltd.)</i>	

Batch-Based Cooperative Task Assignment in Spatial Crowdsourcing	1180
<i>Yi Yang (Beijing Institute of Technology, China), Yurong Cheng (Beijing Institute of Technology, China), Yeru Yang (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
EdgeNN: Efficient Neural Network Inference for CPU-GPU Integrated Edge Devices	1193
<i>Chenyang Zhang (Renmin University of China), Feng Zhang (Renmin University of China), Kuangyu Chen (Renmin University of China), Mingjun Chen (Renmin University of China), Bingsheng He (National University of Singapore), and Xiaoyong Du (Renmin University of China)</i>	
Real-Time LSM-Trees for HTAP Workloads	1208
<i>Hemant Saxena (SAP Labs), Lukasz Golab (University of Waterloo), Stratos Idreos (Harvard University), and Ihab F. Ilyas (University of Waterloo)</i>	
Relational Message Passing for Fully Inductive Knowledge Graph Completion	1221
<i>Yuxia Geng (Zhejiang University, China; Donghai Laboratory, China), Jiaoyan Chen (The University of Manchester, UK), Jeff Z. Pan (The University of Edinburgh, UK), Mingyang Chen (Zhejiang University, China), Song Jiang (Huawei Technologies Co., Ltd., China), Wen Zhang (Zhejiang University, China; Donghai Laboratory, China), and Huajun Chen (Zhejiang University, China; Donghai Laboratory, China)</i>	
Hierarchical Crowdsourcing for Data Labeling with Heterogeneous Crowd	1234
<i>Haodi Zhang (Shenzhen University; Hong Kong Polytechnic University), Wenxi Huang (Shenzhen University), Zhenhan Su (Shenzhen University), Junyang Chen (Shenzhen University), Di Jiang (Shenzhen University; Webank Co., Ltd.), Lixin Fan (Webank Co., Ltd.), Chen Zhang (Hong Kong Polytechnic University), Defu Lian (University of Science and Technology of China), and Kaishun Wu (Shenzhen University)</i>	
Layer-Refined Graph Convolutional Networks for Recommendation	1247
<i>Xin Zhou (Nanyang Technological University, Singapore), Donghui Lin (Okayama University, Japan), Yong Liu (Nanyang Technological University, Singapore), and Chunyan Miao (Nanyang Technological University, Singapore)</i>	
A Generic Reinforced Explainable Framework with Knowledge Graph for Session-Based Recommendation	1260
<i>Huizi Wu (Shanghai University of Finance and Economics, China), Hui Fang (Shanghai University of Finance and Economics, China), Zhu Sun (Institute of High Performance Computing and Centre for Frontier AI Research, Singapore), Cong Geng (Shanghai University of Finance and Economics, China), Xinyu Kong (Ant Group, China), and Yew-Soon Ong (Nanyang Technological University, Singapore)</i>	
Efficiently Sampling and Estimating Hypergraphs By Hybrid Random Walk	1273
<i>Lingling Zhang (Beijing Institute of Technology), Zhiwei Zhang (Beijing Institute of Technology), Guoren Wang (Beijing Institute of Technology), and Ye Yuan (Beijing Institute of Technology)</i>	
Stable Tuple Embeddings for Dynamic Databases	1286
<i>Jan Toenshoff (RWTH Aachen University, Germany), Neta Friedman (Technion, Israel), Martin Grohe (RWTH Aachen University, Germany), and Benny Kimelfeld (Technion, Israel)</i>	

Efficiently Answering Top-k Window Aggregate Queries: Calculating Coverage Number Sequences over Hierarchical Structures	1300
<i>Jianqiu Xu (Nanjing University of Aeronautics and Astronautics, China) and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, China)</i>	
Efficient Maximum Signed Biclique Identification	1313
<i>Renjie Sun (East China Normal University, China), Chen Chen (University of Wollongong, Australia), Xiaoyang Wang (The University of New South Wales, Australia), Wenjie Zhang (The University of New South Wales, Australia), Ying Zhang (University of Technology Sydney, Australia), and Xuemin Lin (Shanghai Jiaotong University, China)</i>	
ACEing the Bufferpool Management Paradigm for Modern Storage Devices	1326
<i>Tarikul Islam Papon (Boston University, USA) and Manos Athanassoulis (Boston University, USA)</i>	
ROI-Demand Traffic Prediction: A Pre-Train, Query and Fine-Tune Framework	1340
<i>Yue Cui (The Hong Kong University of Science and Technology, China), Shuhao Li (Guangzhou University, China), Wenjin Deng (University of Electronic Science and Technology of China, China), Zhaokun Zhang (University of Electronic Science and Technology of China, China), Jing Zhao (The Hong Kong University of Science and Technology, China), Kai Zheng (University of Electronic Science and Technology of China, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	
Pricing Prediction Services for Profit Maximization with Incomplete Information	1353
<i>Huanhuan Peng (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Lu Chen (Zhejiang University, China), Yunjun Gao (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)</i>	
EEPH: An Efficient Extendible Perfect Hashing for Hybrid PMem-DRAM	1366
<i>Qi Chen (Harbin Institute of Technology, Shenzhen), Hao Hu (Harbin Institute of Technology, Shenzhen), Cai Deng (Harbin Institute of Technology, Shenzhen), Dingbang Liu (Harbin Institute of Technology, Shenzhen), Shiyi Li (Harbin Institute of Technology, Shenzhen), Bo Tang (Southern University of Science and Technology), Ting Yao (Huawei, Shenzhen), and Wen Xia (Harbin Institute of Technology, Shenzhen;Guangdong Provincial Key Laboratory of Novel Security Intelligence Technologies)</i>	
Marshalling Model Inference In Video Streams	1379
<i>Daren Chao (University of Toronto, Canada), Nick Koudas (University of Toronto, Canada), and Xiaohui Yu (York University, Canada)</i>	
IndiBits: Incremental Discovery of Relaxed Functional Dependencies using Bitwise Similarity	1393
<i>Bernardo Breve (University of Salerno, Italy), Loredana Caruccio (University of Salerno, Italy), Stefano Cirillo (University of Salerno, Italy), Vincenzo Deufemia (University of Salerno, Italy), and Giuseppe Polese (University of Salerno, Italy)</i>	

Influential Recommender System	1406
<i>Haoren Zhu (Hong Kong University of Science and Technology), Hao Ge (Hong Kong University of Science and Technology), Xiaodong Gu (Shanghai Jiao Tong University), Pengfei Zhao (BNU-HKBU United International College), and Dik Lun Lee (Hong Kong University of Science and Technology)</i>	
Efficient Cross Dynamic Task Assignment in Spatial Crowdsourcing	1420
<i>Tianyue Ren (Hunan University, China), Xu Zhou (Hunan University, China), Kenli Li (Hunan University, China), Yunjun Gao (Zhejiang University, China), Ji Zhang (Zhejiang Lab, China), and Keqin Li (State University of New York, USA)</i>	
Efficient Augmentation for Imbalanced Deep Learning	1433
<i>Damien A. Dablain (University of Notre Dame, USA), Colin Bellinger (National Research Council of Canada, Canada), Bartosz Krawczyk (Virginia Commonwealth University, USA), and Nitesh V. Chawla (University of Notre Dame, USA)</i>	
Most Probable Densest Subgraphs	1447
<i>Arkaprava Saha (CNRS@CREATE, Singapore), Xiangyu Ke (ZJU, China), Arijit Khan (AAU, Denmark), and Cheng Long (NTU, Singapore)</i>	
A Feature-Driven Fixed-Ratio Lossy Compression Framework for Real-World Scientific Datasets	1461
<i>Md Hasanur Rahman (University of Iowa, USA), Sheng Di (Argonne National Laboratory, USA), Kai Zhao (University of Alabama at Birmingham, USA), Robert Underwood (Argonne National Laboratory, USA), Guanpeng Li (University of Iowa, USA), and Franck Cappello (Argonne National Laboratory, USA)</i>	
Indexing for Near-Sorted Data	1475
<i>Aneesh Raman (Boston University, USA), Subhadeep Sarkar (Boston University, USA), Matthaios Olma (Microsoft Research, USA), and Manos Athanassoulis (Boston University, USA)</i>	
Probabilistic Majority Rule-Based Group Recommendation	1489
<i>Karim Benouaret (Université Claude Bernard Lyon 1, France) and Kian-Lee Tan (National University of Singapore, Singapore)</i>	
Sudowoodo: Contrastive Self-supervised Learning for Multi-purpose Data Integration and Preparation	1502
HyGNN: Drug-Drug Interaction Prediction via Hypergraph Neural Network	1503
<i>Khaled Mohammed Saifuddin (Georgia State University, USA), Briana Bumgardner (Rice University, USA), Farhan Tanvir (Oklahoma State University, USA), and Esra Akbas (Georgia State University, USA)</i>	
Federated IoT Interaction Vulnerability Analysis	1517
<i>Guangjing Wang (Michigan State University), Hanqing Guo (Michigan State University), Anran Li (Nanyang Technological University), Xiaorui Liu (North Carolina State University), and Qiben Yan (Michigan State University)</i>	
KOIOS: Top-k Semantic Overlap Set Search	1531
<i>Pranay Mundra (University of Rochester), Jianhao Zhang (Acho Software Inc.), Fatemeh Nargesian (University of Rochester), and Nikolaus Augsten (University of Salzburg)</i>	

Globally Aware Contextual Embeddings for Named Entity Recognition in Social Media Streams	1544
<i>Satadisha Saha Bhowmick (Binghamton University), Eduard C. Dragut (Temple University), and Weiyi Meng (Binghamton University)</i>	
Schema Matching using Pre-Trained Language Models	1558
<i>Yunjia Zhang (University of Wisconsin-Madison, USA), Avriila Floratou (Microsoft, USA), Joyce Cahoon (Microsoft, USA), Subru Krishnan (Microsoft, USA), Andreas C. Muller (Microsoft, USA), Dalitso Banda (Sentry, USA), Fotis Psallidas (Microsoft, USA), and Jignesh M. Patel (University of Wisconsin-Madison, USA)</i>	
Efficiently Learning Spatial Indices	1572
<i>Guanli Liu (The University of Melbourne), Jianzhong Qi (The University of Melbourne), Christian S. Jensen (Aalborg University), James Bailey (The University of Melbourne), and Lars Kulik (The University of Melbourne)</i>	
Self-Supervised Spatial-Temporal Bottleneck Attentive Network for Efficient Long-Term Traffic Forecasting	1585
<i>Shengnan Guo (Beijing Jiaotong University;Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Youfang Lin (Beijing Jiaotong University;Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Letian Gong (Beijing Jiaotong University, China), Chenyu Wang (Beijing Jiaotong University, China), Zeyu Zhou (Beijing Jiaotong University, China), Zekai Shen (Beijing Jiaotong University, China), Yiheng Huang (Beijing Jiaotong University, China), and Huaiyu Wan (Beijing Jiaotong University;Beijing Key Laboratory of Traffic Data Analysis and Mining, China)</i>	
Dynamic Activation of Clients and Parameters for Federated Learning over Heterogeneous Graphs	1597
<i>Zishan Gu (Columbia University, USA), Ke Zhang (University of Hong Kong, China), Guangji Bai (Emory University, USA), Liang Chen (Sun Yat-sen University, China), Liang Zhao (Emory University, USA), and Carl Yang (Emory University, USA)</i>	
Towards Long-Term Time-Series Forecasting: Feature, Pattern, and Distribution	1611
<i>Yan Li (Zhejiang University;Baidu Research), Xinjiang Lu (Baidu Research), Haoyi Xiong (Baidu Research), Jian Tang (Tsinghua University;China Longyuan Power Group Corp. Ltd.), Jiantao Su (China Longyuan Power Group Corp. Ltd.), Bo Jin (Dalian University of Technology), and Dejing Dou (Baidu Research)</i>	
Toward Efficient Automated Feature Engineering	1625
<i>Kafeng Wang (Shenzhen Institute of Advanced Technology;University of Chinese Academy of Sciences;University of Macau, China), Pengyang Wang (University of Macau, China), and Chengzhong Xu (University of Macau, China)</i>	
Robust Attributed Graph Alignment via Joint Structure Learning and Optimal Transport	1638
<i>Jianheng Tang (Hong Kong University of Science and Technology, China), Weiqi Zhang (Hong Kong University of Science and Technology, China), Jiajin Li (Stanford University), Kangfei Zhao (Tencent AI Lab, China), Fugee Tsung (Hong Kong University of Science and Technology, China), and Jia Li (Hong Kong University of Science and Technology, China)</i>	

Top-r Keyword-Based Community Search in Attributed Graphs	1652
<i>Junhao Ye (Wuhan University, China), Yuanyuan Zhu (Wuhan University, China), and Lu Chen (Zhejiang University, China)</i>	
Fairness-Aware Maximal Biclique Enumeration on Bipartite Graphs	1665
<i>Ziqi Yin (Beijing Institute of Technology, China), Qi Zhang (Beijing Institute of Technology, Beijing), Wentao Zhang (Peking university, China), Rong-Hua Li (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Reinforcement Learning Based Tree Decomposition for Distance Querying in Road Networks	1678
<i>Bolong Zheng (Huazhong University of Science and Technology, China), Yong Ma (Huazhong University of Science and Technology, China), Jingyi Wan (Huazhong University of Science and Technology, China), Yongyong Gao (Huazhong University of Science and Technology, China), Kai Huang (The Hong Kong University of Science and Technology, China), Xiaofang Zhou (The Hong Kong University of Science and Technology, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Toward a Unified Framework for Unsupervised Complex Tabular Reasoning	1691
<i>Zhenyu Li (Tsinghua University, China), Xiuxing Li (University of Chinese Academy of Sciences, China), Zhichao Duan (Tsinghua University, China), Bowen Dong (Tsinghua University, China), Ning Liu (Shandong University, China), and Jianyong Wang (Tsinghua University, China)</i>	
GALE: Active Adversarial Learning for Erroneous Node Detection in Graphs	1705
<i>Sheng Guan (Case Western Reserve Univ.), Hanchao Ma (Case Western Reserve Univ.), Mengying Wang (Case Western Reserve Univ.), and Yinghui Wu (Case Western Reserve Univ.)</i>	
Online Shipping Container Pricing Strategy Achieving Vanishing Regret with Limited Inventory	1719
<i>Yucen Gao (Shanghai Jiao Tong University), Xikai Wei (Shanghai Jiao Tong University), Xi Jing (Shanghai Jiao Tong University), Yangguang Shi (Shandong University), Xiaofeng Gao (Shanghai Jiao Tong University), and Guihai Chen (Shanghai Jiao Tong University)</i>	
Learn to Explore: on Bootstrapping Interactive Data Exploration with Meta-Learning	1720
<i>Yukun Cao (University of Science and Technology of China, China), Xike Xie (University of Science and Technology of China, China), and Kexin Huang (University of Science and Technology of China, China)</i>	
Complete Join Reordering for Null-Intolerant Joins	1734
<i>TaiNing Wang (National University of Singapore), Yunpeng Niu (miHoYo Inc.), and Chee-Yong Chan (National University of Singapore)</i>	
Demystifying Bitcoin Address Behavior via Graph Neural Networks	1747
<i>Zhengjie Huang (Zhejiang University, China), Yunyang Huang (UESTC, China), Peng Qian (Zhejiang University, China), Jianhai Chen (Zhejiang University, China), and Qinming He (Zhejiang University, China)</i>	

RETIA: Relation-Entity Twin-Interact Aggregation for Temporal Knowledge Graph Extrapolation	1761
<i>Kangzheng Liu (Huazhong University of Science and Technology, China; University of Technology Sydney, Australia), Feng Zhao (Huazhong University of Science and Technology, China), Guandong Xu (University of Technology Sydney, Australia), Xianzhi Wang (University of Technology Sydney, Australia), and Hai Jin (Huazhong University of Science and Technology, China)</i>	
KVSAgg: Secure Aggregation of Distributed Key-Value Sets	1775
<i>Yuhan Wu (Peking University, China), Siyuan Dong (Peking University, China), Yi Zhou (Peking University, China), Yikai Zhao (Peking University, China), Fangcheng Fu (Peking University, China), Tong Yang (Peking University; Peng Cheng Laboratory, China), Chaoyue Niu (Shanghai Jiao Tong University, China), Fan Wu (Shanghai Jiao Tong University, China), and Bin Cui (Peking University, China)</i>	
Air-Ground Spatial Crowdsourcing with UAV Carriers by Geometric Graph Convolutional Multi-Agent Deep Reinforcement Learning	1790
<i>Yu Wang (Beijing Institute of Technology, China), Jingfei Wu (Beijing Institute of Technology, China), Xingyuan Hua (Beijing Institute of Technology, China), Chi Harold Liu (Beijing Institute of Technology, China), Guozheng Li (Beijing Institute of Technology, China), Jianxin Zhao (Beijing Institute of Technology, China), Ye Yuan (Beijing Institute of Technology, China), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Finding Best Tuple via Error-Prone User Interaction	1803
<i>Qixu Chen (The Hong Kong University of Science and Technology) and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology)</i>	
Accelerating k-Core Decomposition by a GPU	1818
<i>Akhlaque Ahmad (TED University, Turkey), Lyuheng Yuan (University of Alabama at Birmingham, USA), Da Yan (University of Alabama at Birmingham, USA), Guimu Guo (Rowan University, USA), Jieyang Chen (University of Alabama at Birmingham, USA), and Chengcui Zhang (University of Alabama at Birmingham, USA)</i>	
A Stitch in Time Saves Nine: Enabling Early Anomaly Detection with Correlation Analysis	1832
<i>Yihao Ang (National University of Singapore, Singapore; NUS Research Institute in Chongqing, China), Qiang Huang (National University of Singapore, Singapore), Anthony K. H. Tung (National University of Singapore, Singapore), and Zhiyong Huang (National University of Singapore, Singapore; NUS Research Institute in Chongqing, China)</i>	
On Explaining Confounding Bias	1846
<i>Brit Youngmann (MIT), Michael Cafarella (MIT), Yuval Moskovitch (Ben Gurion University of the Negev), and Babak Salimi (University of California, San Diego)</i>	
Visualization Recommendation Through Visual Relation Learning and Visual Preference Learning	1860
<i>Daomin Ji (RMIT University), Hui Luo (RMIT University), and Zhifeng Bao (RMIT University)</i>	

Opponent-Aware Order Pricing Towards Hub-Oriented Mobility Services	1874
<i>Zuohan Wu (Sun Yat-sen University, China), Libin Zheng (Sun Yat-sen University, China), Chen Jason Zhang (Hong Kong Polytechnic University, China), Huaijie Zhu (Sun Yat-sen University, China), Jian Yin (Sun Yat-sen University, China), and Di Jiang (WeBank Co., Ltd, China)</i>	
Matrix Factorization with Landmarks for Spatial Data	1887
<i>Chenguang Fang (Tsinghua University, China), Yanan Mei (Tsinghua University, China), and Shaoxu Song (Tsinghua University, China)</i>	
SChain: Scalable Concurrency over Flexible Permissioned Blockchain	1900
<i>Xiaodong Qi (East China Normal University;Nanyang Technological University), Zhihao Chen (East China Normal University;Ministry of Education), Haizhen Zhuo (Ant Group), Quanzheng Xu (Ant Group), Chengyu Zhu (East China Normal University), Zhao Zhang (East China Normal University; Ministry of Education), Cheqing Jin (East China Normal University;Ministry of Education), Aoying Zhou (East China Normal University;Ministry of Education), Ying Yan (Ant Group), and Hui Zhang (Ant Group)</i>	
Lumos: Heterogeneity-Aware Federated Graph Learning over Decentralized Devices	1914
<i>Qiyang Pan (Shanghai Jiao Tong University, China), Yifei Zhu (Shanghai Jiao Tong University, China), and Lingyang Chu (McMaster University, Canada)</i>	
PriSTI: A Conditional Diffusion Framework for Spatiotemporal Imputation	1927
<i>Mingzhe Liu (Beihang University, China), Han Huang (Beihang University, China), Hao Feng (Beihang University, China), Leilei Sun (Beihang University, China), Bowen Du (Beihang University, China), and Yanjie Fu (University of Central Florida, USA)</i>	
ENLD: Efficient Noisy Label Detection for Incremental Datasets in Data Lake	1940
<i>Xuanke You (University of Science and Technology of China), Lan Zhang (University of Science and Technology of China), Junyang Wang (University of Science and Technology of China), Zhimin Bao (Tencent Group), Yunfei Wu (Tencent Group), and Shuaishuai Dong (Tencent Group)</i>	
Finding Simplex Items in Data Streams	1953
<i>Zhuochen Fan (Peking University, China), Jiarui Guo (Peking University, China), Xiaodong Li (Peking University, China), Tong Yang (Peking University;Huawei Technologies Co., Ltd, China), Yikai Zhao (Peking University, China), Yuhan Wu (Peking University, China), Bin Cui (Peking University, China), Yanwei Xu (Huawei Technologies Co., Ltd., China), Steve Uhlig (Queen Mary University of London, UK), and Gong Zhang (Huawei Technologies Co., Ltd., China)</i>	
Parallel Filtered Graphs for Hierarchical Clustering	1967
<i>Shangdi Yu (MIT CSAIL) and Julian Shun (MIT CSAIL)</i>	
S/C: Speeding up Data Materialization with Bounded Memory	1981
<i>Zhaoheng Li (University of Illinois at Urbana-Champaign, United States), Xinyu Pi (University of Illinois at Urbana-Champaign, United States), and Yongjoo Park (University of Illinois at Urbana-Champaign, United States)</i>	

Fair Group Summarization with Graph Patterns	1982
<i>Hanchao Ma (Case Western Reserve University), Sheng Guan (Case Western Reserve University), Mengying Wang (Case Western Reserve University), Qi Song (University of Science and Technology of China), and Yinghui Wu (Case Western Reserve University)</i>	
RADAR: Reactive Concept Drift Management with Robust Variational Inference for Evolving IoT Data Streams	1995
<i>Abdullah Alsaedi (RMIT University), Nasrin Sohrabi (RMIT University), Redowan Mahmud (Curtin University), and Zahir Tari (RMIT University)</i>	
HistSketch: A Compact Data Structure for Accurate Per-Key Distribution Monitoring	2008
<i>Jintao He (Peking University), Jiaqi Zhu (Peking University), and Qun Huang (Peking University)</i>	
SketchConf: A Framework for Automatic Sketch Configuration	2022
<i>Ruijie Miao (Peking University, China), Fenghao Dong (Peking University, China), Yikai Zhao (Peking University, China), Yiming Zhao (Peking University, China), Yuhan Wu (Peking University, China), Kaicheng Yang (Peking University, China), Tong Yang (Peking University;Peng Cheng Laboratory, China), and Bin Cui (Peking University, China)</i>	
REncoder: A Space-Time Efficient Range Filter with Local Encoder	2036
<i>Ziwei Wang (Peking University, China), Zheng Zhong (Peking University, China), Jiarui Guo (Peking University, China), Yuhan Wu (Peking University, China), Haoyu Li (Peking University, China), Tong Yang (Peking University;Peng Cheng Laboratory, China), Yaofeng Tu (ZTE Corporation, China), Huanchen Zhang (Tsinghua University, China), and Bin Cui (Peking University, China)</i>	
These Rows Are Made for Sorting and That's Just What We'll Do	2050
<i>Laurens Kuiper (CWI, Netherlands) and Hannes Mühleisen (CWI, Netherlands)</i>	
HGMATCH: A Match-by-Hyperedge Approach for Subgraph Matching on Hypergraphs	2063
<i>Zhengyi Yang (University of New South Wales, Australia), Wenjie Zhang (University of New South Wales, Australia), Xuemin Lin (Shanghai Jiao Tong University, China), Ying Zhang (University of Technology Sydney, Australia), and Shunyang Li (University of New South Wales, Australia)</i>	
Double Hierarchical Labeling Shortest Distance Querying in Time-Dependent Road Networks	2077
<i>Tangpeng Dan (Renmin University of China, China), Xiao Pan (Shijiazhuang Tiedao University, China), Bolong Zheng (Huazhong University of Science and Technology, China), and Xiaofeng Meng (Renmin University of China, China)</i>	
Wind-Bell Index: Towards Ultra-Fast Edge Query for Graph Databases	2090
<i>Rui Qiu (Peking University, China), Yi Ming (Peking University, China), Yisen Hong (Peking University, China), Haoyu Li (Peking University, China), and Tong Yang (Peking University;Peng Cheng Laboratory, China)</i>	
FASI: FPGA-Friendly Subgraph Isomorphism on Massive Graphs	2099
<i>Xunbin Su (Peking University, China), Yinnian Lin (Peking University, China), and Lei Zou (Peking University, China)</i>	

Distribution-Regularized Federated Learning on Non-IID Data	2113
<i>Yansheng Wang (Beihang University, China), Yongxin Tong (Beihang University, China), Zimu Zhou (City University of Hong Kong, China), Ruisheng Zhang (Beihang University, China), Sinno Jialin Pan (The Chinese University of Hong Kong, China), Lixin Fan (AI Group, WeBank Co., Ltd., China), and Qiang Yang (AI Group, WeBank Co., Ltd., China; Hong Kong University of Science and Technology, China)</i>	
A Bayesian Graph Neural Network for EEG Classification — A Win-Win on Performance and Interpretability	2126
<i>Jing Wang (Beijing Jiaotong University, China), Xiaojun Ning (Beijing Jiaotong University, China), Wangjun Shi (Beijing Jiaotong University, China), and Youfang Lin (Beijing Jiaotong University;CAAC Key Laboratory of Intelligent Passenger Service of Civil Aviation, China)</i>	
Rotary: A Resource Arbitration Framework for Progressive Iterative Analytics	2140
<i>Rui Liu (University of Chicago, USA), Aaron J. Elmore (University of Chicago, USA), Michael J. Franklin (University of Chicago, USA), and Sanjay Krishnan (University of Chicago, USA)</i>	
Neural Node Matching for Multi-Target Cross Domain Recommendation	2154
<i>Wujiang Xu (MYbank, Ant Group, China), Shaoshuai Li (MYbank, Ant Group, China), Mingming Ha (MYbank, Ant Group, China), Xiaobo Guo (Beijing Jiaotong University, China), Qiongxi Ma (MYbank, Ant Group, China), Xiaolei Liu (MYbank, Ant Group, China), Linxun Chen (MYbank, Ant Group, China), and Zhenfeng Zhu (Beijing Jiaotong University, China)</i>	
Detection of Groups With Biased Representation in Ranking	2167
<i>Jinyang Li (University of Michigan), Yuval Moskovitch (Ben Gurion University of the Negev), and H. V. Jagadish (University of Michigan)</i>	
Differential Aggregation Against General Colluding Attackers	2180
<i>Rong Du (The Hong Kong Polytechnic University), Qingqing Ye (The Hong Kong Polytechnic University), Yue Fu (The Hong Kong Polytechnic University), Haibo Hu (The Hong Kong Polytechnic University), Jin Li (Guangzhou University), Chengfang Fang (Huawei International), and Jie Shi (Huawei International)</i>	
Towards Efficient MIT Query in Trajectory Data	2194
<i>Jian Chen (Harbin Institute of Technology, China), Hong Gao (Zhejiang Normal University, China), Kaiqi Zhang (Harbin Institute of Technology, China), Jiachi Wang (Harbin Institute of Technology, China), Yubo Luo (Harbin Institute of Technology, China), Zhenqing Wu (Harbin Institute of Technology, China), and Jianzhong Li (Shenzhen Institute of Advanced Technology, China)</i>	
Workload-Aware Log-Structured Merge Key-Value Store for NVM-SSD Hybrid Storage	2207
<i>Lixiang Chen (East China Normal University; ByteDance Inc), Ruihao Chen (East China Normal University), Chengcheng Yang (East China Normal University), Yuxing Han (ByteDance Inc), Rong Zhang (East China Normal University), Xuan Zhou (East China Normal University), Peiquan Jin (University of Science and Technology of China), and Weining Qian (East China Normal University)</i>	

IFCA: Index-Free Community-Aware Reachability Processing Over Large Dynamic Graphs	2220
<i>Yue Pang (Peking University, China), Lei Zou (Peking University, China), and Yu Liu (Peking University, China)</i>	
Data Imputation for Sparse Radio Maps in Indoor Positioning	2235
<i>Xiao Li (Roskilde University, Denmark), Huan Li (Zhejiang University, China), Harry Kai-Ho Chan (University of Sheffield, United Kingdom), Hua Lu (Roskilde University, Denmark), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Mining Seasonal Temporal Patterns in Time Series	2249
<i>Van Long Ho (Aalborg University, Denmark), Nguyen Ho (Aalborg University, Denmark), and Torben Bach Pedersen (Aalborg University, Denmark)</i>	
Extracting Graphs Properties with Semantic Joins	2262
<i>Yang Cao (University of Edinburgh), Wenfei Fan (University of Edinburgh; Shenzhen Institute of Computing Sciences; BDBC, Beihang University), Wenzhi Fu (University of Edinburgh), Ruochun Jin (National University of Defense Technology), Weijie Ou (Shenzhen Institute of Computing Sciences), and Wenliang Yi (Shenzhen Institute of Computing Sciences)</i>	
Interactive Search with Mixed Attributes	2276
<i>Weicheng Wang (Hong Kong University of Science and Technology), Raymond Chi-Wing Wong (Hong Kong University of Science and Technology), and Min Xie (Shenzhen Institute of Computing Sciences, China)</i>	
Enhancing Decentralized Federated Learning for Non-IID Data on Heterogeneous Devices ...	2289
<i>Min Chen (University of Science and Technology of China, China), Yang Xu (University of Science and Technology of China, China), Hongli Xu (University of Science and Technology of China, China), and Liusheng Huang (University of Science and Technology of China, China)</i>	
Dynamic Hypergraph Structure Learning for Traffic Flow Forecasting	2303
<i>Yusheng Zhao (Peking University), Xiao Luo (University of California Los Angeles), Wei Ju (Peking University), Chong Chen (Terminus Group), Xian-Sheng Hua (Terminus Group), and Ming Zhang (Peking University)</i>	
Knock Out 2PC with Practicality Intact: a High-performance and General Distributed Transaction Protocol	2317
<i>Ziliang Lai (The Chinese University of Hong Kong, China), Hua Fan (Alibaba Group, China), Wenchao Zhou (Alibaba Group, China), Zhanfeng Ma (Alibaba Group, China), Xiang Peng (Alibaba Group, China), Feifei Li (Alibaba Group, China), and Eric Lo (The Chinese University of Hong Kong, China)</i>	
Disentangled Graph Social Recommendation	2332
<i>Lianghao Xia (University of Hong Kong), Yizhen Shao (South China University of Technology), Chao Huang (University of Hong Kong), Yong Xu (South China University of Technology), Huance Xu (South China University of Technology), and Jian Pei (Duke University)</i>	

A Holistic Approach for Answering Logical Queries on Knowledge Graphs	2345
<i>Yuhan Wu (East China Normal University, China), Yuanyuan Xu (University of New South Wales, Australia), Xuemin Lin (Shanghai Jiao Tong University, China), and Wenjie Zhang (University of New South Wales, Australia)</i>	
Community Search: A Meta-Learning Approach	2358
<i>Shuheng Fang (The Chinese University of Hong Kong), Kangfei Zhao (Beijing Institute of Technology), Guanghua Li (The Hong Kong University of Science and Technology), and Jeffrey Xu Yu (The Chinese University of Hong Kong)</i>	
SK-Gradient: Efficient Communication for Distributed Machine Learning with Data Sketch	2372
<i>Jie Gui (Peking University, China), Yuchen Song (Peking University, China), Zezhou Wang (Peking University, China), Chenhong He (Peking University, China), and Qun Huang (Peking University, China)</i>	
A Lightweight Framework for Fast Trajectory Simplification	2386
<i>Ziquan Fang (Zhejiang University, China), Changhao He (Zhejiang University, China), Lu Chen (Zhejiang University, China), Danlei Hu (Zhejiang University, China), Qichen Sun (Zhejiang University, China), Linsen Li (Hikvision Research Institute, China), and Yunjun Gao (Zhejiang University, China)</i>	
Partitioner Selection with EASE to Optimize Distributed Graph Processing	2400
<i>Nikolai Merkel (Technical University of Munich), Ruben Mayer (Technical University of Munich), Tawkir Ahmed Fakir (Technical University of Munich), and Hans-Arno Jacobsen (University of Toronto)</i>	
Finding Top-k Important Edges on Bipartite Graphs: Ego-Betweenness Centrality-Based Approaches	2415
<i>Tongfeng Weng (Hunan University, China), Xu Zhou (Hunan University, China), Yixiang Fang (The Chinese University of Hong Kong, China), Kian-Lee Tan (National University of Singapore, Singapore), and Kenli Li (Hunan University, China)</i>	
LHMM: A Learning Enhanced HMM Model for Cellular Trajectory Map Matching	2429
<i>Weijie Shi (Soochow University, China), Jiajie Xu (Soochow University, China), Junhua Fang (Soochow University, China), Pingfu Chao (Soochow University, China), An Liu (Soochow University, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	
Efficient Public Transport Planning on Roads	2443
<i>Libin Wang (The Hong Kong University of Science and Technology, China) and Raymond Chi-Wing Wong (The Hong Kong University of Science and Technology, China)</i>	
Orchestrating Large-Scale SpGEMMs using Dynamic Block Distribution and Data Transfer Minimization on Heterogeneous Systems	2456
<i>Taehyeong Park (Hanyang University), Seokwon Kang (Hanyang University), Myung-Hwan Jang (Hanyang University), Sang-Wook Kim (Hanyang University), and Yongjun Park (Yonsei University, Republic of Korea)</i>	
VC-Dimension and Rademacher Averages of Subgraphs, with Applications to Graph Mining .	2470
<i>Paolo Pellizzoni (University of Padova, Italy) and Fabio Vandin (University of Padova, Italy)</i>	

COCLEP: Contrastive Learning-Based Semi-Supervised Community Search	2483
<i>Ling Li (Northeastern University, China;Nanyang Technological University, Singapore), Siqiang Luo (Nanyang Technological University, Singapore), Yuhai Zhao (Northeastern University, China), Caihua Shan (Microsoft Research Asia), Zhengkui Wang (Singapore Institute of Technology, Singapore), and Lu Qin (University of Technology Sydney)</i>	
Selecting Sub-Tables for Data Exploration	2496
<i>Yael Amsterdamer (Bar-Ilan University), Susan B. Davidson (University of Pennsylvania), Tova Milo (Tel Aviv University), Kathy Razmadze (Tel Aviv University), and Amit Somech (Bar-Ilan University)</i>	
Planning Data Poisoning Attacks on Heterogeneous Recommender Systems in a Multiplayer Setting	2510
<i>Chin-Yuan Yeh (National Taiwan University;Academia Sinica, Taiwan), Hsi-Wen Chen (National Taiwan University, Taiwan), De-Nian Yang (Academia Sinica, Taiwan), Wang-Chien Lee (The Pennsylvania State University, USA), Philip S. Yu (University of Illinois Chicago, USA), and Ming-Syan Chen (National Taiwan University, Taiwan)</i>	
Global Routing Optimization In Road Networks	2524
<i>Yehong Xu (The Hong Kong University of Science and Technology, China), Lei Li (The Hong Kong University of Science and Technology (Guangzhou);The Hong Kong University of Science and Technology, China), Mengxuan Zhang (Iowa State University, USA), Zizhuo Xu (The Hong Kong University of Science and Technology, China), and Xiaofang Zhou (The Hong Kong University of Science and Technology;The Hong Kong University of Science and Technology (Guangzhou), China)</i>	
Distributed Near-Maximum Independent Set Maintenance over Large-Scale Dynamic Graphs	2538
<i>Xubo Wang (Zhejiang Laborotary, China), Dong Wen (University of New South Wales, Australia), Wenjie Zhang (University of New South Wales, Australia), Ying Zhang (University of Technology Sydney, Australia), and Lu Qin (University of Technology Sydney, Australia)</i>	
Fast Unsupervised Graph Embedding via Graph Zoom Learning	2551
<i>Ziyang Liu (Tsinghua University, China), Chaokun Wang (Tsinghua University, China), Yunkai Lou (Tsinghua University, China), and Hao Feng (Tsinghua University, China)</i>	
Unsupervised Graph Outlier Detection: Problem Revisit, New Insight, and Superior Method .	2565
<i>Yihong Huang (East China Normal University, China), Liping Wang (East China Normal University, China), Fan Zhang (Guangzhou University, China), and Xuemin Lin (Shanghai Jiao Tong University, China)</i>	
Towards Efficient Shortest Path Counting on Billion-Scale Graphs	2579
<i>Yiqi Wang (Nanjing University of Science and Technology, China;The University of New South Wales, Australia), Long Yuan (Nanjing University of Science and Technology, China), Zi Chen (East China Normal University, China), Wenjie Zhang (The University of New South Wales, Australia), Xuemin Lin (Shanghai Jiaotong University, China), and Qing Liu (CSIRO, Australia)</i>	

UADB: Unsupervised Anomaly Detection Booster	2593
<i>Hangting Ye (Jilin University, China), Zhining Liu (University of Illinois Urbana-Champaign, United States), Xinyi Shen (Renmin University of China, China), Wei Cao (Microsoft Research, China), Shun Zheng (Microsoft Research, China), Xiaofan Gui (Microsoft Research, China), Huishuai Zhang (Microsoft Research, China), Yi Chang (Jilin University, China), and Jiang Bian (Microsoft Research, China)</i>	
Integrating Connection Search in Graph Queries	2607
<i>Angelos Christos Anadiotis (Oracle, Switzerland), Ioana Manolescu (Inria and IPP, France), and Madhulika Mohanty (Inria and IPP, France)</i>	
AutoCE: An Accurate and Efficient Model Advisor for Learned Cardinality Estimation	2621
<i>Jintao Zhang (Department of Computer Science, Tsinghua University), Chao Zhang (Department of Computer Science, Tsinghua University), Guoliang Li (Department of Computer Science, Tsinghua University), and Chengliang Chai (School of Computer Science, Beijing Institute of Technology)</i>	
Efficient and Compact Spreadsheet Formula Graphs	2634
<i>Dixin Tang (UC Berkeley), Fanchao Chen (Fudan University), Christopher De Leon (UC Berkeley), Tana Wattanawaroon (Kasetsart University), Jeaseok Yun (UC Berkeley), Srinivasan Seshadri (UC Berkeley), and Aditya G. Parameswaran (UC Berkeley)</i>	
A Hierarchical Approach to Anomalous Subgroup Discovery	2647
<i>Eliana Pastor (Politecnico di Torino, Italy), Elena Baralis (Politecnico di Torino, Italy), and Luca de Alfaro (UC Santa Cruz, USA)</i>	
PrivNUD: Effective Range Query Processing Under Local Differential Privacy	2660
<i>Ning Wang (Ocean University of China, China), Yaohua Wang (Ocean University of China, China), Zhigang Wang (Ocean University of China, China), Jie Nie (Ocean University of China, China), Zhiqiang Wei (Ocean University of China, China), Peng Tang (Shandong University, China), Yu Gu (Northeastern University, China), and Ge Yu (Northeastern University, China)</i>	
Contrastive Enhanced Slide Filter Mixer for Sequential Recommendation	2673
<i>Xinyu Du (Soochow University, China), Huanhuan Yuan (Soochow University, China), Pengpeng Zhao (Soochow University, China), Junhua Fang (Soochow University, China), Guanfeng Liu (Macquarie University, Australia), Yanchi Liu (Rutgers University, USA), Victor S. Sheng (Texas Tech University, USA), and Xiaofang Zhou (The Hong Kong University of Science and Technology, China)</i>	
Skyline Micro-Cluster Query: A Novel and Practical Spatial Query	2686
<i>Jing Lu (Northeastern University, China), Yuhai Zhao (Northeastern University, China), Zhengkui Wang (Singapore Institute of Technology, Singapore), and Guoren Wang (Beijing Institute of Technology, China)</i>	
Index-Based Biclique Percolation Communities Search on Bipartite Graphs	2699
<i>Zi Chen (East China Normal University, China), Yiwei Zhao (East China Normal University, China), Long Yuan (Nanjing University of Science and Technology, China), Xuemin Lin (Shanghai Jiao Tong University, China), and Kai Wang (Shanghai Jiao Tong University, China)</i>	

Semi-Supervised Learning with Network Embedding on Ambient RF Signals for Geofencing Services	2713
<i>Weipeng Zhuo (The Hong Kong University of Science and Technology), Ka Ho Chiu (The Hong Kong University of Science and Technology), Jierun Chen (The Hong Kong University of Science and Technology), Jiajie Tan (The Hong Kong University of Science and Technology), Edmund Sumpena (Johns Hopkins University), S.-H. Gary Chan (The Hong Kong University of Science and Technology), Sangtae Ha (University of Colorado Boulder), and Chul-Ho Lee (Texas State University)</i>	
Improving Progressive Retrieval for HPC Scientific Data using Deep Neural Network	2727
<i>Jinzhen Wang (New Jersey Institute of Technology, USA), Xin Liang (University of Kentucky, USA), Ben Whitney (Oak Ridge National Laboratory, USA), Jieyang Chen (Oak Ridge National Laboratory, USA), Qian Gong (Oak Ridge National Laboratory, USA), Xubin He (Temple University, USA), Lipeng Wan (Georgia State University, USA), Scott Klasky (Oak Ridge National Laboratory, USA), Norbert Podhorszki (Oak Ridge National Laboratory, USA), and Qing Liu (New Jersey Institute of Technology, USA)</i>	
Dynamic Private Task Assignment Under Differential Privacy	2740
<i>Leilei Du (East China Normal University, China), Peng Cheng (East China Normal University, China), Libin Zheng (Sun Yat-sen University, China), Wei Xi (Xi'an Jiaotong University, China), Xuemin Lin (Shanghai Jiao Tong University, China), Wenjie Zhang (The University of New South Wales, Australia), and Jing Fang (East China Normal University, China)</i>	
Couper: Memory-Efficient Cardinality Estimation Under Unbalanced Distribution	2753
<i>Xun Song (Nanjing University, China), Jiaqi Zheng (Nanjing University, China), Hao Qian (Nanjing University, China), Shiju Zhao (Nanjing University, China), Hongxuan Zhang (Nanjing University, China), Xuntao Pan (Nanjing University, China), and Guihai Chen (Nanjing University, China)</i>	
Layph: Making Change Propagation Constraint in Incremental Graph Processing by Layering Graph	2766
<i>Song Yu (Northeastern University), Shufeng Gong (Northeastern University), Yanfeng Zhang (Northeastern University), Wenyuan Yu (Alibaba Group, China), Qiang Yin (Shanghai Jiao Tong University, China), Chao Tian (Chinese Academy of Sciences, China), Qian Tao (Alibaba Group, China), Yongze Yan (Northeastern University, China), Ge Yu (Northeastern University), and Jingren Zhou (Alibaba Group, China)</i>	
METAM: Goal-Oriented Data Discovery	2780
<i>Sainyam Galhotra (University of Chicago), Yue Gong (University of Chicago), and Raul Castro Fernandez (University of Chicago)</i>	
In-Situ Cross-Database Query Processing	2794
<i>Haralampos Gavriilidis (Technische Universität Berlin), Kaustubh Beedkar (Technische Universität Berlin), Jorge-Arnulfo Quiané-Ruiz (IT University of Copenhagen), and Volker Markl (Technische Universität Berlin;DFKI GmbH)</i>	

AutoAC: Towards Automated Attribute Completion for Heterogeneous Graph Neural Network	2808
<i>Guanghui Zhu (Nanjing University, China), Zhennan Zhu (Nanjing University, China), Wenjie Wang (Nanjing University, China), Zhuoer Xu (Nanjing University, China), Chunfeng Yuan (Nanjing University, China), and Yihua Huang (Nanjing University, China)</i>	
A Competition-Aware Approach to Accurate TV Show Recommendation	2822
<i>Hong-Kyun Bae (Hanyang University, South Korea), Yeon-Chang Lee (Georgia Institute of Technology, USA), Kyungsik Han (Hanyang University, South Korea), and Sang-Wook Kim (Hanyang University, South Korea)</i>	
dLSM: An LSM-Based Index for Memory Disaggregation	2835
<i>Ruihong Wang (Purdue University), Jianguo Wang (Purdue University), Prishita Kadam (Purdue University), M. Tamer Özsu (University of Waterloo), and Walid G. Aref (Purdue University)</i>	
SEIGN: A Simple and Efficient Graph Neural Network for Large Dynamic Graphs	2850
<i>Xiao Qin (AWS AI Research and Education), Nasrullah Sheikh (IBM Almaden Research Center), Chuan Lei (AWS AI Research and Education), Berthold Reinwald (IBM Almaden Research Center), and Giacomo Domeniconi (U.S. Bank)</i>	
Database Deadlock Diagnosis for Large-Scale ORM-Based Web Applications	2864
<i>Zhiyuan Dong (Shanghai Jiao Tong University), Zhaoguo Wang (Shanghai Jiao Tong University), Chuanwei Yi (Shanghai Jiao Tong University), Xian Xu (Shanghai Jiao Tong University), Jinyuan Zhang (Shanghai Jiao Tong University), Jinyang Li (New York University), and Haibo Chen (Shanghai Jiao Tong University)</i>	
EulerFD: An Efficient Double-Cycle Approximation of Functional Dependencies	2878
<i>Qiongqiong Lin (Zhejiang University, China), Yunfan Gu (Zhejiang University, China), Jingyan Sai (Zhejiang University, China), Jinfei Liu (Zhejiang University, China), Kui Ren (Zhejiang University, China), Li Xiong (Emory University, USA), Tianzhen Wang (Alibaba Group, China), Yanbei Pang (Alibaba Group, China), Sheng Wang (Alibaba Group, China), and Feifei Li (Alibaba Group, China)</i>	
Forecasting COVID-19 Dynamics: Clustering, Generalized Spatiotemporal Attention, and Impacts of Mobility and Geographic Proximity	2892
<i>Tong Shen (Carnegie Mellon University, USA), Yang Li (Carnegie Mellon University, USA), and Jose M.F. Moura (Carnegie Mellon University, USA)</i>	
Fed-SC: One-Shot Federated Subspace Clustering over High-Dimensional Data	2905
<i>Songjie Xie (ShanghaiTech University, China), Youlong Wu (ShanghaiTech University, China), Kewen Liao (Australian Catholic University, Australia), Lu Chen (Swinburne University of Technology, Australia), Chengfei Liu (Swinburne University of Technology, Australia), Haifeng Shen (Australian Catholic University, Australia), Mingjian Tang (Atlassian), and Lu Sun (ShanghaiTech University, China)</i>	

Towards Optimizing Storage Costs on the Cloud	2919
<i>Koyel Mukherjee (Adobe Research), Raunak Shah (Adobe Research), Shiv K. Saini (Adobe Research), Karanpreet Singh (IIT Roorkee), Khushi . (IIT Roorkee), Harsh Kesarwani (IIT Roorkee), Kavya Barnwal (IIT Roorkee), and Ayush Chauhan (UT Austin)</i>	
Contrastive Trajectory Similarity Learning with Dual-Feature Attention	2933
<i>Yanchuan Chang (The University of Melbourne, Australia), Jianzhong Qi (The University of Melbourne, Australia), Yuxuan Liang (National University of Singapore, Singapore), and Egemen Tanin (The University of Melbourne, Australia)</i>	
Towards a GML-Enabled Knowledge Graph Platform	2946
<i>Hussein Abdallah (Concordia University) and Essam Mansour (Concordia University)</i>	

Industry and Applications Track

Cross-Domain Disentangled Learning for E-Commerce Live Streaming Recommendation	2955
<i>Yixin Zhang (Shandong University, China; Joint SDU-NTU Centre for Artificial Intelligence Research (C-FAIR), Shandong University, China), Yong Liu (Alibaba-NTU Singapore Joint Research Institute, Singapore), Hao Xiong (Alibaba Group, China), Yi Liu (Alibaba Group, China), Fuqiang Yu (Shandong University, Jinan, China; Joint SDU-NTU Centre for Artificial Intelligence Research (C-FAIR), Shandong University, China), Wei He (Shandong University, China), Yonghui Xu (Joint SDU-NTU Centre for Artificial Intelligence Research (C-FAIR), Shandong University, China), Lizhen Cui (Shandong University, China; Joint SDU-NTU Centre for Artificial Intelligence Research (C-FAIR), Shandong University, China), and Chunyan Miao (Alibaba-NTU Singapore Joint Research Institute, Singapore; Nanyang Technological University, Singapore)</i>	
HiNet: Novel Multi-Scenario & Multi-Task Learning with Hierarchical Information Extraction..	2969
<i>Jie Zhou (Beihang University; Meituan, China), Xianshuai Cao (Meituan, China), Wenhao Li (Meituan, China), Lin Bo (Meituan, China), Kun Zhang (Meituan, China), Chuan Luo (Beihang University, China), and Qian Yu (Beihang University, China)</i>	
OpenEmbedding: A Distributed Parameter Server for Deep Learning Recommendation Models using Persistent Memory	2976
<i>Cheng Chen (4Paradigm Inc., National University of Singapore), Yilin Wang (4Paradigm Inc.), Jun Yang (4Paradigm Inc.), Yiming Liu (4Paradigm Inc.), Mian Lu (4Paradigm Inc.), Zhao Zheng (4Paradigm Inc.), Bingsheng He (National University of Singapore), Weng-Fai Wong (National University of Singapore), Liang You (Alibaba Group), Penghao Sun (Alibaba Group), Yuping Zhao (Intel Corporation), Fenghua Hu (Intel Corporation), and Andy Rudoff (Intel Corporation)</i>	

Construction and Applications of Billion-Scale Pre-Trained Multimodal Business Knowledge Graph	2988
<i>Shumin Deng (National University of Singapore, Singapore), Chengming Wang (Alibaba Group, China), Zhoubo Li (Zhejiang University, China), Ningyu Zhang (Zhejiang University, China), Zelin Dai (Alibaba Group, China), Hehong Chen (Alibaba Group, China), Feiyu Xiong (Alibaba Group, China), Ming Yan (Alibaba Group, China), Qiang Chen (Alibaba Group, China), Mosha Chen (Alibaba Group, China), Jiaoyan Chen (The University of Manchester, United Kingdom), Jeff Z. Pan (The University of Edinburgh, United Kingdom), Bryan Hooi (National University of Singapore, Singapore), and Huajun Chen (Zhejiang University, China)</i>	
REDE: Exploring Relay Transportation for Efficient Last-Mile Delivery	3003
<i>Wenjun Lyu (JD Logistics, China; Rutgers University, USA), Haotian Wang (JD Logistics, China), Zhiqing Hong (Rutgers University, USA), Guang Wang (Florida State University, USA), Yu Yang (Lehigh University, USA), Yunhuai Liu (Peking University, China), and Desheng Zhang (Rutgers University, USA)</i>	
ALT: An Automatic System for Long Tail Scenario Modeling	3017
<i>Ya-Lin Zhang (Ant Group, China), Jun Zhou (Ant Group, China), Yankun Ren (Ant Group, China), Yue Zhang (Ant Group, China), Xinxing Yang (Ant Group, China), Meng Li (Ant Group, China), Qitao Shi (Ant Group, China), and Longfei Li (Ant Group, China)</i>	
Scalable Online Interval Join on Modern Multicore Processors in OpenMLDB	3031
<i>Hao Zhang (4Paradigm Inc.), Xianzhi Zeng (Singapore University of Technology and Design), Shuhao Zhang (Singapore University of Technology and Design), Xinyi Liu (4Paradigm Inc.), Mian Lu (4Paradigm Inc. Zhao), and Yuqiang Chen (4Paradigm Inc.)</i>	
Accelerating Cloud-Native Databases with Distributed PMem Stores	3043
<i>Jason Sun (ByteDance Inc.), Haoxiang Ma (ByteDance Inc.), Li Zhang (ByteDance Inc.), Huicong Liu (ByteDance Inc.), Haiyang Shi (ByteDance US Infrastructure System Lab), Shangyu Luo (ByteDance US Infrastructure System Lab), Kai Wu (Microsoft Corporation; ByteDance US Infrastructure System Lab), Kevin Bruhwiler (University of California at Irvine), Cheng Zhu (ByteDance Inc.), Yuanyuan Nie (ByteDance Inc.), Jianjun Chen (ByteDance US Infrastructure System Lab), Lei Zhang (ByteDance Inc.), and Yuming Liang (ByteDance Inc.)</i>	
Hierarchical Interest Modeling of Long-Tailed Users for Click-Through Rate Prediction	3058
<i>Xu Xie (Peking University, China; Alibaba Group, China), Jin Niu (Alibaba Group, China), Lifang Deng (Alibaba Group, China), Dan Wang (Alibaba Group, China), Jiandong Zhang (Alibaba Group, China), Zhihua Wu (Lazada), Kaigui Bian (Peking University, China; National Engineering Lab for Big Data Analysis and Applications), Gang Cao (Beijing Academy of Artificial Intelligence (BAAI)), and Bin Cui (Peking University, China)</i>	
Automatic Synonym Extraction and Context-Based Query Reformulation for Points-of-Interest Search	3072
<i>Pengfei Li (Grabtaxi Holdings Pte. Ltd., Singapore) and Gaurav Gaurav (Grabtaxi Holdings Pte. Ltd., Singapore)</i>	

MAMDR: A Model Agnostic Learning Framework for Multi-Domain Recommendation	3079
<i>Linhao Luo (Monash University), Yumeng Li (Alibaba Group), Buyu Gao (Alibaba Group), Shuai Tang (Independent Researcher), Sinan Wang (Alibaba Group), Jiancheng Li (Alibaba Group), Tanchao Zhu (Alibaba Group), Jiancai Liu (Alibaba Group), Zhao Li (Hangzhou Link2Do Technology), and Shirui Pan (Griffith University)</i>	
Efficient and Effective Path Compression in Large Graphs	3093
<i>Yilun Huang (University of Technology Sydney, Australia), Dong Wen (The University of New South Wales, Australia), Longbin Lai (Alibaba Group, China), Zhengping Qian (Alibaba Group, China), Lu Qin (University of Technology Sydney, Australia), and Ying Zhang (Zhejiang Gongshang University, China;University of Technology Sydney, Australia)</i>	
Modeling Intra- and Inter-Community Information for Route and Time Prediction in Last-Mile Delivery	3106
<i>Yuting Qiang (Cainiao Network, China), Haomin Wen (Cainiao Network, China; Beijing Jiaotong University, China), Lixia Wu (Cainiao Network, China), Xiaowei Mao (Cainiao Network, ChinaBeijing Jiaotong University, China), Fan Wu (Cainiao Network, China), Huaiyu Wan (Beijing Jiaotong University, China), and Haoyuan Hu (Cainiao Network, China)</i>	
DCMT: A Direct Entire-Space Causal Multi-Task Framework for Post-Click Conversion Estimation	3113
<i>Feng Zhu (Ant Group, China), Mingjie Zhong (Ant Group, China), Xinxing Yang (Ant Group, China), Longfei Li (Ant Group, China), Lu Yu (Ant Group, China), Tiehua Zhang (Ant Group, China), Jun Zhou (Ant Group, China), Chaochao Chen (Zhejiang University, China), Fei Wu (Zhejiang University, China), Guanfeng Liu (Macquarie University, Australia), and Yan Wang (Macquarie University, Australia)</i>	
COME: Learning to Coordinate Crowdsourcing and Regular Couriers for Offline Delivery During Online Mega Sale Days	3126
<i>Guanzhou Zhu (Beijing University of Posts and Telecommunications, China), Dong Zhao (Beijing University of Posts and Telecommunications, China), Yizong Wang (Beijing University of Posts and Telecommunications, China), Haotian Wang (JD Logistics), Desheng Zhang (Rutgers University), and Huadong Ma (Beijing University of Posts and Telecommunications, China)</i>	
FLBooster: A Unified and Efficient Platform for Federated Learning Acceleration	3140
<i>Zhihao Zeng (Zhejiang University, China), Yuntao Du (Zhejiang University, China), Ziquan Fang (Zhejiang University, China), Lu Chen (Zhejiang University, China), Shiliang Pu (Hikvision, China), Guodong Chen (Hikvision, China), Hui Wang (Hikvision, China), and Yunjun Gao (Zhejiang University, China)</i>	
ResuFormer: Semantic Structure Understanding for Resumes via Multi-Modal Pre-Training ..	3154
<i>Kaichun Yao (Baidu Inc., China), Jingshuai Zhang (Baidu Inc., China), Chuan Qin (Baidu Inc., China), Xin Song (Baidu Inc., China), Peng Wang (Baidu Inc., China), Hengshu Zhu (Baidu Inc., China), and Hui Xiong (The Hong Kong University of Science and Technology (Guangzhou), China)</i>	

SUFS: A Generic Storage Usage Forecasting Service Through Adaptive Ensemble Learning	3168
<i>Luming Sun (ByteDance Inc.; Renmin University of China), Shijin Gong (ByteDance Inc.); University of Science and Technology of China), Tiejing Zhang (ByteDance Inc.), Fuxin Jiang (ByteDance Inc.), Zhibing Zhao (ByteDance Inc.), Jianjun Chen (ByteDance Inc.), and Xinyu Zhang (Chinese Academy of Sciences)</i>	
GARCIA: Powering Representations of Long-Tail Query with Multi-granularity Contrastive Learning	3182
<i>Weifan Wang (Ant Group, China), Binbin Hu (Ant Group, China), Zhicheng Peng (Ant Group, China), Mingjie Zhong (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Zhongyi Liu (Ant Group, China), Guannan Zhang (Ant Group, China), and Jun Zhou (Ant Group, China)</i>	
Backward-Sort for Time Series in Apache IoTDB	3196
<i>Xiaojian Zhang (Tsinghua University), Hongyin Zhang (Tsinghua University), Shaoxu Song (NERCBDS, BNRist, Tsinghua University), Xiangdong Huang (Timecho Ltd), Chen Wang (Timecho Ltd), and Jianmin Wang (Tsinghua University)</i>	
Learned Probing Cardinality Estimation for High-Dimensional Approximate NN Search	3209
<i>Bolong Zheng (Huazhong University of Science and Technology, China), Ziyang Yue (Huazhong University of Science and Technology, China), Qi Hu (Huazhong University of Science and Technology, China), Xiaomeng Yi (Zilliz, China), Xiaofan Luan (Zilliz, China), Charles Xie (Zilliz, China), Xiaofang Zhou (The Hong Kong University of Science and Technology, China), and Christian S. Jensen (Aalborg University, Denmark)</i>	
Attention Weighted Mixture of Experts with Contrastive Learning for Personalized Ranking in E-Commerce	3222
<i>Juan Gong (JD.com, China), Zhenlin Chen (JD.com, China), Chaoyi Ma (JD.com, China), Zhuojian Xiao (JD.com, China), Haonan Wang (JD.com, China), Guoyu Tang (JD.com, China), Lin Liu (JD.com, China), Sulong Xu (JD.com, China), Bo Long (JD.com, China), and Yunjiang Jiang (JD.com, USA)</i>	
InferTurbo: A Scalable System for Boosting Full-Graph Inference of Graph Neural Network over Huge Graphs	3235
<i>Dalong Zhang (Ant Group, China), Xianzheng Song (Ant Group, China), Zhiyang Hu (Ant Group, China), Yang Li (Ant Group, China), Miao Tao (Ant Group, China), Binbin Hu (Ant Group, China), Lin Wang (Ant Group, China), Zhiqiang Zhang (Ant Group, China), and Jun Zhou (Ant Group, China)</i>	
Who Would be Interested in Services? An Entity Graph Learning System for User Targeting ..	3248
<i>Dan Yang (Ant Group, China), Binbin Hu (Ant Group, China), Xiaoyan Yang (Ant Group, China), Yue Shen (Ant Group, China), Zhiqiang Zhang (Ant Group, China), Jinjie Gu (Ant Group, China), and Guannan Zhang (Ant Group, China)</i>	

Impact-Aware Maneuver Decision with Enhanced Perception for Autonomous Vehicle	3255
<i>Shuncheng Liu (University of Electronic Science and Technology of China, China), Yuyang Xia (University of Electronic Science and Technology of China, China), Xu Chen (University of Electronic Science and Technology of China, China), Jiandong Xie (Huawei Cloud Database Innovation Lab, China), Han Su (University of Electronic Science and Technology of China, China), and Kai Zheng (University of Electronic Science and Technology of China, China)</i>	
SAMI: A Shape-Aware Cycling Map Inference Framework for Designated Driving Service	3269
<i>Wenyi Shen (East China Normal University, China), Wenyu Wu (East China Normal University, China), Jiali Mao (East China Normal University, China), Jie Chen (East China Normal University, China), Shaosheng Cao (DiDi Chuxing, China), Lisheng Zhao (DiDi Chuxing, China), Aoying Zhou (East China Normal University, China), and Lin Zhou (DiDi Chuxing, China)</i>	
PUSION - A Generic and Automated Framework for Decision Fusion	3282
<i>Yannick Wilhelm (Festo SE & Co. KG, Germany), Peter Reimann (University of Stuttgart, Germany), Wolfgang Gauchel (Festo SE & Co. KG, Germany), Steffen Klein (Saarland University, Germany), and Bernhard Mitschang (University of Stuttgart, Germany)</i>	
M ² G4RTP: A Multi-Level and Multi-Task Graph Model for Instant-Logistics Route and Time Joint Prediction	3296
<i>Tianyue Cai (Beijing Jiaotong University, China; Cainiao Network, China), Huaiyu Wan (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Fan Wu (Cainiao Network, China), Haomin Wen (Beijing Jiaotong University, China; Cainiao Network, China), Shengnan Guo (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China), Lixia Wu (Cainiao Network, China), Haoyuan Hu (Cainiao Network, China), and Youfang Lin (Beijing Jiaotong University, China; Beijing Key Laboratory of Traffic Data Analysis and Mining, China)</i>	
UniMatch: A Unified User-Item Matching Framework for the Multi-Purpose Merchant Marketing ..	3309
<i>Qifang Zhao (Alibaba Group, China), Tianyu Li (Alibaba Group, China), Meng Du (Alibaba Group, China), Yu Jiang (Alibaba Group, China), Qinghui Sun (Alibaba Group, China), Zhongyao Wang (Alibaba Group, China), Hong Liu (Alibaba Group, China), and Huan Xu (Alibaba Group, China)</i>	
Dataset Similarity Detection for Global Deduplication in the DD File System	3322
<i>Tony Wong (Dell Technologies), Smriti Thakkar (Dell Technologies), Kao-Feng Hsieh (Dell Technologies), Zachary Tom (Dell Technologies), Hetaben Saraiya (Dell Technologies), and Philip Shilane (Dell Technologies)</i>	
Reactive Company Control in Company Knowledge Graphs	3336
<i>Davide Magnanini (Banca d'Italia & Politecnico di Milano), Luigi Bellomarini (Banca d'Italia), Stefano Ceri (Politecnico di Milano), and Davide Martinenghi (Politecnico di Milano)</i>	

AIM: A Practical Approach to Automated Index Management for SQL Databases	3349
<i>Ritwik Yadav (Meta Platforms, Inc., USA), Satyanarayana R. Valluri (Meta Platforms, Inc., USA), and Mohamed Zait (Meta Platforms, Inc., USA)</i>	
PM-Blade: A Persistent Memory Augmented LSM-Tree Storage for Database	3363
<i>Yinan Zhang (East China Normal University, China), Huiqi Hu (East China Normal University, China), Xuan Zhou (East China Normal University, China), Enlong Xie (Meituan, China), Hongdi Ren (Meituan, China), and Le Jin (Meituan, China)</i>	
Firestore: The NoSQL Serverless Database for the Application Developer	3376
<i>Ram Kesavan (Google), David Gay (Google), Daniel Thevessen (Google), Jimit Shah (Google), and C. Mohan (Tsinghua University)</i>	
Sim2Rec: A Simulator-Based Decision-Making Approach to Optimize Real-World Long-Term User Engagement in Sequential Recommender Systems	3389
<i>Xiong-Hui Chen (Nanjing University, China; Polixir.ai), Bowei He (City University of Hong Kong), Yang Yu (Nanjing University, China; Polixir.ai; Peng Cheng Laboratory, China), Qingyang Li (DiDi AI Labs), Zhiwei Qin (Lyft), Wenjie Shang (DiDi AI Labs), Jieping Ye (DiDi AI Labs), and Chen Ma (City University of Hong Kong)</i>	
Delivery Time Prediction using Large-Scale Graph Structure Learning Based on Quantile Regression	3403
<i>Lei Zhang (Shandong University, China), Xin Zhou (Alibaba-NTU Singapore Joint Research Institute, Singapore), Zhiwei Zeng (Nanyang Technological University, Singapore), Yiming Cao (Shandong University, China), Yonghui Xu (Shandong University, China), Mingliang Wang (Alibaba Group, China), Xingyu Wu (Alibaba Group, China), Yong Liu (Alibaba-NTU Singapore Joint Research Institute, Singapore), Lizhen Cui (Shandong University, China), and Zhiqi Shen (Alibaba-NTU Singapore Joint Research Institute; Nanyang Technological University, Singapore)</i>	
Cougar: A General Framework for Jobs Optimization In Cloud	3417
<i>Bo Sang (AntGroup US), Shuwei Gu (AntGroup China), Xiaojun Zhan (AntGroup China), Mingjie Tang (Sichuan University), Jian Liu (Antgroup.com), Xuan Chen (Tencent China), Jie Tan (AntGroup China), Haoyuan Ge (AntGroup China), Ke Zhang (Antgroup China), Ruoyi Ruan (AntGroup China), and Wei Yan (AntGroup Us)</i>	
Continual Causal Inference with Incremental Observational Data	3430
<i>Zhixuan Chu (Ant Group, China), Ruopeng Li (Ant Group, China), Stephen Rathbun (University of Georgia, USA), and Sheng Li (University of Virginia, USA)</i>	
Automatic Fusion Network for Cold-Start CVR Prediction with Explicit Multi-Level Representation	3440
<i>Jipeng Jin (Shanghai Jiao Tong University, China), Guangben Lu (Tencent, China), Sijia Li (Shanghai Jiao Tong University, China), Xiaofeng Gao (Shanghai Jiao Tong University, China), Ao Tan (Tencent, China), and Lifeng Wang (Tencent, China)</i>	

Tele-Knowledge Pre-Training for Fault Analysis	3453
<i>Zhuo Chen (Zhejiang University;Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Wen Zhang (Zhejiang University;Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China), Yufeng Huang (Zhejiang University, China), Mingyang Chen (Zhejiang University, China), Yuxia Geng (Zhejiang University, China), Hongtao Yu (Zhejiang University, China), Zhen Bi (Zhejiang University, China), Yichi Zhang (Zhejiang University, China), Zhen Yao (Zhejiang University, China), Wenting Song (Huawei Technologies Co., Ltd., China), Xinliang Wu (Huawei Technologies Co., Ltd., China), Yi Yang (Huawei Technologies Co., Ltd., China), Mingyi Chen (Huawei Technologies Co., Ltd., China), Zhaoyang Lian (Huawei Technologies Co., Ltd., China), Yingying Li (Huawei Technologies Co., Ltd., China), Lei Cheng (Huawei Technologies Co., Ltd., China), and Huajun Chen (Zhejiang University;Donghai Laboratory;Alibaba-Zhejiang University Joint Institute of Frontier Technologies, China)</i>	
Decision Support System for Chronic Diseases Based on Drug-Drug Interactions	3467
<i>Tian Bian (The Chinese University of Hong Kong, China), Yuli Jiang (The Chinese University of Hong Kong, China), Jia Li (Hong Kong University of science and Technology (Guangzhou), China), Tingyang Xu (Tencent AI Lab, China), Yu Rong (Tencent AI Lab, China), Yi Su (Hunan Normal University, China), Timothy Kwok (The Chinese University of Hong Kong, China), Helen Meng (The Chinese University of Hong Kong, China), and Hong Cheng (The Chinese University of Hong Kong, China)</i>	
Two-Sided Instant Incentive Optimization Under a Shared Budget in Ride-Hailing Services	3481
<i>Junlin Chen (Tsinghua University, China), Xin Liu (Meituan, China), Weidong Liu (Meituan, China), and Hai Jiang (Tsinghua University, China)</i>	
LightMIRM: Light Meta-Learned Invariant Risk Minimization for Trustworthy Loan Default Prediction	3494
<i>Meng Jiang (University of Science and Technology of China, China), Yang Zhang (University of Science and Technology of China, China), Yuan Gao (University of Science and Technology of China, China), Yansong Wang (Chery Fs, China), Fuli Feng (University of Science and Technology of China, China), and Xiangnan He (University of Science and Technology of China, China)</i>	
StreamMLOps: Operationalizing Online Learning for Big Data Streaming & Real-Time Applications	3508
<i>Mariam Barry (BNP Paribas; Institut Polytechnique de Paris, France), Jacob Montiel (University of Waikato; Amazon, USA), Albert Bifet (University of Waikato, New Zealand; Institut Polytechnique de Paris, France), Sameer Wadkar (Domino Data Lab, USA), Nikolay Manchev (Domino Data Lab, USA), Max Halford (Carbonfact, France), Raja Chiky (3DS OUTSCALE, France), Saad El Jaouhari (ISEP, Ecole d'Ingénieurs du Numérique, France), Katherine B. Shakman (Lyra Health, USA), Joudi Al Fehaily (BNP Paribas, France), Fabrice Le Deit (BNP Paribas, France), Vinh-Thuy Tran (BNP Paribas, France), and Eric Guerizec (BNP Paribas, France)</i>	

GCRL: Efficient Delivery Area Assignment for Last-mile Logistics with Group-based Cooperative Reinforcement Learning	3522
<i>Hai Wang (JD Logistics Southeast University), Shuai Wang (Southeast University), Yu Yang (Lehigh University), and Desheng Zhang (Rutgers University)</i>	
A Rule-Based Decision System for Financial Applications	3535
<i>Meng Li (Ant Group), Jun Zhou (Ant Group), Lu Yu (Ant Group), Xiaoguang Huang (Ant Group), Yongfeng Gu (Ant Group), Yi Ding (Ant Group), Hao Ding (Ant Group), and Longfei Li (Ant Group)</i>	
BASM: A Bottom-up Adaptive Spatiotemporal Model for Online Food Ordering Service	3549
<i>Boya Du (Alibaba Group, China), Shaochuan Lin (Alibaba Group, China), Jiong Gao (Alibaba Group, China), Xiyu Ji (Alibaba Group, China), Mengya Wang (Alibaba Group, China), Taotao Zhou (Alibaba Group, China), Hengxu He (Alibaba Group, China), Jia Jia (Alibaba Group, China), and Ning Hu (Alibaba Group, China)</i>	
Efficient Parallel Mining of High-utility Itemsets on Multicore Processors	3563
<i>Genki Kimura (The University of Tokyo, Japan), Yuto Hayamizu (The University of Tokyo, Japan), Rage Uday Kiran (The University of Aizu, Japan), Masaru Kitsuregawa (The University of Tokyo, Japan), and Kazuo Goda (The University of Tokyo, Japan)</i>	

Tutorial Track

The LSM Design Space and its Read Optimizations	3578
<i>Subhadeep Sarkar (Boston University, USA), Niv Dayan (University of Toronto, Canada), and Manos Athanassoulis (Boston University, USA)</i>	
Synthetic Data Generation for Enterprise DBMS	3585
<i>Anupam Sanghi (IBM Research, India) and Jayant R. Haritsa (Indian Institute of Science, India)</i>	
Graph Neural Networks for Tabular Data Learning	3589
<i>Cheng-Te Li (National Cheng Kung University, Taiwan), Yu-Che Tsai (National Taiwan University, Taiwan), and Jay Chiehen Liao (National Cheng Kung University, Taiwan)</i>	
User-Defined Functions in Modern Data Engines	3593
<i>Yannis Foufoulas (University of Athens, Greece) and Alkis Simitsis (Athena Research Center, Greece)</i>	

Demonstration Track

SVQ-ACT: Querying For Actions Over Videos	3599
<i>Daren Chao (University of Toronto, Canada), Kaiwen Chen (University of Toronto, Canada), and Nick Koudas (University of Toronto, Canada)</i>	

GENSQL: A Generative Natural Language Interface to Database Systems	3603
<i>Yuankai Fan (Fudan University, China), Tonghui Ren (Fudan University, China), Zhenying He (Fudan University;Shanghai Key Laboratory of Data Science, China), X.Sean Wang (Zhejiang Lab;Fudan University, China), Ye Zhang (China UnionPay Merchant Services Co., LTD., China), and Xingang Li (China UnionPay Merchant Services Co., LTD., China)</i>	
MetroWatch: A Predictive System to Estimate Travel Attributes using Smart Card Data	3607
<i>Janaka Brahmanage (Singapore Management University, Singapore), Thivya Kandappu (Singapore Management University, Singapore), and Baihua Zheng (Singapore Management University, Singapore)</i>	
Graph-Based Tool for Exploring PubMed Knowledge Base	3611
<i>Simone Bottoni (University of Insubria, Italy), Alberto Trombetta (University of Insubria, Italy), Flavio Bertini (University of Parma, Italy), Danilo Montesi (University of Bologna, Italy), Francesca Bonin (IBM Research Europe, Ireland), Alessandra Pascale (IBM Research Europe, Ireland), Martin Gleize (IBM Research Europe, Ireland), and Pierpaolo Tommasi (IBM Research Europe, Ireland)</i>	
BLUTune: Tuning Up IBM Db2 with ML	3615
<i>Connor Henderson (York Univerity and IBM CAS), Vincent Corvinelli (IBM Ltd.), Parke Godfrey (York University and IBM CAS), Piotr Mierzejewski (IBM Ltd.), Jaroslaw Szlichta (York University and IBM CAS), and Calisto Zuzarte (IBM Ltd.)</i>	
FALL: A Modular Adaptive Learning Platform for Streaming Data	3619
<i>Ben Halstead (University of Auckland, New Zealand), Yun Sing Koh (University of Auckland, New Zealand), Patricia Riddle (University of Auckland, New Zealand), Mykola Pechenizkiy (Eindhoven University of Technology, The Netherlands), and Albert Bifet (University of Waikato and LTCI)</i>	
iORDER: Mining Implicit Domain Orders	3623
<i>Alexander Bianchi (Ontario Tech University), Reza Karegar (University of Waterloo), Parke Godfrey (York University), Lukasz Golab (University of Waterloo), Mehdi Kargar (Toronto Metropolitan Univ), Divesh Srivastava (AT&T Chief Data Office), and Jaroslaw Szlichta (York University)</i>	
PyLathеDB - A Library for Relational Keyword Search with Support to Schema References	3627
<i>Paulo Martins (Federal University of Amazonas, Brazil), Ariel Afonso (Federal University of Amazonas, Brazil), and Altigran da Silva (Federal University of Amazonas, Brazil)</i>	
CREDENCE: Counterfactual Explanations for Document Ranking	3631
<i>Joel Rorseth (University of Waterloo), Parke Godfrey (York University), Lukasz Golab (University of Waterloo), Mehdi Kargar (Toronto Metropolitan University), Divesh Srivastava (AT&T Chief Data Office), and Jaroslaw Szlichta (York University)</i>	
Example Searcher: A Spatial Query System via Example	3635
<i>Jun Xuan Yew (Nanyang Technological University), Ningyi Liao (Nanyang Technological University), Dingheng Mo (Nanyang Technological University), and Siqiang Luo (Nanyang Technological University)</i>	

CRYPTTEXT: Database and Interactive Toolkit of Human-Written Text Perturbations in the Wild.....	3639
<i>Thai Le (University of Mississippi), Yiran Ye (The Pennsylvania State University), Yifan Hu (Yahoo Inc), and Dongwon Lee (The Pennsylvania State University)</i>	
EdgeVisionBench: A Benchmark of Evolving Input Domains for Vision Applications at Edge ...	3643
<i>Qinglong Zhang (Beijing Institute of Technology, China), Rui Han (Beijing Institute of Technology, China), Chi Harold Liu (Beijing Institute of Technology, China), Guoren Wang (Beijing Institute of Technology, China), and Lydia Y. Chen (TU Delft, Netherlands)</i>	
Traveling Back in Time: A Visual Debugger for Stream Processing Applications	3647
<i>Timo R�ath (Technische Universit�at Ilmenau, Germany) and Kai-Uwe Sattler (Technische Universit�at Ilmenau, Germany)</i>	
An Efficient Generative Data Imputation Toolbox with Adversarial Learning	3651
<i>Yangyang Wu (Zhejiang University, China), Xiaoye Miao (Zhejiang University, China), Zilinghan Li (Zhejiang University, China), Shilan He (Zhejiang University, China), Xinkai Yuan (Zhejiang University, China), and Jianwei Yin (Zhejiang University, China)</i>	
DaRAV: A Tool for Visualizing De-Anonymization Risks	3655
<i>E. Adamakis (Institute of Computer Science, Greece), M. Boch (Research Studio Data Science, Austria), A. Bampoulidis (Medical University of Vienna 1090, Austria), G. Margetis (Institute of Computer Science, Greece), S. Gindl (Research Studio Data Science, Austria), and C. Stephanidis (Institute of Computer Science;University of Crete, Greece)</i>	
Unshackling Database Benchmarking from Synthetic Workloads	3659
<i>Parimarjan Negi (MIT), Laurent Bindschaedler (MIT), Mohammad Alizadeh (MIT), Tim Kraska (MIT), Jyoti Leeka (Microsoft), Anja Gruenheid (Microsoft), and Matteo Interlandi (Microsoft)</i>	
Causal What-If and How-To Analysis using Hyper	3663
<i>Fangzhu Shen (Duke University), Kayvon Heravi (University of California San Diego), Oscar Gomez (Duke University), Sainyam Galhotra (University of Chicago), Amir Gilad (Duke University), Sudeepa Roy (Duke University), and Babak Salimi (University of California San Diego)</i>	
CORGI: An Interactive Framework for Customizable and Robust Location Obfuscation	3667
<i>Primal Pappachan (Pennsylvania State University, USA), Vishnu Sharma Hunsur Manjunath (Pennsylvania State University, USA), Chenxi Qiu (University of North Texas, USA), Anna Squicciarini (Pennsylvania State University, USA), and Hailey Onweller (Pennsylvania State University, USA)</i>	

T-FinKB: A Platform of Temporal Financial Knowledge Base Construction	3671
<i>Xinyi Zhu (The Hong Kong University of Science and Technology (GZ), China), Liping Wang (The Hong Kong University of Science and Technology (GZ), China), Hao Xin (The Hong Kong University of Science and Technology, China), Xiaohan Wang (The Chinese University of Hong Kong, China), Zhifeng Jia (The Hong Kong University of Science and Technology, China), Jiyao Wang (The Hong Kong University of Science and Technology (GZ), China), Chunming Ma (The Hong Kong University of Science and Technology (GZ), China), and Yuxiang Zeng (The Hong Kong University of Science and Technology, China)</i>	

Special Track

The Metaverse Data Deluge: What Can We Do About It?	3675
<i>Beng Chin Ooi (National University of Singapore), Gang Chen (Zhejiang University), Mike Zheng Shou (National University of Singapore), Kian-Lee Tan (National University of Singapore), Anthony Tung (National University of Singapore), Xiaokui Xiao (National University of Singapore), James Wei Luen Yip (National University Hospital), Bingxue Zhang (University of Shanghai for Science and Technology), and Meihui Zhang (Beijing Institute of Technology)</i>	
Relational Fabric: Transparent Data Transformation	3688
<i>Tarikul Islam Papon (Boston University), Ju Hyoung Mun (Boston University), Shahin Roozkhosh (Boston University), Denis Hoornaert (Technical University of Munich), Ahmed Sanallah (Red Hat), Ulrich Drepper (Red Hat), Renato Mancuso (Boston University), and Manos Athanassoulis (Boston University)</i>	
Analytical Engines With Context-Rich Processing: Towards Efficient Next-Generation Analytics	3699
<i>Viktor Sanca (EPFL, Switzerland) and Anastasia Ailamaki (EPFL, Switzerland)</i>	
Nested Loops Revisited Again	3708
<i>Hiroyuki Yamada (The University of Tokyo, Japan), Kazuo Goda (The University of Tokyo, Japan), and Masaru Kitsuregawa (The University of Tokyo, Japan)</i>	
Understanding the Price of Data in Commercial Data Marketplaces	3718
<i>Santiago Andres Azcoitia (IMDEA Networks Institute, Spain; Universidad Carlos III de Madrid, Spain), Costas Iordanou (Cyprus University of Technology, Cyprus), and Nikolaos Laoutaris (Imdea Networks Institute, Spain)</i>	
Amalur: Data Integration Meets Machine Learning	3729
<i>Rihan Hai (Delft University of Technology), Christos Koutras (Delft University of Technology), Andra Ionescu (Delft University of Technology), Ziyu Li (Delft University of Technology), Wenbo Sun (Delft University of Technology), Jessie van Schijndel (Delft University of Technology), Yan Kang (WeBank), and Asterios Katsifodimos (Delft University of Technology)</i>	

SPA: Economical and Workload-Driven Indexing for Data Analytics in the Cloud	3740
<i>Peter Boncz (CWI, The Netherlands), Yannis Chronis (UW Madison, USA), Jan Finis (Salesforce, Germany), Stefan Halfpap (HPI, Germany), Viktor Leis (TUM, Germany), Thomas Neumann (TUM, Germany), Anisoara Nica (SAP SE, Canada), Caetano Sauer (Salesforce, Germany), Knut Stolze (IBM, Germany), and Marcin Zukowski (Snowflake, USA)</i>	
Automated Data Cleaning Can Hurt Fairness in Machine Learning-Based Decision Making	3747
<i>Shubha Guha (University of Amsterdam), Falaah Arif Khan (New York University), Julia Stoyanovich (New York University), and Sebastian Schelter (University of Amsterdam)</i>	

TKDE Poster Papers

Enhancing Factorization Machines with Generalized Metric Learning (Extended Abstract)	3755
<i>Yangyang Guo (Shandong Artificial Intelligence Institute, Qilu University of Technology (Shandong Academy of Sciences), China; Shandong University, China), Zhiyong Cheng (Shandong Artificial Intelligence Institute, Qilu University of Technology (Shandong Academy of Sciences), China), Jiazheng Jing (Shandong University, China), Yanpeng Lin (Mercari, Inc., Japan), Liqiang Nie (Shandong University, China), and Meng Wang (Hefei University of Technology, China)</i>	
A High-Performance Index for Real-Time Matrix Retrieval (Extended Abstract)	3757
<i>Zeyi Wen (Hong Kong University of Science and Technology (Guangzhou); HKUST), Mingyu Liang (Cornell University), Bingsheng He (National University of Singapore), and Zexin Xia (Shanghai Jiao Tong University, China)</i>	
Intention-Aware Sequential Recommendation with Structured Intent Transition (Extended Abstract)	3759
<i>Haoyang Li (Tsinghua University, China), Xin Wang (Tsinghua University, China), Ziwei Zhang (Tsinghua University, China), Jianxin Ma (Tsinghua University, China), Peng Cui (Tsinghua University, China), and Wenwu Zhu (Tsinghua University, China)</i>	
Consensus One-Step Multi-view Subspace Clustering (Extended Abstract)	3761
<i>Pei Zhang (National University of Defense Technology, China), Xinwang Liu (National University of Defense Technology, China), Jian Xiong (Southwestern University of Finance and Economics, China), Sihang Zhou (National University of Defense Technology, China), Wentao Zhao (National University of Defense Technology, China), En Zhu (National University of Defense Technology, China), and Zhiping Cai (National University of Defense Technology, China)</i>	
Discovering Temporal Patterns for Event Sequence Clustering via Policy Mixture Model (Extended Abstract)	3763
<i>Weichang Wu (Ant Group, China), Junchi Yan (MoE Key Lab of Artificial Intelligence, AI Institute, Shanghai Jiao Tong University, China), Xiaokang Yang (MoE Key Lab of Artificial Intelligence, AI Institute, Shanghai Jiao Tong University, China), and Hongyuan Zha (Georgia Institute of Technology, USA)</i>	

Exploiting Reuse for GPU Subgraph Enumeration (Extended Abstract)	3765
<i>Wentian Guo (Meta Inc.), Yuchen Li (Singapore Management University), and Kian-Lee Tan (National University of Singapore)</i>	
CPIx: Real-Time Analytics Over Out-of-Order Data Streams by Incremental Sliding-Window Aggregation	3767
<i>Savong Bou (Center for Computational Sciences), Hiroyuki Kitagawa (Center for Computational Sciences; University of Tsukuba), and Toshiyuki Amagasa (Center for Computational Sciences)</i>	
Reachability Queries with Label and Substructure Constraints on Knowledge Graphs (Extended Abstract)	3769
<i>Xiaolong Wan (Harbin Institute of Technology, China) and Hongzhi Wang (Harbin Institute of Technology, China)</i>	
Cost-Sensitive Portfolio Selection via Deep Reinforcement Learning (Extended Abstract)	3771
<i>Yifan Zhang (National University of Singapore), Peilin Zhao (Tencent AI Lab), Qingyao Wu (South China University of Technology), Bin Li (Wuhan University), Junzhou Huang (University of Texas at Arlington), and Mingkui Tan (South China University of Technology; Key Laboratory of Big Data and Intelligent Robot, Ministry of Education; Pazhou Laboratory)</i>	
Collective Decision for Open Set Recognition (Extended Abstract)	3773
<i>Chuanxing Geng (Nanjing University of Aeronautics and Astronautics, China) and Songcan Chen (Nanjing University of Aeronautics and Astronautics, China)</i>	
Multi-task Learning for Recommendation over Heterogeneous Information Network (Extended abstract)	3775
<i>Hui Li (Xiamen University, China), Yanlin Wang (Sun Yat-sen University, China), Ziyu Lyu (Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China), and Jieming Shi (The Hong Kong Polytechnic University, Hong Kong)</i>	
Anomaly Detection in Quasi-Periodic Time Series Based on Automatic Data Segmentation and Attentional LSTM-CNN (Extended Abstract)	3777
<i>Fan Liu (Northwestern Polytechnical University, China; Nanjing Research Institute of Electronics Technology, China; La Trobe University, Australia), Xingshe Zhou (Northwestern Polytechnical University, China), Jinli Cao (La Trobe University, China), Zhu Wang (Northwestern Polytechnical University, China), Tianben Wang (Northwest A&F University, China), Hua Wang (Victoria University, Australia), and Yanchun Zhang (Victoria University, Australia; Guangzhou University, China; New Network Dept., Pengcheng Lab, China)</i>	
A Survey on Spark Ecosystem: Big Data Processing Infrastructure, Machine Learning, and Applications (Extended Abstract)	3779
<i>Shanjiang Tang (Tianjin University, China), Bingsheng He (National University of Singapore, Singapore), Ce Yu (Tianjin University, China), Yusen Li (Nankai University, China), and Kun Li (Tianjin University, China)</i>	
Data Representation by Joint Hypergraph Embedding and Sparse Coding (Extended Abstract)	3781
<i>Guo Zhong (Guangdong University of Foreign Studies, China) and Chi-Man Pun (University of Macau, China)</i>	

Attribute Graph Neural Networks for Strict Cold Start Recommendation (Extended Abstract)	3783
<i>Tieyun Qian (Wuhan University, China), Yile Liang (Wuhan University, China), Qing Li (Hong Kong Polytechnic University, China), and Hui Xiong (AI Thrust, Hong Kong University of Science and Technology (Guangzhou), China)</i>	
A Review for Weighted MinHash Algorithms (Extended Abstract)	3785
<i>Wei Wu (Central South University, China), Bin Li (Fudan University, China), Ling Chen (University of Technology Sydney, Australia), Junbin Gao (The University of Sydney, Australia), and Chengqi Zhang (University of Technology Sydney, Australia)</i>	
Efficient Processing of Group Planning Queries Over Spatial-Social Networks (Extended Abstract)	3787
<i>Ahmed Al-Baghdadi (JPMorgan Chase & Co., USA), Gokarna Sharma (Kent State University, USA), and Xiang Lian (Kent State University, USA)</i>	
An Optimal Online Semi-Connected PLA Algorithm with Maximum Error Bound (Extended Abstract)	3789
<i>Huanyu Zhao (Zhejiang University (NIT), China; The Institute of Applied Mathematics, Hebei Academy of Sciences, China; Hebei Authentication Technology Engineering Research Center, China), Chaoyi Pang (Zhejiang University (NIT), China; The Institute of Applied Mathematics, Hebei Academy of Sciences, China; Hebei Authentication Technology Engineering Research Center, China), Ramamohanarao Kotagiri (University of Melbourne, Australia), Christopher K Pang (University of Queensland, Australia), Ke Deng (RMIT University, Australia), Jian Yang (Macquarie University, Australia), and Tongliang Li (Zhejiang University (NIT), China; The Institute of Applied Mathematics, Hebei Academy of Sciences, China; Hebei Authentication Technology Engineering Research Center, China)</i>	
Efficient and Effective Multi-Modal Queries Through Heterogeneous Network Embedding (Extended Abstract)	3791
<i>Thanh Tam Nguyen (Griffith University, Australia), Chi Thang Duong (Ecole Polytechnique Federale de Lausanne, Switzerland), Hongzhi Yin (The University of Queensland, Australia), Matthias Weidlich (Humboldt-Universitat zu Berlin, Germany), Thai Son Mai (Queen's University Belfast, United Kingdom), Karl Aberer (Ecole Polytechnique Federale de Lausanne, Switzerland), and Quoc Viet Hung Nguyen (Griffith University, Australia)</i>	
A New Belief-Based Incomplete Pattern Unsupervised Classification Method	3793
<i>Zuwei Zhang (University of Rennes 1, France), Zhe Liu (Xi'an University of Architecture and Technology, China), Zongfang Ma (Xi'an University of Architecture and Technology, China), Yiru Zhang (University of Rennes 1, France), and Hao Wang (Norwegian University of Science and Technology, Norway)</i>	

A Survey on Modern Deep Neural Network for Traffic Prediction: Trends, Methods and Challenges (Extended Abstract)	3795
<i>David Alexander Tedjopurnomo (RMIT University, Australia), Zhifeng Bao (RMIT University, Australia), Baihua Zheng (Singapore Management University, Singapore), Farhana Murtaza Choudhury (The University of Melbourne, Australia), and A. K. Qin (Swinburne University of Technology, Australia)</i>	
Achieving Privacy-Preserving and Lightweight Truth Discovery in Mobile Crowdsensing (Extended Abstract)	3797
<i>Jianchao Tang (National University of Defense Technology, China), Shaojing Fu (National University of Defense Technology, China), Ximeng Liu (Fuzhou University, China), Yuchuan Luo (National University of Defense Technology, China), and Ming Xu (National University of Defense Technology, China)</i>	
A Deep Multi-View Framework for Anomaly Detection on Attributed Networks (Extended Abstract)	3799
<i>Zhen Peng (Xi'an Jiaotong University, China), Minnan Luo (Xi'an Jiaotong University, China), Jundong Li (University of Virginia, USA), Luguo Xue (Xi'an Jiaotong University, China), and Qinghua Zheng (Xi'an Jiaotong University, China)</i>	
Collaborative List-and-Pairwise Filtering from Implicit Feedback (Extended Abstract)	3801
<i>Runlong Yu (University of Science and Technology of China, China), Qi Liu (University of Science and Technology of China, China), Yuyang Ye (Rutgers University, USA), Mingyue Cheng (University of Science and Technology of China, China), Enhong Chen (University of Science and Technology of China, China), and Jianhui Ma (University of Science and Technology of China, China)</i>	
A Survey on Knowledge Graph-Based Recommender Systems (Extended Abstract)	3803
<i>Qingyu Guo (HKUST, China), Fuzhen Zhuang (Beihang University, China), Chuan Qin (Baidu Inc., China), Hengshu Zhu (Baidu Inc., China), Xing Xie (Microsoft Research Asia, China), Hui Xiong (HKUST (GZ), China), and Qing He (Institute of Computing Technology, CAS, China)</i>	
Few-Shot Named Entity Recognition via Meta-Learning (Extended Abstract)	3805
<i>Jing Li (Harbin Institute of Technology, China), Billy Chiu (Lingnan University, China), Shanshan Feng (Harbin Institute of Technology, China), and Hao Wang (Wuhan University, China)</i>	
Context-Aware Service Recommendation Based on Knowledge Graph Embedding (Extended Abstract)	3807
<i>Haithem Mezni (SMART Lab, Jendouba University, Tunisia), Djamel Benslimane (Claude Bernard University, France), and Ladjel Bellatreche (ISAE-ENSMA, France)</i>	
Lamps: Location-Aware Moving Top-k Pub/Sub (Extended Abstract)	3809
<i>Shunya Nishio (Osaka University, Japan), Daichi Amagata (Osaka University, Japan), and Takahiro Hara (Osaka University, Japan)</i>	
Unsupervised Feature Learning Architecture with Multi-Clustering Integration RBM	3811
<i>Jielei Chu (Southwest Jiaotong University, China), Hongjun Wang (Southwest Jiaotong University, China), Jing Liu (Sichuan University, China), Zhiguo Gong (University of Macau, China), and Tianrui Li (Southwest Jiaotong University, China)</i>	

Modeling Spatial Trajectories with Attribute Representation Learning (Extended Abstract)	3813
<i>Meng Chen (Shandong University, China), Yan Zhao (Soochow University, China), Yang Liu (Wilfrid Laurier University, Canada), Xiaohui Yu (York University, Canada), and Kai Zheng (University of Electronic Science and Technology of China, China)</i>	
Spatiotemporal Activity Modeling via Hierarchical Cross-Modal Embedding (Extended Abstract)	3815
<i>Yang Liu (Institute of Computing Technology, CAS;University of Chinese Academy of Sciences, China), Xiang Ao (Institute of Computing Technology, CAS;University of Chinese Academy of Sciences, China), Linfeng Dong (Zhejiang University, China), Chao Zhang (Georgia Tech, United States), Jin Wang (Megagon Labs, United States), and Qing He (Institute of Computing Technology, CAS;University of Chinese Academy of Sciences, China)</i>	
A Survey on Deep Learning for Named Entity Recognition (Extended Abstract)	3817
<i>Jing Li (Harbin Institute of Technology, China), Aixin Sun (Nanyang Technological University, Singapore), Jianglei Han (SAP, Singapore), and Chenliang Li (Wuhan University, China)</i>	
Data Dependencies Extended for Variety and Veracity: A Family Tree (Extended Abstract)	3819
<i>Shaoxu Song (Tsinghua University, China), Fei Gao (Tsinghua University, China), Ruihong Huang (Fujian Normal University, China; Tsinghua University, China), and Chaokun Wang (Tsinghua University, China)</i>	
Modelling High-Order Social Relations for Item Recommendation (Extended Abstract)	3821
<i>Yang Liu (Sun Yat-sen University, China), Liang Chen (Sun Yat-sen University, China), Xiangnan He (University of Science and Technology of China, China), Jiaying Peng (Sun Yat-sen University, China), Zibin Zheng (Sun Yat-sen University, China), and Jie Tang (Tsinghua University, China)</i>	
Copula Guided Parallel Gibbs Sampling for Nonparametric and Coherent Topic Discovery (Extended Abstract)	3823
<i>Lihui Lin (Sun Yat-sen University, China), Yanghui Rao (Sun Yat-sen University, China), Haoran Xie (Lingnan University, Hong Kong SAR), Raymond Y. K. Lau (City University of Hong Kong, Hong Kong SAR), Jian Yin (Sun Yat-sen University, China), Fu Lee Wang (Hong Kong Metropolitan University, Hong Kong SAR), and Qing Li (The Hong Kong Polytechnic University, Hong Kong SAR)</i>	
Towards Understanding the Instability of Network Embedding (Extended Abstract)	3825
<i>Chenxu Wang (Xi'an Jiaotong University, China), Wei Rao (Xi'an Jiaotong University, China), Wenna Guo (Xi'an Jiaotong University, China), Pinghui Wang (Xi'an Jiaotong University), Jun Liu (Xi'an Jiaotong University, China), and Xiaohong Guan (Xi'an Jiaotong University, China)</i>	
Enabling Time-Centric Computation for Efficient Temporal Graph Traversals From Multiple Sources (Extended Abstract)	3827
<i>Jaewook Byun (Sejong University, Republic of Korea)</i>	

Iterative Refinement for Multi-Source Visual Domain Adaptation (Extended Abstract)	3829
<i>Hanrui Wu (Jinan University, China), Yuguang Yan (Guangdong University of Technology, China), Guosheng Lin (Nanyang Technological University, Singapore), Min Yang (Chinese Academy of Sciences, China), Michael K. Ng (The University of Hong Kong, China), and Qingyao Wu (South China University of Technology, China)</i>	
Learning Deep Graph Representations via Convolutional Neural Networks (Extended Abstract)	3831
<i>Wei Ye (Tongji University, China), Omid Askarisichani (Google, USA), Alex Jones (University of California, Santa Barbara, USA), and Ambuj Singh (University of California, Santa Barbara, USA)</i>	
Incorporating User's Preference into Attributed Graph Clustering (Extended Abstract)	3833
<i>Wei Ye (Tongji University, China), Dominik Mautz (University of Munich, Germany), Christian Böhm (University of Vienna, Austria), Ambuj Singh (University of California, Santa Barbara, USA), and Claudia Plant (University of Vienna, Austria)</i>	
Tensor Canonical Correlation Analysis Networks for Multi-view Remote Sensing Scene Recognition (Extended Abstract)	3835
<i>Xinghao Yang (China University of Petroleum (East China), China), Weifeng Liu (China University of Petroleum (East China), China), and Wei Liu (University of Technology Sydney, Australia)</i>	
Modeling Product's Visual and Functional Characteristics for Recommender Systems (Extended Abstract)	3837
<i>Bin Wu (Zhengzhou university, China), Xiangnan He (University of Science and Technology of China, China), Yun Chen (Zhengzhou University, China), Liqiang Nie (Shandong University, China), Kai Zheng (University of Electronic Science and Technology of China, China), and Yangdong Ye (Zhengzhou University, China)</i>	
Looking Back on the Past: Active Learning with Historical Evaluation Results (Extended Abstract)	3839
<i>Jing Yao (Renmin University of China, China), Zhicheng Dou (Renmin University of China, China), Jian-Yun Nie (University de Montreal, Canada), and Ji-Rong Wen (Renmin University of China, China)</i>	
DGDFS: Dependence Guided Discriminative Feature Selection for Predicting Adverse Drug-Drug Interaction (Extended Abstract)	3841
<i>Jiajing Zhu (University of Electronic Science and Technology of China, China), Yongguo Liu (University of Electronic Science and Technology of China, China), Chuanbiao Wen (Chengdu University of Traditional Chinese Medicine, China), and Xindong Wu (Mininglamp Academy of Sciences, China)</i>	
T-PAIR: Temporal Node Pair Embedding for Automatic Biomedical Hypothesis Generation (Extended abstract)	3843
<i>Uchenna Akujuobi (Sony AI), Michael Spranger (Sony AI), Sucheendra K. Paliappan (Systems Biology Institute, Japan), and Xiangliang Zhang (University of Notre Dame)</i>	

A Novel Discriminative Dictionary Pair Learning Constrained by Ordinal Locality for Mixed Frequency Data Classification (Extended Abstract)	3845
<i>Hong Yu (Chongqing Key Lab. of Comput. Intell., Chongqing University of Posts and Telecommunications, China), Qian Yang (Chongqing Key Lab. of Comput. Intell., Chongqing University of Posts and Telecommunications, China), Guoyin Wang (Chongqing Key Lab. of Comput. Intell., Chongqing University of Posts and Telecommunications, China), and Yongfang Xie (School of Information Science and Engineering, Central South University, China)</i>	
A Self-Play and Sentiment-Emphasized Comment Integration Framework Based on Deep Q-Learning in a Crowdsourcing Scenario (Extended Abstract)	3847
<i>Huan Rong (Nanjing University of Information Science and Technology, China), Victor S. Sheng (Texas Tech University, USA), Tinghuai Ma (Nanjing University of Information Science and Technology, China), Yang Zhou (Auburn University, USA), and Mznah Al-Rodhaan (King Saud University, Kingdom of Saudi Arabia)</i>	
Discovering Structural Errors From Business Process Event Logs (Extended Abstract)	3849
<i>Wei Song (Nanjing University of Science and Technology, China), Zhen Chang (Nanjing University of Science and Technology, China), Hans-Arno Jacobsen (University of Toronto, Canada), and Pengcheng Zhang (Hohai University, China)</i>	
A Deep Neural Network for Crossing-City POI Recommendations (Extended Abstract)	3851
<i>Dichao Li (Nanjing University of Information Science and Technology, Nanjing, China) and Zhiguo Gong (University of Macau, Macau)</i>	
Discovery of Cross Joins (Extended Abstract)	3853
<i>Miika Hannula (University of Helsinki, Finland), Zhuoxing Zhang (The University of Auckland, New Zealand), Bor-Kuan Song (The University of Auckland, New Zealand), and Sebastian Link (The University of Auckland, New Zealand)</i>	
Transferable Feature Selection for Unsupervised Domain Adaptation	3855
<i>Yuguang Yan (GDUT, China), Hanrui Wu (JNU, China), Yuzhong Ye (SCUT, China), Chaoyang Bi (SCUT, China), Min Lu (Tencent, China), Dapeng Liu (Tencent, China), Qingyao Wu (SCUT, China), and Michael K. Ng (HKU, China)</i>	
Enhanced Discrete Multi-Modal Hashing: More Constraints yet Less Time to Learn (Extended Abstract)	3857
<i>Yong Chen (Beijing University of Posts and Telecommunications, China), Hui Zhang (Beihang University, China), Zhibao Tian (Beihang University, China), Jun Wang (University College London, UK), Dell Zhang (Thomson Reuters Labs, China), and Xuelong Li (Northwestern Polytechnical University, China)</i>	
Efficient Regular Expression Matching Based on Positional Inverted Index	3859
<i>Tao Qiu (Shenyang Aerospace University), Xiaochun Yang (Northeastern University, China), Bin Wang (Northeastern University, China), and Wei Wang (The Hong Kong University of Science and Technology (Guangzhou), China)</i>	

Time-Aware Location Prediction by Convolutional Area-of-Interest Modeling and Memory-Augmented Attentive LSTM (Extended Abstract)	3861
<i>Chi Harold Liu (Beijing Institute of Technology), Yu Wang (Beijing Institute of Technology), Chengzhe Piao (University College London), Zipeng Dai (Beijing Institute of Technology), Ye Yuan (Beijing Institute of Technology), Guoren Wang (Beijing Institute of Technology), and Dapeng Wu (City University of Hong Kong)</i>	
Hierarchical Contextual Embeddings for Context-Aware Recommendations	3863
<i>Moshe Unger (Tel Aviv University, Israel) and Alexander Tuzhilin (New York University, NYC, USA)</i>	
Deep Bayesian Active Learning for Learning to Rank: A Case Study in Answer Selection (Extended Abstract)	3865
<i>Qunbo Wang (Institute of Automation, Chinese Academy of Sciences, China), Wenjun Wu (Beihang University, China), Yuxing Qi (Beihang University, China), and Yongchi Zhao (Beihang University, China)</i>	
Mining High Quality Patterns using Multi-Objective Evolutionary Algorithm (Extended Abstract)	3867
<i>Wei Fang (Jiangnan University, China), Qiang Zhang (Jiangnan University, China), Jun Sun (Jiangnan University, China), and Xiaojun Wu (Jiangnan University, China)</i>	
Efficient Hierarchical Storage Management Empowered by Reinforcement Learning Extended Abstract	3869
<i>Tianru Zhang (Uppsala University), Andreas Hellander (Uppsala University), and Salman Toor (Uppsala University)</i>	
Deep Feature-Based Text Clustering and Its Explanation	3871
<i>Renchu Guan (Jilin University, China), Hao Zhang (Jilin University, China), Yanchun Liang (Jilin University, China), Fausto Giunchiglia (University of Trento, Italy), Lan Huang (Jilin University, China), and Xiaoyue Feng (Jilin University, China)</i>	
HAM: Hybrid Associations Models for Sequential Recommendation (Extended Abstract)	3873
<i>Bo Peng (The Ohio State University), Zhiyun Ren (The Ohio State University), Srinivasan Parthasarathy (The Ohio State University), and Xia Ning (The Ohio State University)</i>	
MMCo-Clus – An Evolutionary Co-Clustering Algorithm for Gene Selection (Extended Abstract).....	3875
<i>Laizhong Cui (Shenzhen University, P.R. China), Sudipta Acharya (Queen's University, Canada), Sumit Mishra (Indian Institute of Information Technology Guwahati, India), Yi Pan (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences, P.R. China), and Joshua Zhexue Huang (Shenzhen University, P.R. China)</i>	

Video Super-Resolution Reconstruction Based on Deep Learning and Spatio-Temporal Feature Self-Similarity (Extended Abstract)	3877
<i>Meiyu Liang (Beijing University of Posts and Telecommunications, China), Junping Du (Beijing University of Posts and Telecommunications, China), Linghui Li (Beijing University of Posts and Telecommunications, China), Zhe Xue (Beijing University of Posts and Telecommunications, China), Xiaoxiao Wang (Beijing University of Posts and Telecommunications, China), Feifei Kou (Beijing University of Posts and Telecommunications, China), and Xu Wang (Beijing University of Posts and Telecommunications, China)</i>	
Attributed Transition-Based Domain Control Knowledge for Domain-Independent Planning (Extended Abstract)	3879
<i>Lukas Chrupa (Czech Technical University in Prague, Czech Republic), Roman Bartak (Charles University, Czech Republic), Jindrich Vodrazka (Charles University, Czech Republic), and Marta Vomlelova (Charles University, Czech Republic)</i>	
HyperMinHash: MinHash in LogLog Space (Extended Abstract)	3881
<i>Yun William Yu (University of Toronto, Canada) and Griffin M. Weber (Harvard Medical School, USA)</i>	
BrePartition: Optimized High-Dimensional kNN Search with Bregman Distances (Extended Abstract)	3883
<i>Yang Song (Northeastern University, China), Yu Gu (Northeastern University, China), Rui Zhang (www.ruizhang.info), and Ge Yu (Northeastern University, China)</i>	
A Tensor-Based Markov Chain Model for Heterogeneous Information Network Collective Classification	3885
<i>Chao Han (Guangxi University, China), Jian Chen (South China University of Technology, China), Ming Kui Tan (South China University of Technology, China), Michael K. Ng (The University of Hong Kong, China), and Qing Yao Wu (South China University of Technology, China)</i>	
Adversarial Deep Embedded Clustering: On a Better Trade-off Between Feature Randomness and Feature Drift (Extended Abstract)	3887
<i>Nairouz Mrabah (University of Quebec at Montreal, Canada), Mohamed Bouguessa (University of Quebec at Montreal, Canada), and Riadh Ksantini (University of Bahrain, Kingdom of Bahrain)</i>	
Bipartite Graph Based Multi-view Clustering (Extended Abstract)	3889
<i>Lusi Li (Old Dominion University, USA) and Haibo He (University of Rhode Island, USA)</i>	
Rethinking Graph Auto-Encoder Models for Attributed Graph Clustering (Extended Abstract)	3891
<i>Nairouz Mrabah (University of Quebec at Montreal, Canada), Mohamed Bouguessa (University of Quebec at Montreal, Canada), Mohamed Fawzi Touati (University of Quebec at Montreal, Canada), and Riadh Ksantini (University of Bahrain, Kingdom of Bahrain)</i>	
Extract Human Mobility Patterns Powered by City Semantic Diagram (Extended Abstract)	3893
<i>Zhangqing Shan (Fudan University, China), Weiwei Sun (Fudan University, China), and Baihua Zheng (Singapore Management University)</i>	

Verifying the Correctness of Analytic Query Results (Extended Abstract)	3895
<i>Masoud Nosrati (Iowa State University, USA) and Ying Cai (Iowa State University, USA)</i>	
Efficient Sink-Reachability Analysis via Graph Reduction	3897
<i>Jens Dietrich (Victoria University of Wellington, New Zealand), Lijun Chang (The University of Sydney, Australia), Long Qian (Massey University, New Zealand), Lyndon M. Henry (The University of Sydney, Australia), Catherine McCartin (Massey University, New Zealand), and Bernhard Scholz (The University of Sydney, Australia)</i>	
The Node-Similarity Distribution of Complex Networks and Its Applications in Link Prediction (Extended abstract)	3899
<i>Cunlai Pu (Nanjing University of Science and Technology, China), Jie Li (Nanjing University of Science and Technology, China), Jian Wang (Fudan University), and Tony Q. S. Quek (Singapore University of Technology and Design, Singapore)</i>	
Database Meets Artificial Intelligence: A Survey (Extended Abstract)	3901
<i>Xuanhe Zhou (Tsinghua University, China), Chengliang Chai (Tsinghua University, China), Guoliang Li (Tsinghua University, China), and Ji Sun (Tsinghua University, China)</i>	

Ph.D. Symposium Track

Data Additive Residual Learning Based Yield Prediction for Semiconductor Manufacturing ...	3903
<i>Youjin Lee (Sungkyunkwan University, Republic of Korea) and Yonghan Roh (Sungkyunkwan University, Republic of Korea)</i>	
Knowledge Graph Embedding Based on Graph Neural Network	3908
<i>Shuang Liang (University of Electronic Science and Technology of China, China) and Jie Shao (Sichuan Artificial Intelligence Research Institute, China)</i>	
Towards an AutoML System for Fair Classifications	3913
<i>Nico Lässig (University of Stuttgart)</i>	
INTERPRET: An INtegrated and adapTive framEwoRk to support Policy-makers in the urban Environment	3918
<i>Emilia Lenzi (Politecnico di Milano, Italy)</i>	
Human-AI Complex Task Planning	3923
<i>Sepideh Nikookar (New Jersey Institute of Technology, USA)</i>	

Author Index