

Test and Measurement Conference 2022

Durban, South Africa
24-26 October 2022

ISBN: 978-1-7138-7683-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2022) by National Laboratory Association
All rights reserved.

Printed by Curran Associates, Inc. (2024)

For permission requests, please contact National Laboratory Association
at the address below.

National Laboratory Association
PO Box 298
Persequor Park
Pretoria 0020
South Africa

Phone: 27 12 349 1500
Fax: 27 12 349 1501

maggier@nla.org.za

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

Latest Developments in Gas Analysis at the NMISA.....	1
<i>M. Jozela</i>	
The Development of Multi-Component non-Methane Hydrocarbons (C ₂ - C ₅) Primary Standard Gas Mixtures	11
<i>L. Makuwa, G. Lekoto, M. Jozela, N. Leahabane, L. Maluleke</i>	
Potential Legislative and Regulatory Benefits of the ASTM D 1739 and Work Item #72475	18
<i>L. Mayana</i>	
Revision of ISO/IEC 17043:2010 Conformity Assessment - General Requirements for the Competence of Proficiency Testing Providers.....	26
<i>N/A</i>	
Gravimetric Preparation of Refinery Primary Reference Gas Mixtures and Analysis Using Different Analytical Techniques in Support of the South African Energy Industry	34
<i>G. Mphaphuli, M. Jozela, J. Tshilongo, L. Chimuka</i>	
Reporting Emissions of TVOC: Three Different Methods; Three Different Results.....	47
<i>Q. Hurt, L. De Koker</i>	
Demystifying the Decision Rule & UoM or How Certain Are You of Your Uncertainty?	56
<i>B. Pearce</i>	
Measuring the Atmospheric Amount Fraction of Carbon Dioxide Sampled from GAW Cape Point Station.....	62
<i>L. Maluleke, W. Magobo, M. Mogale</i>	
Failing to Calibrate Greatly Increases the Risk to Quality	69
<i>J. van Vuuren</i>	
Gravimetric Quantification of Low-Grade Gold in Mine Tailings	78
<i>M. Kedibone</i>	
Assessing the Effectiveness of the Water Purification Process in Removing Clostridium Perfringens Spores as a Surrogate for Protozoan Parasites	85
<i>A. Schubart, C. Saemakalu, A. Swanepoel</i>	
Proficiency Testing a Different Approach - Pushing for Technical Satisfaction.....	99
<i>I. Flemming</i>	
Accurate Quantification of Trace and Ultra-Trace Concentration Levels of Total Selenium and Selenium Species in Environmental Samples and South African Food Products by IC-ICP-QqQ	119
<i>N. Takata</i>	
The Determination of Low Phosphorus in Manganese Ferroalloys by Inductively-Coupled Plasma Optical Emission Spectroscopy	133
<i>O. Mapazi</i>	
Investigating the Multi-Wavelength Trilux Fluorometer (AlgaeCheck) as Back-up for the Conventional Spectrophotometric Chlorophyll-a Method.....	143
<i>A. Swanepoel, A. Ramcharan, J. Kgaladi</i>	

ISO 17025 Accreditation in Mozambique-CEIL : Contribution of the NLA 2018-2019 Proficiency Tests.....	156
<i>I. Mazuze, B. Macaza</i>	
The Verification of the Algae Identification & Enumeration Method	167
<i>P. Mdingi, Q. Sikude, S. Hlatshwayo, H. Ndlovu, Z. Mhlambi</i>	
The Use of Polymeric Coagulants in Drinking Water Treatment Plants and Its Associated Toxicity.....	178
<i>R. Hendricks, D. Masemola, J. Kgaladi</i>	
Recovery and Quantification of Rare Earth Elements (REEs) in South African Coal Fly Ash Samples	196
<i>T. Rampfumedzi</i>	
Simplified Method for Profiling and Quantifying Fatty Acids in Animal-By-products	205
<i>A. Adetunji</i>	
Practical Method Validation	217
<i>I. Flemming</i>	
Synchronous Extraction and Quantitative Speciation of Arsenic and Chromium in Sediments Using High-Performance Liquid Chromatography - Inductively Coupled Plasma - Mass Spectrometry	230
<i>R. Letsoalo</i>	
Method Development for Quantification of Rare Earth Elements (REEs) in Monazite Samples by Various Spectroscopic Techniques	240
<i>M. Rangata</i>	

Author Index