

# **2023 IEEE 73rd Electronic Components and Technology Conference (ECTC 2023)**

**Orlando, Florida, USA  
30 May - 2 June 2023**

**Pages 1-752**



**IEEE Catalog Number: CFP23ECT-POD  
ISBN: 979-8-3503-3499-9**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23ECT-POD
ISBN (Print-On-Demand):	979-8-3503-3499-9
ISBN (Online):	979-8-3503-3498-2
ISSN:	0569-5503

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# 2023 IEEE 73rd Electronic Components and Technology Conference (ECTC) ECTC 2023

## Table of Contents

Foreword .....	Ixxi
ECTC 2023 Executive Committee .....	Ixxiii
ECTC 2023 Program Committee .....	Ixxv

### Session 1: Heterogeneous Chiplet Integration

Ultra High Density Low Temperature SoIC with Sub-0.5 $\mu\text{m}$ Bond Pitch .....	1
<i>Han-Jong Chia (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Shih-Peng Tai (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Ji James Cui (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chuei-Tang Wang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chih-Hang Tung (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Kuo-Chung Yee (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), and Douglas C.H. Yu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan)</i>	
Process Integration of Photonic Interposer for Chiplet-Based 3D Systems .....	5
<i>Damien Saint-Patrice (CEA-Leti, Univ Grenoble Alpes, France), Stéphane Malhouitre (CEA-Leti, Univ Grenoble Alpes, France), Myriam Assous (CEA-Leti, Univ Grenoble Alpes, France), Thierry Pellerin (CEA-Leti, Univ Grenoble Alpes, France), Rémi Vélard (CEA-Leti, Univ Grenoble Alpes, France), Leopold Virot (CEA-Leti, Univ Grenoble Alpes, France), Edouard Deschaseaux (CEA-Leti, Univ Grenoble Alpes, France), Maria-Luisa Calvo-Muñoz (CEA-Leti, Univ Grenoble Alpes, France), Karim Hassan (CEA-Leti, Univ Grenoble Alpes, France), Stéphane Bernabé (CEA-Leti, Univ Grenoble Alpes, France), Yvain Thonnart (CEA-Leti, Univ Grenoble Alpes, France), and Jean Charbonnier (CEA-Leti, Univ Grenoble Alpes, France)</i>	
Aggressive Pitch Scaling (sub-0.5 $\mu\text{m}$ ) of W2W Hybrid Bonding Through Process Innovations ....	13
<i>Tyler Sherwood (Applied Materials, USA), Raghav Sreenivasan (Applied Materials, USA), Jason Appell (Applied Materials, USA), Raghuvver Patlolla (Applied Materials, USA), Kun Li (Applied Materials, USA), Ki Cheol Ahn (Applied Materials, USA), Joe Salfelder (Applied Materials, USA), Ryan Ley (Applied Materials, USA), Masha Gorchichko (Applied Materials, USA), Thomas Kasbauer (EV Group, Austria), Gernot Probst (EV Group, Austria), and Thomas Uhrmann (EV Group, Austria)</i>	

Design Space Exploration (DSE) for over-136GB/s IO Bandwidth with LPDDR5X SDRAM Packages on SOC Package in 200mm <sup>3</sup> .....	19
<i>Heeseok Lee (Samsung Electronics Co., Ltd, Korea), James Jeong (Samsung Electronics Co., Ltd, Korea), Jun So Pak (Samsung Electronics Co., Ltd, Korea), Jongkyu Yoo (Samsung Electronics Co., Ltd, Korea), Woobin Jung (Samsung Electronics Co., Ltd, Korea), Young-Sang Cho (Samsung Electronics Co., Ltd, Korea), Hyungyung Jo (Samsung Electronics Co., Ltd, China), Kisu Joo (Samsung Electronics Co., Ltd, Korea), Jisoo Hwang (Samsung Electronics Co., Ltd, Korea), and Jaegwon Jang (Samsung Electronics Co., Ltd, Korea)</i>	
3D Stacking of Heterogeneous Chiplets on Modified FOWLP Platform with Thru-Silicon Redistribution Layer .....	24
<i>Tai Chong Chai (Institute of Microelectronics, A*STAR), Boon Long Lau (Institute of Microelectronics, A*STAR), Pei Siang Sharon Lim (Institute of Microelectronics, A*STAR), Soon Wee David Ho (Institute of Microelectronics, A*STAR), Rob van Kampen (Qorvo US, Inc), Paul Castillou (Qorvo US, Inc), Roberto Gaddi (Qorvo US, Inc), Lance Barron (Qorvo US, Inc), Mickael Renault (Qorvo US, Inc), Jay Ko (Qorvo US, Inc), and Jonathan Hammond (Qorvo US, Inc)</i>	
Same Size Mold Chase Technology for Effective Stack Die Architectures .....	29
<i>N. Deb (Intel Corporation, USA), Y. Tomita (Intel Corporation, USA), X. F. Brun (Intel Corporation, USA), C. Masuyama (TOWA Corporation, Japan), Y. Hirano (TOWA Corporation, Japan), N. Hamada (TOWA Corporation, Japan), K. Wada (TOWA Corporation, Japan), H. Oshida (TOWA Corporation, Japan), and K. Gambayashi (TOWA Corporation, Japan)</i>	
A Novel Chiplet Integration Architecture Employing Pillar-Suspended Bridge with Polymer Fine-Via Interconnect .....	34
<i>Yasuhiro Morikawa (ULVAC, Inc, Japan), Meiten Koh (TAIYO INK MFG. CO., LTD, Japan), Hiroyuki Hashimoto (Tohoku University, Japan), Chuantong Chen (Osaka University, Japan), Ye Wang (Osaka University, Japan), Ichiro Kono (AOI Electronics, Japan), Shinji Wakisaka (Oume Electronics, Japan), Ken Ukawa (Sumitomo Bakelite, Japan), Takafumi Fukushima (Tohoku University, Japan), Katsuaki Sukanuma (Osaka University, Japan), and Yoichiro Kurita (Tokyo Institute of Technology, Japan)</i>	

## Session 2: High-Performance Packaging Materials

High Modulus Photosensitive Permanent Film Utilizing Novel Polymerization System for Advanced MEMS Structure Fabrication .....	40
<i>Ken-Ichi Yamagata (Tokyo Ohka Kogyo Co., Ltd., Japan), Shiori Yuge (Tokyo Ohka Kogyo Co., Ltd., Japan), Ryosuke Nakamura (Tokyo Ohka Kogyo Co., Ltd., Japan), and Hirofumi Imai (Tokyo Ohka Kogyo Co., Ltd., Japan)</i>	

Lithographic Performance and Insulation Reliability of a Novel i-Line Photosensitive Dielectric Material .....	44
<i>Go Inoue (Taiyo Holdings Co., Ltd., Japan), Daiki Yukimori (Taiyo Holdings Co., Ltd., Japan), Kaho Shibasaki (Taiyo Holdings Co., Ltd., Japan), Ayano Okuda (Taiyo Holdings Co., Ltd., Japan), Nobuhiro Ishikawa (Taiyo Holdings Co., Ltd., Japan), Toshiyuki Ogata (Taiyo Holdings Co., Ltd., Japan), Young-Gun Han (Fukuoka University, Japan), Taka Kanayama (Fukuoka University, Japan), and Tadashi Suetsugu (Fukuoka University, Japan)</i>	
Effect of Surface Roughness of Polymer Dielectric Materials on Resolution of Fine Line Features .....	49
<i>Pragna Bhaskar (Georgia Institute of Technology, USA), Mohan Kathaperumal (Georgia Institute of Technology, USA), Christopher Blancher (Georgia Institute of Technology, USA), Mark Losego (Georgia Institute of Technology, USA), and Madhavan Swaminathan (Georgia Institute of Technology, USA; Pennsylvania State University, USA)</i>	
Novel High Reliability and Low Dk/Df Dielectric RDL Material for High Frequency 5G Applications .....	54
<i>Kaori Hamada (Namics Corp., Japan), Toshiyuki Sato (Namics Corp., Japan), Shin Teraki (Namics Corp., Japan), Fumikazu Komatsu (Namics Corp., Japan), Masaki Yoshida (Namics Corp., Japan), Hirotatsu Ikarashi (Namics Corp., Japan), Maciej Patelka (NamicsR&amp;D USA, MA), and Hiroshi Ozaki (Namics Corp., Japan)</i>	
Single-Layer Release Material Having Laser Lift-off and Chip Fixing Property for FO-WLP Chip First Process .....	60
<i>Takahisa Okuno (Nissan Chemical Corporation, Japan), Tetsuya Shinjo (Nissan Chemical Corporation, Japan), Yuki Usui (Nissan Chemical Corporation, Japan), Takuya Fukuda (Nissan Chemical Corporation, Japan), Masaki Yanai (Nissan Chemical Corporation, Japan), and Masafumi Yagyū (Nissan Chemical Corporation, Japan)</i>	
Novel Photosensitive Polyimides Compositions with Low Dielectric Property and Good Flexibility Corresponding to Redistribution Layers for High Speed Transmission Applications .....	64
<i>Takashi Tazaki (Arakawa Chemical Industries, Ltd., Japan), Takashi Yamaguchi (Arakawa Chemical Industries, Ltd., Japan), Taiyou Nakamura (Arakawa Chemical Industries, Ltd., Japan), and Madoka Yamashita (Arakawa Chemical Industries, Ltd., Japan)</i>	
High Frequency Characteristics of Fine Copper Lines on High Rigidity Dielectrics .....	72
<i>Masataka Nishida (Packaging Solution Center Resonac Corporation, Japan), Hirokazu Noma (Packaging Solution Center Resonac Corporation, Japan), Kouta Segawa (Packaging Solution Center Resonac Corporation, Japan), Tetsuro Iwakura (Packaging Solution Center Resonac Corporation, Japan), Masaki Yamaguchi (Packaging Solution Center Resonac Corporation, Japan), Younggun Han (Fukuoka University, Japan), Hitoshi Onozeki (Packaging Solution Center Resonac Corporation, Japan), and Kazuyuki Mitsukura (Packaging Solution Center Resonac Corporation, America)</i>	

## Session 3: Advancements in Copper/Silicon-Oxide Hybrid Bonding

A Study on the Surface Activation of Cu and Oxide for Hybrid Bonding Joint Interface .....	78
<i>Bohee Hwang (Samsung Electronics Co., Ltd, South Korea), Sanwi Kim (Samsung Electronics Co., Ltd, South Korea), Jeonghwan Lee (Samsung Electronics Co., Ltd, South Korea), Soohwan Lee (Samsung Electronics Co., Ltd, South Korea), Youngkun Jee (Samsung Electronics Co., Ltd, South Korea), Sangcheon Park (Samsung Electronics Co., Ltd, South Korea), Gyeongjae Jo (Samsung Electronics Co., Ltd, South Korea), Kwangbae Kim (Samsung Electronics Co., Ltd, South Korea), Sungjin Han (Samsung Electronics Co., Ltd, South Korea), Ilhwan Kim (Samsung Electronics Co., Ltd, South Korea), Jumyong Park (Samsung Electronics Co., Ltd, South Korea), Hyunchul Jung (Samsung Electronics Co., Ltd, South Korea), Dongwoo Kang (Samsung Electronics Co., Ltd, South Korea), and Un-Byoung Kang (Samsung Electronics Co., Ltd, South Korea)</i>	
Fine Pitch Die-to-Wafer Hybrid Bonding .....	83
<i>Laura Mirkarimi (Adeia, Inc., USA), Thomas Workman (Adeia, Inc., USA), Jeremy Theil (Adeia, Inc., USA), Gill Fountain (Adeia, Inc., USA), Km Bang (Adeia, Inc., USA), Oliver Zhao (Adeia, Inc., USA), Bongsub Lee (Adeia, Inc., USA), Cyprian Uzoh (Adeia, Inc., USA), Dominik Suwito (Adeia, Inc., USA), and Guilian Gao (Adeia, Inc., USA)</i>	
Direct Die to Wafer Cu Hybrid Bonding for Volume Production .....	91
<i>Chun Ho Fan (ASMPT Hong Kong Limited, Hong Kong), Hoi Ping Ng (ASMPT Hong Kong Limited, Hong Kong), Siu Cheung So (ASMPT Hong Kong Limited, Hong Kong), Ngai Tat Man (ASMPT Hong Kong Limited, Hong Kong), Chi Yung Lee (ASMPT Hong Kong Limited, Hong Kong), Ming Li (ASMPT Hong Kong Limited, Hong Kong), Thomas Uhrmann (EV Group, Austria), Jürgen Burggraf (EV Group, Austria), and Mariana Pires (EV Group, Austria)</i>	
Demonstration of a Wafer Level Face-To-Back (F2B) Fine Pitch Cu-Cu Hybrid Bonding with High Density TSV for 3D Integration Applications .....	97
<i>Jerzy Javier Suarez Berru (CEA-Leti, Univ. Grenoble Alpes, France), Stéphane Nicolas (CEA-Leti, Univ. Grenoble Alpes, France), Nicolas Bresson (CEA-Leti, Univ. Grenoble Alpes, France), Myriam Assous (CEA-Leti, Univ. Grenoble Alpes, France), and Stéphane Borel (CEA-Leti, Univ. Grenoble Alpes, France)</i>	
Cu-Cu Wiring: The Novel Structure of Cu-Cu Hybrid Bonding .....	103
<i>Yoshihisa Kagawa (Sony Semiconductor Solutions Corporation, Japan), Takumi Kamibayashi (Sony Semiconductor Solutions Corporation, Japan), Nobutoshi Fujii (Sony Semiconductor Solutions Corporation, Japan), Shunsuke Furuse (Sony Semiconductor Solutions Corporation, Japan), Taichi Yamada (Sony Semiconductor Solutions Corporation, Japan), Tomoyuki Hirano (Sony Semiconductor Solutions Corporation, Japan), and Hayato Iwamoto (Sony Semiconductor Solutions Corporation, Japan)</i>	
New Cu “Bulge-Out” Mechanism Supporting Sub-Micron Scaling of Hybrid Wafer-to-Wafer Bonding .....	109
<i>Joke De Messemaeker (imec, Belgium), Liesbeth Witters (imec, Belgium), Boyao Zhang (imec, Belgium), Yan Wen Tsau (KU Leuven, Belgium), Ferenc Fodor (imec, Belgium), Joeri De Vos (imec, Belgium), Gerald Beyer (imec, Belgium), Kristof Croes (imec, Belgium), and Eric Beyne (imec, Belgium)</i>	

Electrical Analysis of Wafer-to-Wafer Copper Hybrid Bonding at Sub-Micron Pitches .....	114
<i>K. Ryan (TEL Technology Center, USA), C. Netzband (TEL Technology Center, USA), A. Gildea (TEL Technology Center, USA), Y. Mimura (TEL Technology Center, USA), S. Hoshino (TEL Technology Center, USA), S. LeFevre (TEL Technology Center, USA), A. Tuchman (TEL Technology Center, USA), I. Son (TEL Technology Center, USA), H. Aizawa (TEL Technology Center, USA), and K. Maekawa (TEL Technology Center, USA)</i>	

## Session 4: Assembly and Manufacturing Process Enhancement

Heterogeneous Integration of Diamond Heat Spreaders for Power Electronics Application .....	118
<i>Henry Martin (Delft University of Technology, The Netherlands; Chip Integration Technology Center, The Netherlands), Marcia Reintjes (Mintres B.V., The Netherlands), Dave Reijs (Chip Integration Technology Center, The Netherlands), Sander Dorrestein (Chip Integration Technology Center, The Netherlands), Martien Kengen (Chip Integration Technology Center, The Netherlands), Sebastien Libon (Chip Integration Technology Center, The Netherlands), Edsger Smits (Chip Integration Technology Center, The Netherlands), Xiao Tang (Mintres B.V., The Netherlands), Marco Koelink (Chip Integration Technology Center, The Netherlands), Rene Poelma (Delft University of Technology, The Netherlands), Willem van Driel (Delft University of Technology, The Netherlands), and GuoQi Zhang (Delft University of Technology, The Netherlands)</i>	
Optimum Rc Control and Productivity Boost in Wafer-Level Packaging Enabled by High-Throughput UBM/RDL Technology .....	126
<i>Carl Drechsel (Evatec AG, Switzerland), Patrik Carazzetti (Evatec AG, Switzerland), Carl Wang (Evatec AG, Taiwan Branch, Taiwan (R.O.C.)), Kay Viehweger (Fraunhofer IZM-ASSID, Germany), Juergen Weichart (Evatec AG, Switzerland), and Ewald Strolz (Evatec AG, Switzerland)</i>	
Assembly Challenges and Approaches for 2.5D Chiplet Based System .....	132
<i>Sharon PeiSiang Lim (Institute of Microelectronics, Singapore), Mihai D. Rotaru (Institute of Microelectronics, Singapore), Wenwei Seit (Institute of Microelectronics, Singapore), and Hsiao Hsiang Yao (Institute of Microelectronics, Singapore)</i>	
A Methodology to Optimize Laser Dicing Parameters to Maximize Dicing Quality Through Machine Learning .....	139
<i>Sathya Raghavan (IBM Research), Aakrati Jain (IBM Research), Prabudhya Roy Chowdhury (IBM Research), Katsuyuki Sakuma (IBM Research), Roman Doll (ASMPT ALSI B.V., Netherlands), Kees Biesheuvel (ASMPT ALSI B.V., Netherlands), Jeroen van Borkulo (ASMPT ALSI B.V., Netherlands), and Faysal Boughorbel (ASMPT ALSI B.V., Netherlands)</i>	
Maskless Lithography for High-Density Package Redistribution Layers .....	147
<i>Prahalad Murali (Georgia Institute of Technology, USA), Pratik Nimbalkar (Georgia Institute of Technology, USA), Mohanalingam Kathaperumal (Georgia Institute of Technology, USA), Mark D. Losego (Georgia Institute of Technology, USA), Rao Tummala (Georgia Institute of Technology, USA), and Madhavan Swaminathan (Pennsylvania State University, USA)</i>	

An Additive Approach to Embed Chips in a Metallic Matrix Infused PCB .....	152
<i>Roberto Aga (Defense and Intel, KBR, USA), Fahima Ouchen (Defense and Intel, KBR, USA), Rachel S. Aga (Wright State University, USA), Carrie M. Bartsch (Air Force Research Laboratory, USA), and Emily M. Heckman (Air Force Research Laboratory, USA)</i>	
Micro Transfer Printing Various Thickness Components Directly from Dicing Tape .....	157
<i>Kevin Oswald (X-Celeprint Inc., USA), Prasanna Ramaswamy (X-Celeprint Ltd., Ireland), Alin Fecioru (X-Celeprint Ltd., Ireland), Ramji Lakshmanan (Analog Devices Inc, Ireland.), Devendraprakash Gautam (Analog Devices Inc., Ireland), Bernard Stenson (Analog Devices Inc., Ireland), Tanya Moore (X-Celeprint Inc., USA), and David Gomez (X-Celeprint Inc., USA)</i>	

## Session 5: Flexible Packaging and Chip-Package-Interaction

Comparative Study of Process-Reliability Interaction of Additive Circuits with Low-Temperature Solders ECAs and Magnetically Oriented ACAs .....	161
<i>Pradeep Lall (Auburn University, USA), Jinesh Narangaparambil (Auburn University, USA), Ved Soni (Auburn University, USA), and Scott Miller (NextFlex National Manufacturing Institute, USA)</i>	
Addressing Sub-Micron Thermal Warpage: Industrial Application on Semiconductor Devices ..	169
<i>Benkoula Safia (ST Microelectronics, France), Vernhes Pierre (Insidix, France), Choisel Nicolas (Insidix, France), Braisaz Regis (Insidix, France), Cruz Rodolfo (Insidix, France), Rey Stephanie (STMicroelectronics, France), and Quercia Fabien (STMicroelectronics, France)</i>	
Optimization of 2.2D Underfill Process by Novel Methodology and Direct Observation of Capillary Underfill Process .....	175
<i>Chia-Peng Sun (CoreTech System (Moldex3D), Taiwan), Yu-En Liang (CoreTech System (Moldex3D), Taiwan), Dyi-Chung Hu (SiPlus Co., Taiwan), Er-Hao Chen (SiPlus Co, Taiwan), Jeffrey ChangBing Lee (Integrated Service Technology Inc, Taiwan), and Srikar Vallury (Moldex3D North America, Inc., United States)</i>	
Strain-Relief Patterns for Flexible Substrate-Supported Optimized Serpentine Configurations .....	181
<i>Rui Chen (Georgia Institute of Technology, USA), Chong Ye (Georgia Institute of Technology, USA), Colin J. Stewart (Georgia Institute of Technology, USA), and Suresh K. Sitaraman (Georgia Institute of Technology, USA)</i>	
Filler Particle Distribution Impact for Interfacial Delamination of Underfill .....	187
<i>Yutaka Suzuki (Worldwide Semiconductor Packaging Texas Instruments Incorporated, USA), Li Jiang (Worldwide Semiconductor Packaging Texas Instruments Incorporated, USA), Williamson Jaimal (Worldwide Semiconductor Packaging Texas Instruments Incorporated, USA), and Rajen Murugan (Worldwide Semiconductor Packaging Texas Instruments Incorporated, USA)</i>	



A Time and Cost-Efficient Design Methodology to Estimate Effective Thermal Conductivities in System-on-Chips with Composite Materials .....	192
<i>Ki Wook Jung (Samsung Electronics Co., Ltd., Republic of Korea), Eunju Hwang (Samsung Electronics Co., Ltd., Republic of Korea), Jun Seomun (Samsung Electronics Co., Ltd., Republic of Korea), and Sangyun Kim (Samsung Electronics Co., Ltd., Republic of Korea)</i>	
On the Effect of Partial Underfilling on the Fatigue Life of Flip-Chip Micro-Solder Bumps in a Heterogeneously Integrated TSI Package Using Finite Element Simulations .....	200
<i>Sasi Kumar Tippabhotla (Institute of Microelectronics, A*STAR, Singapore) and Lin Ji (Institute of Microelectronics, A*STAR, Singapore)</i>	

## Session 6: Co-Packaged Optical Assembly

A Heterogeneously Integrated Wafer-Level Processed Co-Packaged Optical Engine for Hyper-Scale Data Centres .....	207
<i>Sajay Bhuvanendran Nair Gourikutty (Institute of Microelectronics, Singapore), Lau Boon Long (Institute of Microelectronics, Singapore), Seit Wen Wei (Institute of Microelectronics, Singapore), Ming Ching Jong (Institute of Microelectronics, Singapore), David Soon Wee Ho (Institute of Microelectronics, Singapore), Jiaqi Wu (Institute of Microelectronics, Singapore), Teck Guan Lim (Institute of Microelectronics, Singapore), Rathin Mandal (Institute of Microelectronics, Singapore), Chong Ser Choong (Institute of Microelectronics, Singapore), Chia Lai Yee (Institute of Microelectronics, Singapore), Xin Li (Rain Tree Photonics Pte Ltd, Singapore.), Jason Tsung-Yang Liow (Rain Tree Photonics Pte Ltd, Singapore), and Surya Bhattacharya (Institute of Microelectronics, Singapore)</i>	
High Density Integration Technologies for SiPh Based Optical I/Os .....	212
<i>Karl Muth (Broadcom, USA), Vivek Raghuraman (Broadcom, USA), Sukeshwar Kannan (Broadcom, USA), and Hari Potluri (Broadcom, USA)</i>	
Photonic System Integration by Applying Microelectronic Packaging Approaches Using Glass Substrates .....	216
<i>Henning Schröder (Fraunhofer Institute for Reliability and Microintegration, Germany), Oliver Kirsch (Fraunhofer Institute for Reliability and Microintegration, Germany), Daniel Weber (Fraunhofer Institute for Reliability and Microintegration, Germany), and Hendrick Thiem (TOPTICA eagleyard, Germany)</i>	
Co-Packaged Optics on Glass Substrates for 102.4 Tb/s Data Center Switches .....	224
<i>Lucas Yeary (Corning Research and Development Corporation, USA), Lars Brusberg (Corning Research and Development Corporation, USA), Cheolbok Kim (Corning Research and Development Corporation, USA), Seong-ho Seok (Corning Technology Center Korea, Korea), JungHyun Noh (Corning Technology Center Korea, Korea), and Alon Rozenvax (Corning Optical Communications Wireless, Israel)</i>	
Innovative Fan-Out Embedded Bridge Structure for Co-Packaged Optics .....	228
<i>Jay Li (SPIL, Taiwan), Terry Hsu (SPIL, Taiwan), Ming-Han Zhuan (SPIL, Taiwan), Sam Lin (SPIL, Taiwan), Teny Shih (SPIL, Taiwan), Nicholas Kao (SPIL, Taiwan), and Yu-Po Wang (SPIL, Taiwan)</i>	

AIM Photonics Demonstration of a 300 mm Si Photonics Interposer .....	233
<i>Colin McDonough (State University of New York Polytechnic Institute, USA), Seth Kruger (State University of New York Polytechnic Institute, USA), Tat Ngai (State University of New York Polytechnic Institute, USA), Sarah Baranowski (State University of New York Polytechnic Institute, USA), Hao Yang (Analog Photonics, USA), Skylar Deckoff-Jones (Analog Photonics, USA), Christopher V. Poulton (Analog Photonics, USA), Michael R. Watts (Analog Photonics, USA), and David L. Haramé (State University of New York Polytechnic Institute, USA)</i>	
Advanced 3D Integration TSV and Flip Chip Technologies Evaluation for the Packaging of a Mobile LiDAR 256 Channels Beam Steering Device Designed for Autonomous Driving Application..	239
<i>Thierry Mourier (Univ. Grenoble Alpes, France), Nadia Miloud-Ali Berchet (Univ. Grenoble Alpes, France), Juliette Auffret (Univ. Grenoble Alpes, France), Natacha Raphoz (Univ. Grenoble Alpes, France), Yacoub Sahouane (Univ. Grenoble Alpes, France), Damien Saint Patrice (Univ. Grenoble Alpes, France), Edouard Deschaseaux (Univ. Grenoble Alpes, France), Patrick Peray (Univ. Grenoble Alpes, France), Sylvain Guerber (Univ. Grenoble Alpes, France), and Francois Simoens (Steerlight, France)</i>	

## Session 7: Large Formfactor Dense System Integration by Fan-Out

3D Freeform Antenna-in-Package Approach for FOWLP .....	247
<i>Tanja Braun (Fraunhofer IZM, Germany), Tina Thomas (Fraunhofer IZM, Germany), Karl-Friedrich Becker (Fraunhofer IZM, Germany), Thi Huyen Le (Fraunhofer IZM, Germany), Christian Tschoban (Fraunhofer IZM, Germany), Rolf Aschenbrenner (Fraunhofer IZM, Germany), Marc Dreissigacker (TU Berlin, Germany), and Martin Schneider-Ramelow (TU Berlin, Germany)</i>	
Comparable Study for Redistribution Layers in FO POP RDL First and Last (Fan-Out Package on Package) .....	253
<i>Kuei Hsiao Kuo (Siliconware Precision Industries Co., Ltd. (SPIL), Taiwan, R. O. C.), Derrick Tai (Siliconware Precision Industries Co., Ltd. (SPIL), Taiwan, R. O. C.), Sam Peng (Siliconware Precision Industries Co., Ltd. (SPIL), Taiwan, R. O. C.), and Feng Lung Chien (Siliconware Precision Industries Co., Ltd. (SPIL), Taiwan, R. O. C.)</i>	
Extremely Large Area Integrated Circuit (ELAIC): An Advanced Packaging Solution for Chiplets .....	258
<i>Rabindra N. Das (MIT Lincoln Laboratory), Jason Plant (MIT Lincoln Laboratory), Alex Wynn (MIT Lincoln Laboratory), Matthew Ricci (MIT Lincoln Laboratory), Ryan Johnson (MIT Lincoln Laboratory), Matthew Stampelis (MIT Lincoln Laboratory), Brian Tyrrell (MIT Lincoln Laboratory), Kenneth Schultz (MIT Lincoln Laboratory), and Paul W. Juodawlkis (MIT Lincoln Laboratory)</i>	

Advanced Fan-Out Panel Level Package (FO-PLP) Development for High-end Mobile Application ...  
266

*Hyungmin Kim (Samsung Electronics Co, Ltd), Jaehoon Choi (Samsung Electronics Co, Ltd), Seok Won Lee (Samsung Electronics Co, Ltd), Eun Seok Cho (Samsung Electronics Co, Ltd), Hwanpil Park (Samsung Electronics Co, Ltd), Hwasub Oh (Samsung Electronics Co, Ltd), Junho Lee (Samsung Electronics Co, Ltd), Seungsoo Ha (Samsung Electronics Co, Ltd), Wonkyung Choi (Samsung Electronics Co, Ltd), and Dong Wook Kim (Samsung Electronics Co, Ltd)*

Integrating Chiplets Using Chips First Ultra-High-Density Fan-out with Maskless Laser  
Direct Imaging and Adaptive Patterning for High Performance Computing ..... 271

*Benedict San Jose (Deca Technologies, Inc, USA), Cliff Sandstrom (Deca Technologies, Inc, USA), Erick Talain (Deca Technologies, Inc, USA), Jan Kellar (Deca Technologies, Inc, USA), Tim Olson (Deca Technologies, Inc, USA), Mary Maye Melgo (nepes hayyim Corporation, Philippines), Rizi Gacho (nepes hayyim Corporation, Philippines), and Bc Kim (nepes hayyim Corporation, Philippines)*

Reliability Challenges of Large Organic Substrate with High-Density Fan-out Package ..... 277

*Laurene Yip (MediaTek Inc, USA), Charles Lai (MediaTek Inc, Taiwan), Bing-Yeh Lin (MediaTek Inc, Taiwan), Cooper Peng (MediaTek Inc, Taiwan), Chris Syu (MediaTek Inc, Taiwan), and Melanie Chang (MediaTek.Inc, Taiwan)*

Flip Chip Process Enablement in IC Memory Stacked Die Package ..... 283

*Chen-Yu Huang (Micron Memory Taiwan, Co., Ltd., Taiwan), Tsung-Han Chiang (Micron Memory Taiwan, Co., Ltd., Taiwan), Jungbae Lee (Micron Memory Taiwan, Co., Ltd., Taiwan), Kohan Lin (Micron Memory Taiwan, Co., Ltd., Taiwan), Chong Leong Gan (Micron Memory Taiwan, Co., Ltd., Taiwan), and Travis Jensen (Micron Technology, Inc., USA)*

## Session 8: Novel Reliability Test Methods

A New Vibration Test Method for Automotive and Consumer Electronic Devices: Calibration  
and Fatigue Test ..... 289

*Dongji Xie (Nvidia Corporation), Andy Zhang (Texas Instruments), Brian Kelly (AMD), Jeffrey Lee (iST-Integrated Service Technology, Taiwan), Romuald Roucou (NXP Semiconductors, The Netherlands), Xue Shi (Bosch Automotive Products, China), Sushil Doranga (Lamar University), Valeriy Khaldarov (ASONIKA, LLC Tempe), and Joe Hai (Nvidia Corporation)*

Magnetic Force-Based Measurement Technique to Investigate the Effect of Lead-Free Solder  
Intermetallic Compounds (IMC) on Interconnect Reliability ..... 297

*Nicholas J. Ginga (University of Alabama in Huntsville, USA), Rui Chen (Georgia Institute of Technology, USA), and Suresh K. Sitaraman (Georgia Institute of Technology, USA)*

Residual Stress Measurement of Build-up Layer in Silicon Wafers .....	303
<i>Junbo Yang (The State University of New York at Binghamton, USA), Chongyang Cai (The State University of New York at Binghamton, USA), Yangyang Lai (The State University of New York at Binghamton, USA), Jonghwan Ha (The State University of New York at Binghamton, USA), Huayan Wang (The State University of New York at Binghamton, USA), Seungbae Park (The State University of New York at Binghamton, USA), Gamal Refai-Ahmed (Advanced Micro Devices, Inc, USA), and Suresh Ramalingam (Advanced Micro Devices, Inc, USA)</i>	
Chip Level Evaluation of Wafer-to-Wafer Direct Bonding Strength with Bending test .....	310
<i>Kyungmin Baek (Samsung Electronics Co. Ltd., South Korea), Juno Kim (Samsung Electronics Co. Ltd., South Korea), Min-soo Han (Samsung Electronics Co. Ltd., South Korea), Kyeongbin Lim (Samsung Electronics Co. Ltd., South Korea), and Minwoo Daniel Rhee (Samsung Electronics Co. Ltd., South Korea)</i>	
Reliability and Failure Analysis of Chip-to-Substrate Cu-Pillar Interconnections with Nanoporous-Cu Caps .....	318
<i>Ramón A. Sosa (Georgia Institute of Technology - 3D Systems), Antonia Antonioni (Georgia Institute of Technology - Woodruff), and Vanessa Smet (Georgia Institute of Technology - Woodruff)</i>	
Experimental Identification of the Failure Modes and Failure Mechanisms of Fiber to Waveguide Couplings Under Cyclic Tensile Loading .....	324
<i>Dione Assane (University of Sherbrooke, Canada), Morisette Jean-François (University of Sherbrooke, Canada), Souare Papa Momar (IBM Bromont, Canada), Janta-Polczynski Alexander (IBM Bromont, Canada), and Sylvestre Julien (University of Sherbrooke, Canada)</i>	
A Predictive Metallographic Means to Identify the Relative Risk of Failure for Plated Micro Vias .....	331
<i>Tobias Bernhard (MKS Atotech, Germany), Roger Massey (MKS Atotech, Germany), Kilian Klaeden (MKS Atotech, Germany), Sebastian Zarwell (MKS Atotech, Germany), Stefan Kempa (MKS Atotech, Germany), Edith Steinhaeuser (MKS Atotech, Germany), Sascha Dieter (MKS Atotech, Germany), and Frank Bruening (MKS Atotech, Germany)</i>	

## **Session 9: Innovations in Copper Chip-to-Wafer Bonding**

Critical Challenges with Copper Hybrid Bonding for Chip-to-Wafer Memory Stacking .....	336
<i>Wei Zhou (Micron Technology, Inc., USA), Michael Kwon (Micron Technology, Inc., USA), Yingta Chiu (Micron Technology, Inc., USA), Huimin Guo (Micron Technology, Inc., USA), Bharat Bhushan (Micron Technology, Inc., USA), Bret Street (Micron Technology, Inc., USA), Kunal Parekh (Micron Technology, Inc., USA), and Akshay Singh (Micron Technology, Inc., USA)</i>	
Development of Copper Thermal Coefficient for Low Temperature Hybrid Bonding .....	342
<i>Sefa Dag (Applied Materials Inc., USA), Ming Liu (Applied Materials Inc., USA), Liu Jiang (Applied Materials Inc., USA), Amir Kiaee (Applied Materials Inc., USA), Gilbert See (Applied Materials Inc., Singapore), Prayudi Lianto (Applied Materials Inc., Singapore), Buvna Ayyagari-Sangamalli (Applied Materials Inc., USA), and El Mehdi Bazizi (Applied Materials Inc., USA)</i>	

Impact of Plasma Activation on Copper Surface Layer for Low Temperature Hybrid Bonding ..	350
<i>Christopher Netzband (TEL Technology Center, USA), Dylan Burns (TEL Technology Center, USA), Kandabara Tapily (TEL Technology Center, USA), Son Ilseok (TEL Technology Center, USA), and Cory Wajda (TEL Technology Center, USA)</i>	
Investigation of Cu-Cu Direct Bonding Process Utilized by High Porosity and Nanocrystal Structure .....	356
<i>Takuma Nakagawa (Mitsubishi Materials Corporation, Japan), Daiki Furuyama (Mitsubishi Materials Corporation, Japan), Sho Nakagawa (Mitsubishi Materials Corporation, Japan), Yutaro Mori (Mitsubishi Materials Corporation, Japan), Kotaro Iwata (Mitsubishi Materials Corporation, Japan), Kiyotaka Nakaya (Mitsubishi Materials Corporation, Japan), and Takuma Katase (Mitsubishi Materials Corporation, Japan)</i>	
A High Throughput Two-Stage Die-to-Wafer Thermal Compression Bonding Scheme for Heterogeneous Integration .....	362
<i>Krutikesh Sahoo (University of California, USA), Haoxiang Ren (University of California, USA), and Subramanian S. Iyer (University of California, USA)</i>	
Optimization of Cu Interconnects – SiCN Interfacial Adhesion by Surface Treatments .....	367
<i>Dong Jun Kim (Korea Advanced Institute of Science and Technology (KAIST), Republic of Korea), Sumin Kang (Korea Institute of Machinery and Materials (KIMM), Republic of Korea), Sun Woo Lee (Samsung Electronics, Republic of Korea), Inhwa Lee (Samsung Electronics, Republic of Korea), Seungju Park (Samsung Electronics, Republic of Korea), Jihyun Lee (Samsung Electronics, Republic of Korea), Joong Jung Kim (Samsung Electronics, Republic of Korea), and Taek-Soo Kim (Korea Advanced Institute of Science and Technology (KAIST), Republic of Korea)</i>	
Towards Selective Cobalt Atomic Layer Deposition for Chip-to-Wafer 3D Heterogeneous Integration .....	374
<i>Madison Manley (Georgia Institute of Technology), Zachary J. Devereaux (Wayne State University), Victor Wang (University of California, San Diego, USA), Chenghsuan Kuo (University of California, San Diego, USA), Nyi Myat Khine Linn (Wayne State University), Andrew Kummel (University of California, San Diego, USA), Charles H. Winter (Wayne State University), and Muhannad Bakir (Georgia Institute of Technology)</i>	

## Session 10: Packaging Interconnects

Finite Element Analysis of Shock & Vibration of a Printed Circuit Board Assembly Using the Beam Elements to Model the Solder Joints .....	379
<i>Tieyu Zheng (Microsoft Corporation, USA), Babu Aminjikalai (ANSYS Incorporated, USA), and Ming-An Yang (Quanta Computer Corporation, Taiwan)</i>	
Modeling and Optimization of Mechanical Performance for Cu Wire Bonding Process .....	386
<i>Liangbiao Chen (onsemi, USA) and Yong Liu (onsemi, USA)</i>	

High-Temperature Creep Properties of a Novel Solder Material and Its Thermal Fatigue Properties Under Potting Material .....	392
<i>Leiming Du (Delft university of technology, The Netherlands), Xiujuan Zhao (Research Signify, The Netherlands), Rene Poelma (Research Nexperia, The Netherlands), Willem Van Driel (Delft university of technology, The Netherlands), and Guoqi Zhang (Delft university of technology, The Netherlands)</i>	
A Novel Stacked-via Cu/ELK Interconnection Design Configuration to Enhance Advanced Si Packages Reliability Performance .....	396
<i>Kuo-Chin Chang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Mirng-Ji Lii (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chieh-Hao Hsu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Wei-Hsiang Tu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), and Tai-Shen Yang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan)</i>	
Sustainable-Ink Process Recipes for the Fabrication of Additively Printed Circuits and Component Attachment .....	404
<i>Pradeep Lall (Auburn University, USA), Jinesh Narangaparambil (Auburn University, USA), Ved Soni (Auburn University, USA), Shriram Kulkarni (Auburn University, USA), Kartik Goyal (Auburn University, USA), and Scott Miller (NextFlex National Manufacturing Institute, USA)</i>	
New Methodology Assessment of Copper Trace and Solder Joint Fatigue Failures in Board-Level Random Vibrations for Automotive Applications .....	412
<i>Valeriy Khaldarov (ASONIKA, LLC), Andy Zhang (Texas Instruments), Dongji Xie (Nvidia Corporation), Jeffrey Lee (iST-Integrated Service Technology), Xue Shi (Bosch Automotive Products, China), Romuald Roucou (NXP Semiconductors, The Netherlands), Sushil Doranga (Lamar University), Minghong Jian (Nvidida Corporation), Brian Kelly (AMD), and Alexander Shalumov (ASONIKA, LLC)</i>	
Physics-Driven Regression Algorithm on Solder Joint Fatigue Life Prediction for Mobile SiP Packages .....	420
<i>Fa Xing Che (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Yeow Chon Ong (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Hong Wan Ng (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Ling Pan (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Koustav Sinha (Micron Technology, Inc., USA), Christopher Glancey (Micron Technology, Inc., USA), and Gokul Kumar (Micron Technology, Inc., USA)</i>	

## **Session 11: Additive Manufacturing and Packaging for Flexible Electronics**

Electromechanical and Thermal Characterization of Printed Liquid Metal Ink on Stretchable Substrate for Soft Robotics Multi-Sensing Applications .....	426
<i>El Mehdi Abbara (State University of New York, USA), Mohammed Alhendi (State University of New York, USA), Riadh Al-Haidari (State University of New York, USA), Nathaniel Gee (State University of New York, USA), Mark D. Poliks (State University of New York, USA), Emily Boggs (GE Global, USA), Tan Yewteck (GE Global, USA), Deepak Trivedi (GE Global, USA), Zachary J. Farrell (Air Force Research Laboratory, USA), and Christopher E. Tabor (Air Force Research Laboratory, USA)</i>	

Electrochemical Additive Manufacturing: A Novel Approach to Thermal Management of Electronics .....	432
<i>Madeline Frank (Fabric8Labs, USA), Michael Matthews (Fabric8Labs, USA), Joseph Madril (Fabric8Labs, USA), and Ian Winfield (Fabric8Labs, USA)</i>	
Additively Manufactured Flexible Material Characterization and On-Demand “Smart” Packaging Topologies for 5G/mmwave Wearable Applications .....	437
<i>Kexin Hu (Georgia Institute of Technology, USA), Yi Zhou (Georgia Institute of Technology, USA), Suresh K. Sitaraman (Georgia Institute of Technology, USA), and Manos M. Tentzeris (Georgia Institute of Technology, USA)</i>	
Advanced Packaging Methods Used for Energy Storage from Intermittent Renewable Sources .....	444
<i>Takafumi Fukushima (Tohoku Univ., Japan), Tianyu Xiang (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA), Harshit Ranjan (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA), Niharika Tripathi (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA), Chang Liu (Tohoku Univ., Japan), Guangqi Ouyang (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA), Randall Irwin (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA), and Subramanian S. Iyer (Center for Heterogeneous, Integration and Performance, Scaling (CHIPS), USA)</i>	
Fabrication of Flexible and Stretchable Highly Conductive Ag-PDMS Tri-Layer Interconnect and Its Integration Into Li-ion Pouch Cells .....	450
<i>Mayukh Nandy (Arizona State University, USA), Siyang Liu (Arizona State University, USA), Yanze Wu (Arizona State University, USA), and Hongbin Yu (Arizona State University, USA)</i>	
Adhesion and Reliability Studies of the Heterogeneous Integration of Conductive LSR and Other Components on SiP for Bio-Sensing Applications .....	454
<i>Chihlung Lin (Advanced Semiconductor Eng., Inc.), PangYuan Lee (Advanced Semiconductor Eng., Inc.), Kueihao Tseng (Advanced Semiconductor Eng., Inc.), Jenjun Chen (Advanced Semiconductor Eng., Inc.), and Harrison Chang (Advanced Semiconductor Eng., Inc.)</i>	
Evaluation of Screen Printing Process in Fabrication of Small Profile Conductive Ink-Based Contact Force Sensor .....	461
<i>Ramona B. Damalerio (Institute of Microelectronics, Agency for Science, Technology and Research Singapore, Singapore), Rui Qi Lim (Institute of Microelectronics, Agency for Science, Technology and Research Singapore, Singapore), James Yap Ven Wee (Institute of Microelectronics, Agency for Science, Technology and Research Singapore, Singapore), Ran Young Lim (Kalos Medical Incorporated, South Korea), and Ming-Yuan Cheng (Institute of Microelectronics, Agency for Science, Technology and Research Singapore, Singapore)</i>	

## Session 12: mm Wave Antenna-in-Package and Arrays

A Scalable Heterogeneous AiP Module for a 256-Element 5G Phased Array .....	467
<i>Duixian Liu (IBM T. J. Watson Research Center), Xiaoxiong Gu (IBM T. J. Watson Research Center), Christian Baks (IBM T. J. Watson Research Center), Koichiro Masuko (Fujikura Ltd.), Yujiro Tojo (Fujikura Ltd.), Atom O. Watanabe (IBM T. J. Watson Research Center), Arun Paidimarri (IBM T. J. Watson Research Center), Yuta Hasegawa (Fujikura Ltd.), Gokul Chandran (Fujikura Ltd.), Xu Lei (Fujikura Ltd.), Ning Guan (Fujikura Ltd.), Alberto Valdes-Garcia (IBM T. J. Watson Research Center), and Bodhisatwa Sadhu (IBM T. J. Watson Research Center)</i>	
Metamaterial Based Compact Patch Antenna Array for Antenna-in-Package Solutions in Frequency Handover Applications .....	475
<i>Payman Pahlavan (University of Florida, USA), Suk-Il Choi (University of Florida, USA), Alexander Wilcher (University of Florida, USA), Hae-In Kim (University of Florida, USA), Hanna Jang (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
A Low-Cost Antenna-in-Package (AiP) for D-Band Application .....	481
<i>Hung-Chun Kuo (ASE Group, Taiwan), Po-I Wu (ASE Group, Taiwan), Ming-Fong Jhong (ASE Group, Taiwan), Sheng-Chi Hsieh (ASE Group, Taiwan), and Chen-Chao Wang (ASE Group, Taiwan)</i>	
A New Millimeter-Wave Package Design Based on Pseudo-Cavity Mode Electromagnetic Wave Excitation Using 400- $\mu\text{m}$ Core FCBGA .....	487
<i>Ryuichi Oikawa (Renesas Electronics Corporation, Japan), Hideki Sasaki (Renesas Electronics Corporation, Japan), and Keita Tsuchiya (Renesas Electronics Corporation, Japan)</i>	
5G mmWave Patch Antenna Array on Extremely Low Loss Alumina Ribbon Ceramic Substrates for Antenna-in-Packaging (AiP) .....	492
<i>Cheolbok Kim (Corning Research and Development Corporation Corning, USA), Hoon Kim (Corning Research and Development Corporation Corning, USA), Eun Ju Moon (Corning Research and Development Corporation Corning, USA), David R Peters (Corning Research and Development Corporation Corning, USA), Heather Vanselous-Barrett (Corning Research and Development Corporation Corning, USA), and Seong-Ho Seok (Corning Technology Center Korea, South Korea)</i>	
A Novel Approach to Measure and Characterize Radiation Patterns of Antenna-in-Package ....	498
<i>Aditya N. Jogalekar (The University of Texas at Dallas, USA), Oscar F. Medina (The University of Texas at Dallas, USA), Mahadevan K. Iyer (The University of Texas at Dallas and Amkor Technologies Inc., USA), Andrew Blanchard (The University of Texas at Dallas, USA), Rashaunda Henderson (The University of Texas at Dallas, USA), Rajen Murugan (Texas Instruments Inc., USA), Harshpreet Bakshi (Texas Instruments Inc., USA), and Hassan Ali (Texas Instruments Inc., USA)</i>	



Design and Fabrication of a Sub-THz Co-Reflectively Curved Patch-Reflector Antenna Array for Gain Enhancement and Near Field Focusing .....	504
<i>Ching-Jen Lee (National Yang Ming Chiao Tung University, Taiwan), Pin-Cheng Tseng (Institute of Electronics Engineering, National Yang Ming Chiao Tung University, Taiwan), Wei-Chian Wang (Institute of Electronics Engineering, National Yang Ming Chiao Tung University, Taiwan), Yun-Hao Liou (Institute of Electronics Engineering, National Yang Ming Chiao Tung University, Taiwan), Yu-Ting Cheng (Institute of Electronics Engineering, National Yang Ming Chiao Tung University, Taiwan), and Chien-Nan Kuo (Institute of Electronics Engineering, National Yang Ming Chiao Tung University, Taiwan)</i>	

## Session 13: Wafer/Panel-Level and Advanced Substrate Technologies

Supercarrier Redistribution Layers to Realize Ultra Large 2.5D Wafer Scale Packaging by CoWoS .....	510
<i>S.Y. Hou (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Chien Hsun Lee (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Tsung-Ding Wang (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Hao Cheng Hou (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), and Hsieh-Pin Hu (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan)</i>	
Development of Fine Pitch Backside Redistribution Layer (BRDL) Process in Fan Out Panel Level Packaging (FOPLP) .....	515
<i>Hyunju Lee (Samsung Electronics Co., Ltd, Korea), Sung Keun Park (Samsung Electronics Co., Ltd, Korea), Kwangok Jeong (Samsung Electronics Co., Ltd, Korea), Jaemok Jung (Samsung Electronics Co., Ltd, Korea), Ju-il Choi (Samsung Electronics Co., Ltd, Korea), Un-Byoung Kang (Samsung Electronics Co., Ltd, Korea), and Kuyoung Kim (Samsung Electronics Co., Ltd, Korea)</i>	
Fabrication of Two-Types Panel-Level Interposers with Fine Cu Wirings and Outstanding Electrical Reliability .....	520
<i>Masashi Minami (Packaging Solution Center, Resonac Corporation, Japan), Daisuke Yamanaka (Packaging Solution Center, Resonac Corporation, Japan), Masaya Toba (Packaging Solution Center, Resonac Corporation, Japan), Shan Ho Tsai (Packaging Solution Center, Resonac Corporation, Japan), Sadaaki Katoh (Packaging Solution Center, Resonac Corporation, Japan), and Kazuyuki Mitsukura (Packaging Solution Center, Resonac Corporation, Japan)</i>	
Warpage Modulation Study on Panel-Level Compression Molding Technology for Heterogenous Integration Applications .....	526
<i>Liang He (Intel Corporation, USA), Zhixin Xie (Intel Corporation, USA), Shishir Deshpande (Intel Corporation, USA), Andrew Jimenez (Intel Corporation, USA), Jung Kyu Han (Intel Corporation, USA), Gang Duan (Intel Corporation, USA), and Rahul Manepalli (Intel Corporation, USA)</i>	

Signal Integrity of 2- $\mu$ m-Pitch RDL Interposer for High-Performance Signal Processing in Chiplet-Based System .....	531
<i>Hiroshi Kudo (Dai Nippon Printing Co., Ltd., Japan), Masaya Tanaka (Dai Nippon Printing Co., Ltd., Japan), Takamasa Takano (Dai Nippon Printing Co., Ltd., Japan), Satoru Kuramochi (Dai Nippon Printing Co., Ltd., Japan), Kazuyoshi Togashi (Dai Nippon Printing Co., Ltd., Japan), and Seiichi Yoshimi (Dai Nippon Printing Co., Ltd., Japan)</i>	
Thermal and Mechanical Characterization of Embedded PTCQ Packaging Test Chip Die .....	537
<i>Gerald Weis (AT&amp;S Austria Technologie &amp; Systemtechnik AG, Austria), Timo Schwarz (AT&amp;S Austria Technologie &amp; Systemtechnik AG, Austria), Vladimir Cherman (IMEC, Belgium), Hannes Stahr (AT&amp;S Austria Technologie &amp; Systemtechnik AG, Austria), and Geert Van Der Plas (IMEC, Belgium)</i>	
Reliability of Heterogeneous Integration on Hybrid Substrate With Ajinomoto Build-Up Film ...	542
<i>Channing Cheng-Lin Yang (Unimicron Technology Corporation, Taiwan), John H Lau (Unimicron Technology Corporation, Taiwan), Andy Yan-Jia Peng (Unimicron Technology Corporation, Taiwan), Vincent Teng (Unimicron Technology Corporation, Taiwan), Gary Chang-Fu Chen (Unimicron Technology Corporation, Taiwan), Jones Yu-Cheng Huang (Unimicron Technology Corporation, Taiwan), Yh Chen (Unimicron Technology Corporation, Taiwan), Hsing-Ning Liu (Unimicron Technology Corporation, Taiwan), Tzyy-Jang Tseng (Unimicron Technology Corporation, Taiwan), and Ming Li (ASM Pacific Technology, Hong Kong)</i>	

## **Session 14: Advances in Heterogeneous Integration Bonding Technology**

Characterization of 300 mm Low Temperature SiCN PVD Films for Hybrid Bonding Application .....	548
<i>Xavier F. Brun (Intel Corporation, USA), Md M. Hasan (Intel Corporation, USA), Yi Yang (Intel Corporation, USA), Patrik Carazzetti (Evatec AG, Switzerland), Carl Drechsel (Evatec AG, Switzerland), and Ewald Strolz (Evatec AG, Switzerland)</i>	
Inorganic Temporary Direct Bonding for Collective Die to Wafer Hybrid Bonding .....	556
<i>Fumihiro Inoue (Yokohama National University, Japan), Shunsuke Teranishi (Disco corp., Japan), Tomoya Iwata (Yokohama National University, Japan), Koki Onishi (Yokohama National University, Japan), Naoko Yamamoto (Disco corp., Japan), Akihito Kawai (Disco corp., Japan), Shimpei Aoki (Toray Engineering, Japan), Takashi Hare (Toray Engineering, Japan), and Akira Uedono (University of Tsukuba, Japan)</i>	
Cu Damascene Process on Temporary Bonded Wafers for Thin Chip Stacking Using Cu-Cu Hybrid Bonding .....	564
<i>Nagendra Sekhar Vasarla (Institute of Microelectronics, A*STAR, Singapore), Dileep Kumar Mishra (Institute of Microelectronics, A*STAR, Singapore), Prayudi Lianto (Applied Packaging Development Center, Applied Materials Singapore Technology Pte. Ltd, Singapore), Ser Choong Chong (Institute of Microelectronics, A*STAR, Singapore), and Srinivasa Rao Vempati (Institute of Microelectronics, A*STAR, Singapore)</i>	

A New Adhesive for CoW Cu-Cu Hybrid Bonding with High Throughput and Room Temperature pre-Bonding .....	571
<i>Yasuhiisa Kayaba (Mitsui Chemicals, Inc., Japan), Yuza Nakamura (Mitsui Chemicals, Inc., Japan), Wataru Okada (Mitsui Chemicals, Inc., Japan), Takuo Shikama (Mitsui Chemicals, Inc., Japan), Kahori Tamura (Mitsui Chemicals, Inc., Japan), and Satoshi Inada (Mitsui Chemicals, Inc., Japan)</i>	
Low-Temperature and Pressureless Cu-to-Cu Bonding by Electroless Pd Plating Using Microfluidic System .....	579
<i>Po-Shao Shih (National Taiwan University, Taiwan), Jeng-Hau Huang (National Taiwan University, Taiwan), Chang-Hsien Shen (National Taiwan University, Taiwan), Yu-Chun Lin (National Taiwan University, Taiwan), Simon Johannes Gräfner (National Taiwan University, Taiwan), Vengudusamy Renganathan (National Taiwan University, Taiwan), Chin-Li Kao (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Yung-Sheng Lin (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Yun-Ching Hung (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Chun-Wei Chiang (Advanced Semiconductor Engineering (ASE) Group, Taiwan), and C. Robert Kao (National Taiwan University, Taiwan)</i>	
Volume-Controllable Solder Bumping Technology to Package Substrate Using Injection Molded Solder for Fine-Pitch Flip Chip .....	585
<i>Toyohiro Aoki (IBM Research - Tokyo, Japan), Katsuyuki Sakuma (IBM T.J. Watson Research Center, USA), Hiroyuki Mori (IBM Research - Tokyo, Japan), Koki Nakamura (IBM Research - Tokyo, Japan), and Takashi Hisada (IBM Research - Tokyo, Japan)</i>	
Micro-Structure Analysis of Solder Joint Using Room Temperature Laser-Assisted Bonding (LAB) Process .....	590
<i>Yoon Hwan Moon (Electronics and Telecommunications Research Institute; Hanbat National University, Korea), Jiho Joo (Electronics and Telecommunications Research Institute, Korea), Gwang-Mun Choi (Electronics and Telecommunications Research Institute, Korea), Chanmi Lee (Electronics and Telecommunications Research Institute, Korea), Ki-Seok Jang (Electronics and Telecommunications Research Institute, Korea), Jin-Hyuk Oh (Electronics and Telecommunications Research Institute, Korea), Yong-Jun Oh (Hanbat National University, Korea), Yong-Sung Eom (Electronics and Telecommunications Research Institute, Korea), and Kwang-Seong Choi (Electronics and Telecommunications Research Institute, Korea)</i>	

## **Session 15: Innovative Interposer and Through-Via Technologies**

Assembly-Based Through-X Via (TXV) Integration Technology by Advanced Fan-Out Wafer-Level Packaging .....	596
<i>Atsushi Shinoda (Tohoku University, Japan), Yuki Susumago (Tohoku University, Japan), Chang Liu (Tohoku University, Japan), Jiayi Shen (Tohoku University, Japan), Tadaaki Hoshi (Tohoku University, Japan), Hisashi Kino (Tohoku University, Japan), Tetsu Tanaka (Tohoku University, Japan), and Takafumi Fukushima (Tohoku University, Japan)</i>	

3D Flexible Fan-Out Wafer-Level Packaging for Wearable Devices .....	601
<i>Guangqi Ouyang (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), Takafumi Fukushima (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA; Tohoku Univ. Miyagi, Japan), Haoxiang Ren (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), and Subramanian S. Iyer (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA; Tohoku Univ. Miyagi, Japan)</i>	
Low-Stress TSVs for High-Density 3D Integration .....	606
<i>Jingping Qiao (Institute of Microelectronics, Chinese Academy of Science, China; University of Chinese Academy of Science, China), Binbin Jiao (Institute of Microelectronics, Chinese Academy of Science, China), Shiqi Jia (Institute of Microelectronics, Chinese Academy of Science, China), Ruiwen Liu (Institute of Microelectronics, Chinese Academy of Science, China), Shichang Yun (Institute of Microelectronics, Chinese Academy of Science, China), Yanmei Kong (Institute of Microelectronics, Chinese Academy of Science, China), Yuxin Ye (Institute of Microelectronics, Chinese Academy of Science, China), Xiangbin Du (Institute of Microelectronics, Chinese Academy of Science, China), Lihang Yu (Institute of Microelectronics, Chinese Academy of Science, China; University of Chinese Academy of Science, China), Dichen Lu (Institute of Microelectronics, Chinese Academy of Science, China; University of Chinese Academy of Science, China), Ziyu Liu (Institute of Microelectronics, Chinese Academy of Science, China; University of Chinese Academy of Science, China), and Jie Wang (Institute of Microelectronics, Chinese Academy of Science, China; University of Chinese Academy of Science, China)</i>	
Integrated Optical Interconnect Systems (iOIS) for Silicon Photonics Applications in HPC .....	612
<i>Harry Hsia (TSMC), C. W. Tseng (TSMC), C. C. Chang (TSMC), C. Y. Wu (TSMC), S. P. Tai (TSMC), S. W. Lu (TSMC), Jason Wu (TSMC), C. H. Tung (TSMC), C. S. Liu (TSMC), Yutung Wu (TSMC), K. C. Yee (TSMC), and Douglas C.H. Yu (TSMC)</i>	

Demonstration of a CMOS-Compatible Superconducting Cryogenic Interposer for Advanced Quantum Processors .....	617
<i>King Jien Chui (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), Hongyu Li (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), Yong Chyn Ng (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), Chit Siong Lau (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), K. E. J. Goh (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), D. Huang (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), Ya-Ching Tseng (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), J. K. Chen (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), H. Yu (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), B. N. Jaafar (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), H. Lin (Institute of Microelectronic Agency for Science, Technology and Research, Singapore), and B. Varghese (Institute of Microelectronic Agency for Science, Technology and Research, Singapore)</i>	
Process Design Kit and Initial Demonstration of Digital Metal-Embedded Chip Assembly for High Density IO Fan-Out Packaging .....	623
<i>Souheil Nadri (HRL Laboratories, LLC, USA), B-A Clayton Tu (HRL Laboratories, LLC, USA), Florian Herrault (HRL Laboratories, LLC, USA), Hasan Sharifi (HRL Laboratories, LLC, USA), Jamin McCue (The Air Force Research Laboratory, WPAFB), Abdullah Khan (Cadence Design Systems, Inc, USA), David Schwan (Cadence Design Systems, Inc, USA), David Botticello (Cadence Design Systems, Inc, USA), Sanjana Das (Cadence Design Systems, Inc, SUSA), Daniel Kuzmenko (HRL Laboratories, LLC, USA), Joel Wong (HRL Laboratories, LLC, USA), Vu Phan (HRL Laboratories, LLC, USA), Jason Nguyen (HRL Laboratories, LLC, USA), and Courtney Wilt (HRL Laboratories, LLC, USA)</i>	

1.65 $\mu\text{m}$ L/S High Density Interconnect on Organic Substrate by Advanced Semi-Additive Process for HPC Applications .....	629
<i>Hussein Hamieh (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada), Juliano Borges (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada), Étienne Paradis (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada), Yann Beilliard (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada), Serge Ecoffey (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada), Isabel De Sousa (IBM Canada Bromont, Canada), Martin Laliberte (IBM Canada Bromont, Canada), and Dominique Drouin (Institut Interdisciplinaire d'Innovation Technologique (3IT), Université de Sherbrooke, Laboratoire Nanotechnologies Nanosystèmes (LN2) CNRS, Canada)</i>	

## **Session 16: Sintering and Soldering for High-Power, High-Reliability, and RF Devices**

Understanding the Influence of Copper Substrate Oxidation on Silver Pressure Sintering Performance .....	635
<i>Tamira Stegmann (Heraeus Deutschland GmbH &amp; Co. KG, Germany; Technische Universität Darmstadt, Germany), André Schwöbel (Heraeus Deutschland GmbH &amp; Co. KG, Germany), Wolfgang Schmitt (Heraeus Deutschland GmbH &amp; Co. KG, Germany), Stefan Gunst (Heraeus Deutschland GmbH &amp; Co. KG, Germany), Karsten Durst (Technische Universität Darmstadt, Germany), Peter Klar (Justus-Liebig-Universität Gießen, Germany), Nils Neugebauer (Justus-Liebig-Universität Gießen, Germany), and Jan Luka Dornseifer (Justus-Liebig-Universität Gießen, Germany)</i>	
Forming of Advanced THT-Interconnects Using SB <sup>2</sup> Laser Solder Jetting Process .....	643
<i>Matthias Fettke (PacTech – Packaging Technologies, Germany), Gerow Bonow (PacTech – Packaging Technologies, Germany), Anne Fisch (PacTech – Packaging Technologies, Germany), Moshir Nasser (PacTech – Packaging Technologies, Germany), Georg Friedrich (PacTech – Packaging Technologies, Germany), Rojhat Baba (PacTech – Packaging Technologies, Germany), and Thorsten Teutsch (PacTech – Packaging Technologies, Germany)</i>	
High Reliability Design of Ag Sinter Joining on a Softened Crack-Less Ni-P/Pt/Ag Metallization AMB Substrate during Aging and Harsh Thermal Cycling .....	651
<i>Chuantong Chen (Osaka university), Yang Liu (Osaka University, Japan), Wangyun Li (Osaka University, Japan), Fupeng Huo (Osaka University, Japan), Minoru Ueshima (Daicel Corporation, Japan), Takehsi Sakamoto (Daicel Corporation, Japan), Yukinori Oda (C. Uyemura &amp; Co., Ltd., Japan), and Katsuaki Suganuma (Osaka University, Japan)</i>	

Risk Assessment of Hybrid Low Temperature Solder on Surface Mount Technology and Board Level Reliability for BGA Packages .....	656
<i>Jihyun Lee (Samsung Electronics Co., Ltd, South Korea), Yongsung Park (Samsung Electronics Co., Ltd, South Korea), Junho Lee (Samsung Electronics Co., Ltd, South Korea), Kangjoon Lee (Samsung Electronics Co., Ltd, South Korea), Hansung Ryu (Samsung Electronics Co., Ltd, South Korea), JeeHyun Jung (Samsung Electronics Co., Ltd, South Korea), and Kilsoo Kim (Samsung Electronics Co., Ltd, South Korea)</i>	
A Bismuth-Free In-Containing Lower-Temperature Lead-Free Solder Paste for Wafer-Level Package Application that Outperforms SAC305 .....	661
<i>HongWen Zhang (Indium Corporation, USA), Tyler Richmond (Indium Corporation, USA), Kyle Aserian (Indium Corporation, USA), Huaguang Wang (Indium Corporation, USA), Jie Geng (Indium Corporation, USA), Christopher Nash (Indium Corporation, Malaysia), Jonas Sjoberg (Indium Corporation, USA), and Claire Hotvedt (Indium Corporation, USA)</i>	
Planar SiC Power Module Packaging and Interconnections Using Direct Ink Writing .....	668
<i>Riadh Al-Haidari (The State University of New York, USA), Mohammed Alhendi (The State University of New York, USA), Dylan Richmond (The State University of New York, USA), El Mehdi Abbara (The State University of New York, USA), Abdullah Obeidat (The State University of New York, USA), Udara S. Somarathna (The State University of New York, USA), Mark Schadt (The State University of New York, USA), Mark Poliks (The State University of New York, USA), Arun V. Gowda (GE Global Research, USA), Jeff Erlbaum (GE Global Research, USA), Han Xiong (GE Global Research, USA), and Collin Hitchcock (GE Global Research, USA)</i>	
Influence of Microscale Tin Particles on Mechanical Properties of Silver Sintering Joints with Reduced Processing Parameters .....	676
<i>Steffen Haderler (Institute of Micro Production Technology, Leibniz University Hannover, Germany), Yangyang Long (Institute of Dynamics and Vibration Research, Leibniz University Hannover, Germany), Rico Ottermann (Institute of Micro Production Technology, Leibniz University Hannover, Germany), Folke Dencker (Institute of Micro Production Technology, Leibniz University Hannover, Germany), Jens Twiefel (Institute of Dynamics and Vibration Research, Leibniz University Hannover, Germany), and Marc Christopher Wurz (Institute of Micro Production Technology, Leibniz University Hannover, Germany)</i>	

## **Session 17: Advanced Reliability Modelling and Characterization**

Fully Coupled Electromigration Modeling Using Peridynamics .....	682
<i>Y. Zhang (University of Arizona, USA), S. V. K. Anicode (University of Arizona, USA), E. Madenci (University of Arizona, USA), and X. Fan (Lamar University, USA)</i>	

Predicting Reliability Behavior in HBM Packages Through Numerical Simulation .....	689
<i>Sangkun O (Samsung Electronics Co., Ltd., South Korea), Jongpa Hong (Samsung Electronics Co., Ltd., South Korea), Sangmin Lee (Samsung Electronics Co., Ltd., South Korea), Seoeun Kyung (Samsung Electronics Co., Ltd., South Korea), Junho Lee (Samsung Electronics Co., Ltd., South Korea), Kilsoo Kim (Samsung Electronics Co., Ltd., South Korea), Jihyun Park (Samsung Electronics Co., Ltd., South Korea), and Dan Oh (Samsung Electronics Co., Ltd., South Korea)</i>	
Distortion Simulation for Direct Wafer-to-Wafer Bonding Process .....	694
<i>Nathan Ip (Tokyo Electron America, Inc., USA), Nima Nejadsadeghi (Tokyo Electron America, Inc., USA), Norifumi Kohama (Tokyo Electron Kyushu Limited, Japan), Hayato Tanoue (Tokyo Electron Kyushu Limited, Japan), and Kimio Motoda (Tokyo Electron Kyushu Limited, Japan)</i>	
Substrate Copper Trace Crack Characterization and Simulation .....	699
<i>Wei Yu (Micron Semiconductor Asia Operations Pte.Ltd, Singapore), Faxing Che (Micron Semiconductor Asia Operations Pte.Ltd, Singapore), Vance Liu (Micron Memory Taiwan Co., Ltd, Taiwan), Milly Lin (Micron Memory Taiwan Co., Ltd, Taiwan), Jay Lin (Micron Memory Taiwan Co., Ltd, Taiwan), Brad Rumsey (Micron Technology, Inc, USA), Christopher Glancey (Micron Technology, Inc., USA), Yeow Chon Ong (Micron Semiconductor Asia Operations Pte.Ltd, Singapore), and Hong Wan Ng (Micron Semiconductor Asia Operations Pte.Ltd, Singapore)</i>	
Design-for-Manufacturing and Design-for-Reliability Strategies for Large 80mm+ 2.5D Devices .....	706
<i>Peng Su (Juniper Networks, USA), Omar Ahmed (Juniper Networks, USA), Leif Hutchinson (Juniper Networks, USA), Bernard Glasauer (Juniper Networks, USA), and Gautam Ganguly (Juniper Networks, USA)</i>	
A Continuum Damage Mechanics Approach for the Reliability of Lead-Free Solders Subjected to Cyclic Loading .....	713
<i>Golam Rakib Mazumder (Auburn University, USA), Mohammad Ashraful Haq (Auburn University, USA), Jeffrey C. Suhling (Auburn University, USA), Pradeep Lall (Auburn University, USA), Yaxiong Chen (NXP Semiconductors, USA), Torsten Hauck (NXP Semiconductors, Germany), and Abdullah Fahim (NXP Semiconductors, USA)</i>	
A Quantitative Evaluation of the Inelastic Energy Absorptions in Cu-Polyimide Interconnect and the Effect on Interface Debond Driving Force .....	721
<i>Chien-Yu Wang (National Cheng Kung University, Taiwan), Tz-Cheng Chiu (National Cheng Kung University, Taiwan), Wei-Jie Yin (ASE Group Kaohsiung, Taiwan), Dao-Long Chen (ASE Group Kaohsiung, Taiwan), Tang-Yuan Chen (ASE Group Kaohsiung, Taiwan), and Chin-Li Kao (ASE Group Kaohsiung, Taiwan)</i>	

## **Session 18: Advanced Photonic Packaging and Interconnect**

Backside Optical Coupler : A Novel I/O for Mechanically Stable High Efficiency Fiber Coupling .....	727
<i>Sugeet Sunder (University of Southern California, USA), Akhliesh Jaiswal (University of Southern California, USA), and Ajey Jacob (University of Southern California, USA)</i>	



QPSK Transmitter Photonics Integrated Circuit (PIC) with Integrated Micro-Transfer-Printed EAMs and Custom Driver Compatible with 3D Integration .....	732
<i>Xinhong Du (University of California, USA), Yujie Xia (University of California; Now with Quintessent Inc., USA), Viviana Arrunategui Norvick (University of California, USA), Aaron Zilkie (Rockley Photonics Inc., USA), Guomin Yu (Rockley Photonics Inc., USA), Roshanak Shafiiha (Rockley Photonics Inc., USA), James Dalton (University of California, USA), Larry Coldren (University of California, USA), and Clint Schow (University of California, USA)</i>	
Low-Cost, HVM Singulation of Silicon Photonic ICs for Low-Loss Waveguide-To-Fiber Array Edge Coupling .....	737
<i>Hiren D. Thacker (Cisco Systems, USA), Tong Wang (Cisco Systems, Taiwan), Steve Moyer (Cisco Systems, USA), Adam Forrer (Cisco Systems, USA), Vitalis Amungwa (Cisco Systems, USA), Phongsak Laotprasert (Cisco Systems, Thailand), Amorn Runarom (Cisco Systems, Thailand), Mary Nadeau (Cisco Systems, USA), and Sandeep Razdan (Cisco Systems, USA)</i>	
Packaging of Ultra-Dynamic Photonic Switches and Transceivers for Integration into 5G Radio Access Network and Datacenter Sub-Systems .....	742
<i>G. Van Steenberge (Imec and Ghent University, Belgium), G. Roelkens (Imec and Ghent University, Belgium), P. Ossieur (Imec and Ghent University, Belgium), J. Missinne (Imec and Ghent University, Belgium), J. Van Asch (Imec and Ghent University, Belgium), J. Zhang (Imec and Ghent University, Belgium), S. Qin (Imec and Ghent University, Belgium), J. Van Campenhout (Imec, Belgium), J. Van Kerkhof (PHIX Photonics Assembly, The Netherlands), M. M. Milosevic (PHIX Photonics Assembly, The Netherlands), P. Bakopoulos (NVIDIA, Greece), D. Syrivelis (NVIDIA, Greece), E. Mentovich (NVIDIA, Israel), K. Morozov (Innolume, Germany), S. Stracca (Ericsson Research, Italy), A. Bigongiari (Ericsson Research, Italy), T. Joerg (AT&amp;S AG, Austria), D. Schlick (AT&amp;S AG, Austria), T. Braun (Fraunhofer Institute for Reliability and Microintegration, Germany), M. Wohrmann (Fraunhofer Institute for Reliability and Microintegration, Germany), R. Gernhardt (Fraunhofer Institute for Reliability and Microintegration, Germany), Q. Cheng (Cambridge University, United Kingdom), T. Li (Cambridge University, United Kingdom), and R. Penty (Cambridge University, United Kingdom)</i>	
Scalable Fiber-Array-to-Chip Interconnections with Sub-Micron Alignment Accuracy .....	748
<i>Shengtao Yu (Georgia Institute of Technology, USA), Thomas K. Gaylord (Georgia Institute of Technology, USA), and Muhannad S. Bakir (Georgia Institute of Technology, USA)</i>	

Realization, Multi-Field Coupled Simulation and Characterization of a Thermo-Mechanically Robust LiDAR Front End on a Copper Coated Glass Substrate .....	753
<i>Marcel Kettelgerdes (University of Applied Sciences Ingolstadt, Germany), Peter Mezmer (Chemnitz University of Technology, Germany), Michael J. Haeussler (Fraunhofer Institute for Reliability and Microintegration (IZM), Germany), Gunnar Böttger (Fraunhofer Institute for Reliability and Microintegration (IZM), Germany), Majid Tavakolibast (Chemnitz University of Technology, Germany), Amit Pandey (University of Applied Sciences Ingolstadt, Germany), Hüseyin Erdogan (Conti Temic microelectronic GmbH, Germany), Gordon Elger (Fraunhofer Institute for Transportation and Infrastructure Systems (IVI), Germany), Ralph Schacht (Brandenburg University of Technology Cottbus-Senftenberg, Germany), and Bernhard Wunderle (Chemnitz University of Technology, Germany)</i>	

Cavity-Resonator-Integrated Guided-Mode-Resonance Mirrors for Hybrid Integration of Wavelength-Multiplexed Light Source .....	761
<i>Akari Watanabe (Kyoto Institute of Technology, Japan), Shunsuke Teranishi (Kyoto Institute of Technology, Japan), Keisuke Ozawa (Kyoto Institute of Technology, Japan), Aika Taniguchi (Kyoto Institute of Technology, Japan), Junichi Inoue (Kyoto Institute of Technology, Japan), Kenji Kitntaka (National Institute of Advanced Industrial Science &amp; Technology, Japan), and Shogo Ura (Kyoto Institute of Technology, Japan)</i>	

## Session 19: Advances in 3D Integration and Hybrid Bonding

Thermal Improvement of HBM with Joint Thermal Resistance Reduction for Scaling 12 Stacks and Beyond .....	767
<i>Kim Taehwan (Samsung Electronics Co., Ltd., South Korea), Lee Jonggyu (Samsung Electronics Co., Ltd, South Korea), Kim Youngdeuk (Samsung Electronics Co., Ltd, South Korea), Park Hwanjoo (Samsung Electronics Co., Ltd., South Korea), Hwang Heejung (Samsung Electronics Co., Ltd., South Korea), Kim Jaechoon (Samsung Electronics Co., Ltd., South Korea), Jung Hangi (Samsung Electronics Co., Ltd., South Korea), and Kim Dong Wook (Samsung Electronics Co., Ltd., South Korea)</i>	

Electrical and Thermal Analysis of Bumpless Build Cube 3D Using Wafer-on-Wafer and Chip-on-Wafer for Near Memory Computing .....	772
<i>Norio Chujo (Tokyo Institute of Technology, Japan), Hiroyuki Ryoson (Tokyo Institute of Technology, Japan), Koji Sakui (Tokyo Institute of Technology, Japan), Shinji Sugatani (Tokyo Institute of Technology, Japan), Tomoji Nakamura (Tokyo Institute of Technology, Japan), and Takayuki Ohba (Tokyo Institute of Technology, Japan)</i>	

2.5D MCM (Multi-Chip Module) Technology Development for Advanced Package .....	778
<i>Laurene Yip (MediaTek Inc, USA), James Tsai (MediaTek Inc, Taiwan), Rosa Lin (MediaTek Inc, Taiwan), and Ian Hsu (MediaTek Inc, Taiwan)</i>	

Reliability Performance on Fine-Pitch SoIC <sup>TM</sup> Bond .....	783
<i>S. W. Liang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Y.R. Liang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Gene C. Y. Wu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), K. C. Yee (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), C. T. Wang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), and Douglas C. H. Yu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan)</i>	
Development of 4 die Stack Module Using Hybrid Bonding Approach .....	788
<i>Ser Choong Chong (Institute of Microelectronics, Singapore), Keng Yuen Au Jason (Institute of Microelectronics, Singapore), Sekhar Vasarla Nagendra (Institute of Microelectronics, Singapore), Cereno Daniel Ismael (Institute of Microelectronics, Singapore), and Srinivasa Rao Vempati (Institute of Microelectronics, Singapore)</i>	
Impact of Dielectric and Copper Via Design on Wafer-to-Wafer Hybrid Bonding .....	795
<i>Vikas Dubey (Fraunhofer ENAS, Germany), Dirk Wünsch (Fraunhofer ENAS, Germany.), Knut Gottfried (Fraunhofer ENAS, Germany), Maik Wiemer (Fraunhofer ENAS, Germany), Tobias Fischer (Fraunhofer ENAS, Germany; TU-Chemnitz, Chemnitz), Sebastian Schermer (Fraunhofer ENAS, Germany), Nils Dittmar (Fraunhofer ENAS, Germany), Christian Helke (Fraunhofer ENAS, Germany; TU-Chemnitz, Chemnitz), Micha Hasse (Fraunhofer ENAS, Germany; TU-Chemnitz, Chemnitz), Sanghamitra Ghosal (Fraunhofer ENAS, Germany), Anke Hanisch (Fraunhofer ENAS, Germany), Jens Bonitz (Fraunhofer ENAS, Germany), Jinji Luo-Hofmann (Fraunhofer ENAS, Germany), Lutz Hofmann (Fraunhofer ENAS, Germany), Maria Lykova (Fraunhofer ENAS, Germany), Fiete Stoll (Fraunhofer ENAS, Germany), Klaus Vogel (Fraunhofer ENAS, Germany), and Stefan E. Schulz (Fraunhofer ENAS, Germany; TU-Chemnitz, Chemnitz)</i>	
Voids-Free Die-Level Cu/ILD Hybrid Bonding .....	800
<i>Katsuyuki Sakuma (IBM Thomas J. Watson Research Center, USA), Roy Yu (IBM Thomas J. Watson Research Center, USA), Nicholas Polomoff (IBM Thomas J. Watson Research Center, USA), Luke Darling (IBM Thomas J. Watson Research Center, USA), Promod Chowdhury (IBM Thomas J. Watson Research Center, USA), Sathya Raghavan (IBM Thomas J. Watson Research Center, USA), Keodara Seifert (IBM Thomas J. Watson Research Center, USA), John Knickerbocker (IBM Thomas J. Watson Research Center, USA), Dale McHerron (IBM Thomas J. Watson Research Center, USA), Ming Li (ASMPT, Hong Kong), Siu Cheung So (ASMPT, Hong Kong), So Ying Kwok (ASMPT, Hong Kong), Chun Ho Fan (ASMPT, Hong Kong), and Siu Wing Lau (ASMPT, Hong Kong)</i>	

## Session 20: Automotive/Board-Level Reliability

Impact of Temperature Cycling Conditions on Board Level Vibration for Automotive Applications .....	806
<i>Varun Thukral (NXP Semiconductors &amp; TU Delft, The Netherlands), Irene Bacquet (NXP Semiconductors, The Netherlands), Michiel Soestbergen (NXP Semiconductors, The Netherlands), Jeroen Zaal (NXP Semiconductors, The Netherlands), Romuald Roucou (NXP Semiconductors, France), Rene Rongen (NXP Semiconductors, The Netherlands), Willem D. van Driel (Delft University of Technology, The Netherlands), and GuoQi Zhang (Delft University of Technology, The Netherlands)</i>	
Thermal Aging Study of Encapsulated Power Devices Under Autonomous Driving Condition and Its Effect on Board Level Reliability .....	814
<i>Yu-Hsiang Yang (University of Maryland, USA), Bongtae Han (University of Maryland, USA), and Przemyslaw Gromala (Robert Bosch GmbH, Germany)</i>	
Evolution of Fracture Resistance of the FCBGA Interfaces Under Monotonic and Fatigue Loads in Presence of Sustained Automotive High Temperatures .....	820
<i>Pradeep Lall (Auburn University), Aathi Pandurangan (Auburn University), Padmanava Choudhury (Auburn University), and Jeff Suhling (Auburn University)</i>	
System-Level Reliability Case Studies of High-Performance Automotive and Medical IC Packages .....	828
<i>Li Jiang (Texas Instruments Inc, USA), Guangxu Li (Texas Instruments Inc, USA), Kejun Zeng (Texas Instruments Inc, USA), Jaimal Williamson (Texas Instruments Inc, USA), and Rajen Murugan (Texas Instruments Inc, USA)</i>	
Reliability Challenges and Mitigation Measures of Small Body-Sized Components on Complex and High-Layer Count PCBs .....	834
<i>Peng Su (Juniper Networks, USA), Omar Ahmed (Juniper Networks, USA), Arman Ahari (Juniper Networks, USA), Leif Hutchinson (Juniper Networks, USA), and Bernard Glasauer (Juniper Networks, USA)</i>	
Investigation on Fatigue Life of Non-Symmetric Solder Joints in Chip Resistors .....	840
<i>Jonghwan Ha (The State University of New York at Binghamton, USA), Junbo Yang (The State University of New York at Binghamton, USA), Pengcheng Yin (The State University of New York at Binghamton, USA), Karthic Arun Deo (The State University of New York at Binghamton, USA), Chongyang Cai (The State University of New York at Binghamton, USA), and Seungbae Park (The State University of New York at Binghamton, USA)</i>	
Investigation of Acceleration Factors for SnAgCu-Bi Solder Joints Under Various Temperature Cycling Test Conditions .....	846
<i>Choongpyo Jeon (Samsung Electronics, Republic of Korea), Youngsung Choi (Samsung Electronics, Republic of Korea), Hyunsik Jeong (Hanyang University, Republic of Korea), Kwangwon Seo (Samsung Electronics, Republic of Korea), Keunho Rhew (Samsung Electronics, Republic of Korea), Jinsoo Bae (Samsung Electronics, Republic of Korea), and Yuchul Hwang (Samsung Electronics, Republic of Korea)</i>	

## Session 21: Fine-Pitch and Intermetallic Considerations in Advanced Solder Interconnections

Copper Pillar Voids in a Flip Chip Package During High Temperature Application .....	852
<i>Miao Wang (NXP Semiconductors, USA), Amar Mavinkurve (NXP Semiconductors, Netherland), Romuald Roucou (NXP Semiconductors, Netherland), Amirul Afripin (NXP Semiconductors, Malaysia), Trent Uehling (NXP Semiconductors, USA), Cs Foong (NXP Semiconductors, USA), and Nishant Lakhera (NXP Semiconductors, USA)</i>	
Solder Joint Reliability of Fully Homogenised SAC-SnBi Low Temperature BGA Interconnections Using Solid Liquid Inter-Diffusion (SLID) .....	858
<i>Hafiz Waqas Ali (3IT, IRT-LN2, Université de Sherbrooke, Canada), David Danovitch (3IT, IRT-LN2, Université de Sherbrooke, Canada), Dominique Drouin (3IT, IRT-LN2, Université de Sherbrooke, Canada), Richard Langlois (IBM, Canada), and Robert Martel (IBM, Canada)</i>	
Intermetallic Growth Study of Ultra-Thin Copper and Tin Bilayer for Hybrid Bonding Applications .....	866
<i>Gaurav Khurana (Institute of Electronic Packaging Technology, Technische Universitaet Dresden, Germany) and Iuliana Panchenko (Institute of Electronic Packaging Technology, Technische Universitaet Dresden and All Silicon System Integration Dresden (ASSID), Fraunhofer Institute for Reliability and Microintegration IZM Dresden, Germany)</i>	
Heterogeneous Integration on Organic Interposer Substrate with Fine-Pitch RDL and 40 Micron Pitch Micro-Bumps .....	872
<i>Katsuyuki Sakuma (IBM T. J. Watson Research Center, U.S.A.), Griselda Bonilla (IBM T. J. Watson Research Center, U.S.A.), Dale McHerron (IBM T. J. Watson Research Center, U.S.A.), Toyohiro Aoki (IBM Research - Tokyo, Japan), Russell Kastberg (IBM Systems, U.S.A.), Glenn Pomerantz (IBM Systems, U.S.A.), Jay Bunt (IBM Systems, U.S.A.), and Tom Wassick (IBM Systems, U.S.A.)</i>	
A Study on the Advanced Chip to Wafer Stack for Better Thermal Dissipation of High Bandwidth Memory .....	878
<i>Sangyong Lee (SK hynix, Inc., Korea), Jinwoo Park (SK hynix, Inc., Korea), Jong-Kyu Moon (SK hynix, Inc., Korea), Minsuk Kim (SK hynix, Inc., Korea), Gyujei Lee (SK hynix, Inc., Korea), and Kangwook Lee (SK hynix, Inc., Korea)</i>	
Seed Layer Etching, Thermal Reflow and Bonding of Cu-Sn Micro Bumps with 5 µm Diameters .....	883
<i>Yunfan Shi (Tsinghua university, China), Zilin Wang (Tsinghua university, China), Rutian Huang (Tsinghua university, China), Jin Kang (Semiconductor Technology Innovation Center Corporation, China), Kai Zheng (Semiconductor Technology Innovation Center Corporation, China), Weihai Bu (Semiconductor Technology Innovation Center Corporation, China), and Zheyao Wang (Tsinghua university and Beijing Innovation Center for Future Chips, China)</i>	
Development of Fluxless Micro-Bonding and Narrow Gap Filling Process .....	888
<i>Sadaaki Katoh (Resonac Corporation, Japan), Dongchul Kang (Resonac Corporation, Japan), Keiko Ueno (Resonac Corporation, Japan), and Kazuyuki Mitsukura (Resonac Corporation, Japan)</i>	

## Session 22: Large Substrate Process Integration Challenges

Extremely Large 3.5D Heterogeneous Integration for the Next-Generation Packaging Technology .....	893
<i>Ilbok Lee (Samsung Electronics Co, Ltd, South Korea), Soohyun Nam (Samsung Electronics Co, Ltd, South Korea), Sungeun Kim (Samsung Electronics Co, Ltd, South Korea), Sangho Shin (Samsung Electronics Co, Ltd, South Korea), Younglyong Kim (Samsung Electronics Co, Ltd, South Korea), Sun-Kyoung Seo (Samsung Electronics Co, Ltd, South Korea), Hae Jung Yu (Samsung Electronics Co, Ltd, South Korea), and Dae-Woo Kim (Samsung Electronics Co, Ltd, South Korea)</i>	
Study of Fabrication and Reliability for the Extremely Large 2.5D Advanced Package .....	899
<i>Kosuke Murai (Consortium JOINT2 (Jisso Open Innovation Network of Tops 2), Resonac Corporation, Japan), Hitoshi Onozeki (Consortium JOINT2 (Jisso Open Innovation Network of Tops 2), Resonac Corporation, Japan), Kang Dongchul (Consortium JOINT2 (Jisso Open Innovation Network of Tops 2), Resonac Corporation, Japan), Kazue Hirano (Consortium JOINT2 (Jisso Open Innovation Network of Tops 2), Resonac Corporation, Japan), and Kazuyuki Mitsukura (Consortium JOINT2 (Jisso Open Innovation Network of Tops 2), Resonac Corporation, Japan)</i>	
A Technical Review on State of the Art In-Plane and Out-of-Plane Deformation Measurement Techniques for Microelectronic Packages .....	907
<i>Karthik Arun Deo (State University of New York Binghamton, USA), Pengcheng Yin (State University of New York Binghamton, USA), Junbo Yang (State University of New York Binghamton, USA), Jong Hwan Ha (State University of New York Binghamton, USA), and S B Park (State University of New York Binghamton, USA)</i>	
Lead Frame vs. Mold Via .....	914
<i>Rathin Mandal (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore)</i>	
Analysis of Package-to-System Interaction on Thermal Performance of Large 2.5D Packages Using 3DFabric® Platform .....	918
<i>Po-Yao Lin (Taiwan Semiconductor Manufacturing Company, Taiwan), Chien-Hung Chen (Taiwan Semiconductor Manufacturing Company, Taiwan), Kathy Yan (Taiwan Semiconductor Manufacturing Company, Taiwan), and Jun He (Taiwan Semiconductor Manufacturing Company)</i>	
Package Warpage of Whole Strip Evaluation with Interface Analysis in the Flip- Chip Die Bonding Process .....	923
<i>Ian Ho (Siliconware Precision Industries Co., Ltd., Taiwan), Po-Yu Liao (Siliconware Precision Industries Co., Ltd., Taiwan), Teny Shih (Siliconware Precision Industries Co., Ltd., Taiwan), Andrew Kang (Siliconware Precision Industries Co., Ltd., Taiwan), and Yu-Po Wang (Siliconware Precision Industries Co., Ltd., Taiwan)</i>	
Thermal Solutions for Large Die and Package .....	929
<i>Choong Kooi Chee (Marvell Semiconductor, USA), Sean Hsu (Marvell Semiconductor, USA), Janak Patel (Marvell Semiconductor, USA), and Alaba Bamido (Marvell Semiconductor, USA)</i>	

## Session 23: Next Generation Quantum, AI, and Secure System Design

Thermal-Aware SoC Macro Placement and Multi-Chip Module Design Optimization with Bayesian Optimization .....	935
<i>Michael Molter (University of Illinois Urbana-Champaign), Rahul Kumar (Penn State University), Sonja Koller (Intel Deutschland GmbH), Osama Waqar Bhatti (Georgia Institute of Technology), Nikita Ambasana (DPE, DCAI, Intel India), Elyse Rosenbaum (University of Illinois Urbana-Champaign), and Madhavan Swaminathan (Penn State University)</i>	
3D Defect Detection and Metrology of HBMs Using Semi-Supervised Deep Learning .....	943
<i>Ramanpreet Singh Pahwa (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Richard Chang (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore), Wang Jie (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Zhao Ziyuan (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Cai Lile (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Xu Xun (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Foo Chuan Sheng (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research (A*STAR), Singapore; Artificial Intelligence, Analytics And Informatics (AI3), Agency for Science, Technology and Research (A*STAR), Singapore), Chong Ser Choong (Institute of Microelectronics (IME), Agency for Science, Technology and Research (A*STAR), Singapore), and Vempati Srinivasa Rao (Institute of Microelectronics (IME), Agency for Science, Technology and Research (A*STAR), Singapore)</i>	
A Si-Interposer with Buried Cu Metal Stripes and Bonded to Si-Substrate Backside for Security IC Chips .....	951
<i>Takuya Wadatsumi (Kobe university, Japan), Rikuu Hasegawa (Kobe university, Japan), Kazuki Monta (Kobe university, Japan), Takaaki Okidono (SCU Co., Ltd., Japan), Takuji Miki (Kobe university, Japan), and Makoto Nagata (Kobe university, Japan)</i>	
Physical Authentication of Electronic Devices Using Synthetically Generated 3D Material Signatures .....	955
<i>Tejas Kulkarni (Purdue University, USA), Nikhilesh Chawla (Purdue University, USA), and Ganesh Subbarayan (Purdue University, USA)</i>	

Modeling and Analysis of CMOS-Based Folded Memristive Crossbar Array for 3D Neuromorphic Integrated Circuits .....	960
<i>Sherin A. Thomas (Indian Institute of Technology Ropar, India), Sahibia Kaur Vohra (Indian Institute of Technology Ropar, India), Suyash Kushwaha (Indian Institute of Technology Ropar, India), Rohit Sharma (Pennsylvania State University, USA), and Devarshi Mrinal Das (Indian Institute of Technology Ropar, India)</i>	
Cryogenic Integration for Quantum Computer Using Diamond Color Center Spin Qubits .....	967
<i>Toshiki Iwai (Fujitsu Limited, Japan), Kenichi Kawaguchi (Fujitsu Limited, Japan), Tetsuya Miyatake (Fujitsu Limited, Japan), Tetsuro Ishiguro (Fujitsu Limited, Japan), Shoichi Miyahara (Fujitsu Limited, Japan), Yoshiyasu Doi (Fujitsu Limited, Japan), Salahuddin Nur (Delft University of Technology, The Netherlands), Ryoichi Ishihara (Delft University of Technology, The Netherlands), and Shintaro Sato (Fujitsu Limited, Japan)</i>	
Characterizations of Indium Interconnects for 3D Quantum Assemblies .....	973
<i>Celine Feautrier (Univ. Grenoble Alpes, France), Edouard Deschaseaux (Univ. Grenoble Alpes, France), Alain Gueugnot (Univ. Grenoble Alpes, France), Jean Charbonnier (Univ. Grenoble Alpes, France), Aurelia Plihon (Univ. Grenoble Alpes, France), Ludovic Dupre (Univ. Grenoble Alpes, France), Franck Henry (Univ. Grenoble Alpes, France), Frederic Berger (Univ. Grenoble Alpes, France), Antoine Pagot (Univ. Grenoble Alpes, France), Sebastien Renet (Univ. Grenoble Alpes, France), Olivier Mailliart (Univ. Grenoble Alpes, France), and Candice Thomas (Univ. Grenoble Alpes, France)</i>	

## **Session 24: High-Speed Signal and Power Integrity**

Comprehensive PDN/PSIJ Analysis of Silicon Capacitor use for 8.533 GT/s LPDDR5X Application .....	980
<i>Scott Powers (Qualcomm Technologies, Inc., USA), Jonathan Casanova (Qualcomm Technologies, Inc., USA), Arun Kundu (Qualcomm Technologies, Inc., USA), Xiao Ma (Meta Platforms, Inc., USA), Varin Sriboonlue (Qualcomm Technologies, Inc., USA), Srivatsan Thiruvengadam (Qualcomm Technologies, Inc., USA), and Jaemin Shin (Qualcomm Technologies, Inc., USA)</i>	
Design Considerations for Power Delivery Network and Metal-Insulator-Metal Capacitor Integration in Bridge-Chips for 2.5-D Heterogeneous Integration .....	985
<i>Ankit Kaul (Georgia Institute of Technology, USA), Md Obaidul Hossen (Georgia Institute of Technology, USA), Madison Manley (Georgia Institute of Technology, USA), and Muhannad S. Bakir (Georgia Institute of Technology, USA)</i>	
Statistical Analysis of Off-Chip Power-Integrity for Multicore Systems .....	991
<i>Sodam Han (Foundry Business, Samsung Electronics, Co. Ltd., South Korea), Sungwook Moon (Foundry Business, Samsung Electronics, Co. Ltd., South Korea), Jungil Son (Foundry Business, Samsung Electronics, Co. Ltd., South Korea), and Seungki Nam (Foundry Business, Samsung Electronics, Co. Ltd., South Korea)</i>	



HBM3 Modules on Latest High Density Organic Laminate—Signal Integrity Design and Analysis with Interconnect Budget Results .....	996
<i>Frank R. Libsch (IBM T.J. Watson Research Center, USA) and Hiroyuki Mori (IBM Research, Japan)</i>	
Signal and Power Integrity Design and Analysis for Bunch-of-Wires (BoW) Interface for Chiplet Integration on Advanced Packaging .....	1004
<i>Ram Krishna (University of Illinois Urbana-Champaign, USA), Atom Watanabe (IBM Research, USA), John Golz (IBM Research, USA), Ravi Bonam (IBM Research, USA), Frank R. Libsch (IBM Research, USA), Elyse Rosenbaum (University of Illinois Urbana-Champaign, USA), and Arvind Kumar (IBM Research, USA)</i>	
Metaconductor-Based High Signal Integrity Interconnects for 112 Gbps SerDes Interface with Channel Analysis .....	1012
<i>Hae-In Kim (University of Florida, USA), Alexander Wilcher (University of Florida, USA), Saeyeong Jeon (University of Florida, USA), Payman Pahlavan (University of Florida, USA), Rockwell Hsu (Cisco Systems, Inc., USA), Brice Achkir (Cisco Systems, Inc., USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
Signal Integrity Co-Design of a High-Speed (20 Gbps) Analog Passive CMOS Switch .....	1017
<i>Srikanth Manian (Texas Instruments, Inc., India), S Shanmuganarayanan (Texas Instruments, Inc., India), Rajen Murugan (Texas Instruments, Inc., USA), and Sylvester Ankamha-Kusi (Texas Instruments, Inc., USA)</i>	

## **Session 25: Next Generation High-Performance Computing Architectures**

CoWoS Architecture Evolution for Next Generation HPC on 2.5D System in Package .....	1022
<i>Yu-Chen Hu (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Yu-Min Liang (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Hsieh-Pin Hu (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Chia-Yen Tan (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Chih-Ta Shen (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), Chien-Hsun Lee (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan), and S. Y. Hou (Taiwan Semiconductor Manufacturing Company, Ltd, Taiwan)</i>	
Reliability Performance of S-Connect Module (Bridge Technology) for Heterogeneous Integration Packaging .....	1027
<i>Heejun Jang (Amkor Technology Korea, Korea), Kyun Ahn (Amkor Technology Korea, Korea), Haesung Park (Amkor Technology Korea, Korea), Gamhan Yong (Amkor Technology Korea, Korea), Jihyun Kim (Amkor Technology Korea, Korea), YeonKi Jeong (Amkor Technology Korea, Korea), EunSook Sohn (Amkor Technology Korea, Korea), Dave Hiner (Amkor Technology, Inc., USA), Mike Kelly (Amkor Technology, Inc., USA), Taekyeong Hwang (Amkor Technology Korea, Korea), Wonchul Do (Amkor Technology Korea, Korea), and JinYoung Khim (Amkor Technology Korea, Korea)</i>	

Advanced Packaging Design Platform for Chipllets and Heterogeneous Integration .....	1032
<i>Lihong Cao (Advanced Semiconductor Engineering, Inc., USA), Chen-Chao Wang (Advanced Semiconductor Engineering, Inc., Taiwan), Chih-Yi Huang (Advanced Semiconductor Engineering, Inc., Taiwan), and Huang-Chun Kuo (Advanced Semiconductor Engineering, Inc., Taiwan)</i>	
FO-EB-T Package Solution for High Performance Computing .....	1038
<i>Po Yuan SU (Siliconware Precision Industries Co., Ltd.(SPIL)), Jacy Pu (Siliconware Precision Industries Co., Ltd.(SPIL)), David Ho (Siliconware Precision Industries Co., Ltd.(SPIL)), and Yu Po Wang (Siliconware Precision Industries Co., Ltd.(SPIL))</i>	
Die to Wafer Hybrid Cu Bonding for Fine Pitch 3D-IC Applications .....	1043
<i>Yeongseon Kim (AVP TD Team, Samsung Electronics Co, Ltd), Juhyeon Kim (AVP TD Team, Samsung Electronics Co, Ltd), Hyeoun Kim (AVP TD Team, Samsung Electronics Co, Ltd), Haksun Lee (AVP TD Team, Samsung Electronics Co, Ltd), Dohyun Kim (AVP TD Team, Samsung Electronics Co, Ltd), Sun-Kyoung Seo (AVP TD Team, Samsung Electronics Co, Ltd), Chajea Jo (AVP TD Team, Samsung Electronics Co, Ltd), and Dae-Woo Kim (AVP TD Team, Samsung Electronics Co, Ltd)</i>	
C2W Hybrid Bonding Interconnect Technology for Higher Density and Better Thermal Dissipation of High Bandwidth Memory .....	1048
<i>Kibum Kim (SK hynix Inc, Republic of Korea), Sanghyuk Lim (SK hynix Inc, Republic of Korea), Dongwook Jung (SK hynix Inc, Republic of Korea), Jeongyun Choi (SK hynix Inc, Republic of Korea), Song. Na (SK hynix Inc, Republic of Korea), Jaehyun. Yeom (SK hynix Inc, Republic of Korea), Miseon Lee (SK hynix Inc, Republic of Korea), Jongyeon Kim (SK hynix Inc, Republic of Korea), Jongoh Kwon (SK hynix Inc, Republic of Korea), Ki-il Moon (SK hynix Inc, Republic of Korea), Gyuje Lee (SK hynix Inc, Republic of Korea), and Kangwook Lee (SK hynix Inc, Republic of Korea)</i>	
Direct Bonded Heterogeneous Integration (DBHi): Surface Bridge Approach for die Tiling .....	1053
<i>Claudia Cristina Barrera Pulido (IBM Systems, Canada), Sayuri Kohara (IBM Research – Tokyo, Japan), Aakrati Jain (IBM Research – Albany, USA), Thomas Wassick (IBM Systems, USA), Divya Taneja (IBM Sysytems, Canada), Philip McInnes (IBM Systems, Canada), Akihiro Horibe (IBM Research – Tokyo, Japan), and Isabel de Sousa (IBM Systems, Canada)</i>	

## Session 26: Materials Reliability

Control of Solder Microstructure Stimulated by Interface Condition of the UBM/Solder and Enhancement of Electromigration Reliability .....	1060
<i>Hariram Mohanram (University of Texas at Arlington, USA), Yiram Kim (University of Texas at Arlington, USA), Geng Ni (University of Texas at Arlington, USA), Choong-Un Kim (University of Texas at Arlington, USA), Sylvester Ankamah-Kusi (Texas Instruments, Inc, USA), Qiiao Chen (Texas Instruments, Inc, USA), and Patrick Thompson (Texas Instruments, Inc, USA)</i>	

Al <sub>2</sub> O <sub>3</sub> -Coated Bond Wire with Adhesion Promoter & Electrical Insulation .....	1066
<i>Soojae Park (OxWires Co., Ltd., Korea), Soohyun Jo (OxWires Co., Ltd., Korea), Sichun Seo (Samsung Electronics, Korea), Chulhyung Cho (Samsung Electronics, Korea), Eulgi Min (NCD Co., Ltd., Korea), and Kyujung Choi (NCD Co., Ltd., Korea)</i>	
Evolution of Propensity for High Strain-Rate Damage Accrual in Doped and Undoped SnAgCu Lead-Free Solders in Temperature Range of -65°C to +200°C After 1-Year Sustained High Temperatures Exposure .....	1072
<i>Pradeep Lall (Auburn University, Auburn), Vishal Mehta (Auburn University, Auburn), Vikas Yadav (Auburn University, Auburn), Mrinmoy Saha (Auburn University, Auburn), and Jeff Suhling (Auburn University, Auburn)</i>	
Reliability Investigations of Polymer Based Redistribution Layers (RDL) Protected by a Mold Layer .....	1080
<i>Ji-Youn Kwak (University of Ulsan, Republic of Korea), Emmanuel Chery (Imec, Belgium), Julien Bertheau (Imec, Belgium), John Slabbekoorn (Imec, Belgium), Joke De Messemaeker (Imec, Belgium), and Eric Beyne (Imec, Belgium)</i>	
Ionic Sensor Package Design for the Survivability in a Drop/Impact During Deployment .....	1085
<i>Pengcheng Yin (SUNY Binghamton University, USA), Jonghwan Ha (SUNY Binghamton University, USA), Junbo Yang (SUNY Binghamton University, USA), Yangyang Lai (SUNY Binghamton University, USA), Seungbae Park (SUNY Binghamton University, USA), and Biju Jacob (GE Research, USA)</i>	
Effects of Twin Boundary and Precipitates on Board Level Reliability in Sn-Ag-Cu(SAC) Solder Joints Through EBSD Analysis .....	1091
<i>Dal-Jin Yoon (SK hynix Inc., Republic of Korea), Byoungdo Lee (SK hynix Inc., Republic of Korea), Jihye Kim (Republic of Korea), Sungho Hyun (SK hynix Inc., Republic of Korea), Gyujei Lee (SK hynix Inc., Republic of Korea), and Kangwook Lee (SK hynix Inc., Republic of Korea)</i>	
Copper Wire Degradation Under the Effect of Different Humidity Levels .....	1095
<i>Michael Joo Zhong Lim (Nanyang Technological University, Singapore), Hai Guan Loh (Infineon Technologies Asia Pacific, Singapore), Michael Goroll (Infineon Technologies AG, Germany), Zhong Chen (Nanyang Technological University, Singapore), and Chuan Seng Tan (Nanyang Technological University, Singapore)</i>	

## Session 27: Next Generation Wafer-to-Wafer Copper Bonding

0.5µm Pitch Next Generation Hybrid Bonding with High Alignment Accuracy for 3D Integration.....	1100
<i>Christopher Netzband (TEL Technology Center, United States), Kevin Ryan (TEL Technology Center, United States), Yuji Mimura (TEL Technology Center, United States), Son Ilseok (TEL Technology Center, United States), Hirokazu Aizawa (TEL Technology Center, United States), Nathan Ip (Tokyo Electron America, Inc., United States), Xuemei Chen (Tokyo Electron America, Inc., United States), Hideyuki Fukushima (Tokyo Electron Kyushu Ltd., Japan), and Shinichi Tan (Tokyo Electron Kyushu Ltd., Japan)</i>	

Low Temperature and Fine Pitch Nanocrystalline Cu/SiCN Wafer-to-Wafer Hybrid Bonding ...	1105
<i>Wei-Lan Chiu (Industrial Technology Research Institute (ITRI), Taiwan), Ou-Hsiang Lee (Industrial Technology Research Institute (ITRI), Taiwan), Tzu-Ying Kuo (Industrial Technology Research Institute (ITRI), Taiwan), James Yi-Jen Lo (Nanya Technology Corp. (NTC), Taiwan), Chiang-Lin Shih (Nanya Technology Corp. (NTC), Taiwan), Hsih-Yang Chiu (Nanya Technology Corp. (NTC), Taiwan), and Hsiang-Hung Chang (Industrial Technology Research Institute (ITRI), Taiwan)</i>	
0.5 $\mu\text{m}$ Pitch Wafer-to-Wafer Hybrid Bonding with SiCN Bonding Interface for Advanced Memory..	1110
<i>Kai Ma (Applied Materials, Inc, USA), Nikolaos Bekiaris (Applied Materials, Inc, USA), Sesh Ramaswami (Applied Materials, Inc, USA), Taotao Ding (EV Group, Austria), Gernot Probst (EV Group, Austria), Jürgen Burggraf (EV Group, Austria), and Thomas Uhrmann (EV Group, Austria)</i>	
Fine-Pitch 30 $\mu\text{m}$ Cu-Cu Bonding Using Electroless Nano-Ag .....	1115
<i>Yung-Sheng Lin (Advanced Semiconductor Engineering Group, Taiwan), Chun-Wei Chiang (Advanced Semiconductor Engineering Group, Taiwan), Yun-Ching Hung (Advanced Semiconductor Engineering Group, Taiwan), Chin-Li Kao (Advanced Semiconductor Engineering Group, Taiwan), Ping-Hung Hsieh (Advanced Semiconductor Engineering Group, Taiwan), Chih-Yuan Hsu (Advanced Semiconductor Engineering Group, Taiwan), and I-Ting Lin (Advanced Semiconductor Engineering Group, Taiwan)</i>	
Influence of H <sub>2</sub> O in Bonding Interfaces on Bonding Strength of Plasma-Activated Bonded Silicon Oxide .....	1119
<i>Hirota Yoshioka (Sony Semiconductor Solutions Corporation, Japan), Nobutoshi Fujii (Sony Semiconductor Solutions Corporation, Japan), Takushi Shigetoshi (Sony Semiconductor Solutions Corporation, Japan), Takahiro Kamei (Sony Semiconductor Solutions Corporation, Japan), Kengo Kotoo (Sony Semiconductor Solutions Corporation, Japan), Naoki Ogawa (Sony Semiconductor Solutions Corporation, Japan), Shunsuke Furuse (Sony Semiconductor Solutions Corporation, Japan), Tatsuya Horikiri (Sony Semiconductor Solutions Corporation, Japan), Sotetsu Saito (Sony Semiconductor Solutions Corporation, Japan), Suguru Saito (Sony Semiconductor Solutions Corporation, Japan), Yoshiya Hagimoto (Sony Semiconductor Solutions Corporation, Japan), and Hayato Iwamoto (Sony Semiconductor Solutions Corporation, Japan)</i>	
All Nanograined Copper Is Not Created Equal .....	1124
<i>Yun Zhang (Shinhao Materials LLC, China), Peipei Dong (Shinhao Materials LLC, China), Jing Wang (Shinhao Materials LLC, China), Xingxing Zhang (Shinhao Materials LLC, China), Klaus Leyendecker (Umicore Metal Deposition Solutions, Germany), Michael Herkommer (Umicore Metal Deposition Solutions, Germany), Volker Wohlfarth (Umicore Metal Deposition Solutions, Germany), and Josh Liang (Umicore Metal Deposition Solutions, Taiwan)</i>	

A Study on Multi-Chip Stacking Process by Novel Dielectric Polymer Adhesive for Cu-Cu Hybrid Bonding .....	1129
<i>Yuzo Nakamura (Mitsui Chemicals, Inc., Japan), Kahori Tamura (Mitsui Chemicals, Inc., Japan), Yasuhisa Kayaba (Mitsui Chemicals, Inc., Japan), Wataru Okada (Mitsui Chemicals, Inc., Japan), Takuo Shikama (Mitsui Chemicals, Inc., Japan), and Satoshi Inada (Mitsui Chemicals, Inc., Japan)</i>	

## Session 28: Process Enhancements in 3D, FOWLP, and TSV Technologies

Magneto-Assisted Graphene Reinforcement: A New Method to Enhance Nanostructure and Properties of Electrodeposited Copper .....	1135
<i>Nithin Nedumthakady (Georgia Institute of Technology, USA), Pragna Bhaskar (Georgia Institute of Technology, USA), and Vanessa Smet (Georgia Institute of Technology, USA)</i>	
Exploring Capabilities of Maskless Lithography for Dual-Image Exposure in FO WLP .....	1143
<i>Ksenija Varga (EV Group, Austria), Thomas Uhrmann (EV Group, Austria), Roman Holly (EV Group, Austria), Tobias Zenger (EV Group, Austria), Chris Milasinic (HD MicroSystems L.L.C, USA), Mel Zussman (HD MicroSystems L.L.C, USA), Ron Legario (HD MicroSystems L.L.C, USA), and Michael Knaus (HD MicroSystems L.L.C, USA)</i>	
Alignment Through Thick Si Layer for High Resolution Patterning on Bonded Wafers with Tight Overlay Margin Using Immersion Lithography .....	1150
<i>Arvind Sundaram (Institute of Microelectronics, Singapore), Chin Khang Tew (Institute of Microelectronics, Singapore), Guowei Tan (Institute of Microelectronics, Singapore), Yuan-Hsing Fu (Institute of Microelectronics, Singapore), Hongyu Li (Institute of Microelectronics, Singapore), Nandini Venkataraman (Institute of Microelectronics, Singapore), Bhesetti Chandra Rao (Institute of Microelectronics, Singapore), and Navab Singh (Institute of Microelectronics, Singapore)</i>	
Recent Progress in the Development of High-Density TSV for 3-Layers CMOS Image Sensors	1156
<i>Stéphan Borel (Univ. Grenoble Alpes, France), Myriam Assous (Univ. Grenoble Alpes, France), Stéphane Moreau (Univ. Grenoble Alpes, France), and Rémi Vélard (Univ. Grenoble Alpes, France)</i>	
The Advantages of Low Temperature (<400 °C) Carbon Nano-Tubes (CNTs) as Through Silicon Vias (TSVs) in Multi-Layers Stacking and Backside Power-Via Applications .....	1164
<i>Nilabh Basu (National Taiwan University, Taiwan), Hong-Yi Lin (National Taiwan University, Taiwan), Ting-Wei Chen (National Taiwan University, Taiwan), Yi-Cheng Chan (National Taiwan University, Taiwan), Yi-Ting Tsai (National Taiwan University, Taiwan), Hong-Cheng Guo (National Taiwan University, Taiwan), Tung-Han Wu (National Taiwan University, Taiwan), Pin-Chi Lin (National Taiwan University, Taiwan), Yu-Cheng Lin (National Taiwan University, Taiwan), and Ming-Han Liao (National Taiwan University, Taiwan)</i>	

A Precise Wafer Thinning Integration Process for Nano-TSV Formation .....	1170
<i>Ya-Ching Tseng (Institute of Microelectronics, Singapore), Simon Chun Kiat Goh (Institute of Microelectronics, Singapore), Senthilkumar Darshini (Institute of Microelectronics, Singapore), Nandini Venkataraman (Institute of Microelectronics, Singapore), Arvind Sundaram (Institute of Microelectronics, Singapore), Tew Chin Khang (Institute of Microelectronics, Singapore), Yoo Jae Ok (Institute of Microelectronics, Singapore), and King-Jien Chui (Institute of Microelectronics, Singapore)</i>	
Next Generation Infrared (IR) Laser Debonding / Silicon Handle Technology for Precision Chiplet Technology Applications .....	1175
<i>Qianwen Chen (IBM Research, USA), Michael Belyansky (IBM Research, USA), Yasir Sulehria (IBM Research, USA), Akihiro Horibe (IBM Research, USA), Liqiao Qin (IBM Research, USA), Raturaj Pujari (IBM Research, USA), Eric Perfecto (IBM Research, USA), Fee Li Lie (IBM Research, USA), Shahid Butt (IBM Research, USA), Nick Polomoff (IBM Research, USA), Risa Miyazawa (IBM Research, USA), Sayuri Kohara (IBM Research, USA), Mukta Farooq (IBM Research, USA), Takashi Hisada (IBM Research, USA), Jennifer Oakley (IBM Research, USA), Spyridon Skordas (IBM Research, USA), Susan Fan (IBM Research, USA), Katsuyuki Sakuma (IBM Research, USA), John Knickerbocker (IBM Research, USA), Dale Mcherron (IBM Research, USA), Takeshi Tamura (Tokyo Electron, Japan;TEL Technology Center, USA), Takayuki Ishii (Tokyo Electron, Japan;TEL Technology Center, USA), Panupong Jaipan (Tokyo Electron, Japan;TEL Technology Center, USA), Satoshi Nishimura (Tokyo Electron, Japan;TEL Technology Center, USA), Ilseok Son (Tokyo Electron, Japan;TEL Technology Center, USA), Yohei Maeda (Tokyo Electron, Japan;TEL Technology Center, USA), Takashi Koga (Tokyo Electron, Japan;TEL Technology Center, USA), Joseph Klein (Tokyo Electron, Japan;TEL Technology Center, USA), Kei Tashiro (Tokyo Electron, Japan;TEL Technology Center, USA), Sitaram Arkalgud (Tokyo Electron, Japan;TEL Technology Center, USA), and Yoshihiro Kondo (Tokyo Electron, Japan;TEL Technology Center, USA)</i>	

## **Session 29: AI-Based Prediction for Heterogeneous Integration and Advanced Packaging**

Feasibility Investigation of Machine Learning for Electronic Reliability Analysis Using FEA .....	1181
<i>Robert Höhne (Technische Universität Dresden, Germany), Oliver Albrecht (Technische Universität Dresden, Germany), Karsten Meier (Technische Universität Dresden, Germany), Qi Yichen (Technische Universität Dresden, Germany), and Karlheinz Bock (Technische Universität Dresden, Germany)</i>	
ARTSim: A Robust Thermal Simulator for Heterogeneous Integration Platforms .....	1187
<i>Yousef Safari (McGill University, Canada), Adam Corbier (McGill University, Canada), Dima Al Saleh (McGill University, Canada), and Boris Vaisband (McGill University, Canada)</i>	

Reduced-Order Models of Digital Twin Applications for Design Platform of Flexible Hybrid Electronics .....	1194
<i>Chang-Chun Lee (National Tsing Hua University, Taiwan), Jui-Chang Chuang (National Tsing Hua University, Taiwan), Chen-Tsai Yang (EOSL, ITRI, Taiwan), and Chung-I Li (EOSL, ITRI, Taiwan)</i>	
Methodology of Artificial Intelligence Aided Hybrid Modeling for Predicting Solder Joint Reliability of BGA Package .....	1200
<i>Ling Pan (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Fa Xing Che (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Yeow Chon Ong (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Hong Wan Ng (Micron Semiconductor Asia Operations Pte. Ltd, Singapore), Christopher Glancey (Micron Technology, Inc.), and Gokul Kumar (Micron Technology, Inc., USA)</i>	
Effect of Li-Ion Battery Form Factor on the SoH Degradation Under Randomized Charge-Discharge Cycles and C-Rates .....	1205
<i>Pradeep Lall (Auburn University) and Ved Soni (Auburn University)</i>	
Artificial Intelligence (AI) Based Methodology to Minimize Asymmetric Bare Substrate Warpage .....	1213
<i>Sathya Raghavan (AI Hardware Research Center, IBM Research, USA), Hiroyuki Mori (Tokyo Research Lab, IBM Research, Japan), Griselda Bonilla (AI Hardware Research Center, IBM Research, USA), and Katsuyuki Sakuma (AI Hardware Research Center, IBM Research, USA)</i>	
Thermal Characterization of 3-D Stacked Heterogeneous Integration (HI) Package for High-Power Computing Applications .....	1219
<i>Aakrati Jain (IBM Research, USA), Risa Miyazawa (IBM Research, Japan), Sathya Raghavan (IBM Research, USA), Prabudhya Roy Chowdhury (IBM Research, USA), Mukta Ghate Farooq (IBM Research, USA), Arvind Kumar (IBM Research, USA), and Katsuyuki Sakuma (IBM Research, USA)</i>	

## Session 30: Trends in Encapsulants and Low Dk/Df Dielectrics

Liquid Compression Mold Underfill Optimization with Low Warpage and Narrow Gap Flow ...	1226
<i>Tsuyoshi Kamimura (NAMICS Corporation, Japan), Yuto Shigeno (NAMICS Corporation, Japan), Shinichi Sato (NAMICS Corporation, Japan), and Brian Schmaltz (NAMICS Technologies, Inc., USA)</i>	
Effects of High-Temperature Exposure on the Thermo-Mechanical Behavior of Epoxy Molding Compound and Warpage of Molded Wafers .....	1231
<i>Junmo Kim (KAIST, Korea), Myoung Song (KAIST, Korea), Chang-Yeon Gu (KAIST, Korea), Min Sang Ju (KAIST, Korea), Sung Woo Ma (SK Hynix, Korea), Jin Hee Lee (SK Hynix, Korea), Woong-Sun Lee (SK Hynix, Korea), and Taek-Soo Kim (KAIST, Korea)</i>	
Low Temperature Fine Pitch All-Copper Interconnects Combining Photopatternable Underfill Films .....	1237
<i>Xinrui Ji (Delft University of Technology, The Netherlands), Henk Van Zeijl (Delft University of Technology, The Netherlands), Weiping Jiao (Delft University of Technology, The Netherlands), Shan He (Delft University of Technology, The Netherlands), Leiming Du (Delft University of Technology, The Netherlands), and Guoqi Zhang (Delft University of Technology, The Netherlands)</i>	

Novel Low Dk/Df Photoimageable Dielectric for Redistribution Layer .....	1244
<i>Guillermo Fernandez Zapico (Resonac Corporation, Japan), Fumihiko Kawauchi (Resonac Corporation, Japan), Shinya Kawashita (Resonac Corporation, Japan), Manabu Hirasawa (Resonac Corporation, Japan), Kitaru Sato (Resonac Corporation, Japan), Tetsuya Imai (Resonac Corporation, Japan), Hidekazu Kondo (Resonac Corporation, Japan), and Tatsuya Makino (Resonac Corporation, Japan)</i>	
Novel Photo-Definable Low Dk & Df Polyimide for Advanced Package of High Frequency Application .....	1249
<i>Hitoshi Araki (Toray Industries, Inc., Japan), Akira Shimada (Toray Industries, Inc., Japan), Hisashi Ogasawara (Toray Industries, Inc., Japan), Masaya Jukei (Toray Industries, Inc., Japan), Takenori Fujiwara (Toray International Singapore Pte. Ltd., Singapore), and Masao Tomikawa (Toray Industries, Inc., Japan)</i>	
Novel Low Df Thermosetting Film and Photo Imageable Film .....	1254
<i>Meiten Koh (Taiyo Ink MFG. Co. Ltd., Japan), Kazuyoshi Yoneda (Taiyo Ink MFG. Co. Ltd., Japan), Kazutaka Nakada (Taiyo Ink MFG. Co. Ltd., Japan), Yoshitomo Aoyama (Taiyo Ink MFG. Co. Ltd., Japan), Kasumi Hashimoto (Taiyo Ink MFG. Co. Ltd., Japan), Kota Oki (Taiyo Ink MFG. Co. Ltd., Japan), Kensuke Naka (Taiyo Ink MFG. Co. Ltd., Japan), and Yuna Kawata (Taiyo Ink MFG. Co. Ltd., Japan)</i>	
Properties of low Dielectric Constant Buildup Materials Containing Micron Sized Hollow Silica .....	1260
<i>Kuray Preeya (AGC Multi Material America, USA), McCarthy Tom (AGC Multi Material America, USA), Ancharski Caleb (AGC Multi Material America, USA), and Nakajima Yoji (AGC Multi Material America, USA)</i>	

## **Session 31: MEMS Sensor, Bio, and Advanced Interconnect Reliability**

Enabling Backside Processing for Perforated Microfluidic Devices .....	1266
<i>Jakob Visker (Imec, Belgium), Yang Han (Imec, Belgium), Evert Visker (Imec, Belgium), Chi Dang Thi Thuy (imec, Belgium), Mateusz Goycla (Imec, Belgium), Aurelie Humbert (Imec, Belgium), Jan Ackaert (Imec, Belgium), Lan Peng (Imec, Belgium), and Serge Vanhaelemeersch (Imec, Belgium)</i>	
Wafer Level Chip Scale Package Technology Applied to MEMS Pressure Sensor .....	1273
<i>Marco Del Sarto (STMicroelectronics, Italy), Luca Maggi (STMicroelectronics, Italy), Tiziano Chiarillo (STMicroelectronics, Italy), Enri Duqi (STMicroelectronics, Italy), Lorenzo Baldo (STMicroelectronics, Italy), Adriano Abbisogni (STMicroelectronics, Italy), and Filippo Daniele (STMicroelectronics, Italy)</i>	
A Novel FOWLP Method to Integrate Delicate MEMS Components .....	1279
<i>Markus Woehrmann (Fraunhofer IZM, Germany), Marc Dreissigacker (Technical University Berlin, Germany), Tanja Braun (Fraunhofer IZM, Germany), Michael Schiffer (Fraunhofer IZM, Germany), and Martin Schneider-Ramelow (Technical University Berlin, Germany)</i>	



Development of High Reliability 6 $\mu\text{m}$ -Pitch Cu-Cu Connections Using over-400mm <sup>2</sup> -Large Chip on Wafer Bonding Process .....	1285
<i>Takahiro Kamei (Sony Semiconductor Solutions Corporation, Japan), Hiroataka Yoshioka (Sony Semiconductor Solutions Corporation, Japan), Tatsumasa Hiratsuka (Sony Semiconductor Solutions Corporation, Japan), Akihisa Sakamoto (Sony Semiconductor Solutions Corporation, Japan), Kan Shimizu (Sony Semiconductor Solutions Corporation, Japan), and Hayato Iwamoto (Sony Semiconductor Solutions Corporation, Japan)</i>	
A Comprehensive Study of Solder Joint Reliability Dependent on Temperature Cycling Profiles and Material Selections with Emphasis on an Improved Solder Fatigue Lifetime Model .....	1291
<i>Bongchan Son (SK hynix Inc., Republic of Korea), Seung-Hyun Chae (SK hynix Inc., Republic of Korea), Seungkwon Noh (SK hynix Inc., Republic of Korea), KilJae Lee (SK hynix Inc., Republic of Korea), and Sangdeok Kim (SK hynix Inc., Republic of Korea)</i>	
Electromigration Performance of Fine-Line Cu Redistribution Layer (RDL) for High-Density Fan-Out Packaging .....	1297
<i>JiHye Kwon (Amkor Technology Korea, Inc., Republic of Korea), JeongMin Ju (Amkor Technology Korea, Inc., Republic of Korea), SangHyuk Kim (Amkor Technology Korea, Inc., Republic of Korea), EunSook Sohn (Amkor Technology Korea, Inc., Republic of Korea), and JinYoung Khim (Amkor Technology Korea, Inc., Republic of Korea)</i>	
Simulation-Assisted Board Level Solder Joint Reliability Optimization for Large 80mm+ 2.5D Devices .....	1303
<i>Omar Ahmed (Juniper Networks, USA), Vishnu Shukla (University of Central Florida, Orlando), Leif Hutchinson (Juniper Networks, USA), Peng Su (Juniper Networks, USA), Bernard Glasauer (Juniper Networks, USA), and Tengfei Jiang (University of Central Florida, Orlando)</i>	

## Session 32: Thermo-Mechanical Modelling and Characterization

A Thin-Film Reconfigurable SiC Thermal Test Chip for Reliability Monitoring in Harsh Environments. ....	1309
<i>Romina Sattari (Delft University of Technology, The Netherlands), Henk van Zeijl (Delft University of Technology, The Netherlands), and GuoQi Zhang (Delft University of Technology, The Netherlands)</i>	
Simulation of Device Structure Impacts on Bonding Wave and Strain in Wafer-to-Wafer Cu-Cu Hybrid Bonding .....	1314
<i>Takaaki Hirano (Sony Semiconductor Solutions Corporations, Japan), Taichi Yamada (Sony Semiconductor Solutions Corporations, Japan), Shoji Kobayashi (Sony Semiconductor Solutions Corporations, Japan), Yoshiya Hagimoto (Sony Semiconductor Solutions Corporations, Japan), and Hayato Iwamoto (Sony Semiconductor Solutions Corporations, Japan)</i>	
Investigation of Cure Kinetics of Advanced Epoxy Molding Compound Using Dynamic Heating Scan: An Overlooked Second Reaction .....	1319
<i>Ran Tao (National Institute of Standards and Technology, USA), Sukrut Prashant Phansalkar (University of Maryland, USA), Aaron M. Forster (National Institute of Standards and Technology, USA), and Bongtae Han (University of Maryland, USA)</i>	

Effect of Passivation and Mechanical Constraint on Electromigration in Interconnect .....	1327
<i>Zhen Cui (Delft University of Technology, Netherlands), Xuejun Fan (Lamar University, USA), and Guoqi Zhang (Delft University of Technology, Netherlands)</i>	
Improving Warpage Characterization of Large Wafers in Fan-Out Packaging Technology .....	1332
<i>Saskia Huber (Fraunhofer IZM, Germany), Andreas Stegmaier (Fraunhofer IZM, Germany), Marius Van Dijk (Fraunhofer IZM, Germany), Nina Nguyen (Fraunhofer IZM, Germany), Ole Hoelck (Fraunhofer IZM, Germany), Olaf Wittler (Fraunhofer IZM, Germany), and Martin Schneider-Ramelow (Fraunhofer IZM, Germany)</i>	
Enhancement of Thermal Transient Prediction Accuracy for Mobile AP Package .....	1339
<i>Hwanjoo Park (Samsung Electronics Co., Ltd, Republic of Korea), Taehwan Kim (Samsung Electronics Co., Ltd, Republic of Korea), Sunggu Kang (Samsung Electronics Co., Ltd, Republic of Korea), Jonggyu Lee (Samsung Electronics Co., Ltd, Republic of Korea), Sungho Mun (Samsung Electronics Co., Ltd, Republic of Korea), Jaechoon Kim (Samsung Electronics Co., Ltd, Republic of Korea), Hangi Jung (Samsung Electronics Co., Ltd, Republic of Korea), and Dongwook Kim (Samsung Electronics Co., Ltd, Republic of Korea)</i>	
Fan-Out Embedded Bridge with TSV(FO-EB-T) Package Characterization and Evaluation .....	1344
<i>Vito Lin (Cooperate R &amp; D Siliconware, Precision Industries Co. Ltd., Taiwan), Teny Shih (Cooperate R &amp; D Siliconware, Precision Industries Co. Ltd., Taiwan), Andrew Kang (Cooperate R &amp; D Siliconware, Precision Industries Co. Ltd., Taiwan), and Yu-Po Wang (Cooperate R &amp; D Siliconware, Precision Industries Co. Ltd., Taiwan)</i>	

## **Session 33: Advances in RDL, Via, and TSV Technologies for Chiplet Integration**

3D Silicon Interposer for Terabit/s Transceivers Based on High-Speed TSVs .....	1348
<i>Bogdan Sirbu (Fraunhofer IZM, Germany), Kai Zoschke (Fraunhofer IZM, Germany), Stéphane Bernabé (CEA-Leti, France), Quentin Wilmart (CEA-Leti, France), and Tolga Tekin (Fraunhofer IZM, Germany)</i>	
Creative Design and Structure Applied to Chiplets Packaging .....	1353
<i>Chen-Chao Wang (Product Design Division, CRD, ASE Group., Taiwan), Chih-Yi Huang (Product Design Division, CRD, ASE Group, Taiwan), Hung-Chun Kuo (Product Design Division, CRD, ASE Group, Taiwan), Ming-Fong Jhong (Product Design Division, CRD, ASE Group, Taiwan), Fu-Chen Chu (Product Design Division, CRD, ASE Group, Taiwan), Chung-Hung Lai (Product Characterization Division, CRD, ASE Group, Taiwan), Hung-Hsien Huang (Product Characterization Division, CRD, ASE Group, Taiwan), and Chih-Pin Hung (Product Characterization BU, CRD, ASE Group, Taiwan)</i>	
TSV-Based Stacked Silicon Capacitor with Embedded Package Platform .....	1359
<i>Kyojin Hwang (Samsung Electronics Co. Ltd., Korea), Jisoo Hwang (S.LSI Business, Samsung Electronics Co. Ltd., Korea), Woobin Jung (Samsung Electronics Co. Ltd., Korea), Heeseok Lee (Samsung Electronics Co. Ltd., Korea), Junso Pak (Samsung Electronics Co. Ltd., Korea), and Junghwa Kim (Samsung Electronics Co. Ltd., Korea)</i>	

Ultra Fine Pitch RDL (UFPRDL) Using Polymer Dual Damascene Processing .....	1364
<i>Nelson Pinho (IMEC, Belgium), Emmanuel Chery (IMEC, Belgium), Nicolas Pantano (IMEC, Belgium), John Slabbekoorn (IMEC, Belgium), Andy Miller (IMEC, Belgium), and Eric Beyne (IMEC, Belgium)</i>	
Development of a Plasma Etching Process of Copper for the Microfabrication of High-Density Interconnects in Advanced Packaging .....	1369
<i>Juliano Borges (Université de Sherbrooke, Canada), Maxime Darnon (Université de Sherbrooke, Canada), Yann Beilliard (Université de Sherbrooke, Canada), Serge Ecoffey (Université de Sherbrooke, Canada), Isabel De Sousa (IBM Canada, Canada), and Dominique Drouin (Université de Sherbrooke, Canada)</i>	
On the Path to AI Hardware via Chiplet Integration Enabled by High Density Organic Substrates .....	1374
<i>Griselda Bonilla (IBM Research, USA), Brian Quinlan (IBM Systems, USA), Thomas Wassick (IBM Systems, USA), Russell Kastberg (IBM Systems, USA), Shidong Li (IBM Systems, USA), and Monali Basutkar (IBM Systems, USA)</i>	
Fine Pitch Micro Via Interconnection with Reliable Electroless/electric Cu Plating Layers Combined with High Power DUV Picosecond Laser for Organic Substrates .....	1381
<i>Ming-Chun Hsieh (Osaka University, Japan), Zheng Zhang (Osaka University, Japan), Masahiko Nishijima (Osaka University, Japan), Aiji Suetake (Osaka University, Japan), Chuantong Chen (Osaka University, Japan), Hiroyoshi Yoshida (Osaka University, Japan), Wangyun Li (Osaka University, Japan), Rieko Okumura (Osaka University, Japan), Hidekazu Homma (Okuno Chemical Industries Co. Ltd., Japan), Koji Kita (Okuno Chemical Industries Co. Ltd., Japan), George Okada (Spectronix Corp., Ltd., Japan), and Katsuaki Suganuma (Osaka University, Japan)</i>	

## **Session 34: Bonding Assembly - Novel Packaging, Process, and Characterization**

Laser-Assisted Bonding with Compression (LABC) Based Tiling Bonding Technology, Enabling Technology for Chiplet Integration .....	1385
<i>Kwang-Seong Choi (Electronics and Telecommunications Research Institute, Korea), Jiho Joo (Electronics and Telecommunications Research Institute, Korea), Gwang-Mun Choi (Electronics and Telecommunications Research Institute, Korea), Chanmi Lee (Electronics and Telecommunications Research Institute, Korea), Ki-Seok Jang (Electronics and Telecommunications Research Institute, Korea), Jin-Hyuk Oh (Electronics and Telecommunications Research Institute, Korea), Jungho Shin (Electronics and Telecommunications Research Institute, Korea), Ho-Gyeong Yun (Electronics and Telecommunications Research Institute, Korea), Seok Hwan Moon (Electronics and Telecommunications Research Institute, Korea), Yoon-Hwan Moon (Electronics and Telecommunications Research Institute, Korea), and Yong-Sung Eom (Electronics and Telecommunications Research Institute, Korea)</i>	

Contamination-Free Cu/SiCN Hybrid Bonding Process Development for Sub- $\mu$ m Pitch Devices with Enhanced Bonding Characteristics .....	1390
<i>Seung Ho Hahn (Samsung Electronics, South Korea), Wooyoung Kim (Samsung Electronics, South Korea), Donggap Shin (Samsung Electronics, South Korea), Yongin Lee (Samsung Electronics, South Korea), Sumin Kim (Samsung Electronics, South Korea), Wonyoung Choi (Samsung Electronics, South Korea), Kyeongbin Lim (Samsung Electronics, South Korea), Bumki Moon (Samsung Electronics, South Korea), and Minwoo Rhee (Samsung Electronics, South Korea)</i>	
Integration and Process Challenges of Self Assembly Applied to Die-to-Wafer Hybrid Bonding.....	1397
<i>Emilie Bourjot (CEA-Leti, France), Alice Bond (CEA-Leti, France), Noura Nadi (CEA-Leti, France), Thierry Enot (CEA-Leti, France), Loic Sanchez (CEA-Leti, France), Pierre Montmeat (CEA-Leti, France), Benoit Martin (CEA-Leti, France), Alain Campo (CEA-Leti, France), Frank Fournel (CEA-Leti, France), Feras Eid (Intel Corporation, USA), and Johanna Swan (Intel Corporation, USA)</i>	
Critical Dimension Scatterometry as a Scalable Solution for Hybrid Bonding Pad Recess Metrology .....	1403
<i>Haris Khan Niazi (Intel Corporation, USA), Botao Zhang (Intel Corporation, USA), Xavier F. Brun (Intel Corporation, USA), Shankar Krishnan (KLA Corporation, USA), and James Chuang (KLA Corporation, USA)</i>	
A Study of SiCN Wafer-to-Wafer Bonding and Impact of Wafer Warpage .....	1410
<i>Serena Iacovo (IMEC, Belgium), Koen D'havé (IMEC, Belgium), Oguzhan Orkut Okudur (IMEC, Belgium), Joeri De Vos (imec, Belgium), Thomas Uhrmann (EVG, Austria), Thomas Plach (EVG, Austria), Thierry Conard (IMEC, Belgium), Johan Meersschaut (IMEC, Belgium), Pieter Bex (IMEC, Belgium), Steven Brems (IMEC, Belgium), Alain Phommahaxay (IMEC, Belgium), Mario Gonzalez (IMEC, Belgium), Liesbeth Witters (IMEC, Belgium), Gerald Beyer (IMEC, Belgium), and Eric Beyne (IMEC, Belgium)</i>	
Modeling of the Temperature Profile and Residual Stress During Thermal Compression Bonding in 3D Packages .....	1418
<i>Prabudhya Roy Chowdhury (IBM Research, USA), Sathya Raghavan (IBM Research, USA), Luke Darling (IBM Research, USA), Aakrati Jain (IBM Research, USA), Promod R. Chowdhury (IBM Research, USA), Mukta Ghate Farooq (IBM Research, USA), and Katsuyuki Sakuma (IBM Research, USA)</i>	
Impact of Thermal Annealing and Other Process Parameters on Hybrid Bonding Performance for 3D Advanced Assembly Technology .....	1426
<i>Taiwo Ajayi (Intel Corporation, USA), Alvin Gatimu (Intel Corporation, USA), Xavier F. Brun (Intel Corporation, USA), Chris Woods (Intel Corporation, USA), Kay Song (Yield Engineering Systems, USA), Abhishek Bhat (Yield Engineering Systems, USA), Charudatta Galande (Yield Engineering Systems, USA), Phillip Le (Yield Engineering Systems, USA), and Zia Karim (Yield Engineering Systems, USA)</i>	

## Session 35: Packaging and Materials for Flexible Medical Technologies

Fully Portable Wireless Soft Stethoscope and Machine Learning for Continuous Real-Time Auscultation and Automated Disease Detection .....	1433
<i>Sung Hoon Lee (Georgia Institute of Technology, USA), Yun Soung Kim (Georgia Institute of Technology, USA), and Woon-Hong Yeo (Georgia Institute of Technology, USA)</i>	
Patch-Type Flex SiP Platform for Healthcare Application .....	1438
<i>Ming-Hung Chen (Advanced Semiconductor Engineering, Taiwan), Wei-Hao Chang (Advanced Semiconductor Engineering, Taiwan), Hui-Ping Jian (Advanced Semiconductor Engineering, Taiwan), Chao-Wei Liu (Advanced Semiconductor Engineering, Taiwan), Shang-Lin Wu (Advanced Semiconductor Engineering, Taiwan), Yi-Chun Chou (Advanced Semiconductor Engineering, Taiwan), Sung-Hung Chiang (Advanced Semiconductor Engineering, Taiwan), Jun-Kai Chang (Advanced Semiconductor Engineering, Taiwan), Tun-Ching Pi (Advanced Semiconductor Engineering, Taiwan), Wei-Chun Lee (Advanced Semiconductor Engineering, Taiwan), Jen-Chieh Kao (Advanced Semiconductor Engineering, Taiwan), and Yung-I Yeh (Advanced Semiconductor Engineering, Taiwan)</i>	
Development of PMUT Array Packaging from Characterisation Prototypes to Customer Samples ..	1442
<i>Dominico Giusti (STMicroelectronics, Italy), Alex Gritti (STMicroelectronics, Italy), Fabio Quaglia (STMicroelectronics, Italy), Alessandro Stuart Savoia (Roma Tre University, Italy), Hideyuki Sandoh (Disco Corporation, Japan), Gerald Klug (Disco Hi-Tec Europe GmbH, Germany), Hitoshi Hoshino (Disco Hi-Tec Europe GmbH, Germany), Dutta Rahul (Institute of Microelectronics, Singapore), Vempati Srinivasa Rao (Institute of Microelectronics, Singapore), David Ho Soon Wee (Institute of Microelectronics, Singapore), Masatoshi Wakahara (Disco Corporation, Japan), and Mark Shaw (STMicroelectronics, Italy)</i>	
Multi-Cell Array of Nanogap Electrodes for Labelfree Detection of Biomolecules .....	1450
<i>Musafargani Sikkandhar (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore), Yu Chen (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore), and Ming-Yuan Cheng (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore)</i>	
Electrospray Printing of Polymeric and Metallic Coatings for Electronics Packaging .....	1455
<i>Emma E. Pawliczak (State University of New York at Binghamton, USA), Bryce J. Kingsley (State University of New York at Binghamton, USA), and Paul R. Chiarot (State University of New York at Binghamton, USA)</i>	

3D Printed Electronics with Multi Jet Fusion for Flexible Hybrid Electronics .....	1463
<i>Jarrid A. Wittkopf (HP Incorporated – HP Labs, USA), Sanil Jhaveri (HP Incorporated – HP Labs, USA), Fan Fei (HP Incorporated – HP Labs, USA), Manjarik Mrinal (HP Incorporated – HP Labs, USA), Eric Luna-Ramirez (HP Incorporated – HP Labs, USA), Dylan Richmond (Binghamton University, State University of New York, USA), Dayue Jiang (Binghamton University, State University of New York, USA), Fuda Ning (Binghamton University, State University of New York, USA), Mohammed Alhendi (Binghamton University, State University of New York, USA), Detlef Smilgies (Binghamton University, State University of New York, USA), Mark D. Poliks (Binghamton University, State University of New York, USA), and Lihua Zhao (HP Incorporated – HP Labs, USA)</i>	
Performance Evaluation of RF Novel Microstrip Lines Printed on Flexible Substrates .....	1471
<i>Abdullah S. Obeidat (Dept. of Systems Science and Industrial Engineering Binghamton, USA), Mohammed Alhendi (Dept. of Systems Science and Industrial Engineering Binghamton, USA), Mohamed Y. Abdelatty (Dept. of Systems Science and Industrial Engineering Binghamton, USA), Ashraf Umar (Dept. of Systems Science and Industrial Engineering Binghamton, USA), Emuobosan Enakerakpo (Dept. of Systems Science and Industrial Engineering Binghamton, USA), Riadh Al-Haidari (Dept. of Systems Science and Industrial Engineering Binghamton, USA), and Mark D. Poliks (Dept. of Systems Science and Industrial Engineering Binghamton, USA)</i>	

## **Session 36: RF, Heterogeneous, and Chiplet Modules**

Heterogeneous Radio Chiplet Module for 5G Millimeter Wave Application .....	1478
<i>Agneta Ljungbro (Ericsson, Sweden), Emil Nylander (Ericsson, Sweden), Martin Hansson (Ericsson, Sweden), Marcel Wieland (GlobalFoundries, Sweden), Jungtae Ok (GlobalFoundries, Sweden), and Selaka Bulumulla (GlobalFoundries, Sweden)</i>	
Design and Analysis of 3D Heterogeneous Chiplet Stack for RF Front-End Module Minituarization .....	1486
<i>Mihai Dragos Rotaru (Institute of Microelectronics (IME), Agency for Science, Technology, and Research (A*STAR), Singapore), Shashank Tiwari (GlobalFoundries Bangalore, India), Paul Castillou (Qorvo San Jose, United States), Chai Tai Chong (Institute of Microelectronics (IME), Agency for Science, Technology, and Research (A*STAR), Singapore), and King Jien Chui (Institute of Microelectronics (IME), Agency for Science, Technology, and Research (A*STAR), Singapore)</i>	
Embedded mm-Wave Chiplet Based Module Using Fused-Silica Stitch-Chip Technology: RF Characterization and Thermal Evaluation .....	1493
<i>Ting Zheng (Georgia Institute of Technology, USA), Madison Manley (Georgia Institute of Technology, USA), and Muhannad Bakir (Georgia Institute of Technology, USA)</i>	

Surface Micromachined Integrable High Efficiency Ridge Gap Waveguide Bandpass Filter for G-Band 6G Applications .....	1499
<i>Alexander Wilcher (University of Florida, USA), Hae-In Kim (University of Florida, USA), Ziqi Jia (University of Florida, USA), Alex Phipps (Naval Information Warfare Center Pacific, USA), Jia Chieh (Naval Information Warfare Center Pacific, USA), David Arnold (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
Amplified and Filtered x2 Multiplier Chip .....	1504
<i>Elizabeth Kunkee (Northrop Grumman Corporation, USA), Dah-Weih Duan (Northrop Grumman Corporation, USA), Ricardo Medina (Northrop Grumman Corporation, USA), Nancy Lin (Northrop Grumman Corporation, USA), R. Yogi (Northrop Grumman Corporation, USA), Chunbo Zhang (Northrop Grumman Corporation, USA), Robert Mendoza (Northrop Grumman Corporation, USA), Kevin Leong (Northrop Grumman Corporation, USA), Alex Zamora (Northrop Grumman Corporation, USA), Scott Sing (Northrop Grumman Corporation, USA), and David Miller (Northrop Grumman Corporation, USA)</i>	
Optimal Channel Design for Die-to-Die Interface in Multi-die Integration Applications .....	1509
<i>Jiyoung Park (Samsung Electronics Co., Ltd., Korea), Seungki Nam (Samsung Electronics Co., Ltd., Korea), Sungwook Moon (Samsung Electronics Co., Ltd., Korea), and Jinho Kim (Samsung Electronics Co., Ltd., Korea)</i>	
Highly Energy Efficient and Electromagnetic Interference Immuned Coaxial Through-Substrate-Vias (cx-TSVs) for Millimeter Wave Applications .....	1514
<i>Saeyeong Jeon (University of Florida, USA), Hae-In Kim (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	

## Session 37: Interactive Presentations 1

Investigation of Cu-to-Cu and Oxide-to-Oxide Bonding .....	1519
<i>Sangmin Lee (Seoul National University of science and Technology, Korea), Gwangsik Oh (Seoul National University of science and Technology, Korea), Junyoung Choi (Seoul National University of science and Technology, Korea), Yoonho Kim (Seoul National University of science and Technology, Korea), Sangwoo Park (Seoul National University of science and Technology, Korea), and Sarah Eunkyung Kim (Seoul National University of science and Technology, Korea)</i>	
Doping-Selective Etching of Silicon for Wafer Thinning in the Fabrication of Backside-Illuminated Stacked CMOS Image Sensors .....	1524
<i>Nandini Venkataraman (Institute of Microelectronics, Singapore), Benedikt Risse (Nexgen Wafer Systems GmbH, Austria), Gregorio Decierdo (Nexgen Wafer Systems Pte. Ltd., Singapore), Navab Singh (Institute of Microelectronics, Singapore), Darshini Senthilkumar (Institute of Microelectronics, Singapore), Deepthi Kandasamy (GlobalFoundries Singapore, Singapore), Eng Huat Toh (GlobalFoundries Singapore, Singapore), and Louis Lim (GlobalFoundries Singapore, Singapore)</i>	

Study of Solder Resist Crack Resistance for Flip Chip Ball Grid Array Substrate .....	1531
<i>Eric Chen (Siliconware Precision Industries Co., Ltd.), Rick Ye (Siliconware Precision Industries Co., Ltd.), Wen-Yu Teng (Siliconware Precision Industries Co., Ltd.), Yu-Cheng Pei (Siliconware Precision Industries Co., Ltd.), and Yu-Po Wang (Yu-Po Wang)</i>	
Reliability Analysis on Ag and Cu Nanoparticles Sintered Discrete Power Devices with Various Frontside and Backside Interconnects .....	1536
<i>Dong Hu (Delft University of Technology, the Netherlands), Ali Roshanghias (Silicon Austria Labs GmbH, Austria), Xing Liu (Chemnitz University of Technology, Germany), Xu Liu (Delft University of Technology, the Netherlands), Emiel de Bruin (Boschman Advanced Packaging Technology B.V., the Netherlands), Sten Vollebregt (Delft University of Technology, the Netherlands), Jiajie Fan (Delft University of Technology, the Netherlands), Thomas Basler (Chemnitz University of Technology, Germany), and Guoqi Zhang (Delft University of Technology, the Netherlands)</i>	
Impact of Process Parameters on Vacuum Fluxless Solder Reflow Performance in Backend Applications with Bump Pitch of 15 $\mu\text{m}$ and Below .....	1541
<i>Lei Jing (YES (Yield Engineering Systems), USA), Vladimir Kudriavtsev (YES (Yield Engineering Systems), USA), Taylor Nguyen (YES (Yield Engineering Systems), USA), Jed Hsu (YES (Yield Engineering Systems), USA), Tapani Laaksonen (YES (Yield Engineering Systems), USA), Xinxuan Tan (YES (Yield Engineering Systems), USA), Alvin Lin (YES (Yield Engineering Systems), USA), Kay Song (YES (Yield Engineering Systems), USA), Alex Chow (YES (Yield Engineering Systems), USA), Chris Lane (YES (Yield Engineering Systems), USA), and Zia Karim (YES (Yield Engineering Systems), USA)</i>	
Surface Modification on Hydrophilicity Enhancement using $\text{NH}_4\text{OH}$ , $\text{NaOH}$ , and $\text{KOH}$ on Fine-Pitch Low-Temperature $\text{Cu/SiO}_2$ Hybrid Bonding .....	1549
<i>Jia-Juen Ong (Tung University, Taiwan), Dinh-Phuc Tran (Tung University, Taiwan), Wei-Lan Chiu (Industrial Technology Research Institute (ITRI), Taiwan), Yu-An Chen (Tung University, Taiwan), Ou-Hsiang Lee (Industrial Technology Research Institute (ITRI), Taiwan), Hsiang-Hung Chang (Industrial Technology Research Institute (ITRI), Taiwan), and Chih Chen (Tung University, Taiwan)</i>	
Development and Demonstration of a Novel Immersion Two Phase Cooling High Power $\text{SiC}$ Power Module .....	1553
<i>Gongyue Tang (Institute of Microelectronics, A*STAR, Singapore), Leong Ching Wai (Institute of Microelectronics, A*STAR, Singapore), and Huicheng Feng (Institute of Microelectronics, A*STAR, Singapore)</i>	
Electrochemical Deposition of Indium Bumps on Superconducting Interconnect and Thermo-compression Bonding for Cryogenic and Quantum Computing .....	1559
<i>Kumin Kang (Hanyang University) and Jaber Derakhshandeh (IMEC)</i>	
6-Sided Die Protection for Chiplet Package with Multi-Layer RDL .....	1566
<i>Byung-Cheol Kim Kim (nepes hayyim, Philippines), Mary Maye Melgo (nepes hayyim, Philippines), Rizi Gacho (nepes hayyim, Philippines), Kwang-Sun Oh (nepes laweh, Korea), Jacinta Aman Lim (nepes corporation, USA), and Cliff Sandstrom (Deca Technologies, USA)</i>	



Wafer Level Capping Technology for Vacuum Packaging of Microbolometers .....	1571
<i>Kai Zoschke (Fraunhofer Institute for Reliability and Microintegration IZM, Germany), Charles Alix Manier (Fraunhofer Institute for Reliability and Microintegration IZM, Germany), Hermann Oppermann (Fraunhofer Institute for Reliability and Microintegration IZM, Germany), Dirk Meier (Integrated Detector Electronic AS, Norway), Nishant Malik (Integrated Detector Electronic AS, Norway), Elahe Zakizade (Fraunhofer Institute for Microelectronic Circuits and Systems IMS, Germany), Marvin Michel (Fraunhofer Institute for Microelectronic Circuits and Systems IMS, Germany), Avisek Roy (University of South-Eastern Norway, Norway), Hoang-Vu Nguyen (University of South-Eastern Norway, Norway), and Thanh-Phuc Nguyen (University of South-Eastern Norway, Norway)</i>	
Scaling of Redistribution Layer for Heterogeneous Packaging in a Panel Level .....	1579
<i>Yoonyoung Jeon (Samsung Electronics Co., Ltd, Korea), Youngmin Kim (Samsung Electronics Co., Ltd, Korea), Hyundong Lee (Samsung Electronics Co., Ltd, Korea), Minji Kim (Samsung Electronics Co., Ltd, Korea), Changbo Lee (Samsung Electronics Co., Ltd, Korea), and Joon Seok Oh (Samsung Electronics Co., Ltd, Korea)</i>	
Process Challenges During CVD Oxide Deposition on the Backside of 20 $\mu\text{m}$ thin 300-mm Wafers Temporarily Bonded to Glass Carriers .....	1584
<i>Koen Kennes (imec, Belgium), Alice Guerrero (Brewer science, USA), Abdallah Salahouelhadj (imec, Belgium), Samuel Suhard (imec, Belgium), Jaber Derakhshandeh (imec, Belgium), Alain Phommahaxay (imec, Belgium), Steven Brems (imec, Belgium), Gerald Beyer (imec, Belgium), and Eric Beyne (imec, Belgium)</i>	
Electrical Characterization and Modeling of 2- $\mu\text{m}$ and 1.5- $\mu\text{m}$ Line-and-Space High-Density Signal Wiring in Organic Interposer .....	1590
<i>Atom O. Watanabe (IBM T. J. Watson Research Center, USA), Xiaoxiong Gu (IBM T. J. Watson Research Center, USA), Frank R. Libsch (IBM T. J. Watson Research Center, USA), Griselda Bonilla (IBM T. J. Watson Research Center, USA), and Hiroyuki Mori (IBM Research Tokyo, Japan)</i>	
Package Integrated Vapor Chamber Heat Spreaders .....	1597
<i>Cameron Nelson (Amkor Technology, USA) and SangHyuk Kim (Amkor Technology, Republic of Korea)</i>	
Evaluation of Parylene-HT as Dielectric for Application in Advanced Package Substrates .....	1603
<i>Pratik Nimbalkar (3D Systems Packaging Research Center, Georgia Institute of Technology, USA), Mercy Aguebor (3D Systems Packaging Research Center, Georgia Institute of Technology, USA), Mohanalingam Kathaperumal (3D Systems Packaging Research Center, Georgia Institute of Technology, USA), Madhavan Swaminathan (Pennsylvania State University), and Rao Tummala (3D Systems Packaging Research Center, Georgia Institute of Technology, USA)</i>	
Bottom Side Cooling for Glass Interposer with Chip Embedding Using Double-Sided Release Process for 6G Wireless Applications .....	1609
<i>Joon Woo Kim (Georgia Institute of Technology, USA), Xingchen Li (Georgia Institute of Technology, USA), Xiaofan Jia (Georgia Institute of Technology, USA), Kyoung-Sik Moon (Georgia Institute of Technology, USA), and Madhavan Swaminathan (Pennsylvania State University)</i>	

Demonstration of a Power-Efficient and Cost-Effective Power Delivery Architecture for Heterogeneously Integrated Wafer-Scale Systems .....	1614
<i>Haoxiang Ren (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), Krutikesh Sahoo (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), Tianyu Xiang (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), Guangqi Ouyang (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA), and Subramanian S. Iyer (Center for Heterogeneous Integration and Performance Scaling (CHIPS), USA)</i>	
Metal Additively Microfabricated SiPs with Embedded Microfluidic Cooling Towards Heterogeneous Integration with SoCs .....	1622
<i>Bhushan Lohani (The University of Texas at El Paso, USA), Sheikh Dobir Hossain (The University of Texas at El Paso, USA), and Robert C. Roberts (The University of Texas at El Paso, USA)</i>	
The Factors Influencing Underfill's Reliability in Large-Size Packages .....	1627
<i>Guolin Zhao (Central South University, China), Haoliang Lin (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Xiaohui Peng (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Yuanyuan Yang (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Xuecheng Yu (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Gang Li (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Rong Sun (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), Pengli Zhu (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institute of Advanced Technology, CAS, China), and Wenhui Zhu (Central South University, China)</i>	
Large Wafer GaN on Silicon Reconstitution with Gold-to-Gold Thermocompression Bonding .....	1633
<i>Ankit Kuchhangji (UCLA, USA), Haoxiang Ren (UCLA, USA), Krutikesh Sahoo (UCLA, USA), and Subramanian S. Iyer (UCLA, USA)</i>	

## **Session 38: Interactive Presentations 2**

Advanced Overlay Metrology for CIS Bonding Applications .....	1638
<i>Florent Dettoni (STMicroelectronics, France), Emilie Deloffre (STMicroelectronics, France), Yoav Grauer (KLA, Israel), Shlomo Eisenbach (KLA, Israel), Motti Penia (KLA, Israel), Arkady Simkin (KLA, Israel), Dror Elka (KLA, Israel), Avner Safrani (KLA, Israel), Marco Polli (KLA, Israel), and Francesco De Paola (KLA, Israel)</i>	
Implementation of New Robustness Assessment Methodology for Crack Stop Constructions .....	1644
<i>Maria Heidenblut (Infineon Technologies AG, Germany) and Michael Goroll (Infineon Technologies AG, Germany)</i>	
Hybrid Bonding Utilizing Molding Compound and Dielectric Systems .....	1649
<i>Yuki Imazu (Resonac Co., Ltd., Japan) and Kazuyuki Mitsukura (Resonac America Inc., USA)</i>	

A Short Time and N <sub>2</sub> -Sinterable Cu Sinter Paste with Highly Dispersed Submicron Cu Particles .....	1655
<i>Takaaki Eyama (Kao Corporation, Japan), Ukyo Suzuki (Kao Corporation, Japan), Shuichi Inaya (Kao Corporation, Japan), and Masafumi Takesue (Kao Corporation, Japan)</i>	
A Novel and Simple Method of low Temperature, Low Process Time, Pressureless Interconnection for 3D Packaging .....	1660
<i>Jeng-Hau Huang (National Taiwan University, Taiwan), Po-Shao Shih (National Taiwan University, Taiwan), Chang-Hsien Shen (National Taiwan University, Taiwan), Vengudusamy Renganathan (National Taiwan University, Taiwan), Simon Johannes Gräfner (National Taiwan University, Taiwan), Yu-Chun Lin (National Taiwan University, Taiwan), Chin-Li Kao (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Yung-Sheng Lin (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Yun-Ching Hung (Advanced Semiconductor Engineering (ASE) Group, Taiwan), Chun-Wei Chiang (Advanced Semiconductor Engineering (ASE) Group, Taiwan), and C.R. Kao (National Taiwan University, Taiwan)</i>	
50 nm Overlay Accuracy for Wafer-to-Wafer Bonding by High-Precision Alignment Technologies.... 1664	
<i>Hajime Mitsuishi (Nikon Corporation, Japan), Hiroshi Mori (Nikon Corporation, Japan), Hidehiro Maeda (Nikon Corporation, Japan), Mikio Ushijima (Nikon Corporation, Japan), Atsushi Kamashita (Nikon Corporation, Japan), Masashi Okada (Nikon Corporation, Japan), Masanori Aramata (Nikon Corporation, Japan), Takashi Shiomi (Nikon Corporation, Japan), Shinya Sakamoto (Nikon Corporation, Japan), Kishou Takahata (Nikon Corporation, Japan), Tomohiro Chiba (Nikon Corporation, Japan), Minoru Fukuda (Nikon Corporation, Japan), Masahiro Kanbayashi (Nikon Corporation, Japan), Toshimasa Shimoda (Nikon Corporation, Japan), and Isao Sugaya (Nikon Corporation, Japan)</i>	
Multi-Stack Hybrid Cu Bonding Technology Development Using Ultra-Thin Chips .....	1672
<i>Min-Ki Kim (Samsung Electronics Co., Ltd, South Korea), Hyuekjae Lee (Samsung Electronics Co., Ltd, South Korea), Aeni Jang (Samsung Electronics Co., Ltd, South Korea), Wonil Lee (Samsung Electronics Co., Ltd, South Korea), Seungduk Back (Samsung Electronics Co., Ltd, South Korea), Ilhwan Kim (Samsung Electronics Co., Ltd, South Korea), Jumyong Park (Samsung Electronics Co., Ltd, South Korea), Youngkun Jee (Samsung Electronics Co., Ltd, South Korea), In-Young Lee (Samsung Electronics Co., Ltd, South Korea), Kwangjin Moon (Samsung Electronics Co., Ltd, South Korea), Un-Byoung Kang (Samsung Electronics Co., Ltd, South Korea), and Dae-Woo Kim (Samsung Electronics Co., Ltd, South Korea)</i>	
An Investigation on Particle Embedding Capability of Wafer Level Spin-on Polymer Underfill Enabling Low Temperature Bonding of Hybrid Bonding System .....	1677
<i>Hiroto Noda (JSR Corporation, Japan), Akito Hiro (JSR Corporation, Japan), Naoki Nishiguchi (JSR Corporation, Japan), Jabber Derakhshandeh (IMEC, Belgium), John Slabbekoorn (IMEC, Belgium), and Eric Beyne (IMEC, Belgium)</i>	

Effect of Chip Metallization and Process Parameters on the Die Attach Properties of Direct Bonded Power Devices .....	1682
<i>Michael Curkin (Hamm-Lippstadt University of Applied Sciences, Germany), Marius Köehler (Hamm-Lippstadt University of Applied Sciences, Germany), Silke Kraft (Semikron Elektronik GmbH, Germany), Jens Mueller (Semikron Elektronik GmbH, Germany), Kurt-Georg Besendoerfer (Semikron Elektronik GmbH, Germany), and Nicolas Heuck (Hamm-Lippstadt University of Applied Sciences, Germany)</i>	
The Full-IMCs Interconnects Through Transient Liquid Phase Bonding of Ga/Cu System for Advanced Electronic Packaging .....	1689
<i>Yi Chen (Loughborough University, UK), Zhaoxia Zhou (Loughborough University, UK), and Changqing Liu (Loughborough University, UK)</i>	
Selective Self-Assembled Monolayer for Copper Surface Protection During Plasma Activation of Hybrid-Bonded Wafers .....	1694
<i>Jack Rogers (TEL Technology Center, America, LLC, USA), Chris Netzband (TEL Technology Center, America, LLC, USA), Satohiko Hoshino (TEL Technology Center, America, LLC, USA), Nathan Antonovich (TEL Technology Center, America, LLC, USA), Vanessa Kramer (TEL Technology Center, America, LLC, USA), and Andrew Tuchman (TEL Technology Center, America, LLC, USA)</i>	
Development of a Heterogeneous Integration of GaN Power Device on Si-LSI .....	1698
<i>Shinei Miyasaka (Graduate School of Kyushu Institute of Technology, Japan), Yusuke Norihide (Graduate School of Kyushu Institute of Technology, Japan), Ayano Furue (Graduate School of Kyushu Institute of Technology, Japan), Satoko Shinkai (Graduate School of Kyushu Institute of Technology, Japan), and Satoshi Matsumoto (Graduate School of Kyushu Institute of Technology, Japan)</i>	
Integrated pH and Strain Sensors Development for Nasogastric Tube Placement Application .....	1703
<i>Ruiqi Lim (Institute of Microelectronics, Singapore), Yu Chen (Institute of Microelectronics, Singapore), James Ven Wee Yap (Institute of Microelectronics, Singapore), Musafargani Sikkandhar (Institute of Microelectronics, Singapore), and Ming-Yuan Cheng (Institute of Microelectronics, Singapore)</i>	
Portable Multiple-Channel Ion-Selective Sensor .....	1708
<i>Yu Chen (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore), Musafargani Sikkandhar (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore), James Yap Ven Wee (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore), and Ming-Yuan Cheng (Institute of Microelectronics, A*STAR (Agency for Science, Technology and Research), Singapore)</i>	
Chip-to-Chip Hybrid Bonding with Larger-Oriented Cu Grains for $\mu$ -Joints Beyond 100 K .....	1713
<i>M. Murugesan (Tohoku University, Japan), M. Sawa (JCU Corporation, Japan), E. Sone (JCU Corporation, Japan), T. Miazaki (Tohoku University, Japan), M. Koyanagi (T-Micro, Japan), and T. Fukushima (Tohoku University, Japan)</i>	

Application of Nickel Micro-Plating Bonding (NMPB) Technology to Crystalline Silicon Solar Cell Interconnection .....	1719
<i>Xinguang Yu (Waseda University, Japan), Junichi Kasahara (Waseda University, Japan), Kimikazu Hashimoto (Choshu Industry Co., Ltd., Japan), Isamu Morisako (Waseda University, Japan), Toshiharu Shimmi (Choshu Industry Co., Ltd., Japan), Nobuhiro Mikami (Choshu Industry Co., Ltd., Japan), and Kohei Tatsumi (Waseda University, Japan)</i>	
CMOS-Compatible Fine Pitch Al-Al Bonding .....	1725
<i>Hemant Kumar Cheemalamarri (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Binni Varghese (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Sharma Jaibir (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Li Hongyu (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Chandra Rao S S (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Navab Singh (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Vempati Srinivasa Rao (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), and King-Jien Chui (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore)</i>	
Enhancement of Ga - 21.5 In – 10 Sn Eutectic Alloy Based Thermal Interface Material Incorporating Cu Flake .....	1730
<i>Jang Baeg Kim (Sungkyunkwan University, Republic of Korea), Dong Gil Kang (Sungkyunkwan University, Republic of Korea), Taejoon Noh (Sungkyunkwan University, Republic of Korea), Seahwan Kim (Sungkyunkwan University, Republic of Korea), and Seung-Boo Jung (Sungkyunkwan University, Republic of Korea)</i>	
Board Level FEA Reliability and Stress Modeling for Chip-to-Wafer Bonded Chiplet Package ..	1735
<i>Rathin Mandal (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR)) and Chai Tai Chong (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR))</i>	
High Density VR Solutions Using Immersion Cooling .....	1739
<i>Jesus Gilberto Ruelas Flores (Intel, Mexico), Arturo Sanchez Hernandez (Intel, Mexico), Ernesto Antonio Padilla Ramirez (Intel, Mexico), Oscar A Del Rio Gonzalez (Intel, Mexico), Andres Ramirez Macias (Intel, Mexico), and Carlos E Mora Flores (Intel, Mexico)</i>	
Demonstration of Eight Metal Layer Redistribution on Glass Substrate with Fine Features and Microvia .....	1744
<i>Christopher Blancher (Georgia Institute of Technology, USA), Mohanalingam Kathaperumal (Georgia Institute of Technology, USA), Fuhan Liu (Georgia Institute of Technology, USA), and Madhavan Swaminathan (Georgia Institute of Technology, USA; Pennsylvania State University, USA)</i>	

Novel IR Laser Cleaving for Ultra-Thin Layer Transfer and 3D Stacked Devices .....	1749
<i>Thomas Uhrmann (EV Group, Austria), Peter Urban (EV Group, Austria), Boris Povazay (EV Group, Austria), Michael J. Gruber (EV Group, Austria), Julian Bravin (EV Group, Austria), Daniel Burgstaller (EV Group, Austria), Markus Wimplinger (EV Group, Austria), and Bernd Thallner (EV Group, Austria)</i>	
Robust Edge Coupling Probe Applied in Wafer-Level Optical Testing .....	1754
<i>Sheng-Ho Huang (Industrial Technology Research Institute, Taiwan), Chen-Yu Lin (Industrial Technology Research Institute, Taiwan), Yi-Keng Fu (Industrial Technology Research Institute, Taiwan), Sin-Yuan Mu (Advanced Semiconductor Engineering Inc., Taiwan), Mei-Ju Lu (Advanced Semiconductor Engineering Inc., Taiwan), Chia-Sheng Cheng (Advanced Semiconductor Engineering Inc., Taiwan), and Jihan Chen (Advanced Semiconductor Engineering Inc., Taiwan)</i>	
An Intensive Study of Effects of Orientations of Cu Bumps on Cu–Cu Direct Bonding for 3D Integration by Molecular Dynamics Simulation .....	1760
<i>Deng-Wu Zheng (Guangdong Provincial Engineering Technology R&amp;D Center of Electronic Packaging Materials and Reliability, School of Materials Science &amp; Engineering, South China University of Technology, China), Min-Bo Zhou (Guangdong Provincial Engineering Technology R&amp;D Center of Electronic Packaging Materials and Reliability, School of Materials Science &amp; Engineering, South China University of Technology, China), Shuai Liu (Guangdong Provincial Engineering Technology R&amp;D Center of Electronic Packaging Materials and Reliability, School of Materials Science &amp; Engineering, South China University of Technology, China), Chang-Bo Ke (Guangdong Provincial Engineering Technology R&amp;D Center of Electronic Packaging Materials and Reliability, School of Materials Science &amp; Engineering, South China University of Technology, China), and Xin-Ping Zhang (Guangdong Provincial Engineering Technology R&amp;D Center of Electronic Packaging Materials and Reliability, School of Materials Science &amp; Engineering, South China University of Technology, China)</i>	
Reconstituted-SiO <sub>2</sub> Tier with Integrated Copper Heat Spreader .....	1767
<i>Ashita Victor (Georgia Institute of Technology, USA), Madison Manley (Georgia Institute of Technology, USA), Shane Oh (Georgia Institute of Technology, USA), and Muhannad S. Bakir (Georgia Institute of Technology, USA)</i>	
Reflow Oven Zone Temperature Advisor Using the AI-Driven Smart Recipe Generator .....	1773
<i>Yangyang Lai (Binghamton University, USA), Pengcheng Yin (Binghamton University, USA), Junbo Yang (Binghamton University, USA), Jonghwan Ha (Binghamton University, USA), Karthik Deo (Binghamton University, USA), and Seungbae Park (Binghamton University, USA)</i>	

A Novel Polymer-Based Ultra-High Density Bonding Interconnection .....	1779
<i>Yu-Min Lin (Industrial Technology Research Institute; National Tsing Hua University, Taiwan), Tsung-Yu Ou Yang (Industrial Technology Research Institute, Taiwan), Ou-Hsiang Lee (Industrial Technology Research Institute, Taiwan), Ching- Kuan Lee (Industrial Technology Research Institute, Taiwan), Hsiu-Kuei Ko (Industrial Technology Research Institute, Taiwan), Yi-Shu Chen (Industrial Technology Research Institute, Taiwan), Hsiang-Hung Chang (Industrial Technology Research Institute, Taiwan), Michael Gallagher (DuPont Electronics and Industrial, U.S), Christopher Gilmore (DuPont Electronics and Industrial, U.S), Po-Yao Chuang (DuPont Electronics and Industrial, Taiwan), Ying-Chung Tseng (DuPont Electronics and Industrial, Taiwan), Po-Hao Tsai (DuPont Electronics and Industrial, Taiwan), Po-Chun Huang (DuPont Electronics and Industrial, Taiwan), and Chang-Chun Lee (National Tsing Hua University, Taiwan)</i>	
Comparison of Sintering Methodologies for 3D Printed High-Density Interconnects (2.3 $\mu\text{m}$ L/S) on Organic Substrates for High-Performance Computing Applications .....	1785
<i>Shrivani Pandiya (Université de Sherbrooke, Canada), Christophe Sansregret (Centre de Collaboration MiQro Innovation, Canada), Isabel De Sousa (IBM, Canada), Serge Ecoffey (Université de Sherbrooke, Canada), Yann Beilliard (Université de Sherbrooke, Canada), and Dominique Drouin (Université de Sherbrooke, Canada)</i>	
Formation and 3D Stacking Process of CMOS Chips with Backside Buried Metal Power Distribution Networks .....	1792
<i>Naoya Watanabe (National Institute of Advanced Industrial Science and Technology (AIST), Japan), Yuuki Araga (National Institute of Advanced Industrial Science and Technology (AIST), Japan), Haruo Shimamoto (National Institute of Advanced Industrial Science and Technology (AIST), Japan), Makoto Nagata (Graduate School of Science, Technology and Innovation, Kobe University, Japan), and Katsuya Kikuchi (National Institute of Advanced Industrial Science and Technology (AIST), Japan)</i>	

### **Session 39: Interactive Presentations 3**

Voltage Controlled Nanoscale Magnetic Devices for Non-Volatile Memory and Scalable Quantum Computing .....	1798
<i>Md Mahadi Rajib (Virginia Commonwealth University, USA) and Jayasimha Atulasimha (Virginia Commonwealth University, USA)</i>	
Polymer Optical Waveguide Type 3-D MUX Device for Mode Division Multiplexing Links .....	1804
<i>Ryoto Ichinose (Keio University, Japan), Takumi Kowatari (Keio University, Japan), and Takaaki Ishigure (Keio University, Japan)</i>	
Extracting Anisotropic Permittivity of PCB Substrate from VNA Measurement on a Rectangular Stripline Resonator Loaded with a Via Array .....	1809
<i>Zhaoqing Chen (IBM Corporation, USA), Hung Nguyen (IBM Corporation, USA), and Matteo Cocchini (IBM Corporation, USA)</i>	

Silicon Photonic Co-Packaging: Adhesive Dispense Challenge and Control .....	1815
<i>Paul Gond-Charton (IBM Bromont, Canada), Sebastien Gouin (IBM Bromont, Canada), Steve Pellerin (IBM Bromont, Canada), Patrick Jacques (IBM Bromont, Canada), Denis Blanchard (IBM Bromont, Canada), Eric Turcotte (IBM Bromont, Canada), Steve Whitehead (IBM Bromont, Canada), and Elaine Cyr (IBM Bromont, Canada)</i>	
Design of Single Miniaturized Dielectric Resonant Antenna for Millimeter Wave 5G Application .....	1820
<i>Chia-Chu Lai (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Sam Lin (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Teny Shih (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Yu-Po Wang (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Tom Tang (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Mike Tsai (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Ryan Chiu (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), Kevin Chang (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan), and Yu-Chang Dong (Siliconware Precision Industries Co. Ltd. (SPIL), Taiwan)</i>	
Inverse Prediction of Capacitor Multiphysics Dynamic Parameters Using Deep Generative Model .....	1825
<i>Kart-Leong Lim (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), Rahul Dutta (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore), and Mihai Rotaru (Institute of Microelectronics, Agency for Science, Technology and Research (A*STAR), Singapore)</i>	
New Interconnection Technologies Based on Ni nano-Particle and Ni Micro-Plating Bonding with Stress Relaxation Effect for high-Temperature Resistant Power Device Packaging .....	1832
<i>Yasunori Tanaka (Waseda University, Japan), Shun Furuya (Waseda University, Japan), Keiko Koshiba (Waseda University, Japan), Yuya Kitaguchi (Waseda University, Japan), Yasunari Hino (Waseda University, Japan), Mayu Miyagawa (Waseda University, Japan), Tomonori Iizuka (Waseda University, Japan), and Kohei Tatsumi (Waseda University, Japan)</i>	
High-Performance Amplifier Package Design for Heterogenous Integration on Si-Interposer .	1838
<i>Teck Guan Lim (Institute of Microelectronics, A*STAR, Singapore), Lin Zho (Institute of Microelectronics, A*STAR, Singapore), Sasi Kumar Tippabhotla (Institute of Microelectronics, A*STAR, Singapore), Ji Lin (Institute of Microelectronics, A*STAR, Singapore), Jong Ming Ching (Institute of Microelectronics, A*STAR, Singapore), JiaQi Wu (Institute of Microelectronics, A*STAR, Singapore), Tang Gongyue (Institute of Microelectronics, A*STAR, Singapore), Eva Wai Leong Ching (Institute of Microelectronics, A*STAR, Singapore), Yong Chyn Ng (Institute of Microelectronics, A*STAR, Singapore), King Jien Chui (Institute of Microelectronics, A*STAR, Singapore), Wei Jia Lu (DSO National Laboratories, Singapore), Chee Heng Goh (DSO National Laboratories, Singapore), Sek Lin Pek (DSO National Laboratories, Singapore), and Jun Wei Agnes Loh (DSO National Laboratories, Singapore)</i>	



Through-Silicon-via Architecture of 3D Integration for Superconducting Quantum Computing Application .....	1844
<i>Jiexun Yu (Tsinghua University, China), Qian Wang (Tsinghua University, China), Yao Zheng (Tsinghua University, China), Changming Song (Tsinghua University, China), Junpeng Fang (Tsinghua University, China), Tiefu Li (Tsinghua University, China), Haihua Wu (Beijing Academy of Quantum Information Sciences, China), Zheyao Wang (Tsinghua University, China), and Jian Cai (Tsinghua University, China)</i>	
Additive Manufacturing of Millimeter Wave Passive Circuits on Thin Alumina Substrates .....	1852
<i>Ethan Kepros (Michigan State University, USA), Yihang Chu (Michigan State University, USA), Bhargav Avireni (Michigan State University, USA), Brian Wright (Michigan State University, USA), and Premjeet Chahal (Michigan State University, USA)</i>	
Frequency Selective Surface (FSS) Based Antenna Array Design for Satellites Capable of All Four Polarizations .....	1858
<i>Lih-Tyng Hwang (National Sun Yat-Sen University, Taiwan), Ming-Yuan Huang (National Sun Yat-Sen University, Taiwan), and Hung-Chih Lin (National Sun Yat-Sen University, Taiwan)</i>	
Novel Low-Loss Resin Coated Copper and Core Material for Advanced IC Packags .....	1866
<i>Tomo Muguruma (Panasonic Industrial Devices Sales Company of America, US), Tom Shin (Panasonic Industrial Devices Sales Company of America, USA), Keita Aoki (Panasonic Industry Co., Ltd., Japan), Yuya Saeki (Panasonic Industry Co., Ltd., Japan), Andy Behr (Panasonic Industrial Devices Sales Company of America, USA), Fumito Suzuki (Panasonic Industry Co., Ltd., Japan), Hroaki Umehara (Panasonic Industry Co., Ltd., Japan), and Koji Kishino (Panasonic Industry Co., Ltd., Japan)</i>	
Deep Learning Based Refinement for Package Substrate Routing .....	1871
<i>Peng-Tai Huang (National Tsing Hua University, Taiwan), Tsubasa Koyama (National Tsing Hua University, Taiwan), Keng-Tuan Chang (Product Design Division, Advanced Semiconductor Engineering (ASE), Inc., Taiwan), Chih-Yi Huang (Product Design Division, Advanced Semiconductor Engineering (ASE), Inc., Taiwan), Chen-Chao Wang (Product Design Division, Advanced Semiconductor Engineering (ASE), Inc., Taiwan), and Tsung-Yi Ho (National Tsing Hua University, Taiwan; The Chinese University of Hong Kong, Honk Kong)</i>	
High Density Photonic Reservoir Computing Using Optical Fiber and Polymer Waveguide .....	1875
<i>Hidetoshi Numata (IBM Research - Tokyo, Japan), Toshiyuki Yamane (IBM Research - Tokyo, Japan), Jean Benoit Heroux (IBM Systems, Canada), and Daiju Nakano (IBM Research - Tokyo, Japan)</i>	

Laser Integration on a Photonic Integrated Circuit with High Alignment Accuracy for Data Transmission .....	1880
<i>Ting Ta Chi (Institute of Microelectronics, Singapore), Zhenyu Li (Institute of Microelectronics, Singapore), Nanxi Li (Institute of Microelectronics, Singapore), Hong Cai (Institute of Microelectronics, Singapore), Y M Tobing Landobasa (Institute of Microelectronics, Singapore), Haitao Yu (Institute of Microelectronics, Singapore), Senthilkumar Darshini (Institute of Microelectronics, Singapore), Jae Ok Yoo (Institute of Microelectronics, Singapore), Arvind Sundaram (Institute of Microelectronics, Singapore), B.S.S. Chandra Rao (Institute of Microelectronics, Singapore), Lennon Y. T. Lee (Institute of Microelectronics, Singapore), and Wen Lee (Institute of Microelectronics, Singapore)</i>	
Machine Learning Based PCB/Package Stack-up Optimization for Signal Integrity .....	1885
<i>Wenchang Huang (Missouri University of Science and Technology, USA), Jiahuan Huang (Missouri University of Science and Technology, USA), Minseok Kim (Samsung Electronics Co., Ltd, South Korea), Bumhee Bae (Samsung Electronics Co., Ltd, South Korea), Subin Kim (Samsung Electronics Co., Ltd, South Korea), and Chulsoon Hwang (Missouri University of Science and Technology, USA)</i>	
Self-Aligned Optical Connector Assembly on Polymer Waveguide Integrated Package Substrate for Co-Packaged Optics .....	1892
<i>Akihiro Noriki (National Institute of Advanced Industrial Science and Technology, Japan) and Takeru Amano (National Institute of Advanced Industrial Science and Technology, Japan)</i>	
2.5D Silicon Photonics Interposer Flip Chip Attach .....	1896
<i>Pushkraj Tumne (Marvell Technology, USA), Hsiu-Che Wang (Marvell Technology, USA), Dwayne R. Shirley (Marvell Technology, USA), and Roberto Coccioli (Marvell Technology, USA)</i>	
A Study of the Design and Parameter Effects on System Level Characteristics of Advanced Fan-out Wafer Level Package (FOWLP) .....	1903
<i>Kyoungdon Mun (Samsung Electronics Co., Ltd, South Korea), Kyoung-Lim Suk (Samsung Electronics Co., Ltd, South Korea), Dongwook Kim (Samsung Electronics Co., Ltd, South Korea), Suchang Lee (Samsung Electronics Co., Ltd, South Korea), Jihwang Kim (Samsung Electronics Co., Ltd, South Korea), Wonkyung Choi (Samsung Electronics Co., Ltd, South Korea), and Jaechoon Kim (Samsung Electronics Co., Ltd, South Korea)</i>	
Development of Electronic-Photonic 3D System in Package: Architecture, Integration, and Scaling .....	1908
<i>Jugal Kishore Bhandari (LightSpeed Photonics Pte. Ltd., India), Divya Sri Rajeswari (LightSpeed Photonics Pte. Ltd., India), V. Ramana Pamidighantam (LightSpeed Photonics Pte. Ltd., Singapore), Rohin Kumar Yeluripati (LightSpeed Photonics Pte. Ltd., Singapore), Ubed Mohammed (LightSpeed Photonics Pte. Ltd., India), Jinin K Jose (LightSpeed Photonics Pte. Ltd., India), Anusha Veerandi (LightSpeed Photonics Pte. Ltd., India), and Sandhya Dharavath (LightSpeed Photonics Pte. Ltd., India)</i>	

Direct Paste Deposition of Inorganic Materials for Sensors Applications .....	1913
<i>Nicolas Delavault (CEA Tech Grand Est, France), Tanguy Lacondemine (CEA Tech Grand Est, France), Rémy Kalmar (CEA Tech Grand Est, France), Sofiane Achache (UTT LASMIS, France), Manuel Fendler (CEA Tech Grand Est, France), and Frederic Sanchette (UTT LASMIS, France)</i>	
Highly Compact and High Gain 2 x 2 Patch Array Antenna with Slotted Meanderline Loading .....	1917
<i>Hanna Jang (University of Florida, USA), Payman Pahlavan (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
Design of a Compact Size Bridge Connected Multiband MIMO Antenna for Automotive 5G and DSRC Communications System .....	1921
<i>Mohammad Shahed Pervez (Oakland University, USA) and Amanpreet Kaur (Oakland University, USA)</i>	
A Fully Additive Fabrication Approach for Sub-10-Micrometer Microvia Suitable for 3-D System-in-Package Integration .....	1926
<i>Roghayeh Imani (Luleå Technical University, Sweden), Shailesh Chouhan (Luleå Technical University, Sweden), Jussi Putaala (University of Oulu, Finland), Olli Nousiainen (University of Oulu, Finland), Juha Hagberg (University of Oulu, Finland), Sami Myllymäki (University of Oulu, Finland), Sarthak Acharya (University of Oulu, Finland), Heli Jantunen (University of Oulu, Finland), and Jerker Delsing (Luleå Technical University, Sweden)</i>	
The Performance and Reliability of Screen-Printed Flexible Multilayer Leads for Wearable Vital Sign Monitoring Devices .....	1932
<i>Udara S. Somarathna (The State University of New York, USA), Behnam Garakani (The State University of New York, USA), Mohammed Alhendi (The State University of New York, USA), Darshana L. Weerawarne (University of Colombo, Sri Lanka), Riadh A. Al-Haidari (The State University of New York, USA), Matthew J. Misner (GE Global Research, USA), Andrew Burns (GE Global Research, USA), Gurvinder S. Khinda (GE Global Research, USA), Azar Alizadeh (GE Global Research, USA), and Mark D. Poliks (The State University of New York, USA)</i>	
First Demonstration of Die-Embedded Alumina Ribbon Ceramic (ARC) Packaging for 6G Wireless Applications .....	1939
<i>Joon Woo Kim (Georgia Institute of Technology, USA), Nahid Aslani-Amoli (Georgia Institute of Technology, USA), Fuhun Liu (Georgia Institute of Technology, USA), Rajesh Vaddi (Corning Incorporated, USA), Garima Nagar (Corning Incorporated, USA), and Madhavan Swaminathan (Pennsylvania State University, USA)</i>	
Security Robustness of Buried Power Rail Interconnect Technology: Modeling, Analysis and Countermeasures .....	1944
<i>Sirish Oruganti (The University of Texas at Austin, USA), Nishant Gupta (The University of Texas at Austin, USA), Sai Subrahmanya Teja Nibhanupudi (The University of Texas at Austin, USA), Meizhi Wang (The University of Texas at Austin, USA), and Jaydeep P. Kulkarni (The University of Texas at Austin, USA)</i>	

Intelligent Multi-Physics Design of 3-D Leadframe-Based SiC Power Module with Die Stacking for Transportation Electrification .....	1952
<i>Emanuel Torres-Surillo (Georgia Institute of Technology, USA), Christian Molina-Mangual (Georgia Institute of Technology, USA), and Vanessa Smet (Georgia Institute of Technology, USA)</i>	

## Session 40: Interactive Presentations 4

Simulation of Solder Crack Phenomenon in Molding Process .....	1959
<i>Tzu Chieh Chien (Central Development Engineering(CDE), ASE Group, Taiwan), Zong Yuan Li (Central Development Engineering(CDE), ASE Group, Taiwan), Shih Kun Lo (Central Development Engineering(CDE), ASE Group, Taiwan), Hui Chung Liu (Central Development Engineering(CDE), ASE Group, Taiwan), Yen Hua Kuo (Central Development Engineering(CDE), ASE Group, Taiwan), Ming Shaw Shy (Central Development Engineering(CDE), ASE Group, Taiwan), Lu Ming Lai (Central Development Engineering(CDE), ASE Group, Taiwan), and Kuang Hsiung Chen (Central Development Engineering(CDE), ASE Group, Taiwan)</i>	
Embedded Micro-Pin Fin Heat Sink of Two-Phase Liquid Cooling for High Heat Flux 3D ICs ....	1964
<i>Huicheng Feng (Agency for Science, Technology and Research (A*STAR), Singapore), Gongyue Tang (Agency for Science, Technology and Research (A*STAR), Singapore), Xiaowu Zhang (Agency for Science, Technology and Research (A*STAR), Singapore), Boon Long Lau (Agency for Science, Technology and Research (A*STAR), Singapore), Ming Chinq Jong (Agency for Science, Technology and Research (A*STAR), Singapore), Keng Yuen Jason Au (Agency for Science, Technology and Research (A*STAR), Singapore), King Jien Chui (Agency for Science, Technology and Research (A*STAR), Singapore), Jing Lou (Agency for Science, Technology and Research (A*STAR), Singapore), Hongying Li (Agency for Science, Technology and Research (A*STAR), Singapore), and Duc Vinh Le (Agency for Science, Technology and Research (A*STAR), Singapore)</i>	
Warpage Estimation of Panel-Level Package from Panel to Strip by Using Multi-Scaling Sub-Modeling Technique .....	1969
<i>Chang-Chun Lee (National Tsing Hua University, Taiwan), Chi-Wei Wang (National Tsing Hua University, Taiwan), Che-Pei Chang (National Tsing Hua University, Taiwan), and Jui-Chang Chuang (Industrial Technology Research, Taiwan)</i>	

A Thermally Friendly Bonding Scheme for 3D System Integration .....	1973
<i>Gordon Kuo (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chih-Yuan Chen (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Cheng-Chieh Hsieh (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chung-Ju Lee (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Jason Wu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Ji James Cui (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Yen-Liang Kuo (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chih-Hang Tung (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Terry Ku (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chung-Hao Tsai (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Kuo-Chung Yee (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), and Douglas C.H. Yu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan)</i>	
Reliability in Selective Thinning Technology of Solder Resist for New IC Substrate Architecture .....	1977
<i>Yuya Suzuki (Taiyo America Inc., USA) and Yuji Toyoda (Mitsubishi Paper Mills Limited, Japan)</i>	
Simulation, Prediction, and Verification of the Corrosion Behavior of Cu-Ag Composite Sintered Paste for Power Semiconductor Die-Attach Applications .....	1982
<i>Xinyue Wang (Fudan University, China), Zhoudong Yang (Fudan University, China), Guoqi Zhang (Delft University of Technology, The Netherlands), Jing Zhang (Heraeus Materials Technology Shanghai Ltd., China), and Pan Liu (Fudan University, China; Research Institute of Fudan University in Ningbo, China)</i>	
Thermal Characterization and Management of GaN-on-SiC High Power Amplifier MMIC .....	1989
<i>Yong Han (Institute of Microelectronics, A*STAR, Singapore), Gongyue Tang (Institute of Microelectronics, A*STAR, Singapore), and Boon Long Lau (Institute of Microelectronics, A*STAR, Singapore)</i>	
Long-Term Reliability Evaluation on Single-Phase Immersion Cooling-Based Server with Electronic Fluorinated Liquid .....	1994
<i>Yangfan Zhong (Alibaba, Inc.), Dan Liu (Alibaba, Inc.), Fangzhi Wen (Alibaba, Inc.), Rui Guo (Alibaba, Inc.), Tina Bao (Intel, Inc), Kai Wang (Intel, Inc), Haifeng Gong (Intel, Inc), Haibin Fang (Alibaba, Inc.), Xiaopeng Li (Alibaba, Inc.), Yongbao He (Alibaba, Inc.), Heng Lian (Alibaba, Inc.), and Bei Xiang (Alibaba, Inc.)</i>	
Life-Prediction of SAC305/Bi-Based Hybrid Solder Joint Considering Bi-Diffused Layers with Gradual Bi Concentrations .....	2001
<i>Yongrae Jang (University of Maryland, USA), Yu-Hsiang Yang (University of Maryland, USA), Bongtae Han (University of Maryland, USA), You-Gwon Kim (Hanyang University, South Korea), and Hak-Sung Kim (Hanyang University, South Korea)</i>	

Thermal-Mechanical-Electrical Co-Design of Fan-Out Panel-Level SiC MOSFET Packaging with a Multi-Objective Optimization Algorithm .....	2007
<i>Wei Chen (Fudan University, China), Xuyang Yan (Fudan University, China), Mesfin S. Ibrahim (Centre for Advances in Reliability and Safety, Hong Kong), Abdulmelik H. Meda (The Hong Kong Polytechnic University, Hong Kong), Xuejun Fan (Lamar University, USA), Guoqi Zhang (Delft University of Technology, The Netherlands), and Jiajie Fan (Fudan University;Research Institute of Fudan University in Ningbo;, China;Delft University of Technology, The Netherlands.)</i>	
Su8 Out-of-Plane Stress Reduction Via Design of Experiment and Machine Learning .....	2012
<i>Ziqi Jia (University of Florida, USA), Shuyu Shi (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
Assessment Methods for the Characterization of Flux Material Systems Toward Water Absorption .....	2017
<i>Quang-Duc Pham (Robert Bosch GmbH, Germany), Norbert Holle (Robert Bosch GmbH, Germany), and Jürgen Wilde (University of Freiburg - IMTEK, Germany)</i>	
Optimization of the Cu Microstructure to Improve Copper-to-Copper Direct Bonding for 3D Integration .....	2024
<i>Ralf Schmidt (MKS - Materials Solution Division - Atotech) and Christian Schwarz (MKS - Materials Solution Division - Atotech)</i>	
Effect of Ceramic Filler in Epoxy Mold Compound on Thermomechanical Property of FOWLP .....	2029
<i>Taejoon Noh (Sungkyunkwan University, Republic of Korea), Haksan Jeong (Sungkyunkwan University, Republic of Korea), and Seung-Boo Jung (Sungkyunkwan University, Republic of Korea)</i>	
Atomistic Simulation Analysis of Plasma Surface Activation in Wafer-to-Wafer Oxide Fusion Bonding .....	2034
<i>Hojin Kim (TEL Technology Center, America, LLC, USA), Yu-Hao Tsai (TEL Technology Center, America, LLC, USA), Satohiko Hoshino (TEL Technology Center, America, LLC, USA), Ilseok Son (TEL Technology Center, America, LLC, USA), Maekawa Kaoru (TEL Technology Center, America, LLC, USA), Peter Biolsi (TEL Technology Center, America, LLC, USA), and Sitaram Arkalgud (TEL Technology Center, America, LLC, USA)</i>	
Inorganic Capping Layers in Advanced Photosensitive Polymer Based RDL Processes: Processing and Reliability .....	2040
<i>Nelson Pinho (IMEC, Belgium), Emmanuel Chery (IMEC, Belgium), Ritwik Bhatia (Veeco, USA), Ganesh Sundaram (Veeco, USA), John Slabbekoorn (IMEC, Belgium), Mikhail Krishtab (IMEC, Belgium), Andy Miller (IMEC, Belgium), and Eric Beyne (IMEC, Belgium)</i>	
A Combined Simulation and Experimental Study on Cracking and Delamination Behavior at the Cu/Polyimide Interface of RDLs in Chiplet Package Subjected to Thermo-Mechanical Loads ..	2046
<i>Bin Chen (South China University of Technology, China), Guang-Chao Lyu (South China University of Technology, China), Hong-Guang Wang (South China University of Technology, China), Long Zheng (South China University of Technology, China), Yun-Kai Deng (South China University of Technology, China), and Xin-Ping Zhang (South China University of Technology, China)</i>	

Evolution of the Creep Response of SAC+Bi Lead-Free Solders Subjected to Various Thermal Exposures .....	2054
<i>Mohammad Al Ahsan (Auburn University, USA), S M Kamrul Hasan (Auburn University, USA), Jeffrey C. Suhling (Auburn University, USA), and Pradeep Lall (Auburn University, USA)</i>	
Modeling Grain Size Effects on Deformation Behavior of SAC Solder Joints .....	2062
<i>Debabrata Mondal (Auburn University), Jeffrey C. Suhling (Auburn University), and Pradeep Lall (Auburn University)</i>	
Reliability Study on High Performance Photo Imageable Dielectric for Advanced Package .....	2070
<i>Okseon Yoon (Samsung Electronics Co., Ltd., Korea), Jihye Shim (Samsung Electronics Co., Ltd., Korea), Jinyoung Kim (Samsung Electronics Co., Ltd., Korea), Sooryeon Kim (Samsung Electronics Co., Ltd., Korea), Kiseok Kim (Samsung Electronics Co., Ltd., Korea), Suchang Lee (Samsung Electronics Co., Ltd., Korea), Seonghyun Yoo (Samsung Electronics Co., Ltd., Korea), and Hyoeun Lee (Samsung Electronics Co., Ltd., Korea)</i>	
High Temperature Storage of Cu-Cu Joints Fabricated by Highly (111)-Oriented Nanotwinned Cu .....	2075
<i>Shih-Chi Yang (National Yang Ming Chiao Tung University, Taiwan) and Chih Chen (National Yang Ming Chiao Tung University, Taiwan)</i>	
A Novel Indium Metal Thermal Interface Material and Package Design Configuration to Enhance High-Power Advanced Si Packages Thermal Performance .....	2079
<i>Kuo-Chin Chang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Mirng-Ji Lii (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Kuan-Min Wang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), Chien-Chang Wang (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan), and Bang-Li Wu (Taiwan Semiconductor Manufacturing Company, Ltd., Taiwan)</i>	
High-Performance, Multilayer Copper-Graphene Micro-Foam Wicks for Vapor Chambers .....	2087
<i>Alex Moss (Georgia Institute of Technology, USA), Antonia Antoniou (Georgia Institute of Technology, USA), and Vanessa Smet (Georgia Institute of Technology, USA)</i>	
Time-Dependent Bulk Behavior of Cured Epoxy Molding Compound .....	2093
<i>Sukrut Prashant Phansalkar (University of Maryland, USA), Roshith Mittakolu (University of Maryland, USA), and Bongtae Han (University of Maryland, USA)</i>	
Module, Antenna, and Package Design Considerations for mm-Scale IoT Devices .....	2101
<i>Arun Paidimarri (IBM T. J. Watson Research Center, Yorktown Heights, USA), Duixian Liu (IBM T. J. Watson Research Center, Yorktown Heights, USA), Christian Baks (IBM T. J. Watson Research Center, Yorktown Heights, USA), Bodhisatwa Sadhu (IBM T. J. Watson Research Center, Yorktown Heights, USA), and Alberto Valdes-Garcia (IBM T. J. Watson Research Center, Yorktown Heights, USA)</i>	
9W/cm <sup>2</sup> /K Heat Transfer Coefficient Vapor Chamber for HPC Server Cooling Applications .....	2108
<i>Takashi Funakoshi (Fujikin.inc, Japan), Hiroyuki Ryoson (Tokyo Institute of Technology, Japan), Kosuke Suzuki (Tokyo Institute of Technology, Japan), Katsunori Komehana (Fujikin.inc, Japan), Tomoji Nakamura (Tokyo Institute of Technology, Japan), and Takayuki Ohba (Tokyo Institute of Technology, Japan)</i>	

## Session 41: Student Interactive Presentations

- Grain Orientation and Prediction of Thermal Shock Fatigue of Sn-3Ag-0.5Cu Solder Joints for Fan-Out Wafer Level Packaging ..... 2113  
*Shuye Zhang (Harbin Institute of Technology, China), Xinyi Jing (Harbin Institute of Technology, China), Peng He (Harbin Institute of Technology, China), and Kyung-Wook Paik (KAIST, South Korea)*
- Copper-to-Copper Direct Bonding Process Using Current-Induced Enhancement Method ..... 2120  
*Byungkwan Kwak (Hanyang University, Republic of Korea), Jinhyun Lee (Hanyang University, Republic of Korea), Sanghwa Yoon (Hanyang University, Republic of Korea), and Bongyoung Yoo (Hanyang University, Republic of Korea)*
- Secure and Scalable Key Management for Waferscale Heterogeneous Integration ..... 2125  
*Yousef Safari (McGill University, Canada; University of California, Los Angeles, USA), Pooya Aghanoury (University of California, Los Angeles, USA), Subramanian S. Iyer (University of California, Los Angeles, USA), and Nader Sehatbakhsh (University of California, Los Angeles, USA)*
- A Method to Improve 3D Interconnections Resource Utilization and Reliability in Hybrid Bonding Process Considering the Effects on Signal Integrity ..... 2131  
*Ang Li (Shanghai Jiao Tong University, China), Jianfei Jiang (Shanghai Jiao Tong University, China), Qin Wang (Shanghai Jiao Tong University, China), Naifeng Jing (Shanghai Jiao Tong University, China), Zizheng Dong (Shanghai Jiao Tong University, China), Shuya Ji (Shanghai Jiao Tong University, China), Xiulan Cheng (Shanghai Jiao Tong University, China), and Yuhang Zhao (Shanghai Jiao Tong University, China)*
- Optimization of Embedded Manifold Cooling Characteristic Parameters for GaN HEMT ..... 2137  
*Dichen Lu (Institute of Microelectronics of the Chinese Academy of Science, China), Yuxin Ye (Institute of Microelectronics of the Chinese Academy of Science, China), Mei Wu (Xidian University, China), Ruiwen Liu (Institute of Microelectronics of the Chinese Academy of Science, China), Xiangbin Du (Institute of Microelectronics of the Chinese Academy of Science, China), Lihang Yu (Institute of Microelectronics of the Chinese Academy of Science, China), Jie Wang (Institute of Microelectronics of the Chinese Academy of Science, China), Yulin Shi (Institute of Microelectronics of the Chinese Academy of Science, China), Jingping Qiao (Institute of Microelectronics of the Chinese Academy of Science, China), Ziyu Liu (Institute of Microelectronics of the Chinese Academy of Science, China), Yanmei Kong (Institute of Microelectronics of the Chinese Academy of Science, China), and Binbin Jiao (Institute of Microelectronics of the Chinese Academy of Science, China)*



Low Dk/Df Thermosetting Siloxane Hybrid Material for Microwave Communication Printed Circuit Board .....	2144
<i>Seung-Mo Kang (Korea Advanced Institute of Science and Technology, Republic of Korea), Byung Jo Um (Korea Advanced Institute of Science and Technology, Republic of Korea), Junho Jang (Korea Advanced Institute of Science and Technology, Republic of Korea), and Byeong-Soo Bae (Korea Advanced Institute of Science and Technology, Republic of Korea)</i>	
Optimization of Si PnC MEMS Nanowires for Ultra-low Thermal Conductivity .....	2150
<i>Sunghyun Hwang (University of Florida, USA), James D. Overmeyer (University of Florida, USA), S M Enamul Hoque Yousuf (University of Florida, USA), William N. Carr (PnC MEMS, Inc, USA), Phillip X.-L. Feng (University of Florida, USA), and Yong-Kyu Yoon (University of Florida, USA)</i>	
Rapid Formation of High-Strength Sintered Silver Joints with High Reliability .....	2154
<i>Xu Zhang (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China), Pengli Zhu (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China), Tao Zhao (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China), Liang Xu (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China), and Rong Sun (Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, China)</i>	
Reference Thermal Chips for 2D and 3D Co-Packaging Process Development .....	2160
<i>Parnika Gupta (Tyndall National Institute, Ireland), Robert Bernson (Tyndall National Institute, Ireland), Noreen Nudds (Tyndall National Institute, Ireland), Sean Collins (Tyndall National Institute, Ireland), Kamil Gradkowski (Tyndall National Institute, Ireland), Padraic E. Morrissey (Tyndall National Institute, Ireland), and Peter O' Brien (Tyndall National Institute, Ireland)</i>	
Wideband Circularly Polarized FOWLP Antenna in Package for Satellite Communications .....	2166
<i>Kaibo Zheng (National University of Singapore (NUS) Singapore, Singapore), Mei Sun (Institute of Microelectronics (IME), Agency for Science, Technology, and Research, Singapore), and Yong Xin Guo (National University of Singapore, Singapore)</i>	

A High Precision Analysis Method Based on Thermal Test Chip for Thermal Characteristics of Thermal Interface Materials .....	2172
<i>Yulin Shi (Institute of Microelectronics of the Chinese Academy of Science, China), Binbin Jiao (Institute of Microelectronics of the Chinese Academy of Science, China), Qixing Hao (Institute of Microelectronics of the Chinese Academy of Science, China), Yanmei Kong (Institute of Microelectronics of the Chinese Academy of Science, China), Ruiwen Liu (Institute of Microelectronics of the Chinese Academy of Science, China), Shichang Yun (Institute of Microelectronics of the Chinese Academy of Science, China), Yuxin Ye (Institute of Microelectronics of the Chinese Academy of Science, China), Lihang Yu (Institute of Microelectronics of the Chinese Academy of Science, China), Xiangbin Du (Institute of Microelectronics of the Chinese Academy of Science, China), Jie Wang (Institute of Microelectronics of the Chinese Academy of Science, China), Jingping Qiao (Institute of Microelectronics of the Chinese Academy of Science, China), and Dichen Lu (Institute of Microelectronics of the Chinese Academy of Science, China)</i>	
A Bionic Sweating Cooling Method for High Power Chip Based on Evaporation and Convection .....	2178
<i>Lihang Yu (Institute of Microelectronics of the Chinese Academy of Science, China), Binbin Jiao (Institute of Microelectronics of the Chinese Academy of Science, China), Yuxin Ye (Institute of Microelectronics of the Chinese Academy of Science, China), Xiangbin Du (Institute of Microelectronics of the Chinese Academy of Science, China), Yanmei Kong (Institute of Microelectronics of the Chinese Academy of Science, China), Ruiwen Liu (Institute of Microelectronics of the Chinese Academy of Science, China), and Shichang Yun (Institute of Microelectronics of the Chinese Academy of Science, China)</i>	
Generative Adversarial Network Based Adaptive Transmitter Modeling .....	2183
<i>Priyank Kashyap (North Carolina State University, USA), Prasanth Prabu Ravichandiran (North Carolina State University, USA), Dror Baron (North Carolina State University, USA), Chau-Wai Wong (North Carolina State University, USA), Tianfu Wu (North Carolina State University, USA), and Paul D. Franzon (North Carolina State University, USA)</i>	
FISHI: Fault Injection Detection in Secure Heterogeneous Integration via Power Noise Variation .....	2188
<i>Tao Zhang (University of Florida), Md Latifur Rahman (University of Florida), Hadi Mardani Kamali (University of Florida), Kimia Zamiri Azar (University of Florida), Mark Tehranipoor (University of Florida), and Farimah Farahmandi (University of Florida)</i>	
RFID Based Vehicular Positioning System for Safe Driving Under Adverse Weather Conditions .....	2196
<i>Bhargav Avireni (Michigan State University, USA), Yihang Chu (Michigan State University, USA), Ethan Kepros (Michigan State University, USA), Mauro Ettore (Michigan State University, USA), and Premjeet Chahal (Michigan State University, USA)</i>	

Fingerprint Extrication with Near-Field Terahertz Time-Domain Spectroscopy (THz-TDS) for IC Hardware Assurance .....	2201
<i>Chengjie Xi (University of Florida, Gainesville, USA), John True (University of Florida, Gainesville, USA), William Henry Mitchell (University of Florida, Gainesville, USA), Aslam Khan (University of Florida, Gainesville, USA), and Navid Asadizanjani (University of Florida, Gainesville, USA)</i>	
Additively Manufactured Near Chip Scale Interposers for DC and RF Applications .....	2207
<i>Emily Lamport (Raytheon UMass Lowell Research Institute, USA), Andrew Luce (Raytheon UMass Lowell Research Institute, USA), Yuri Piro (Raytheon UMass Lowell Research Institute, USA), Susan Trulli (Raytheon Technologies, Missiles &amp; Defense, USA), and Alkim Akyurtlu (Raytheon UMass Lowell Research Institute, USA)</i>	
Evaluation of Electromechanical Performance of a Flexible Hybrid Electronics Temperature Monitor .....	2213
<i>Zhi Dou (State University of New York at Binghamton, USA), Dylan Richmond (State University of New York at Binghamton, USA), Mark Schadt (State University of New York at Binghamton, USA), Mohammed Alhendi (State University of New York at Binghamton, USA), Riadh Al-Haidari (State University of New York at Binghamton, USA), Rafael Tudela (Tapecon Inc., USA), and Mark Poliks (State University of New York at Binghamton, USA)</i>	
Comparative Mechanical Behavior of Sn-Bi Based Low Temperature Solder Alloys Under Different Pretest Aging Conditions .....	2218
<i>Sukshitha Achar P.L. (Purdue University, USA), Colin V. Greene (Purdue University, USA), Sean Yenyu Lai (Purdue University, USA), Radu Radulescu (Purdue University, USA), Hannah Fowler (Purdue University, USA), John Blendell (Purdue University, USA), Carol Handwerker (Purdue University, USA), Ganesh Subbarayan (Purdue University, USA), and Nilesh Badwe (IIT Kanpur, India)</i>	
New Triple-Junction Solar Cell Assembly Process for Concentrator Photovoltaic Applications. ....	2223
<i>Konan Kouame (3IT CNRS Université de Sherbrooke, Canada), P. Haghparast (3IT CNRS Université de Sherbrooke, Canada), Pierre Albert (3IT CNRS Université de Sherbrooke, Canada), Artur Turala (3IT CNRS Université de Sherbrooke, Canada), Thomas Bidaud (3IT CNRS Université de Sherbrooke, Canada), Abdelatif Jaouad (3IT CNRS Université de Sherbrooke, Canada), David Danovitch (3IT CNRS Université de Sherbrooke, Canada), Gwenaëlle Hamon (3IT CNRS Université de Sherbrooke, Canada), Maité Volatier (3IT CNRS Université de Sherbrooke, Canada), Vincent Aimez (3IT CNRS Université de Sherbrooke, Canada), and Maxime Darnon (3IT CNRS Université de Sherbrooke, Canada)</i>	
Characterization of Packaging, Electronic, and Photonic Materials at Cryogenic Temperatures Using a Multi-Angle Backscattering Mueller-Matrix Ellipsometer .....	2230
<i>Christopher J. Lewis (Auburn University, USA), Jacob D. Marchio (Auburn University, USA), Drew Sellers (Auburn University, USA), and Michael C. Hamilton (Auburn University, USA)</i>	

A Comparison of Wearable Metasurfaces .....	2235
<i>Adria L. Kajenski (University of Massachusetts Lowell, USA), Shahriar Khushrushahi (Notch Inc.), Guinevere Strack (University of Massachusetts Lowell, USA), and Alkim Akyurtlu (University of Massachusetts Lowell, USA)</i>	
TrueAdapt™ - AI Based Maskless Patterning to Compensate for Die-Shift in Fan-Out Wafer Level Packaging .....	2240
<i>Golam Sabbir (UCLA), Krutikesh Sahoo (UCLA), Henry Sun (UCLA), Subramanian Iyer (UCLA), Guangqi Ouyang (UCLA), and Yilin Wu (UCLA)</i>	
Die Embedded Glass Interposer with Minimum Warpage for 5G/6G Applications .....	2247
<i>Xingchen Li (Georgia Institute of Technology, USA), Xiaofan Jia (Georgia Institute of Technology, USA), Joon Woo Kim (Georgia Institute of Technology, USA), Kyoung-sik Moon (Georgia Institute of Technology, USA), Matthew B. Jordan (Sandia National Laboratories, USA), and Madhavan Swaminathan (Georgia Institute of Technology, USA; Pennsylvania State University, USA)</i>	

**Author Index**