2023 IEEE 64th Annual Symposium on Foundations of Computer Science (FOCS 2023)

Santa Cruz, California, USA 6-9 November 2023

Pages 1-809



IEEE Catalog Number: CFP23053-POD **ISBN:**

979-8-3503-1895-1

Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

IEEE Catalog Number:	CFP23053-POD
ISBN (Print-On-Demand):	979-8-3503-1895-1
ISBN (Online):	979-8-3503-1894-4
ISSN:	1523-8288

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633 E-mail: curran@proceedings.com Web: www.proceedings.com



2023 IEEE 64th Annual Symposium on Foundations of Computer Science (FOCS) **FOCS 2023**

Table of Contents

Preface	xx
Organizers	
Program Committee	. xxii

Session 1A

Graph Colouring Is Hard on Average for Polynomial Calculus and Nullstellensatz Jonas Conneryd (Lund University; University of Copenhagen), Susanna F. de Rezende (Lund University), Jakob Nordström (University of Copenhagen; Lund University), Shuo Pang (University of Copenhagen; Lund University), and Kilian Risse (EPFL)	. 1
Clique Is Hard on Average for Unary Sherali-Adams Susanna F. De Rezende (Lund University, Sweden), Aaron Potechin (University of Chicago, USA), and Kilian Risse (EPFL, Switzerland)	12
On Lifting Integrality Gaps to SSEH Hardness for Globally Constrained CSPs Suprovat Ghoshal (Northwestern University & TTIC, USA) and Euiwoong Lee (University of Michigan, USA)	26
On Small-Depth Frege Proofs for PHP Johan Håstad (KTH Royal Institute of Technology, Sweden)	37

Session 1B

Thin Trees for Laminar Families	50
One Tree to Rule Them All: Poly-Logarithmic Universal Steiner Tree	60
Costas Busch (Augusta University, USA), Da Qi Chen (University of	
Virginia, USA), Arnold Filtser (Bar-Ilan University, Israel), Daniel	
Hathcock (Carnegie Mellon University, USA), D Ellis Hershkowitz (Brown	
University, Rhode Island; ETH Zürich, Switzerland), and Rajmohan	
Rajaraman (Northeastern University, USA)	

Optimal Fault-Tolerant Spanners in Euclidean and Doubling Metrics: Breaking the Ω (log n) Lightness Barrier Hung Le (University of Massachusetts at Amherst, USA), Shay Solomon	7
(Tel-Aviv University, Israel), and Cuong Than (University of Massachusetts at Amherst, USA)	
Sub-quadratic \$(1+\eps)\$-approximate Euclidean Spanners, with Applications	3
Session 1C	
Envy-Free Cake-Cutting for Four Agents	3
Convergence of Approximate and Packet Routing Equilibria to Nash Flows Over Time	3
Simultaneous Auctions are Approximately Revenue-Optimal for Subadditive Bidders	1
Constant Approximation for Private Interdependent Valuations	3

Session 2A

Randomly Punctured Reed–Solomon Codes Achieve the List Decoding Capacity over Polynomial-Size Alphabets	164
A Proof that Reed-Muller Codes Achieve Shannon Capacity on Symmetric Channels Emmanuel Abbe (EPFL) and Colin Sandon (EPFL)	177
Gilbert and Varshamov Meet Johnson: List-Decoding Explicit Nearly-Optimal Binary Codes Silas Richelson (University of California, USA) and Sourya Roy (University of California, USA)	194
Optimal Testing of Generalized Reed-Muller Codes in Fewer Queries Dor Minzer (Massachusetts Institute of Technology, USA) and Kai Zheng (Massachusetts Institute of Technology, USA)	206

Session 2B

Separating MAX 2-AND, MAX DI-CUT and MAX CUT	234
Triplet Reconstruction and all Other Phylogenetic CSPs are Approximation Resistant	253
Improved Hardness of Approximating k-Clique Under ETH	285
Efficient Algorithms for Semirandom Planted CSPs at the Refutation Threshold	307

Session 2C

The Minimal Canonical form of a Tensor Network 32 Arturo Acuaviva (Universidad Complutense de Madrid, Spain), Visu Makam 32 (Radix Trading Europe B.V., The Netherlands), Harold Nieuwboer (University of Amsterdam, The Netherlands), David Pérez-García (Universidad Complutense de Madrid, Spain), Friedrich Sittner (Universidad Complutense de Madrid, Spain), Friedrich Sittner (Universidad Complutense de Madrid, Spain), Michael Walter (Ruhr University Bochum, Germany), and Freek Witteveen (University of Copenhagen, Denmark)	28
 Query-Optimal Estimation of Unitary Channels in Diamond Distance	63
 When Does Adaptivity Help for Quantum State Learning?	91
 Exponential Quantum Speedup in Simulating Coupled Classical Oscillators	05

Session 3A

Attribute-Based Encryption for Circuits of Unbounded Depth fi	rom Lattices 415
Yao-Ching Hsieh (Üniversity of Washington, USA), Huijia Lin	
(University of Washington, USA), and Ji Luo (University of Wash	shington,
USA)	-

ABE for Circuits with Poly(\lambda)-Sized Keys from LWE	5
Learning in Pessiland via Inductive Inference	7
 Kolmogorov Comes to Cryptomania: On Interactive Kolmogorov Complexity and Key-Agreement 458 Marshall Ball (New York University, USA), Yanyi Liu (Cornell Tech, USA), Noam Mazor (Cornell Tech, USA), and Rafael Pass (Tel Aviv University, Israel; Cornell Tech, USA) 	

Session 3B

A Randomized Algorithm for Single-Source Shortest Path on Undirected Real-Weighted Graphs 484 Ran Duan (Tsinghua University, China), Jiayi Mao (Tsinghua University, China), Xinkai Shu (The University of Hong Kong, China), and Longhui Yin (Tsinghua University, China)
Faster High Accuracy Multi-Commodity Flow from Single-Commodity Techniques493Jan van den Brand (Georgia Institute of Technology, USA) and Daniel J.Zhang (Georgia Institute of Technology, USA)
A Deterministic Almost-Linear Time Algorithm for Minimum-Cost Flow
Negative-Weight Single-Source Shortest Paths in Near-Linear Time: Now Faster!
Session 4A

Advisor-Verifier-Prover Games and the Hardness of Information Theoretic Cryptography Benny Applebaum (Tel Aviv University, Israel) and Oded Nir (Tel Aviv University, Israel)	539
On Pseudolinear Codes for Correcting Adversarial Errors Eric Ruzomberka (Princeton University, USA), Homa Nikbakht (Princeton University, USA), Christopher G. Brinton (Purdue University, USA), and H. Vincent Poor (Princeton University, USA)	556
A New Approach to Post-Quantum Non-Malleability Xiao Liang (NTT Research, USA), Omkant Pandey (Stony Brook University, USA), and Takashi Yamakawa (NTT, Japan)	568

Towards Separating Computational and Statistical Differential Privacy	
Badih Ghazi (Google Research), Rahul Ilango (MIT), Pritish Kamath	
(Google Research), Ravi Kumar (Google Research), and Pasin Manurangsi	
(Google Research)	

Session 4B

Bridge Girth: A Unifying Notion in Network Design Greg Bodwin (University of Michigan, USA), Gary Hoppenworth (University of Michigan, USA), and Ohad Trabelsi (Toyota Technological Institute at Chicago, USA)	600
Planar Disjoint Paths, Treewidth, and Kernels Michał Włodarczyk (Ben-Gurion University of the Negev, Israel) and Meirav Zehavi (Ben-Gurion University of the Negev, Israel)	649
Flip-Width: Cops and Robber on Dense Graphs Szymon Toruńczyk (University of Warsaw, Poland)	663
Folklore Sampling is Optimal for Exact Hopsets: Confirming the \$\sqrt{n}\$ Barrier Greg Bodwin (University of Michigan) and Gary Hoppenworth (University of Michigan)	701

Session 5A

Fourier Growth of Communication Protocols for XOR Functions Uma Girish (Princeton University, USA), Makrand Sinha (University of Illinois at Urbana-Champaign, USA), Avishay Tal (University of California at Berkeley, USA), and Kewen Wu (University of California at Berkeley, USA)	721
SAT Reduces to the Minimum Circuit Size Problem with a Random Oracle	733
Doubley-Efficient Interactive Proofs for Distribution Properties	743
IOPs with Inverse Polynomial Soundness Error	752

Session 5B

Lipschitz Continuous Algorithms for Graph Problems	.762
Soh Kumabe (The University of Tokyo, Japan) and Yuichi Yoshida (National Institute of Informatics, Japan)	
(National Institute of Informatics, Japan)	
Compressing CFI Graphs and Lower Bounds for the Weisfeiler-Leman Refinements	798
Martin Grohe (RWTH Aachen University, Germany), Moritz Lichter (RWTH	
Aachen University, Germany), Daniel Neuen (University of Bremen,	
Germany), and Pascal Schweitzer (TU Darmstadt, Germany)	

Strong Spatial Mixing for Colorings on Trees and its Algorithmic Applications	1
Singular Value Approximation and Sparsifying Random Walks on Directed Graphs	ì
Session 5C	
Improved Streaming Algorithms for Maximum Directed Cut via Smoothed Snapshots	,
Streaming Lower Bounds and Asymmetric Set-Disjointness	
Streaming Euclidean k-Median and k-Means with o(log n) Space	;
 Hidden Permutations to the Rescue: Multi-Pass Streaming Lower Bounds for Approximate Matchings)

Best Paper Talks

Strong Bounds for 3-Progressions Zander Kelley (University of Illinois Urbana-Champaign) and Raghu Meka (University of California)	933
The Subspace Flatness Conjecture and Faster Integer Programming Victor Reis (University of Washington, USA) and Thomas Rothvoss (University of Washington, USA)	974

Session 6A

Certified Hardness vs. Randomness for Log-Space Edward Pyne (MIT, USA), Ran Raz (Princeton, USA), and Wei Zhan (Princeton, USA)	989
Derandomization vs Refutation: A Unified Framework for Characterizing Derandomization 10 Lijie Chen (University of California, Berkeley, USA), Roei Tell (The University of Toronto, Canada), and Ryan Williams (Massachusetts Institute of Technology, USA))08

Top-Down Lower Bounds for Depth-Four Circuits1048Mika Göös (EPFL, Switzerland), Artur Riazanov (EPFL, Switzerland),1048Anastasia Sofronova (EPFL, Switzerland), and Dmitry Sokolov (EPFL, Switzerland)1048
Toward Better Depth Lower Bounds: A KRW-Like Theorem for Strong Composition
Session 6B
Handling Correlated Rounding Error via Preclustering: A 1.73-Approximation for Correlation Clustering
Deterministic Clustering in High Dimensional Spaces: Sketches and Approximation 1105 Vincent Cohen-Addad (Google Research, France), David Saulpic (Institute of Science and Technology Austria, Austria), and Chris Schwiegelshohn (Aarhus University, Denmark)
The Price of Explainability for Clustering1131Anupam Gupta (Carnegie Mellon University), Madhusudhan Reddy Pittu (Carnegie Mellon University), Ola Svensson (EPFL), and Rachel Yuan (Carnegie Mellon University)

Session 6C

Agnostic proper learning of monotone functions: beyond the black-box correction barrier	
Near Optimal Memory-Regret Tradeoff for Online Learning 1171 Binghui Peng (Columbia University, USA) and Aviad Rubinstein (Stanford University, USA)	
Tight Time-Space Lower Bounds for Constant-Pass Learning	
Optimal PAC Bounds Without Uniform Convergence	

Session 7A

 Weighted Pseudorandom Generators via Inverse Analysis of Random Walks and Shortcutting 1 Lijie Chen (Miller Institute for Basic Research in Science, University of California, Berkeley, USA), William M. Hoza (University of Chicago, USA), Xin Lyu (University of California, Berkeley, USA), Avishay Tal (University of California, Berkeley, USA), and Hongxun Wu (University of California, Berkeley, USA) 	224
 Explicit Orthogonal and Unitary Designs	1240
Polynomial-Time Pseudodeterministic Construction of Primes	1261
Two Source Extractors for Asymptotically Optimal Entropy, and (Many) More	271

Session 7B

Traversing Combinatorial 0/1-Polytopes via Optimization Arturo Merino (TU Berlin, Germany) and Torsten Mütze (University of Warwick, United Kingdom)	1282
The Vector Balancing Constant for Zonotopes	1292
Rainie Bozzai (University of Washington, USA), Victor Reis (University	
of Washington, USA), and Thomas Rothvoss (University of Washington,	
USA)	
A Deterministic Near-Linear Time Approximation Scheme for Geometric Transportation	1301
Emily Fox (The University of Texas at Dallas) and Jiashuai Lu (The	
University of Texas at Dallas)	

Session 8A

Computing Linear Sections of Varieties: Quantum Entanglement, Tensor Decompositions and Beyond	1316
Parallel Repetition for the GHZ Game: Exponential Decay Mark Braverman (Princeton University, USA), Subhash Khot (New York University, USA), and Dor Minzer (Massachusetts Institute of Technology, USA)	1337
Bounding the Quantum Value of Compiled Nonlocal Games: From CHSH to BQP Verification? Anand Natarajan (MIT, USA) and Tina Zhang (MIT, USA)	1342
stateQIP = Statepspace Tony Metger (ETH Zurich, Switzerland) and Henry Yuen (Columbia University, USA)	1349

Session 8B

Constant-Factor Approximation Algorithms for Convex Cover and Hidden Set in a Simple Polygon
Improved Approximations for Vector Bin Packing via Iterative Randomized Rounding
Parameterized Approximation Schemes for Clustering with General Norm Objectives
Memory-Query Tradeoffs for Randomized Convex Optimization
Session 8C
Quartic Samples Suffice for Fourier Interpolation

Science), Omri Weinstein (The Hebrew University and Columbia University), and Ruizhe Zhang (Simons Institute)	
 Fast Numerical Multivariate Multipoint Evaluation	.6
Locally Uniform Hashing	0
Generalizations of Matrix Multiplication can Solve the Light Bulb Problem	'1

Session 9A

Tight Space Lower Bound for Pseudo-Deterministic Approximate Counting Ofer Grossman (MIT, USA), Meghal Gupta (U.C. Berkeley, USA), and Mark Sellke (Harvard University, USA)	1496
Extracting Randomness from Samplable Distributions, Revisited Marshall Ball (NYU, USA), Eli Goldin (NYU, USA), Dana Dachman-Soled (University of Maryland, USA), and Saachi Mutreja (Columbia University, USA)	1505
Pseudorandom Hashing for Space-Bounded Computation with Applications in Streaming Praneeth Kacham (Carnegie Mellon University), Rasmus Pagh (University of Copenhagen), Mikkel Thorup (University of Copenhagen), and David P. Woodruff (Carnegie Mellon University)	1515
Work-Efficient Parallel Derandomization I: Chernoff-Like Concentrations via Pairwise	1 1
Independence Mohsen Ghaffari (MIT, USA), Christoph Grunau (ETH Zurich, Switzerland), and Václav Rozhoň (ETH Zurich, Switzerland)	1551
Session 9B	
Dynamic (1+epsilon)-Approximate Matching Size in Truly Sublinear Update Time Sayan Bhattacharya (University of Warwick, United Kingdom), Peter Kiss (University of Warwick, United Kingdom), and Thatchaphol Saranurak (University of Michigan, USA)	1563
Super-Logarithmic Lower Bounds for Dynamic Graph Problems Kasper Green Larsen (Aarhus University, Denmark) and Huacheng Yu (Princeton University, USA)	1589
The Complexity of Dynamic Least-Squares Regression Shunhua Jiang (Columbia University, USA), Binghui Peng (Columbia University, USA), and Omri Weinstein (The Hebrew University and Columbia University, Israel)	1605
Approximating Edit Distance in the Fully Dynamic Model Tomasz Kociumaka (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany), Anish Mukherjee (University of Warwick, UK), and Barna Saha (University of California, USA)	1628
Session 10A	
From Grassmannian to Simplicial High-Dimensional Expanders Louis Golowich (University of California, USA)	1639
HDX Condensers	1649
Itay Cohen (Tel Aviv University), Roy Roth (Tel Aviv University), and	

Session 10B

Chasing Positive Bodies Sayan Bhattacharya (University of Warwick, UK), Niv Buchbinder (Tel Aviv University, UK), Roie Levin (Tel Aviv University, Israel), and Thatchaphol Saranurak (University of Michigan, USA)	1694
Dynamic "Succincter" Tianxiao Li (Tsinghua University, China), Jingxun Liang (Tsinghua University, China), Huacheng Yu (Princeton University, USA), and Renfei Zhou (Tsinghua University, China)	1715
Dynamic Treewidth Tuukka Korhonen (University of Bergen, Norway), Konrad Majewski (University of Warsaw, Norway), Wojciech Nadara (University of Warsaw, Norway), Michał Pilipczuk (University of Warsaw, Norway), and Marek Sokołowski (University of Warsaw, Norway)	1734
Sensitivity and Dynamic Distance Oracles via Generic Matrices and Frobenius Form Adam Karczmarz (University of Warsaw and IDEAS NCBR, Poland) and Piotr Sankowski (University of Warsaw, IDEAS NCBR, and MIM Solutions, Poland)	1745

Session 11A

A Strong Composition Theorem for Junta Complexity and the Boosting of Property Testers	7
New Lower Bounds for Adaptive Tolerant Junta Testing	8
Testing Graph Properties with the Container Method 178 Eric Blais (University of Waterloo, Canada) and Cameron Seth (University of Waterloo, Canada)	7
A d^{1/2+o(1)} Monotonicity Tester for Boolean Functions on \$d\$-Dimensional Hypergrids* 1790 Hadley Black (University of California, Los Angeles, USA), Deeparnab Chakrabarty (Dartmouth College, USA), and C. Seshadhri (University of California, Santa Cruz, USA)	6

Session 11B

Strongly History-Independent Storage Allocation: New Upper and Lower Bounds	1822
William Kuszmaul (Harvard University, USA)	

Tight Cell-Probe Lower Bounds for Dynamic Succinct Dictionaries Tianxiao Li (Tsinghua University, China), Jingxun Liang (Tsinghua University, China), Huacheng Yu (Princeton University, USA), and Renfei Zhou (Tsinghua University, China)	. 1842
Online Ordinal Problems: Optimality of Comparison-Based Algorithms and Their Cardinal Complexity	. 1863
Nikolai Gravin (Shanghai University of Finance and Economics), Enze Sun (The University of Hong Kong), and Zhihao Gavin Tang (Shanghai University of Finance and Economics)	
Collapsing the Hierarchy of Compressed Data Structures: Suffix Arrays in Optimal Compressed Space	1877
Dominik Kempa (Stony Brook University, USA) and Tomasz Kociumaka (Max Planck Institute for Informatics, Saarland Informatics Campus,	
Germany)	

Session 11C

Canonical Decompositions of 3-Connected Graphs Johannes Carmesin (University of Birmingham, UK) and Jan Kurkofka (University of Birmingham, UK)	
Proof of the Clustered Hadwiger Conjecture Vida Dujmović (University of Ottawa, Canada), Louis Esperet (Laboratoire G-SCOP (CNRS, Univ. Grenoble Alpes), France), Pat Morin (Carleton University, Canada), and David R. Wood (Monash University, Australia)	1921
Slicing all Edges of an n-Cube Requires n^2/3 Hyperplanes Ohad Klein (Hebrew University, Israel)	
Directed Acyclic Outerplanar Graphs Have Constant Stack Number Paul Jungeblut (Karlsruhe Institute of Technology, Germany), Laura Merker (Karlsruhe Institute of Technology, Germany), and Torsten Ueckerdt (Karlsruhe Institute of Technology, Germany)	

Session 12A

Sparsifying Sums of Norms	1953
Towards Derandomising Markov Chain Monte Carlo	.963
Uniqueness and Rapid Mixing in the Bipartite Hardcore Model (extended abstract)	.991

Session 12B

Interior-Point Methods on Manifolds: Theory and Applications	21
ReSQueing Parallel and Private Stochastic Convex Optimization	31
The Bit Complexity of Efficient Continuous Optimization	59
Sparse Submodular Function Minimization	71

Session 12C

On Symmetric Factorizations of Hankel Matrices	2081
Krylov Methods are (nearly) Optimal for Low-Rank Approximation	2093
Matrix Completion in Almost-Verification Time	2102
Faster Matrix Multiplication via Asymmetric Hashing	2129

Session 13A

Query Lower Bounds for log-Concave Sampling	2139
Sínho Chewi (Institute of Advanced Study, USA), Jaume de Dios Pont	
(University of California, USA), Jerry Li (Microsoft Research, USA),	
Chen Lu (Massachusetts Institute of Technology, USA), and Shyam	
Narayanan (Massachusetts Institute of Technology, USA)	

Algorithmic Decorrelation and Planted Clique in Dependent Random Graphs: The Case of Extra	
Triangles	2149
Guy Bresler (Massachusetts Institute of Technology, USA), Chenghao Guo	
(Massachusetts Institute of Technology, USA), and Yury Polyanskiy	
(Massachusetts Institute of Technology, USA)	
The Full Landscape of Robust Mean Testing: Sharp Separations Between Oblivious and	
Adaptive Contamination	2159
Ĉlément Canonne (University of Sydney, Australia), Samuel B. Hopkins	
(Massachusetts Institute of Technology, USA), Jerry Li (Microsoft	
Research\ USA), Allen Liu (Massachusetts Institute of Technology,	
USA), and Shyam Narayanan (Massachusetts Institute of Technology, USA)	
Faster High-Accuracy log-Concave Sampling via Algorithmic Warm Starts Jason M. Altschuler (UPenn) and Sinho Chewi (IAS)	2169

Session 13B

^A Alejandro Cassis (Saarland University and Max Planck Institute for Informatics, Saarland Informatics Campus, Germany), Tomasz Kociumaka (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany), and Philip Wellnitz (Max Planck Institute for Informatics, Saarland Informatics Campus, Germany)	
Faster Algorithms for Text-to-Pattern Hamming Distances 2 <i>Timothy M. Chan (UIUC, USA), Ce Jin (MIT, USA), Virginia Vassilevska</i> 2 <i>Williams (MIT, USA), and Yinzhan Xu (MIT, USA)</i>	188
 All-Pairs Max-Flow is no Harder Than Single-Pair Max-Flow: Gomory-Hu Trees in Almost-Linear Time	204
Why we Couldn't Prove SETH Hardness of the Closest Vector Problem for even Norms!	213

Session 13C

Covering Planar Metrics (and Beyond): O(1) Trees Suffice Hsien-Chih Chang (Dartmouth College, USA), Jonathan Conroy (Dartmouth College, USA), Hung Le (UMass Amherst, USA), Lazar Milenkovic (Tel Aviv University, Israel), Shay Solomon (Tel Aviv University, Israel), and Cuong Than (UMass Amherst, USA)	2231
Planar and Minor-Free Metrics Embed into Metrics of Polylogarithmic Treewidth with	
Expected Multiplicative Distortion Arbitrarily Close to 1	2262
Vincent Cohen-Addad (Google Research, France), Hung Le (University of	
Massachusetts Amherst, USA), Marcin Pilipczuk (University of Warsaw,	
Poland; IT University of Copenhagen, Denmark), and Michał Pilipczuk	
(University of Warsaw, Poland)	

Path-Reporting Distance Oracles with Logarithmic Stretch and Size O(n log log n) 2278 Michael Elkin (Ben-Gurion University of the Negev, Israel) and Idan Shabat (Ben-Gurion University of the Negev, Israel)

Session 14A

Deterministic Fully Dynamic SSSP and More Jan van den Brand (Georgia Institute of Technology, USA) and Adam Karczmarz (University of Warsaw and IDEAS NCBR, Poland)	2312
Local Computation Algorithms for Maximum Matching: New Lower Bounds Soheil Behnezhad (Northeastern University), Mohammad Roghani (Stanford University), and Aviad Rubinstein (Stanford University)	2322
Secure Computation Meets Distributed Universal Optimality Merav Parter (Weizmann Institute, Israel)	2336

Session 14B

Distribution of the Threshold for the Symmetric Perceptron
Properly Learning Decision Trees with Queries is NP-Hard
 Beyond Moments: Robustly Learning Affine Transformations with Asymptotically Optimal Error 2408 He Jia (Georgia Tech, USA), Pravesh K. Kothari (CMU, USA), and Santosh S. Vempala (Georgia Tech, USA)
Stability and Replicability in Learning

Author Index