

# **2023 IEEE International Conference on Integrated Circuits, Technologies and Applications (ICTA 2023)**

**Hefei, China  
27-29 October 2023**



**IEEE Catalog Number: CFP23VVL-POD  
ISBN: 979-8-3503-4429-5**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23VVL-POD
ISBN (Print-On-Demand):	979-8-3503-4429-5
ISBN (Online):	979-8-3503-4428-8
ISSN:	2831-395X

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# Table of Contents

A Miniaturized Flexible Optoelectronic System for Implantable Fluorescence Sensing.....	1
<i>Wei Ling, Xue Shang, Yina Wei, Linqing Feng, Tao Tang</i>	
A Microfluidic Impedance Flow Cytometer for Highly Accurate Detection of Circulating Tumor Cells via Cellular Mechanical and Electrical Properties Sensing.....	3
<i>Xiang Ke, Jin Chen, Xiwei Huang, Jingjing Sun, Rikui Xiang, Siru Lin, Lingling Sun</i>	
A Compact 2GHz LNA with Multi-Coupled Inductors for LFEM Application in 65nm CMOS.....	5
<i>Ting Huang, Xiangyu Meng</i>	
A Compact Frequency Servo SoC with Background Output Power Calibration for Miniaturized Atomic Clocks.....	9
<i>Xinlin Geng, Zonglin Ye, Kailei Wang, Hongyang Zhang, Qian Xie, Zheng Wang</i>	
C-Band 60W GaN Power Amplifier MMIC with Over 53% Efficiency.....	11
<i>Fan Yang, Bowen Zhang, Leijun Song, Yuehang Xu</i>	
Superior Performances of Dynamic On-State Resistance in 1.9kV GaN-on-Sapphire HEMT....	13
<i>Weihao Lu, Sheng Li, Siyang Liu, Yanfeng Ma, Long Zhang, Jiaxing Wei, Weifeng Sun, Yiheng Li, Yuanyang Xia, Ke Wang, Tinggang Zhu</i>	
A 1.76 fJ/Conv 1.49 $\mu$ W 12-Bit SAR ADC with Coarse and Fine Quantization for Implantable BCI Applications.....	15
<i>Yangzhi Li, Feng Wang, Yina Wei, Linqing Feng, Xinyao Tong, Zisheng Su, Tao Tang</i>	
Highly Linear Receiver Analog Front-End for High-Speed Optical Communication.....	17
<i>Zhe Chen, Shaoheng Lin, Yonghui Lin, Tenglong Ke</i>	
A 405ps/20% Delay Range, 7.4mW/ns BPF-Based Delay Cell with ISI Mitigation for 7.5-8.5GHz IR-UWB Beamforming Receivers.....	19

*Yunzhao Nie, Woogeun Rhee, Zhihua Wang*

A 312.5Mbps-32Gbps JESD204C Wireline Transceiver Back-Compatible with JESD204B in 28nm CMOS..... 21

*Shijie Li, Ruichang Ma, Mingxing Deng, Jiamin Xue, Wei Deng, Baoyong Chi, Haikun Jia*

Fast and Accurate Alignment and Bonding System Based on Advanced Packaging Technology ..... 25

*Yulong Chen, Xiewen Wen, King-Ning Tu, Yingxia Liu*

High-Efficiency Class-B/F W-Band Balanced Frequency Sixtupler in GaN HEMT Technology ..... 27

*Qiang Ma, Xiaojun Bi*

A Output Code Density Histograms Based Calibration Algorithm of Capacitor Mismatch for SAR ADC..... 29

*Hui Hu, Lei Qiu, Bingbing Yao*

NORP: A Compact Neuromorphic Olfactory Recognition Processor with On-Chip Hybrid Learning..... 31

*Cong Shi, Yuxuan Wang, Fengchun Tian, Xiang Fu, Haibing Wang, Jingya Zhang, Haoran Gao, Shukai Duan, Lidan Wang, Min Tian*

A 12Bit 160MS/s Pipelined SAR ADC with a MOS Self-Biased Cascoded Ring Amplifier.... 33

*Qidi Li, Youze Xin, Bing Zhang, Zirui Wang, Li Geng*

Towards Energy-Efficient Asynchronous Circuit Design with Flip-Flop-to-Latch Replacement ..... 35

*Zeyang Xu, Shanlin Xiao, Lingfeng Zhou, Bohan Wang, Zhiyi Yu*

Optimization of Electrical Performance of a-InGaZnO Thin-Film Transistors by Interfacial Modification and Passivation..... 37

*Yanqin Zhang, Yifan Xie, Shuaidi Zhang, Lingfei Wang, Mengmeng Li, Ling Li*

A 16.5 mW 4.0 GHz Bandwidth VGA Based on Capacitance Neutralization Technique in 65 nm CMOS..... 39

*Yaxi Chen, Rui Wu, Xingdong Liang*

Graph Neural Network Assisted S-Parameter Inference and Control-Word Generation of Terahertz Reconfigurable Intelligent Surface..... 41

*Zihan Ning, Tong Sun, Jizhao Li, Yanfei Ren, Chenjia Xie, Li Du, Lianggong Wen, Yuan Du*

A Lightweight Integer-STBP On-Chip Learning Method of Spiking Neural Networks for Edge Processors..... 43

*Fuming Lei, Yang Xu, Jian Liu, Nanjian Wu, Shi Cong, Runjiang Dou, Liyuan Liu*

A 11 mV-Undershoot PT Controlled Buck Converter with Adaptive Pulse Train Generator ..... 45

*Jiabao Zhang, Chuting Wu, Yanhan Zeng*

Simple-Logic Comparator-Offset Mitigation Technique for Resistor-Based Temperature Sensor in DFLL..... 47

*Dan Shi, Ka-Meng Lei, Rui P. Martins, Pui-In Mak*

Energy-Efficient ReRAM-Based High-Precision Discrete Fourier Transform for Image Reconstruction..... 49

*Feixiong Lu, Yi Li, Jiancong Li, Yibai Xue, Zhiwei Zhou, Xiangshui Miao*

Simulation for the Feasibility of IGZO Channel in 3D Vertical FeFET Memory Based on TCAD..... 51

*Zhichao Du, Chuanxue Sun, Xiaoyu Dou, Pengpeng Sang, Xuepeng Zhan, Chengji Jin, Jixuan Wu, Jiezhi Chen*

Opto-Electronic Monolayer ZnO Memristor Produced via Low Temperature Atomic Layer Deposition..... 53

*Junyao Mei, Bo Chen, Pengpeng Sang, Jixuan Wu, Xuepeng Zhan, Jiezhi Chen*

A 128 × 128 15µm-Pitch DROIC with Pixel-Level 14-Bit ADC..... 55

*Huanhui Zhang, Xu Yang, Zhe Wang, Shuangming Yu, Peng Feng, Jian Liu, Nanjian Wu, Runjiang Dou, Liyuan Liu*

A 6.9 – 17.0 GHz Low-Noise Amplifier in 65nm CMOS..... 57

<i>Ziyi Liu, Dixian Zhao</i>	
A 0/-5V High-Voltage Driver with Non-Overlapping Inverted Outputs in 65-nm CMOS Technology.....	59
<i>Wendi Chen, Dixian Zhao</i>	
A MOSFET Switch-Based Reconfigurable Transitional Butterworth-Elliptic Filter.....	61
<i>Fan Zhang, Dixian Zhao</i>	
A Bio-Impedance Measurement Chip Design with AC Current Outputs.....	63
<i>Xu Liu, Yukun Jiao, Zeyu Lu, Weijian Chen, Peiyuan Wan, Zhijie Chen</i>	
Spice-Compatible Modeling of Double Barrier MTJ for Highly Reliable Circuits.....	65
<i>You Wang, Yefan Xu, Chaoyue Zhang, Yu Gong, Hao Cai, Weiqiang Liu</i>	
An 800MS/s 100MHz BW Continuous-Time Pipeline ADC with Integrator-Filter and Digital Reconstruction Algorithm.....	67
<i>Haiyi Chi, Huizhe Xuan, Yang Zhang, Xian Tang</i>	
Temperature-Adaptive MRAM Sensing Using Varied Magneto-Resistance.....	70
<i>Jiongzhe Su, Hao Zhang, Hao Cai</i>	
A Genuine-Equilibrium Monte Carlo Sampling-Based Effective Algorithm for Fully-Connected Ising Models.....	72
<i>Xiangrui Wang, Dong Jiang, Yang Zhang, Hongyuan Kang, Enyi Yao</i>	
A 16-Bit 18-MSPS SAR ADC with Hybrid Synchronous and Asynchronous Control Logic...	N/A
<i>Xiniao Ji, Junyao Ji, Ziyu Zhou, Zhichao Dai, Xuhui Chen, Jie Zhang, Zheng Jiang, Hong Zhang</i>	
Millimeter-Wave AlGaIn/GaN MISHEMTs with Multiple T-Gate Technology.....	77
<i>Jielong Liu, Chang Wu, Tao Guo, Kai Wang, Chengcheng Li, An Liu, Rui Zhou, Zhen Huang, Jiayan Wu, Minhan Mi, Xiaohua Ma</i>	
Sufficient Hydroxylation Surface-Activation for Low-Temperature Glass/Glass Direct Bonding.....	79

*Linjie Liu, Xiaohui Yuan, Yu Du, Chenxi Wang*

A 0.9V 1.2GHz-BW 15.8dBm-OIP3 Current Mode Analog Baseband for Broadband Receivers in 12nm FinFET CMOS..... 81

*Guangao Wang, Qi Xiao, Haigang Feng, Jingjing Dong*

Challenges and Trends of Memristive IMPLY-Based in-Memory Computing: Efficiency, Reliability, and Compatibility Perspectives..... 83

*Jiarui Xu, Boyi Dong, Mengjie Li, Yuansheng Zhao, Yuanjin Zheng, Chao Wang*

A Compact and Robust 28nm CMOS Temperature Sensor with Machine Learning Assisted Design for DVFS SoC..... 87

*Yizhi Ding, Haochang Zhi, Jintao Li, Zhuo Chen, Kaiyue Yang, Weiwei Shan*

Towards Efficient On-Chip Learning for Spiking Neural Networks Accelerator with Surrogate Gradient..... 89

*Kexin Huang, Wei Liu, Yue Liu, Shanlin Xiao, Zhiyi Yu*

A Novel Dual-Polarized Filtering Magneto-Electric Dipole Antenna Without Extra Filtering Circuits..... 91

*Yihong Xu, Zihao Chen*

A FinFET Integrated STT-MRAM with Triple Balanced Access Strategy..... 93

*Xinshu Xie, Jiongzhe Su, Hao Zhang, Hao Cai*

A Memristor-Based Stateful Majority-Inverter Graph Logic and 1-Bit Full Adder for in-Memory Computing Systems..... 95

*Zhouchao Gan, Dongdong Zhang, Yinghao Ma, Chengyu Zhang, Xiangshui Miao, Xingsheng Wang*

Error Bits Recovering in 3D NAND Flash Memory: A Novel State-Shift Re-Program (SRP) Scheme..... 99

*Xiaohuan Zhao, Shaoqi Yang, Kenie Xie, Yang Feng, Qianwen Wang, Pengpeng Sang, Xuepeng Zhan, Jixuan Wu, Jiezhai Chen*

AttenTPU: Tensor Processor for Attention Mechanism with Fine-Grained Padding..... 101

<i>Zhihao Du, Yike Li, Chao Chen, Zheng Wang</i>	
A High-Linearity, Energy-Efficient Switched-Capacitor Computing Circuit for Edge Applications .....	103
<i>Wenming Zhu, Huixuan Yin, Yuansheng Zhao, Guoyi Yu, Yongkui Yang, Chao Wang</i>	
A 1.2-mA Fast-Charge Input Buffer with CLS for 4-MS/s SC Oversampling ADC Achieving +/-2.5-ppm/FSR INL.....	105
<i>Yang Chen, Binyu Cai, Changhuan Chen, Quan Sun, Xiaofei Wang, Hong Zhang</i>	
A High-Throughput and Configurable TRNG Based on Dual-Mode Memristor for Stochastic Computing.....	108
<i>Zezi Cheng, Yabo Qin, Zongwei Wang, Feng Zou, Cuimei Wang, Yimao Cai, Ru Huang</i>	
A High Voltage Bootstrapped Switch Based SAR ADC for Battery Management System.....	110
<i>Yongkui Yang, Zhenxing Li, Chao Chen, Chao Wang</i>	
ViT- and LSTM-Based FMCW Radar Target Recognition System.....	112
<i>Sicheng He, Yanghang Lin, Xiang Yi, Enyi Yao</i>	
A 4.5-5.4GHz Digital Bang-Bang PLL for Cryogenic Applications.....	114
<i>Haoyuan Gao, Hao Xu, Xinyi Lin, Yan Liu, Zhidong Tang, Xufeng Kou, Xingyu Zhang, Tetsuya Iizuka, Na Yan</i>	
A Reconfigurable High-Precision and Energy-Efficient Circuit Design of Sigmoid, Tanh and Softmax Activation Functions.....	118
<i>Bochang Wang, Ziang Duan, Zixuan Shen, Yuansheng Zhao, Lu Gao, Chao Wang</i>	
A 64-Gb/s 0.33-pJ/Bit PAM4 Receiver Analog Front-End with a Single-Stage Triple-Peaking CTLE Achieving 22.5-dB Boost in 40-nm CMOS Process.....	120
<i>Guoqing Wang, Zhao Zhang, Xinyu Shen, Zhaoyu Zhang, Jian Liu, Nanjian Wu, Liyuan Liu</i>	
A Lightweight Stereo Matching Neural Network Based on Depthwise Separable Convolution .....	122



*Zetao Guo, Junpeng Wang, Song Chen, Yi Kang*

Low-Power Inductor-Less Optical Receiver for 50G PON in 28nm CMOS..... 124

*Ruixuan Yang, Shuaizhe Ma, Yifei Xia, Yuye Yang, Dan Li*

A 400uW 3.6GHz-4.6GHz Low Power Cryogenic CP-PLL with Transformer-Based VCO in 28nm Bulk CMOS..... 126

*Wenqiang Huang, Yanshu Guo, Yaoyu Li, Zhihua Wang, Yuanjin Zheng, Tiefu Li, Wen Jia, Hanjun Jiang*

A 40nm 5-16Tops/W@INT8 eFlash in-Memory Computing SoC Chip with Noise Suppression and Compensation Techniques to Improve the Accuracy..... 128

*Guangyao Wang, Yuexi Lv, Yu Tian, Jian Zhang, Carol Guo, Tianshuo Bai, Biao Pan, Derek Wang, Wang Kang*

A Monolithic Integrated E-Mode GaN 48V-to-1V DC-DC Buck Converter with PWM Control ..... 130

*Sijian Wu, Ziang Ran, Zhiguo Tong, Tianqi Liu, Yan Lu*

A 160nA Quiescent Current and 97.0% Peak Efficiency AOT Buck Converter with Adaptive Dead-Time Control..... 132

*Yulong Ye, Xian Tang, Dongwang Wang, Lei Yang*

ACCLAIM: An End-to-End SystemC-AMS Simulation Framework for Analog in-Memory-Computing..... 134

*Hanwen Gong, Hu He, Bin Gao, Jianshi Tang, Qingtian Zhang, He Qian, Huaqiang Wu*

Design of an Asymmetrical Pseudo-Doherty Load-Modulated Balanced Amplifier with 15-dB Back-Off High Efficiency..... 136

*Jipeng Chen, Luqi Yu, Rui-Jia Liu, Peng Chen, Chao Yu*

A 28/56 Gb/s NRZ/PAM-4 Dual-Mode Transceiver in 28-nm CMOS..... 138

*Yukun He, Zhao Yuan, Kanan Wang, Renjie Tang, Yunxiang He, Dan Li, Li Geng, Xiaoyan Gui*

A CMOS Dual Band Low-Loss High-Isolation Switch for 5G New Radio..... 140

*Ziyang Deng, Yun Wang, Hongtao Xu*

An FPGA-Based Efficient NTT Accelerator for Post-Quantum Cryptography CRYSTALS-Kyber...	142
---	-----

*Junyan Sun, Xuefei Bai, Yi Kang*

Design Considerations of Multi-Level 1S1R Cell for in-Memory Computing.....	144
---	-----

*Jinshan Li, Zongwei Wang, Cuimei Wang, Yimao Cai, Ru Huang*

A Non-Local Means Denoising Co-Processor with Data Reuse Scheme and Dual-Clock Domain for High Resolution Image Sensor.....	146
---	-----

*Zhiyue Gao, Fengwei An, Lei Chen*

A 16MHz RC Oscillator with a Frequency Inaccuracy of 24ppm/°C from -40°C to 125°C Adopting Only Positive Temperature Coefficient Resistors.....	148
---	-----

*Shuoying Yin, Wenjie Feng, Wenquan Che, Quan Xue*

An Energy-Efficient MAC Design with Error Compensation Using Hybrid Approximate Logic Synthesis.....	150
--	-----

*Qingwen Wei, Yang Zhang, Xingyu Xu, Hao Cai, Bo Liu*

A Fully Integrated High-Efficiency All-NMOS Charge Pump for Wide Input Range Ultra-Low Dropout Regulator.....	152
---	-----

*Tong Wu, Lei Zhu, Yifa Wang, Jianping Guo, Di Hu Chen*

A 325 FPS Corner-Detection Accelerator with Hardware-Oriented Optimization.....	154
---	-----

*Chaoyang Ding, Weiyi Zhang, Cheng Nian, Yiyang Wang, Fasih Ud Din Farrukh, Chun Zhang*

A 120-dB Dynamic-Range, 24-ps-to-781-ps Resolution Reconfigurable Cyclic TDC Based on a $2 \times$ Time Amplifier for LiDAR Applications.....	156
---	-----

*Yanxian Zhou, Donghang Wang, Zerong Hu, Khawaja Qasim Maqbool, Xianbo Li*

An FPGA-Based Low-Power Mobile-NetV2 Accelerator.....	158
---	-----

*Yifan Wang, Qi Peng, Jiyu Chen*

A Transformer-Based End-to-End Network for Unmanned Aerial Vehicle Aerial Image Object Detection.....	160
<i>Zhijing Wu, Qi Peng, Junlin Bao</i>	
An Event-Driven Charge Pump Based OCL-LDO with 410nA IQ and 30ns Recovery Time....	162
<i>Yiling Xie, Baochuang Wang, Jianping Guo, Dihui Chen</i>	
An EEG Signal Processing System Design with Approximate Operations.....	166
<i>Ziliang Yin, Weiwei Shi, Kezhu Liu</i>	
A Fast Bioimpedance Measurement Chip Design Using Dynamic Current.....	168
<i>Xu Liu, Yukun Jiao, Zeyu Lu, Weijian Chen, Peiyuan Wan, Zhijie Chen</i>	
A 9 B 4 GS/s Time-Domain ADC with Self-Reset VTC and Switched-RO TDC Including 8x Hybrid Interpolation.....	170
<i>Nannan Li, Zhengbo Huang, Jie Zhang, Quan Sun, Jian Luo, Xiaofei Wang, Hong Zhang</i>	
An Efficient Hardware Implementation of Dilated Convolution Using a Novel Channel-Equivalent Decomposition Method.....	172
<i>Yuheng Xia, Yishuo Meng, Siwei Xiang, Jianfei Wang, Chen Yang</i>	
An Accurate Deep Learning-Based Thermal Reconstruction Technique for Microprocessors Using Embedded Sensors.....	174
<i>Kai Feng, Jianjie Wang, Min Tang</i>	
A W-Band Low-Noise Amplifier Using $G_m$ -Boosting Technique with Weak Coupling.....	176
<i>Xinyu Wang, Ling Li, Hao Zhang, Keping Wang</i>	
High Energy-Efficient Approximate In-SRAM Computing with Bit-Wise Compressor Configuration and Data-Aware Weight Remapping Method for Neural Network Acceleration.....	178
<i>Shunqin Cai, Liukai Xu, Dengfeng Wang, Zhi Li, Liang Chang, Yanan Sun</i>	
A High-PSR High-Precision Fast-Transient-Response Capacitor-Free LDO for LiDAR Receiver	

SoC.....	180
<i>Junjie Zhu, Kaiyou Li, Yanwu An, Jianping Guo</i>	
An Energy-Efficient Gain-Cell Embedded DRAM Design with Weight Encoding for CNN Applications.....	182
<i>Tao Huang, Run Run, Yi Hu, Li Yin, Liyang Pan, Guolin Li, Xiang Xie</i>	
A 250-kHz-BW 15.8-ENOB 2nd-Order Noise-Shaping SAR ADC with Multi-Path-Input Floating Inverter Amplifier.....	184
<i>Zicong Chen, Min Zhu, Hao Li, Yanlong Zhang</i>	
A 400-Gb/s 64-QAM Optical Receiver with Monolithically Integrated TIA and Balanced-PD in 45-nm SOI CMOS.....	186
<i>Yongliang Xiong, Yihao Yang, Qianli Ma, Yangming Ren, Leliang Li, Guike Li, Jian Liu, Yingtao Li, Binhao Wang, Nan Qi, Liyuan Liu</i>	
MSeg-SLAM: A Semantic Visual SLAM System for Dynamic Scenes.....	188
<i>Peijun Li, Weiyi Zhang, Zeyu Wan, Chun Zhang</i>	
A Power-Efficient 4-Vppd 128-Gb/s PAM-4 Optical Modulator Driver with Merged BV Doubler Topology in 130-nm BiCMOS.....	190
<i>Shuo Feng, Fuzhan Chen, Quan Pan</i>	
A 28-Gb/s PAM-4 Fully-Integrated Optical Receiver with High-Speed Silicon Photodetector in 28-nm CMOS.....	192
<i>Dongshen Zhan, Liping Zhong, Wentao Zhou, Zhenyu Yao, Xiongshi Luo, Yangyi Zhang, Hemiao Wang, De Zhou, Quan Pan</i>	
Experiments and Hygrothermal Stress Analysis for a QFN Package.....	194
<i>Lifan Ma, Jun Wang</i>	
Multiple-Transmission Zeros Bandstop Filter Based on SAW Resonators and Lumped Elements.....	196
<i>Bingfang Xu, Henghui Wang, Wenzheng Lin, Sheng Sun</i>	

An Energy-Efficient and Reconfigurable DNN Accelerator for Optic-Fiber Based Edge Sensing and Computing..... 198

*Ziang Duan, Ruohan Ma, Zixuan Shen, Zhao Ge, Hao Wu, Ming Tang, Chao Wang*

Cyclical Progress in Design and Technology..... 202

*Giovanni De Micheli*