

# **2023 8th International Conference on Integrated Circuits and Microsystems (ICICM 2023)**

**Nanjing, China  
20-23 October 2023**



**IEEE Catalog Number: CFP23H23-POD  
ISBN: 979-8-3503-1852-4**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.  
All Rights Reserved**

*Copyright and Reprint Permissions:* Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

***\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number: CFP23H23-POD  
ISBN (Print-On-Demand): 979-8-3503-1852-4

**Additional Copies of This Publication Are Available From:**

Curran Associates, Inc  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: (845) 758-0400  
Fax: (845) 758-2633  
E-mail: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

CURRAN ASSOCIATES INC.  
**proceedings**  
.com

# 2023 The 8th International Conference on Integrated Circuits and Microsystems (ICICM 2023)

## Table of Contents

|                 |     |
|-----------------|-----|
| Preface .....   | xiv |
| Committee ..... | xvi |

---

---

### CMOS Process and Integrated Circuit Modular Design

|  |    |
|--|----|
| Design of Millimeter-Wave Asymmetric Single-Pole Double-Throw Switch in a 45nm SOI CMOS Technology ..... | 1  |
| <i>Yiwen Fu, Zhihao Zhang, Chaoyu Huang, Gary Zhang</i>  |    |
| High-Efficiency Digital Power Amplifier Design Based on 22-nm CMOS Process.....                          | 5  |
| <i>Wenkai Fang, Zhiqun Li, Zhennan Li, Xiaowei Wang, Jiancong Du</i>                                     |    |
| Complete Timing Model of ECSM Lookup Table for CMOS Inverter .....                                       | 10 |
| <i>Jiawei Wang, Jingjing Guo, Dongmin Zhao, Zhikuang Cai</i>   |    |
| A 10GS/s 10bit Time-interleaved SAR ADC in 28nm CMOS.....  | 16 |
| <i>Runjie Li, Jie Fu, Siyuan Ma, Danyu Wu, Xuan Guo, Jin Wu</i>  |    |
| A 1.8-V 1.9-ppm/°C 0.042% Inaccuracy CMOS Bandgap Reference with Curvature Compensation .....            | 21 |
| <i>Dongyan Zhao, Ziteng Chen, Tianting Zhao, Jiping Li, Yue Zhuo, Wanyuan Qu</i>                         |    |
| A Wideband 6-bit Phase Shifter with Low RMS Error in 65nm CMOS Technology.....                           | 26 |
| <i>Juanfei Bao, Dongdi Zhu, Qin Zheng, Zhiyu Wang, Wei Chen, Jiongjiong Mo, Hua Chen, Faxin Yu</i>       |    |
| A 1.8V 109.3 dB SNDR Continuous Time Sigma-Delta Modulator for Audio Applications .....                  | 30 |
| <i>Yuhao Luo, Hongwei Yue</i>  |    |
| A 12-bits 100 MSPS Current-Steering DAC With Low-Power In 40nm CMOS .....                                | 34 |
| <i>Zizhou Yuan, Qin Li</i>   |    |

### Design and Manufacturing of Semiconductor Devices/Optical Components

|   |    |
|---|----|
| FeOCl monolayer as a promising anode material for alkali metal batteries..... | 39 |
| <i>Dong Xu, Junjun Xue</i>  |    |

|   |     |
|---|-----|
| A Dual-Core Digitally Controlled Oscillator with a Switched Capacitor.....  | 47  |
| <i>Ruixu Wang, Weixin Gai, Yuanliang Li, Fangzhu Li, Xin Liu, Guangdong Wu</i>  |     |
| Corrosion Behavior Analysis and Panel Properties Protection in Flexible OLEDs .....   | 51  |
| <i>Zhiyong Xiong, Yaolin Wang, Shixian Deng</i>   |     |
| An ASIC Interface for MEMS Vibratory Gyroscopes With a 110 dB DR and $0.001^{\circ}/s/\sqrt{\text{Hz}}$ Noise Floor Over a 100 Hz ..... | 55  |
| <i>Shanli Long, Shimin Ma, Xuemei Fan, Chuanqi Wu, Ziping Tong, Kejun He, Xinggang Tang</i>   |     |
| Investigation of a High Power Density Vertical IGBT with Zero Tail Current .....  | 61  |
| <i>Junhong Li, Guojun Zhang, Wei Li</i>   |     |
| An In-Situ Deep Learning-Based Defect Detection Technology for Additive Manufacturing Process.....                                      | 65  |
| <i>Wei Wang, Peiren Wang, Hanzhong Zhang, Xiaoyi Chen, Min Chen, Ji Li</i>  |     |
| High voltage and high power IGBT performance optimization design.....   | 71  |
| <i>Ruifen Nie, Feng He, Yanqing Lu, Kai Gao, Pei Cao, Rui Jin</i>   |     |
| Ultra low leakage planer back gate transistor realized by 12inch RF PVD InGaZnO <sub>4</sub> channel.....                               | 76  |
| <i>Chao Tian, Jun Zhou, Shujuan Mao, Yujie Yang, Yanchao Dong, Chao Zhao</i>  |     |
| <b> Electronic Materials and Components</b>          |     |
| A 4th Order Chebychev Active-RC Low-Pass Filter With 5/10/20/30/40/50 MHz Tunable Bandwidth and Low Power .....                         | 81  |
| <i>Buyue He, Qin Li</i>   |     |
| High-performance Ga <sub>2</sub> O <sub>3</sub> Schottky Barrier Diode with a Self-aligned Shallow Groove and Dual Field-plate .....    | 86  |
| <i>Shida Han, Yuangang Wang, Yuanjie Lv, Hongyu Liu, Tingting Han, Shaobo Dun, Zhihong Feng</i>   |     |
| A 14-ppm/V 1.5-ppm/°C Reference Voltage Source with a Wide Input Range of 4.5-35V .....   | 92  |
| <i>Yifei Du, Xin Wang, Wei Wu, Zhenhua Han, Zhiwei Qi, Zixuan Wang, ShanWen Hu</i>  |     |
| Interconnect Reliability Simulation Analysis of Fanout Package redistribution Layer.....  | 98  |
| <i>Yifeng Fan, Shuang Tian, Honghao Jiao, Dexi Meng, Zhibin Wang, Meng Meng</i>   |     |
| Voltage over Scaling for Approximate Newton Method in Total Variation-based Image Denoising .....                                       | 105 |
| <i>Junqi Huang, T.Nandha Kumar, Haider A.F. Almurib</i>   |     |
| A High-power Microwave Switch Design .....  | 112 |
| <i>Qi Zhang, Jiangeng Yu, Meng Zhang, Chao Pu, Ziran Chen, Tao Li</i>   |     |

Lamé-Mode Resonator with Trapezoidal Grooves Based on  $\text{Sc}_{0.3}\text{Al}_{0.7}\text{N}/\text{AlN}$  Composite Film Achieving Coupling Coefficient of 18.7% .....117

*Zhiyu Wang, Jiewei Jiang, Chen Ma, Fengyuan Yang, Yiming Ma, Nan Wang*

## **Electronic Component Development and System Function Analysis**

Design of a High-Performance Power Supply Module with Subsection Compensation BGR and Capless LDO for Chip Applications .....122

*Chiyuan Zhang, Bin Wang, Hongju Yue, Ting Li, Liang Yang, Lijun Gao, Haisong Li*

A Continuous Blood Glucose Monitoring Front End IC Design with Large Input Range .....128

*Zheng Wang, Xu Liu, Zhiruo Liu, Jiaying Zhang, Tianqi Fang*

A Low-Noise Fast-Startup Low-Dropout Regulator with Off-Chip Filter Capacitor .....134

*Jiandong Yan, Shuyu Liu, Feng Zou, Zijie Meng, Shuntao Song, Ming Zhang*

Research Progress of Electrospinning Nanofibers .....139

*Ren Jing, Fang Yingli, Fang Yuming*

Improved Whale Optimization Algorithm Based Parameter Extraction Method for GaN HEMT on Si and SiC Substrates .....145

*Peng Wei, Jian Qin, Jiabin Deng, Wei Zhang*

A low-temperature drift current-mode relaxation oscillator with feed-forward period control .....150

*Feilong Cao, Mei Jiang, Zena Zhang*

A 13-19GHz Broadband Phase Shifter Using  $0.15\mu\text{m}$  GaAs pHEMT Technology .....155

*Dongsheng Tao, Canxing Wang, Hao Zhang, Xiaoming Xing*

A W-band Phase-Locked Loop with a Robust Injection-Locked Frequency Divider .....159

*Jingjing Lv, Li Du, Yuan Du*

Compact MEMS-Based Computational Mid-Infrared Spectrometer on Silicon-on-Insulator Platform .....164

*Heng Chen, Jing Zhou, Nan Wang, Yiming Ma*

Impact of Proton Irradiation at Different Temperatures on 100 V VDMOSFETs .....169

*Fan Mei, Yao Ma, Haiming Xu, Mu He, Xuhao Zhu, Xue Zhao*

## **Simulation and Radio Frequency Circuit Design**

A Multi-channel LED Current Mismatch Calibration Method Based On PWM Duty Cycle and Amplitude Segmentation Circuit .....174

*Runqing Yang, Xiaochao Li, Huifang Zheng, Weidong Xiao*

|  |     |
|--|-----|
| A High-performance LCD Driver Analog Circuit Based on Charge Pump .....  | 182 |
| <i>Zhenyang Liu, Ai Guan, Leisheng Jin, Dongmin Zhao, Tao Liu, Yiming Cao</i>                                    |     |
| Fast transient response enhancement circuit for LDO .....  | 187 |
| <i>Zhongjie Guo, Chengjun Gong, Ruokai Bai</i>   |     |
| An Output-Capacitor-less LDO with Push-pull Stage and Transient-enhanced Circuit .....                           | 191 |
| <i>Dongyin Mao, Xiaohang Wang, Junhui Ye</i>   |     |
| SiC-Based High-Temperature Gate Driver Integrated Circuit for SiC Power MOSFET .....                             | 195 |
| <i>Moufu Kong, Yingzhi Luo, Ronghe Yan, Xinghong Chang, Yinjun Huang, Hongfei Deng, Xinyang Chen, Zhaoyu Ai</i>  |     |
| A Programmable Square-Wave Delay Circuit with Self-Calibration Structure .....                                   | 200 |
| <i>Hongxu Xue, Ying Zhang, Tiankai Wang, Shuang Cheng</i>  |     |
| A New Strategy to Recover Threshold Voltage of SiC MOSFET After Gamma Radiation by Self-Heating in Circuit ..... | 205 |
| <i>Wei Luo, Weidan Li, Mingmin Huang, Yao Ma, Zhimei Yang, Min Gong, Zhongyu Lu, Liqiang Liu</i>                 |     |
| An LDO Current Limit Protection Circuit With Hiccup Mode.....  | 209 |
| <i>Ning Wang, Ying Zhang, Enguang Qi, Yue Cheng</i>  |     |
| <b>Microfiring Design and Circuit Protection</b>   |     |
| A Wideband Mixer with Adaptive Bias Current Adjustment Function .....  | 214 |
| <i>Yingjie Lv, Zhiqun Li, Xiaowei Wang, Qin Li</i>   |     |
| Soft-Start with Hiccup Mode Short-Circuit Protection .....   | 219 |
| <i>Yue Cheng, Hua Yang, Ying Zhang, Ning Wang, Enguang Qi</i>  |     |
| Efficient Configurable Modular Multiplier For RNS .....  | 224 |
| <i>Qingyu Zhang, Weiguo He, RuiRui Yang</i>  |     |
| An Acceleration Architecture of Polynomial Multiplication based on NTT for CKKS Homomorphic Evaluation .....     | 229 |
| <i>Zepeng Yang, Chen Yang, Fahong Zhang, Jianfei Wang, Jia Hou, Yang Su</i>                                      |     |
| Design and Implementation of a Configurable I/O Expander with the Wide-range Voltage and Temperature .....       | 234 |
| <i>Jiandong Yan, Zijie Meng, Feng Zou, Shuyu Liu, Shuntao Song, Ming Zhang</i>                                   |     |
| A High-Precision Delay Faults Testing Technique Based on the Improved DWR Structure .....                        | 240 |
| <i>Xiaoting Liu, Xuwei Zhang, Haofei Hong, Guopeng Zhou, Zixuan Wang, Zhikuang Cai</i>                           |     |

A 4% Impedance Variation JEDEC Compatible ZQ Calibrator for DDR3, DDR4 and DDR5 SDRAM.....246  
*Hongguang Zhang*

## **🔗 Circuit Design and Electronic Device Performance Simulation**

A 8 Channels 14 bits 100 MHz Sample and Hold Circuit Based on Delay-Locked Loop Control.....254  
*Wentao Ni, Qin Li*

Design of Digital Phase Interpolator for 6.25Gbps CDR Circuit.....259  
*Yufei Huang, Yunrong Zhu, Chengying Chen*

Precise Current Sensing Circuit for Li-Battery Power Management System .....264  
*Yan Liu, Longkun Cui, Jian Deng, Chujie Xu, Pao-Hsun Huang, Xiang Cheng*

A low-noise and low-power front-end readout ASIC for CZT detectors.....269  
*Dechen Liu, Tingcun Wei, Nan Chen*

A 4.0- $\mu\text{V}_{\text{rms}}$  7.5-kHz-BW Neural Signal Recording Circuit for Closed-Loop Deep Brain Stimulation.....275  
*Ruizhi Tian, Fei Zhou, Qingjiang Xia, You You, Wengao Lu, Yacong Zhang, Zhongjian Chen*

A -236.5dB Jitter-FoM Dual-Path RO-PLL With Improved Supply Sensitivity .....280  
*Yu Cui, Haojie Xu, Gaofeng Jin, Yan Chen, Xiang Gao*

Adaptive Resistance Calibration Circuit for High-speed Serial Transceivers.....285  
*Yize Wang, Xiang Jin, Xiaolong Lv, Huabo Sun, Lei Chen, Weixin Gai*

A multi-cell battery management chip voltage sampling circuit with positive and negative voltage pretreatment structure of the battery .....289  
*Zhongjie GUO, Xuan CHEN, Ruokai BAI, Yuan YANG, Ningmei YU*

Architecture Analysis and Simulink Modeling of a High Resolution Zoom ADC .....295  
*Shuaiyang Zhou, Nan Liu, Peng Ding, Zhizhen Yin, Suzhen Cheng, Zhanqiang Ru, Helun Song*

## **🔗 Amplifier Circuit Design and Performance Analysis**

A 27.1 dB Gain and 6.85 dB NF Low-Noise Amplifier Based on the Novel Gain-Noise Plane .....301  
*Zhongchen Xu, Menghu Ni, Qian Xie, Zheng Wang*

Design of a Broadband High Flatness Drive Amplifier Based on GaAs Process.....306  
*Jingjing Huang, Jie Lin, Shu Ying, Shanwen Hu, Zhikuang Cai, Yufeng Guo*

Front End Readout Circuit of a Novel Charge Sensitive Amplifier Based on Temperature Compensation.....311  
*Liu Wei, Wang Shan, Liu Weihong*

|  |     |
|--|-----|
| A 6-18 GHz Low Group Delay Variation Amplifier With Inductive ESD Protection for Phased-Arrays .....                                 | 317 |
| <i>Bo-Fan Chen, Zhi-Qun Li, Jia-Peng Wan, Ze-Wen Xu, Zhen-Nan Li</i>   |     |
| A 5.3-fJ/conv.-step Pipelined-SAR ADC with Resistance Assisted Two-Stage Dynamic Amplifier Based on Gm-Unit .....                    | 322 |
| <i>Qing Su, Dawei Li, Xuan Guo, Heng Zhang, Ben He, Hanbo Jia, Danyu Wu, Xinyu Liu</i>   |     |
| A wide input low quiescent current without operational amplifier bandgap reference circuit.....                                      | 326 |
| <i>Enguang Qi, Chengzhi Fang, Ying Zhang, Yue Cheng, Ning Wang</i>   |     |
| Failure Analysis of Abnormal Input Voltage in Error AMP Part of the PWM Controller .....   | 331 |
| <i>Jijia Sun, Meng Meng, Yifeng Fan</i>  |     |
| A Low Power PGA Design Based on the Switched Capacitor Amplifier.....  | 336 |
| <i>Xuanyu Hu, Zhongjie Guo, Youmei Guo</i>   |     |
| A Compact Low-Loss Bi-directional Amplifier for Ku-band.....   | 340 |
| <i>Jie Lin, Xiang Liao, Shu Ying, Shanwen Hu, Zhikuang Cai, Yufeng Guo</i>   |     |
| An Ultra-Wideband Low-Noise Amplifier Combining Noise-Canceling and Self-Forward-Body-Bias Techniques Achieving 2.9-to-3.7dB NF..... | 345 |
| <i>Shiyong Wei, Gengzhen Qi</i>  |     |
| Design of a Broadband Miniaturized Filter Power Amplifiers.....  | 350 |
| <i>Xiang Liao, Jingjing Huang, Shu Ying, Shanwen Hu, Zixuan Wang, Yufeng Guo</i>   |     |
| A dB-Linear Variable Gain Amplifier for Zero-IF Receivers.....   | 355 |
| <i>Hongwei Guo, Zhiqun Li, Xiaowei Wang, Zhennan Li, Qin Li</i>  |     |
| A Sub-1.4 dB Noise Figure 6-18 GHz Low Noise Amplifier Using 0.15 $\mu$ m GaAs pHEMT Technology.....                                 | 359 |
| <i>Shaoyang Liu, Hao Zhang</i>   |     |
| A 0.4-2 GHz Wideband LNA Exploiting Noise Reduction and High Gain.....   | 363 |
| <i>Chaojun Zhao, Wei Zhang, Fei Yuan, Xule Wang, Beitong Cheng, Hai-zhi Song</i>   |     |
| A 2-6GHz 30W GaN Power Amplifier Using Reactive Matching Technique .....   | 368 |
| <i>Zilong Zheng, Xiaojiang Yao, Zhengzheng Wang, Fuxin Xiang, Shenghui Fan, Tubin Zhou</i>   |     |
| A 24-28 GHz GaN MMIC Power Amplifier with Filtering Matching Networks .....  | 373 |
| <i>An Situ, Zhihao Zhang, Rihong Liang, Zetao Chen, Junming Long, Gary Zhang</i>   |     |



## Sensing-Based Microelectronics and Device Design


|  |     |
|--|-----|
| Novel Processes for IR Drop Reducing on the Application of Large Size AMOLED Display.....                                | 378 |
| <i>Xinbo Wen, Jingyuan Hu, Fanjing Wu, Shengdong Zhang</i>   |     |
| A FPGA-based high efficiency and low-power system for blood pressure measurement .....                                   | 383 |
| <i>Feng Zou, Ye Yuan, Song Ma, Yuhua Cheng</i>   |     |
| ADC Static Test System Based on LabVIEW Platform.....  | 387 |
| <i>LIU Wei, CHEN Junfeng, SHANG Shiguang</i>   |     |
| A Low Power OTA-C Filter for Wireless Body Area Networks.....  | 392 |
| <i>Jueyong Zhu, Weilin Xu, Xueming Wei, Baolin Wei, Haiou Li</i>   |     |
| Design of a low-pass filter for wideband transceiver .....   | 397 |
| <i>Wang Jin-fei, Liu Xi-feng, Ju Shui-rong, Wang Ting, Qian Jin</i>  |     |
| A Low-power, Low-Noise Readout ASIC for Gamma-ray Dosimeter Based on CdZnTe Detector .....                               | 401 |
| <i>Jie Cheng, Jia Wang, Xiaoming Wei, Ran Zheng, FeiFei Xue, Ruiguang Zhao, Yongcai Hu</i>                               |     |
| An Adaptive All-Digital Phase-Locked Loop Architecture for High-Stability MEMS Temperature-Compensated Clocks .....      | 407 |
| <i>Xinyu Luo, Qianxu Fu, Yujie Zheng, Lu Tang</i>  |     |
| A $0.0025\text{mm}^2$ 8-bit 70MS/s SAR ADC with a Linearity-Improved Bootstrapped Switch for Computation in Memory ..... | 412 |
| <i>Xingjie Xu, Yuhang Shui, Aili Wang</i>  |     |
| 50Gb/s high-speed serial interface receiver CTLE equalization circuit design .....                                       | 417 |
| <i>Chunming Zhang, Yangzhen Xu, Xuan Zhang, Hao Wang</i>   |     |
| A 1.5GS/s Single-Channel Pipelined ADC With Large Dither Technique .....   | 422 |
| <i>Zilin Jiang, Danyu Wu, Xuan Guo, Hanbo Jia, Pengyu Chen, Feitong Wu</i>   |     |
| Workable Use of AlGaIn/GaN D-Mode MIS-HEMTs in Realization of Highly Linear Passive Mixers Without Negative Biasing..... | 427 |
| <i>Ruolan Shi, Zixuan Zhang, Miao Cui, Sang Lam</i>  |     |
| A Two-Step Reconfigurable Time-to-Digital Converter Based on Gate-Vernier Rings .....                                    | 432 |
| <i>Tian Zhao, Kai Ma, Tao Yin, Jian Liu, Zhao Zhang, Liyuan Liu</i>  |     |
| Hand Gesture Translation System based on Multi-Sensor Fusion.....  | 437 |
| <i>Guozhang Hao, Yang Li</i>   |     |

## **Low-Power Micro-System Design and Circuit Analysis Based on CMOS Technology**

|   |     |
|---|-----|
| A low power continuous time hysteresis comparator with an average current consumption of 614nA at 1.5 voltage .....           | 442 |
| <i>Tianting Zhao, Da Xu, Zhenyan Huang, Chuyun Qin, Xiaopeng Yu, Jiping Li</i>  |     |
| Low Voltage and Low Power PLL with Current-Reuse Oscillator .....   | 448 |
| <i>Yifeng Zheng, Runsen Wu, Jiwei Huang</i>   |     |
| A Strong-Arm Comparator Layout Design with Combined Expert Knowledge and Intelligent Optimization Algorithm in 65nm CMOS..... | 452 |
| <i>Weiyao Li, Xiaoliang Chen, Li Du, Yuan Du</i>  |     |
| Design of 40Gb/s PAM4 Signal SerDes Low Power CMOS 64:4 MUX.....  | 457 |
| <i>Chunming Zhang, Haowang, Yangzhen Xu, Yibo Wang</i>  |     |
| A 10-bit 100-MS/s 1.2-mW Asynchronous SAR ADC with Low-power Dynamic Logic Units in 65nm CMOS .....                           | 463 |
| <i>Xiangji Deng, Tongli Ma, Peng Luo, Maliang Liu, Jiarong Dong</i>   |     |
| A 2.4-5.25GHz Active Feedback Balun-LNA With Variable Gain in 40nm CMOS Technology.....                                       | 468 |
| <i>Yitian Zheng, Qin Li</i>   |     |
| A 32 Gb/s NRZ PI-Based Baud-Rate Digital Clock and Data Recovery Circuit in 28nm CMOS Technology.....                         | 473 |
| <i>Kelong Zhang, Youzhi Gu, Yongzhen Chen, Jiangfeng Wu</i>   |     |
| A Highly Reconfigurable 5 <sup>th</sup> Order Active RC Filter for Multi-standard Wireless Receivers in 12-nm CMOS.....       | 479 |
| <i>Mingjing Huang, Xiaoyong He</i>  |     |
| An RF Power Amplifier with MGTR and Capacitor Neutralization Technology in 22nm CMOS Process.....                             | 484 |
| <i>Qian Xie, Zhiqun Li, Zhennan Li, Xiaowei Wang, Jiancong Du</i>   |     |

## **Microelectronics Theory and Design**

|   |     |
|---|-----|
| Function-selectable Bitwise Operation Accelerators .....  | 488 |
| <i>Tuotuo Sun, Weijia Liu, Ben Li, Jingyu Wang, Qingyang Zeng, Xiqin Tang, Delong Shang</i>             |     |
| A novel readout chip for medical application with high Energy Resolution and high Time Resolution ..... | 493 |
| <i>Hui Zhang</i>  |     |
| The Design of Bidirectional Active Balun Chip Based on Power Modulation.....                            | 497 |
| <i>Meng Zhang, Guoyong Ning, Chao Pu, Qi Zhang, Yayun Song, Jian Gao</i>                                |     |

|   |     |
|---|-----|
| An Energy-Efficient and Robust SNN Classifier for LC-ADC Sampled ECG Signals .....  | 502 |
| <i>Haoming Chu, Yulong Yan, Yiren Zhou, Zikai Zhu, Yuxiang Huan, Lirong Zheng, Zhuo Zou</i>   |     |
| Design of Nonlinear Phase Frequency Detector and Low Mismatch Charge Pump .....   | 507 |
| <i>Zichen Tian, Zhiqun Li, Weiwen Lin, Xiaowei Wang, Zhennan Li</i>   |     |
| A 0.075mm <sup>2</sup> Octave-Tuning 5G-NR Oscillator with E-M Mixed-Coupling Achieving 205dB FoM <sub>T</sub> .....                                    | 511 |
| <i>Zhixiang Liu, Haonan Guo, Gengzhen Qi</i>  |     |
| A High-PSRR and Curvature-Compensated Subthreshold Voltage Reference Without Special Devices or Resistors .....   | 516 |
| <i>Jingwu Gong, Suzhen Cheng, Nan Liu, Peng Ding, Zhizhen Yin, Zhanqiang Ru, Helun Song</i>   |     |
| A 0.008mm <sup>2</sup> -65dB PSR Analog-Digital Hybrid Capless LDO Using Switched-Capacitor Resistors and Frequency Detector.....                       | 522 |
| <i>Mohan Li, Xuan Zhang, Tao Wu, Lei Yao</i>  |     |
| <b> Advanced Storage Technology and Intelligent Electronic Devices</b> |     |
| UVM-based Reusable Hardware Accelerator Verification Platform .....   | 527 |
| <i>Zheng Mengyao, Sui Jinxue, Zhang Xia</i>   |     |
| A Wide-Range and High-Linearity Timing Generator with 1.25ps-Resolution.....  | 533 |
| <i>Tianyang Chen, Qianyu Wang, Ze Wang, Zhiwei Qi, Zhenhua Han, Lu Liu, Shanwen Hu</i>  |     |
| A 12-bit 625 MS/s Time-interleaved Pipelined ADC.....   | 538 |
| <i>Yahan Yu, Peng Miao, Fei Li, Di Wang, Haotian Zhang, Ankang Ding</i>   |     |
| A 2MHz, 97.4% Peak Efficiency, Heterogenous GaN/BCD 48-to-12 V Cascaded Switched Capacitor Converter With ZVS Auxiliary Technique.....                  | 543 |
| <i>Zhen Lin, Fanyi Meng</i>   |     |
| A 6b/8b Configurable High-Speed Asynchronous SAR ADC.....   | 549 |
| <i>LIU Wei, ZHAO Yanke, SHANG Shiguang</i>  |     |
| A Case Study on the Internal Mutual Interference of Multitenant FPGA .....  | 553 |
| <i>Jingwen Huang, Qinming Zhou, Chiayi Kuo, Weicong Lu, Tao Su</i>  |     |
| An Ultra-Fast Transient Digital-LDO with Adaptive Rising-Edge Logic Control.....  | 558 |
| <i>Guoqiang Song, Jinsheng Tang, Lin He</i>   |     |

## **Communication and Signal Processing Circuit and System**

|   |     |
|---|-----|
| CBI-GRU: Post-route timing path analysis method based on combined bidirectional GRU.....  | 562 |
| <i>Bin Wang, Pengcheng Huang, Huiqing You, Yaohua Wang</i>  |     |
| Equalization technology and Quantization analysis for Data-converter Based PAM4 SerDes Link.....  | 568 |
| <i>Yongzheng Zhan, Tuo Li, Xiaofeng Zou, Tongqiang Liu, Qi Song, Zhenlei Zhang</i>  |     |
| An 18.8-to-40.4 GHz reconfigurable multi-mode VCO with wide-band common-mode resonance.....   | 573 |
| <i>Yuxuan Sun, Jinyu Zhang, Hanze Liu, Zheng Wang</i>   |     |
| A DAC-Based 28Gb/s PAM4 Transmitter for Serial Link System.....   | 579 |
| <i>Dejun Tong, Qingsheng Hu, Jianmin Hu, Kehan Hu</i>   |     |
| MEMS-Enabled Computational Spectrometer Using A Denoising Autoencoder for Enhanced Reconstruction Resolution.....                       | 583 |
| <i>Jing Zhou, Heng Chen, Nan Wang, Yiming Ma</i>  |     |
| GPU Accelerated Harmonic-Balance Small Signal Analysis .....  | 588 |
| <i>Zhenya Zhou, Jing Li, Jiandong Cheng, Xuan Xiao, Jinyu Zhang, Chengjie Zuo</i>   |     |
| A Configurable Detector Based on Layered Belief Propagation for Massive MIMO Detection.....   | 593 |
| <i>Rui Gao, Houren Ji, Wenyue Zhou, Xiaohu You, Chuan Zhang</i>   |     |
| A BW-Extended Blocker-Tolerant Receiver with RF Passive-Gain and High-Order BB Impedance Achieving 30dBm OOB-IIP3 and 110MHz RF-BW..... | 598 |
| <i>Shushu Yu, Gengzhen Qi</i>   |     |

## **Modern Microelectronics System and Signal Control**

|  |     |
|--|-----|
| DC and RF Small Signal Modeling of 28nm Planar MOSFET .....                              | 603 |
| <i>Siyu Chen, Yabin Sun, Xiaojin Li, Yanling Shi</i>                                     |     |
| A Dual Loop Low-Dropout Regulator with Fast Transient Response .....                     | 607 |
| <i>Jiixin Cheng, Qin Li, Chao Zhao, Jiaweixi Li</i>                                      |     |
| Design and Implementation of Active Phased Array Beam Steering System Based on FPGA..... | 612 |
| <i>Fuxin Xiang, Xiaojiang Yao, Zilong Zheng, Shenghui Fan, Tubin Zhou</i>                |     |
| Design and Implementation of Image Processing Platform Based on GUI .....                | 617 |
| <i>Tiantian XU, Xiqian LEI, Chengying GONG, Ying LI, Jiting SONG</i>                     |     |
| Slip Detection through Fusion of Visual-Tactile Data using Swin Transformer V2 .....     | 623 |
| <i>Mingyu Shangguan, Yang Li</i>   |     |

|   |     |
|---|-----|
| An Efficient Accelerator on FPGA for Large Convolution and Correlation using Winograd .....                                       | 629 |
| <i>Xiaomin Li, Xiaofeng Wang, Fengrong Hu, Xiongbo Zhao, Hanguang Mi, Xinyi Zhao, Yifan Ge</i>                                    |     |
| A Hybrid Harmony Search and Simulated Annealing Algorithm for Job Shop Scheduling Problem .....                                   | 637 |
| <i>JianYong Lv, ChuanYang Ren, XiaoYu Lu, Bo Huang</i>  |     |
| An Improved Test Structure of Boundary Scan Designed for 2.5D Integration .....   | 643 |
| <i>Zhen Zhang, Jinghe Wei, Yujia Yin, Jian He, Ying Gao</i>   |     |
| The Design of LTCC-based Miniaturized X-band T/R Module .....   | 649 |
| <i>Shenghui Fan, Jin Gao, Xiaojiang Yao, Fuxin Xiang, Zilong Zheng, Tubin Zhou</i>  |     |
| Enhancing FPGA-Based YOLO Object Detection: Multi-Bank Storage Optimization and Model Refinement for Real-Time Applications ..... | 653 |
| <i>Shiwei Ma, Zhisong Bie, Xianchen Liang</i>   |     |
| <b>🌀 Intelligent Communication System and Functional Control Based on Embedded Systems</b>  |     |
| An Automated Deployment with Reconfigurable Digital Controller for SRAM-based Computation-in-Memory .....                         | 659 |
| <i>Kangwei Xu, Xiangdong Liu, Erxiang Ren, Qingzeng Song, Junlin Li, Li Luo, Fei Qiao</i>   |     |
| The Impact of CTLE Poles on Receiver Eye Diagrams .....   | 665 |
| <i>Haowei Niu, Weixin Gai, Bingyi Ye, Boyang Zhang</i>  |     |
| RS-CIM: A Charge Domain Compute-in-Memory Architecture with Resolution Shifting ADC for Intelligent Perception Edge Nodes .....   | 670 |
| <i>Jiahui Liu, Erxiang Ren, Guilin Zhu, Li Luo, Bo Liu, Qi Wei, Xinghua Yang, Fei Qiao</i>  |     |
| A 10/20/40/80 MHz 3rd-order Active-RC Butterworth LPF for 802.11ax Receiver .....   | 676 |
| <i>Wenzhen Wang, Jiwei Huang</i>  |     |
| Transformer Design for Transformer-Coupled Multiphase Voltage- controlled Oscillators (VCOs) .....                                | 681 |
| <i>Sheng-Lyang Jang, Sung-Yang Chen, Dan-Li Wang, Wen-Cheng Lai</i>   |     |
| A Path-Based System-Level Placement and Routing Framework for Muti-FPGA Systems .....   | 685 |
| <i>Pengfei Chu, Jing Tang, Hailong You</i>  |     |
| Design of a 9-bit SAR ADC for Quad-channel VCSEL Transmitters .....   | 691 |
| <i>Yinghao Chen, Yingmei Chen, Wentian Fan, En Zhu</i>  |     |

## Author Index