

2023 IEEE 2nd International Power Electronics and Application Symposium (PEAS 2023)

**Guangzhou, China
10-13 November 2023**

Pages 1-644



**IEEE Catalog Number: CFP23BB8-POD
ISBN: 979-8-3503-1377-2**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP23BB8-POD |
| ISBN (Print-On-Demand): | 979-8-3503-1377-2 |
| ISBN (Online): | 979-8-3503-1376-5 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|--|----|
| A Digital Self-Current-Sharing Method for Modular Parallel High Step-Down LLC System | 1 |
| <i>Yinke Kong, Yihan Gao, Zhou Lu, Haomin Wu, Xin Zhang, Hao Ma</i> | |
| Unified Modulation Strategy with DC-Bias Mitigation for Dual Active Bridge Converters | 7 |
| <i>Zhenchao Li, Yan Zhang, Jinjun Liu, Chaomin Xiao, Wanxing Wang, Chaoqun Ma</i> | |
| Control Strategy of Working Mode Optimization for Three-phase Single-stage Isolated AC-DC Converter | 13 |
| <i>Zining Wang, Zhiqiang Guo</i> | |
| A Hybrid Wide-Range Step-Up DC-DC Converter | 19 |
| <i>Qiushuang Wei, Yu Fu, Yuzhe Wang, Shouxiang Li</i> | |
| A Resonant Switched-Capacitor Converter with Step-Up/Down Capabilities Based on Extended Full-Range Regulation Method | 24 |
| <i>Ranyu Yao, Yuhang Yang, Dengke Zheng, Yan Deng</i> | |
| Design and Modeling of LLC-TLVR Converter with Low-voltage, High-current Output Capability | 29 |
| <i>Xiangjun Zhang, Xiaohan Zhang, Hongyu Zhang, Yueshi Guan, Yijie Wang, Dianguo Xu</i> | |
| A High Performance 48-to-8 V Cascaded Switched-Capacitor Converter for Data Center Applications | 35 |
| <i>Xiang Li, Yueshi Guan, Wei Yang, Yijie Wang, Dianguo Xu</i> | |
| Analysis of Two-Stage Topologies with Buck and Switched-Capacitor Converters for Ultra-High Efficiency POL Applications | 41 |
| <i>Wang Yihe, Xiaofeng Lyu, Kaida Zhang, Zhening Shi, Dejun Ba</i> | |
| Research on Effects of Clamping Diodes Parasitic Capacitance on PSFB Converter ... | 47 |
| <i>Binrong Ji, Wenping Tong, Bangyin Liu, Jiajun Yang, Huiyao Mi, Shanxu Duan</i> | |
| Hybrid Resonant Converter-Based 8:1 Bus Converter for 48V-to-1V Power System | 53 |
| <i>Zewei Li, Hongfei Wu, Yu Zhang, Ziming Wang, Yufeng Song, Yan Xing</i> | |
| A Simplified Input Filter Capacity Current Compensation Scheme for 360–800 Hz CRM Totem-Pole PFC with Si MOSFETs | 58 |
| <i>Yanan Liu, Jiayi Zhang, Siliang Zhang, Xinke Wu</i> | |
| Backward Step-Up Control for Bidirectional LLC Resonant Converter Based on Dual Phase Shifting | 63 |
| <i>Simin Huang, Yitao Liu</i> | |

| | |
|---|-----|
| A Hybrid Modulation for Multilevel DAB Converter Based on Asymmetrical Duty Modulation | 68 |
| <i>Shiqi Fang, Peng Dai, Shuyu Liu</i> | |
| A Current Proportional-Differential Feedforward-based Bidirectional Seamless Fast Dynamic Response Control for Dual-Active-Bridge Converters | 74 |
| <i>Shijie Cheng, Wei Wang, Alian Chen</i> | |
| A Fast Transient Control Method for Dual-Bridge Series Resonant Converter | 80 |
| <i>Zhuolan Li, Yu Zhang</i> | |
| Modeling and Analysis of Single-Phase Fractional-Order Quasi-Z-Source Rectifier | 86 |
| <i>Ziwen Chen, Xiaoquan Zhu, Jintao Hou</i> | |
| Mechanism and Compensation of Zero-Crossing Current Distortion for Three-Phase Vienna Rectifier | 92 |
| <i>Long Pei, Lixin Jia, Laili Wang, Lie Zhao, Zhixiang Li, Wei Cao, Yunqing Pei</i> | |
| Design of a 2kW 400/12V High-Output Current DC/DC Converter With Fractional-Turn Planar Transformer for Server power | 97 |
| <i>Yuhang Xu, Xu Yang, Kexin Zhao, Wei Zhou, Qingzheng Li, Tianqi Weng, Wenjie Chen, Kangping Wang</i> | |
| A Ripple-Free Input Current Quasi-Z-Source DC-DC Converter with High Voltage Gain and Soft-Switching Technology | 102 |
| <i>Mingzhu Zhou, Chao Liu, Hui Wang, Hangyan Zhou, Yizhan Zhuang, Yiming Zhang</i> | |
| High-Efficiency High-Density RDCX Modules Cascaded with CHB PFC Stage | 107 |
| <i>Tianji Liu, Tianlin Huang, Xinke Wu</i> | |
| Low Common Mode Noise Cellular RDCX with Single Bus Multi-Level Regulator ... | 111 |
| <i>Siliang Zhang, Zhenhai Zhu, Yuhao Xu, Gao Fan, Jiayi Zhang, Xinke Wu</i> | |
| A Novel Compact Model of Gate Capacitance for SiC MOSFET with Easy Parameter Extraction Method | 115 |
| <i>Yuwei Wu, Zhe Xue, Jiarun Xie, Jianpeng Wang, Laili Wang, Kai Gao</i> | |
| Investigation into the On-Resistance Shift Phenomenon of 650V Commercial GaN Power Devices with Different Structures | 120 |
| <i>Xingyuan Yan, Zhiqiang Wang, Junbing Tao, Yunchan Wu, Yifan Wang, Guoqing Xin, Xiaojie Shi, Yong Kang</i> | |
| Conduction Thermal Runaway of SiC MOSFET Under Natural Convection Heat Dissipation | 125 |
| <i>Yunchan Wu, Zhiqiang Wang, Xingyuan Yan, Guoqing Xin, Xiaojie Shi, Yong Kang</i> | |
| Optimization of Turn-on Loss Reduction and Analytical Model of SiSiC Hybrid switch | 130 |
| <i>Miaoguang Bai, Hengyu Wang, Zezheng Dong, Qing Guo, Kuang Sheng</i> | |
| Investigation of Threshold Voltage Shift for SiC MOSFET in Switching Operation .. | 136 |
| <i>Rongxi Jin, Na Ren, Hongyi Xu, Kuang Sheng</i> | |

| | |
|--|-----|
| Recoverable Current Collapse Effect of p-GaN HEMTs under Short Circuit Stress | 141 |
| <i>Meng Wang, Xiangdong Li, Jincheng Zhang, Hongyue Wang, Junbo Wang, Zhanfei Han, Jiahui Yuan, Yue Hao</i> | |
| An Accurate DC-Link Voltage Determining Method of LC-Coupling Voltage Source Converter (VSC) Under High THD Operating Environment | 145 |
| <i>Ying Pang, Shangshuai Hao, Gang Li, Renjun Hu, Jun Lin</i> | |
| A Resonant Half Bridge DC/AC Converter with PFM-PWM Hybrid Control | 151 |
| <i>Jingxiang Gao, Yang Liu, Huan Wang, Jun Peng, Xue Zhang</i> | |
| Collecting Leakage Current and Suppression Strategy for Non-Isolated Photovoltaic Grid-Connected System | 158 |
| <i>Xiaolong Xiao, Rui Sun, Mingming Shi, Yaqian Li, Huafeng Xiao</i> | |
| 100kW Soft Switching Three-phase Inverter with Hybrid Switches | 163 |
| <i>Yuying Wu, Dehong Xu</i> | |
| A Novel Modulation Method to Reduce Leakage Current and Balance Neutral-Point Voltage for Neutral-Point-Clamped Inverters | 170 |
| <i>Huiyao Mi, Jiajun Yang, Xinheng Zhou, Shanxu Duan, Binrong Ji</i> | |
| Single-phase inverter asymmetrical quad-edge sampling | 176 |
| <i>Cong Wen, Wenxi Yao</i> | |
| High-Frequency Resonance Suppression Based on Active and Passive Joint Damping for MMC-HVDC | 182 |
| <i>Yiqi Liu, Jiayi Liu, Wei Liu, Yucheng Wu, Laicheng Yin, Mingfei Ban</i> | |
| Effect of Solar Cell Interconnections on the Output of Solar UAV with 3D Curved Photovoltaics | 187 |
| <i>Wei Jia, Xiaobin Zhang, Tao Lei, Haoliang Yu, Wenli Yao, Yan Qu</i> | |
| A Load Voltage Angle Control of Electric Spring for Energy Storage Reduction | 193 |
| <i>Wentao He, Dongyuan Qiu, Bo Zhang, Fan Xie, Yanfeng Chen, Wenxun Xiao</i> | |
| Virtual Fractional-Order-Inductor Based Second Harmonic Current Reduction Method | 198 |
| <i>Hongyan Zhou, Liangzong He, Zelong Yang</i> | |
| Impacts of Digital Control Delay on Power Tracking in Unified Virtual Oscillator Controller | 203 |
| <i>Zheran Zeng, Liangcai Shu, Dongsheng Yang</i> | |
| Phase-by-phase Discrete Mapping Modeling and Bifurcation Analysis of Boost PFC Cascaded Buck Converter System | 208 |
| <i>Ronglong Wang, Fan Xie, Chao Chen, Bo Zhang, Yanfeng Chen</i> | |
| μ Approach-Based Robust Stability Analysis of Weak-Grid-Connected Voltage Source Converter | 214 |
| <i>Xin Jin, Ningyi Dai, Ying Huang</i> | |

| | |
|---|-----|
| Constrained Sliding Mode Control Strategy for Boost Converter | 220 |
| <i>Wenjie Lv, Jiawei Chen</i> | |
| Stability Analysis of Circulating Current in Multi-Parallel Grid-Connected Inverters system | 226 |
| <i>Mingliang Li, Xinbo Ruan, Mingming Shi, Xian Zheng</i> | |
| An Improved PLL Structure to Improve Synchronization Stability of Grid-connected Inverter under Weak Grid | 232 |
| <i>Minhai Wu, Jun Zeng, Gengning Ying, Jidong Xu, Junfeng Liu</i> | |
| Generalized Discretization of State-Space Model for Medium-Frequency Inverter With Arbitrary Digital Control Delay | 236 |
| <i>Qiang Qian, Shian Guo, Shaojun Xie, Zhenghao Wang</i> | |
| A Novel Dual ISOI Combined Converter System and Its Hybrid IVS Control Strategy | 241 |
| <i>Zhijie Zhang, Jie Yang, Na Zhao, Fang Liu, Yu Yao, Yuying Zhou</i> | |
| Recursive Admittance Matrix for Virtual Synchronous Generators with Asymmetric Loads | 247 |
| <i>Ying Jiang, Yao Sun, Yangguang Sun</i> | |
| A Novel Robust Frequency Adaptive Single-Phase Phase-Locked Loop Based on Second-Order Generalized Integrator | 252 |
| <i>Xiaochen Jin, Jinming Xu, Hao Qian, Shaojun Xie</i> | |
| Ageing bonding wires equivalent resistance change law based on temperature distribution coefficient | 258 |
| <i>Jingwei Hu, Zhengqing Yan, Hengwei Xia, Xiepeng Sun, Mingxing Du, Qingtao Meng</i> | |
| Quasi-Online Measurement of Threshold Voltage for SiC MOSFET | 264 |
| <i>Xin Wang, Yingzhou Peng, Zhikang Shuai</i> | |
| A Data-driven Surface Temperature Estimation Method for Lithium-ion Battery Based on GRU- RNN with Attention Mechanism | 269 |
| <i>Qian Xu, Mingyao Ma, Tingzhi Jiang, Qiong Hu, Zeao Wang</i> | |
| Optimized Design and Analysis of Clip Bonding Packaging for Avalanche Bipolar Junction Transistor | 274 |
| <i>Mosai Xu, Lin Liang, Xiaoxue Yan</i> | |
| Asymmetric Short-Circuit Current-limiting Control Strategy of MMC for Reliable Supply of Non-faulty Loads | 279 |
| <i>Youwen Zhang, Xuejun Pei, Min Yang, Jin Li, Yi Yu</i> | |
| A Gate Voltage Clamping Method to Improve the Short-Circuit Characteristic of SiC MOSFET | 287 |
| <i>Wenyuan Ouyang, Pengju Sun, Minghang Xie, Yingpeng Hu, Xing Ma</i> | |
| 3D Thermal Resistance Model for Real-Time Temperature Monitoring of Multi-Chip IGBT Modules | 293 |
| <i>Ye Tian, Kaiyang Bu, Bowen Liu, Chushan Li, Wuhua Li, Xiangning He</i> | |

| | |
|--|-----|
| Light-Load Efficiency Improvement of MHz RDCX Based on Output Voltage Ripple and Resonant Pulse Number Control | 299 |
| <i>Tianji Liu, Wending Zhao, Xinke Wu</i> | |
| An LLC-DAB Hybrid Bidirectional Converter with Constant Frequency Synthetic Modulation Strategy for Wide Input Range | 304 |
| <i>Yuefeng Liao, Cao Yuan, Zhao Yu</i> | |
| Circulating Current Generation Mechanism and Control Strategy for IPOP Buck Converters | 310 |
| <i>Ling Li, Wenjie Chen, Kailong Ji, Xiaotao Wang, Hanjie Qi, Wenxia Chen</i> | |
| Design of A Step-Down Dickson Switched Capacitor Converter | 315 |
| <i>Yuehua Zhai, Yueshi Guan, Xiang Li, Yijie Wang, Dianguo Xu</i> | |
| An Optimized Return Power Control for DAB Converter Cluster with ISOP Configuration | 321 |
| <i>Zhihao Chen, Zhenbin Zhang, Xiaozhe Sun, Zhen Li, Xiaozhe Liu</i> | |
| A High Voltage Gain Resonance Converter and its Voltage Balance Control | 333 |
| <i>Hang Li, Jiefei Jiang, Debin Zhang, Yue Jiang</i> | |
| Hybrid Resonant Converter With Integrated Magnetics For 48V Data-Center Power Systems | 338 |
| <i>Yufeng Song, Hongfei Wu, Yue Liu, Xu Zhang, Ziming Wang, Yu Tai</i> | |
| Maximum Efficiency Phase-Shift Trajectory Control Based on Analytical Loss Model for a Wide Voltage Range IPOSF-PSFB Converter | 344 |
| <i>Shuo Zhang, Yinyu Wang, Wendy Zhang, Liying Zhu</i> | |
| SiC-based Bidirectional Three-phase CLLLC Resonant Converter with Integrated Magnetics for High-Power On-Board Charger Applications | 350 |
| <i>Yunqi Chen, Minli Jia, Hao Sun, Jinlong Chen, Haisong Zhang, Zhen Zhou</i> | |
| Design of A High-Density 800V to 48V Converter with Optimized Planar Transformer for Automotive Applications | 356 |
| <i>Yihui Zhang, Tianchang Liu, Hao Feng, Li Ran</i> | |
| An Improved Dual Active Bridge DC-DC Converter with Fault Tolerant Ability | 361 |
| <i>Jialing Le, Yueshi Guan, Chang Liu, Yijie Wang, Dianguo Xu</i> | |
| Two-Stage 48V-to-16V-to-1V Hybrid-Switched-Capacitor Converter for High Performance Computing | 367 |
| <i>Linjun Han, Huaqiao Liu, Shuyu Zhang, Yanan Chen</i> | |
| Optimal Design of Full-Bridge Three-Level LLC Converter Based on Time-Domain Analysis | 374 |
| <i>Zengyang Liu, Kai Sun, Zheyuan Yi</i> | |
| A Modified Space Vector Modulation and Phase-Shifted Modulation Coordination Strategy for Isolated AC-DC Matrix Converter | 380 |
| <i>Guangcheng Ye, Abhishek Kumar, Yan Deng</i> | |

| | |
|---|-----|
| Efficient Design of Phase-Shifted PWM for Modular Multilevel Converters Considering Carrier Initial Phase Angle | 386 |
| <i>Jiapeng Yin, Ningyi Dai</i> | |
| Model-Free Sliding-Mode Voltage-Current Dual-Loop Control for LCL Inverter | 392 |
| <i>Hang Zhang, Tong Liu, Alian Chen</i> | |
| A model predictive control scheme under end point equivalence modulation for single-phase inverters by using observers | 397 |
| <i>Po Li, Hao Wang, Tao Zeng</i> | |
| Design of a High Frequency DAB-Type Microinverter for Photovoltaic Application | 403 |
| <i>Hanjie Qi, Wenjie Chen, Wenxia Chen, Rui Cheng, Changtao Chen, Ling Li</i> | |
| GaN-based Interleaved Totem-pole Single-phase Inverter with Coupling Inductor Design | 408 |
| <i>Qingzheng Li, Xu Yang, Wei Zhou, Tianqi Weng, Changtao Chen, Yuhang Xu</i> | |
| Gate Driver Optimization to Suppress Bridge-leg Crosstalk and Gate-source Voltage Oscillation for SiC MOSFET | 413 |
| <i>Longnv Li, Lu Wang, Man Xiao, Yi Liu, Yunhui Mei</i> | |
| Design of a Novel Double sided Cooling SiC Power Module Based on Multiple DBC-Stacked | 418 |
| <i>Yuhui Kang, Puqi Ning, Xiaoshuang Hui, Tao Fan, Dongrun Li, Kai Wang, Yunhui Mei, Guangyin Lei</i> | |
| A Modulation Method for Resonant Switched-Capacitor Converter with GaN HEMT Synchronous Rectification | 423 |
| <i>Wenjie Xi, Kang Liu, Tingxuan Huang, Wenhao Xie, Xiangou Zhu, Meng Li</i> | |
| A Novel Junction Temperature Estimation Method for SiC MOSFET Considering Device Aging Effect | 429 |
| <i>Qi Xu, Boyang Zhang, Xinyu Wang, Jianlong Kang, Zhen Xin</i> | |
| The Impact of Unbalanced Condition on Short-Circuit Performance of Multi-chip Parallel SiC MOSFETs | 434 |
| <i>Jiaming Xie, Hao Feng, Li Ran</i> | |
| A high power density gate driver integrated SiC multichip power module with lower parasitic inductance | 438 |
| <i>Chenhang Zeng, Cai Chen, Yong Kang</i> | |
| CM Leakage Current Reduction Clamped-HERIC for GaN-based Photovoltaic Inverter | 443 |
| <i>Changtao Chen, Kangping Wang, Qingzheng Li, Hanjie Qi, Rui Cheng, Wenjie Chen</i> | |
| A Voltage Control Strategy of Differential Buck-Boost Inverter Based on Third Harmonic Injection | 448 |
| <i>Hao Qin, Shiming Hu, Jinpeng Qu, Yan Deng</i> | |

| | |
|--|-----|
| A Transient Power Sharing Oriented Power Controller Design Method for Islanded Microgrid with Parallel Grid-Forming Inverters | 453 |
| <i>Jiazhi Wang, Zeng Liu, Kaiwen Feng, Yidong Shi, Jinjun Liu</i> | |
| Modeling of Sequence Impedance for Grid Following Direct Drive Wind Turbine Based on Phase-Locked Loop | 459 |
| <i>Yang Li, Pingfan Duan, Peizhe Yi, Xin Tian, Zhenhua Yuan, Xiangfei Meng, Bin Liu, Zhen Li, Xu Tian</i> | |
| Realization of Reduced Common-Mode Voltage PWM strategy Under Low Switching Frequency | 464 |
| <i>Zhihao Li, Ruifang Liu, Liangliang Zhang, Weili Li, Yuanhui Cheng</i> | |
| Analysis and Solution of Zero-Sequence Circulating Current and Neutral Point Potential Balance in Parallel 3L-ANPC Converters | 470 |
| <i>Hongzhou Chen, Cong Chen, Xin Xiang, Aminfu, Wuhua Li, Xiangning He</i> | |
| Current Harmonics Suppression Scheme for GaN-Based DCM Grid-Tied Micro-Inverters | 476 |
| <i>Zhengzi Lei, Zhongshu Zheng, Li Zhang</i> | |
| Design of Ultra-thin Metal Foil Induction Heater with High Temperature Uniformity | 481 |
| <i>Junpeng Ji, Wenlong Gu, Hong Chang, Jingjie Lu, Yuhang Zhu</i> | |
| A Self-Perturbation Impedance Measurement Method for Grid-Connected Inverters | 486 |
| <i>Hongyu Pan, Ming Yang, Chuan Xie, Chao Peng, Jianxiao Zou</i> | |
| Hybrid linear predictive control scheme based on PIR and MPC for MMC | 491 |
| <i>Ying Fang, Nannan Xu, Yanhua Liu</i> | |
| Common Mode Voltage Suppression for Three-Level Neutral Point-Clamped Inverters | 496 |
| <i>Lingjun Yao, Hao Luo, Ning Jiao, Yongheng Yang</i> | |
| Improved control of grid-connected photovoltaic and energy storage system based on virtual resistance | 506 |
| <i>Jiahua Kang, Wei Dong, Jinming Xu, Hanxu Diao, Zhenhua Lv, Shaojun Xie</i> | |
| Utilise Statistical Analysis to Develop an Efficient Parameter Estimation Retuning App for the Direct Torque Control of AC Induction Motors | 512 |
| <i>Maximilian Hanlon Sloan, Abdelmenen Abobghala, Mahmud Ahmed, Anwar Mohamed Fanan, Meftah Mehdawi, Mohamed Abuhelala</i> | |
| Smith Predictor-based Decoupled Discrete Current Control for Five-phase PMSM at Low Sampling-to-Fundamental Frequency Ratios | 518 |
| <i>Huanran Wang, Qilin Peng, Giampaolo Buticchi, Chunyang Gu, Weiduo Zhao, Shuo Wang</i> | |
| Backstepping-Design-based Harmonic Suppression Enhancement for Position Estimation of IPMSM | 523 |
| <i>Pengcheng Du, Bo Wang, Dianguo Xu</i> | |

| | |
|--|-----|
| Binary Search Based Flexible Power Control for Single-Stage Multiport Inverter-Fed Motor Drives | 528 |
| <i>Kehan Luo, Dehong Zhou, Jianxiao Zou, Xue Zhou, Zewei Shen</i> | |
| A data model-based diagnosis method for voltage sensor intermittent faults of motor drive system | 534 |
| <i>Wei Xiong, Bin Gou, Qian Wu</i> | |
| Data-driven online fault diagnosis method for single-phase pulsed rectifiers | 539 |
| <i>Yilong Wang, Bin Gou, Jiangle Yu</i> | |
| A Novel Hybrid Model Predictive Current Control for PMSM System | 545 |
| <i>Chenguang Zhang, Saijun Mao, Kun Wang, Yao Wang, Hang He</i> | |
| Post-Fault Restoration after Short-Circuit Fault for Serial-Shunt Multiport Soft Normally Open Points | 549 |
| <i>Junxian Chen, Yajun Jia, Jianqiao Zhou, Hua Huang, Ran Chen, Wei Bao, Jianwen Zhang, Gang Shi, Jiajie Zang</i> | |
| Circulating Current Analysis and Suppression of Isolated Modular Multilevel DC Transformer | 554 |
| <i>Liqian Su, Xinghua Shi, Yi Lu, Peng Qiu, Gang Shi, Jianwen Zhang</i> | |
| A Novel PET Topology Using Voltage Source Converter and Direct AC-AC Choppers based on Medium-Frequency Isolation | 560 |
| <i>Xuejiao Li, Mingyan Wang, Bingda Zhu, Ruifeng Li, Dongbo Guo</i> | |
| Fault Protection Scheme for Embedded Multiport Flexible ac Interconnector | 565 |
| <i>Hao Qiu, Yajun Jia, Jianqiao Zhou, Jianwen Zhang, Gang Shi, Linlin Chu</i> | |
| Black Start-up Strategy of MMC in Series with Diode Rectifier Converter for Offshore Wind Farms | 570 |
| <i>Ziquan Wang, Jinyu Wang, Zheng Zhao, Tan Li, Junyi Sheng</i> | |
| High Frequency Oscillation Energy Propagation In MMC-HVDC Receiving-End Converter Station | 576 |
| <i>Jikai Chen, Jiayang Zhang, Li Yang, Chongbo Sun, Yinghong Hu</i> | |
| A Capacitor Voltage Balancing Method for a Buck Modular Multilevel DC Transformer under Light Load Conditions | 581 |
| <i>Yu Tong, Yi Lu, Chengyu Lu, Peng Qiu, Qian Chen, Gang Shi, Jianwen Zhang</i> | |
| Winding Loss Calculation in Gapped Inductor by Considering Relative Permeability of Core | 585 |
| <i>Chenyi Peng, Guodong Chen, Jinfeng Song, Borong Wang</i> | |
| Trade-Off Design of Gap Formats in Magnetic Components | 590 |
| <i>Shaokang Luan, Maeve Duffy, Hongbo Zhao</i> | |
| An Improved Model to Calculate Inductance of Planar Air-Core Inductors | 595 |
| <i>Mingdong Wu, Li Wang, Ling Mao</i> | |

| | |
|---|------------|
| Sensitivity Analysis of S/SP Compensation Capacitance Parameters and ZVS implementation in Wireless Power Transfer System | 598 |
| <i>Yujie Lan, Qing He, Jinshuai Wang, Wei Chen, Qingbin Chen, Xiaohui Zeng</i> | |
| Analysis of Connection Optimization in Planar Transformer Winding Loss | 604 |
| <i>Mou He, Jingyi Xie, Lei Yang, Wei Chen, Subin Lin, Qingbin Chen, Yuping Huang</i> | |
| An Online Bridge-level IGBT Temperature Estimation Approach Via Emitter Parasitic Inductance Voltage Undershoot | 608 |
| <i>Xinbin Fang, Pengju Sun, Bo Wang, Qiang Li, Yufeng Lan</i> | |
| A Method for Aging Evaluation of Thyristors under Steady State Temperature Stress Based on PCB Rogowski Coil Current Sensor..... | 613 |
| <i>Zhong Chen, Wei Yang, Weiping Guan, Di Hu, Hengyang Zhao, Haoze Luo</i> | |
| Novel Plug-Socket DC Connector Based on Solid-State Switch for DC Building Applications | 617 |
| <i>Max Chen, River Li, Terence Lau</i> | |
| A Bidirectional Solid-State Circuit Breaker Based on Si/SiC Hybrid Switch | 623 |
| <i>Ju Xue, Zhen Xin, Jianliang Chen, Jianlong Kang</i> | |
| Harmonic Routing Between DC-link Capacitor Bank and DC/DC Stage for Reliability Enhancement in the Application of SST | 628 |
| <i>Jinxiao Wei, Hongyu Lin, Yu Wang, Hao Feng, Fengrui Liang, Li Ran</i> | |
| Comparative Analysis on Thermal Performance and Reliability of Discrete SiC MOSFET in Press-pack Package and Wire-bonded Package | 633 |
| <i>Zheyang Zhu, Ran Yao, Hui Li, Wei Lai, Zhongyuan Chen, Jinyuan Li, Yaosheng Li, Miaorui Wang</i> | |
| A Low-Frequency Power Decoupling Method Based on Differential Split-Capacitor CLLLC Converter | 639 |
| <i>Ziyin Wang, Zhenchao Li, Jia Shu, Yan Zhang, Jinjun Liu, Xianting Li</i> | |
| Reconfigurable Modular PV Converter for Flexible Overcurrent Capacity..... | 645 |
| <i>Huaiyuan Ma, Jia Liu, Xing Zhang, Xuewen Li, Jinjun Liu</i> | |
| Operation Control Method of the Wind-Solar-Energy Storage Dominated Islanded Microgrid Used for Hydrogen Production | 651 |
| <i>Junxiao Xia, Jiawei Chen, Pengfei Wang</i> | |
| A Comprehensive Optimized Control Scheme for the Dual-Active-Bridge dc-dc Converter..... | 657 |
| <i>Nie Hou, Yue Zhang, Yunwei Li</i> | |
| Novel Fully Distributed Robust Voltage/Var Control for High Proportion Distributed PV Networks | 666 |
| <i>Ling Wang, Hao Bai, Yuanzhe Zhu, Ruotian Yao, Wanlin Du, Wei Li</i> | |
| Smart Load With Reduced Energy Storage Based on Fractional-Order Components ... | 671 |
| <i>Jing Zi, Dongyuan Qiu, Bo Zhang, Fan Xie, Yanfeng Chen, Wenxun Xiao</i> | |

| | |
|--|-----|
| A Resonant Switched-Capacitor LLC DCX in Data Center Applications | 676 |
| <i>Jiawei Liang, Haoyu Wang</i> | |
| Research on Optimal Configuration of Generator-Hybrid Energy Storage in Aircraft HVDC Power Supply System with High Power Pulsating Load | 681 |
| <i>Jun Deng, Bangting Wang, Li Wang, Shanhui Yang</i> | |
| An Adaptive Power Process Forecasting Method for Multi-Load Rail Transit System | 686 |
| <i>Yuxin Liu, Zhaoxun Huang, Xichuan Deng, Feng Wang, Fang Zhuo</i> | |
| A Fast and Simple Open-Circuit-Fault Diagnosis for T-Type Three-Level Power Converters | 691 |
| <i>Yimin Zhang, Zhen Li, Mingyuan Zhang, Haoyu Chen, Xinqing Zhang, Zhenbin Zhang</i> | |
| Optimized Maximum Power Point Tracking for PV System Under Partial Shading Conditions | 697 |
| <i>Feixuan Yang, Haimeng Wu, Xingshuo Li, Zhiwei Gao, Mohammed Alkanderi</i> | |
| A No-communication Efficiency Optimization Method for Wireless Power Transfer System | 704 |
| <i>Yang Yang, Heng Liu, Jingzhi Ren, Wenxing Zhong</i> | |
| Realization of CC and CV With ZPA Using S-TT Compensation Network for WPTS | 710 |
| <i>Quan Xiao, Yi Zhou, Sheng Liu, Zihao Zhang, Qian Wang, Deyan Lin</i> | |
| A Design Method of the Bilateral LC-Compensated CPT System with Constant Output Voltage Considering the Secondary Inductance | 715 |
| <i>Xichen Liu, Shuai Wu, Wenping Chai, Changhua Li, Yikai Zhang, Chunwei Cai</i> | |
| A Misalignment-Insensitive Dual-Channel Electric Vehicle Wireless Charging System with a Novel Antiparallel Cross-Shaped Solenoid Pad | 720 |
| <i>Hui Wang, Yuanchao Wu, Mingzhu Zhou, Hangyan Zhou, Xiaoying Chen, Yiming Zhang</i> | |
| A Misalignment-Tolerant IPT Converter with Asymmetric Rectangular-Solenoid Coupler | 725 |
| <i>Hai Xu, Zhicong Huang, Xiaohui Qu</i> | |
| A Novel LCC-S Compensated Inductive Power Transfer System with Inherent Constant Current and Constant Voltage Charging | 729 |
| <i>Sheng Ren , Ping Yang, Xiaoqiang Wang, Jianping Xu</i> | |
| The interactions analysis for high frequency transformers insulation under multi-stress of high voltage, high frequency, and high temperature | 734 |
| <i>Zhaoxin Wang, Filipe Faria Da Silva, Henrik Sørensen, Qian Wang, Claus Leth Bak</i> | |
| Space Charge Characteristics of Epoxy/BN@SiO₂ Nanocomposites Used in Solid State Transformer | 739 |
| <i>Yong Feng, Weiwang Wang, Leiyu Hu</i> | |

| | |
|---|------------|
| Electromagnetic-thermal coupled simulation of a 10kW,10kHz high-frequency transformer considering the dynamic electromagnetic parameters of materials..... | 743 |
| <i>Yongsheng Xu, Bing Luo, Yujing Luo, Weiwang Wang, Shengtao Li</i> | |
| Effect of superimposed harmonics on partial discharge characteristics of insulation in power electronic transformers..... | 749 |
| <i>Jianning Zhao, Wenqian Zhang, Jun Jiang, Zhan Shen, Chaohai Zhang</i> | |
| Broadband Equivalent Circuit Modeling for Medium Voltage High-Frequency Transformers with Multi-Shielding Structure..... | 755 |
| <i>Rui Lu, Yinan Yao, Cheng Zheng, Jianxiong Yu, Chushan Li, Wuhua Li</i> | |
| A Self-Powered Multi-input Interface Circuit for Piezoelectric Energy Harvesting Using SECE and One Shared Coupled Inductor..... | 761 |
| <i>Junjie Zheng, Weimin Wu</i> | |
| Boundary of continuous current mode and discontinuous current mode for IPT converter..... | 765 |
| <i>Hui Deng, Huilin Ge, Jing Lian, Dexi Chen, Chenkai Guo</i> | |
| Analysis and Optimization of PCB Layout for A 12-V-to-1-V Hybrid-Switched-Capacitor VRM with Switched Intermediate Voltage Rail..... | 768 |
| <i>Huaqiao Liu, Yanan Chen</i> | |
| A Switched-Capacitor DC-DC Converter with Adaptive Single-Boundary Hysteretic Control..... | 775 |
| <i>Tai Zhang, Guigang Cai, Yan Lu</i> | |
| A Battery to 15~36V Hybrid Boost Converter with 14.4x Max VCR for LED-Lighting..... | 780 |
| <i>Chenkang Xue, Xu Yang, Yong Ding, Wuhua Li, Wanyuan Qu</i> | |
| A Strong-Grid-Friendly Voltage Control Method of Grid-Forming Inverters..... | 785 |
| <i>Cheng Ai, Yitong Li, Jinjun Liu</i> | |
| Stability Analysis of Grid-Forming Inverters with Voltage and Current Feedforward..... | 791 |
| <i>Hao Ruan, Zhe Zhang, Yi Xiao, Yongheng Yang, Marta Molinas</i> | |
| A Coordinated PV-Battery GFM Control for Power Management and Frequency Support..... | 797 |
| <i>Kai Yin, Yi Xiao, Yongheng Yang</i> | |
| Low Frequency Oscillation Analysis of Power System with Large-scale Renewable Energy Access..... | 803 |
| <i>Yue Fan, Shuanbao Niu, Meng Wang, Ying Wang, Cong Wang</i> | |
| Low-Frequency Passivity Characterization of Grid-Forming Inverter..... | 807 |
| <i>Jingying Guan, Shaojie Li, Hua Lin</i> | |
| Terminal Voltage Dynamics Analysis and Stability Assessment of Grid Forming Converters with the Impact of Grid Current Feedforward Control..... | 813 |
| <i>Boxin Liu, Yonghao Li, Yi Chen, Tianling Shi, Xin Xiang, Huan Yang</i> | |

| | |
|--|-----|
| EMI noise analysis for a High-frequency power inductor model based PFC converters | 818 |
| <i>Wenxia Chen, Wenjie Chen, Rui Cheng, Hanjie Qi, Wei Zhou, Ling Li</i> | |
| Analysis and Reduction of Common-mode Noise in Cellular RDCX Converter | 823 |
| <i>Siliang Zhang, Yuhao Xu, Gao Fan, Xinke Wu, Jiayi Zhang</i> | |
| EMI Analysis of MMC-DAB System Based Transmission Line High Frequency Model | 827 |
| <i>Wei Zhou, Xu Yang, Qingzheng Li, Yuxuan Chen, Wenxia Chen, Zhixiang Li, Tianqi Weng, Yuhang Xu</i> | |
| An Iterative Scheme for the Magnetic Field Synthesis of Electromagnetic Navigation Systems | 831 |
| <i>Sangwon Lee, Jaehoon Shim, Jung-Ik Ha</i> | |
| Ultra-High Power Density Point-of-Load Converter Design Based on A Six-Phase Strongly Coupled Transformer With least Leakage Inductance | 837 |
| <i>Kangxin Zhang, Yugang Yang, Ming Xu, Julu Sun, Juanjuan Sun, Chuanyun Wang</i> | |
| A GaN HEMT Integrated Power Module with Silver Sintering Processes | 843 |
| <i>Ze Zheng Dong, Yinxiang Fan, Haidong Yan, Xinke Wu</i> | |
| A Predictive Method of Crosstalk Peak Considering Packaging Parameters for SiC MOSFETs | 849 |
| <i>Hao Yue, Jian Chen, Wensheng Song, Haoyang Tan, Pengcheng Xu</i> | |
| Bipolar Characteristic and Mechanism of Unipolar 1.2-kV Silicon Carbide Power Semiconductors in High Junction Temperature Applications | 853 |
| <i>Fengtao Yang, Zizhen Cheng, Zhewen Ni, Hang Kong, Mengyu Zhu, Tongyu Zhang, Ruolin Han, Laili Wang</i> | |
| Design of Highly Efficient and Compact SiC Wind Power Converter Considering Wind Speed Profile | 859 |
| <i>Haoyu Chen, Tianchang Liu, Hao Feng, Li Ran</i> | |
| Framework for Determining Optimal Grid Filter and Frequency in SiC Wind Power Converter | 864 |
| <i>Haoyu Chen, Hao Feng, Li Ran, Philip Mawby, Chunjiang Jia, Chong Ng</i> | |
| Capacity Optimization Configuration of Aircraft Energy Storage Units Based on Particle Swarm Optimization and Neural Network Algorithm | 870 |
| <i>Zhiliang Wang, Xiaodong Fan, Meng Wang, Hongxu Liu, Wanqiang Cui, Guihua Liu</i> | |
| An Extended Single Particle Method for Lithium-ion Batteries | 876 |
| <i>Haiqin Song, Jianqiang Kang, Qian Wang, Jing V. Wang, Guorong Zhu, Chunhu Qian</i> | |
| Bidirectional Converter-based Broadband Lithium-Ion Batteries Impedance Measurement Approach with Model Predictive Current Control | 882 |
| <i>Anqi Geng, Haitao Hu, Yuanzhen Peng, Yanyu Chen, Zhaoyang Zhao</i> | |

| | |
|---|-----|
| An Electrochemical Impedance Spectroscopy-based Model for Lithium-Ion Batteries with Solid Phase Diffusion Process | 887 |
| <i>Yuanzhen Peng, Haitao Hu, Anqi Geng, Yanyu Chen, Zhaoyang Zhao</i> | |
| State Estimation of Lithium-ion Batteries Using Adaptive Extended Kalman Filter and Long Short-Term Memory Networks | 892 |
| <i>Qian Liu, Wanjun Lei, Yichao Gao, Jiaqi Zhao, Yize Liu</i> | |
| High Performance Sensorless Control of Brushless DC Motor Based on A Novel Sliding Mode Observer | 900 |
| <i>Yanqing Zhang, Yongzhi Li, Zhonggang Yin, Yang Zhou, Ming Su</i> | |
| Cross-cancellation Sliding Mode Observer-based Sensorless Control of PMSLM .. | 906 |
| <i>Dongsheng Yuan, Yang Zhou, Zhonggang Yin, Cong Bai, Yaning Wang</i> | |
| Model-Free Predictive Torque Control of PMSM Drives with Measurement Noise Suppression | 912 |
| <i>Oluleke Babayomi, Zhen Li, Yilin Wang, Junda Li, Zhenbin Zhang</i> | |
| IPMSM composite full-speed range sensorless control | 918 |
| <i>Yanping Zhang, Ming Su, Zhonggang Yin, Ning An, Lingfei Gao</i> | |
| An LC Oscillation Suppression Method Based on SOGI-FLL for Permanent Magnet Traction System | 924 |
| <i>Xinyu Ji, Yun Zuo, Xinglai Ge, Chunxu Lin, Huimin Wang, Junwen Mu</i> | |
| Research on A Three-phase Battery Wireless Charger with Arc Transmitting Coils for AUV | 930 |
| <i>Huiying Yu, Hongchen Liu, Youzheng Wang</i> | |
| Double Cavity Coupling Structure Design of a Capacitive Wireless Power Transfer System Under Seawater | 935 |
| <i>Yuchuan Zhu, Xiangwei Shen, Jianxin Jiang, Xuan Wei, Hao Ma</i> | |
| Comparative Evaluation of Three-phase Unipolar and Three-phase Bipolar Coils in Wireless Power Transfer | 941 |
| <i>Dongsheng Wang, Hao Feng, Li Ran</i> | |
| A Capacitive Power Transfer System Designed for Stable Outputs With Load Variations | 947 |
| <i>Xuan Wei, Xiangwei Shen, Shiyong Luo, Jianxin Jiang, Yuchuan Zhu, Hao Ma</i> | |
| An IPT System with High-misalignment Tolerance and Constant Output Voltage and Current | 953 |
| <i>Jianwei Mai, Yijie Wang, Ao Yang, Dianguo Xu</i> | |
| Torque ripple suppression method for the robust predictive current control system of SynRM based on multi-resonant control | 959 |
| <i>Zhonggang Yin, Ning An, Fengtao Gao, Ming Su, Yongzhi Li</i> | |
| A novel speed sensorless control for PMSM Drives | 965 |
| <i>Han Lu, Haoran Wang, Yuhang Tang, Yang Xiao, Yong Yang, Mingdi Fan</i> | |

| | |
|---|------|
| A Junction Temperature Monitoring Method Based on Turn-off Current for IGBT Modules | 970 |
| <i>Lily Liu, Xinglai Ge, Huimin Wang, Zhiliang Xu, Linlin Zhang</i> | |
| Fault Method Strategy for Inter-Turn Short Circuit Based on Linear Extended State Observer | 976 |
| <i>Zhonggang Yin, Yaning Wang, Peien Luo, Lingfei Gao, Yang Zhou</i> | |
| Research on Switched Reluctance Type Electromagnetic Speed Regulating Motor and Its Current Chopping Control Method | 982 |
| <i>Chenyu Cui, Yugang Yang</i> | |
| Model Predictive Control Based on Newton-Raphson Iterative Method of Triple-Active-Bridge Converter | 988 |
| <i>Qian Chen, Zheng Dong, Jiawang Qin, Xiaohui Qu</i> | |
| Effect of Multiple Combination Modes of Reactive Components on the Response of Electromagnetic Vibration Energy Harvester | 993 |
| <i>Rui Zhong, Chung Ket Thein, Dunant Halim, John Xu</i> | |
| A rotational electromagnetic energy harvester with a self-powered MPPT circuit for IoT applications | 1000 |
| <i>Yizhen Wang, Nan Chen, Tingcun Wei, Liu Yang</i> | |
| A Synchronized Multiple Bias-flip Interface Circuit for Piezoelectric Energy Harvesting Using Optimized Switched-Capacitor Arrays | 1004 |
| <i>Jiacong Qiu, Junrui Liang</i> | |
| A Wireless Voting System Built with Many Battery-free Motion-powered Bluetooth Buttons | 1010 |
| <i>Cheng Tian, Zijie Chen, Junrui Liang</i> | |
| Control Flexibility of Power Converters for Seamless Transition between Grid-Following and Grid-Forming Modes | 1015 |
| <i>Zhe Zhang, Yongheng Yang</i> | |
| Primary Frequency Regulation with Improved Frequency Deadband Control of Grid-forming Storage Inverter for Longer Lifespan | 1021 |
| <i>Wei Zhang, Zhenxiong Wang, Hao Yi, Fang Zhuo, Qiru Li, Yingjie Peng, Xiao Zhang, Jingting Wu</i> | |
| A Power Decoupling Control Strategy for Virtual Oscillator Controlled Grid-forming Inverters Based on Impedance and Voltage Compensation | 1027 |
| <i>Mingyue Wang, Shaokun Niu, Xianzhe Pang, Qicai Ren, Yuqi Shen, Alian Chen</i> | |
| Inertia-Oriented Hybrid Synchronization Control of Grid-Forming Inverters | 1032 |
| <i>Yi Xiao, Zhe Zhang, Kai Yin, Yongheng Yang, Marta Molinas</i> | |
| A New Buck-Boost AC/DC Converter with Two Switches for DC Microgrid | 1038 |
| <i>Yuan Ge, Weimin Wu, Zhigang Chen, Mohamed Orabi</i> | |

| | |
|---|------|
| Review of electrolyser modeling in wind power and photovoltaic electrolysis for hydrogen production | 1043 |
| <i>Dong Ding, Honglin Wu, Shiqi Zhang, Xijuan Yu, Haiyun Wang, Liping Yang</i> | |
| A multi-port converter structure based on port interconnection for hybrid energy storage system | 1047 |
| <i>Yingjie Yang, Tiantian Cai, Dehong Liu, Yupeng Wei, Xiaoqiang Guo, Zhigang Lu</i> | |
| APS Modulation of High-frequency Partial Paralleled DAB Converter Using Improved PSO Algorithm and Online Optimization Algorithm | 1051 |
| <i>ZhaoYang Chen, Zhe Zhang, Xingyu Fu, Yuan liu, Xiaoqiang Guo</i> | |
| Design of High-Power Pulsed Laser Power Supply | 1057 |
| <i>Jian Xu, Langlang Yu, Jiahao Song, Helong Li, Zhiqing Yang, Lijian Ding</i> | |
| Thermal modeling and control strategy for alkaline water electrolyzers cold start | 1063 |
| <i>Haoran Cheng, Yanghong Xia, Jin Wang, Wei Wei</i> | |
| Comparing the Aging Characteristics of Quasi-Solid-State Lithium Batteries and Traditional Lithium Batteries | 1068 |
| <i>Binxin Li, Zhaoyang Zhao, Shumin Qin, Weixuan He, Hantao Ma, Yuhang Liu, Haitao Hu, Zhengyou He</i> | |
| Design and Modeling of the PCB Rogowski Coil with Multiple Vias for Power Devices | 1072 |
| <i>Yafei Shi, Zhen Xin, Ze Zhou, Yu Yao</i> | |
| Design of PCB Rogowski Current Sensor with Digital Compensation for Three-Phase Inverter | 1077 |
| <i>Yu Yao, Ze Zhou, Yafei Shi, Zhen Xin</i> | |
| Numerical Simulation Research and Application of Space Charge Characteristics of Silicone Elastomer for Device Packaging | 1082 |
| <i>Pengfei Wu, Yunlai An, Shuai Sun, Jinqiang Zhang, Zhibin Zhao, Xuebao Li</i> | |
| Mission Profile Emulator for Individual Sub-module in Cascaded H-bridge Converter-based Battery Energy Storage Systems | 1086 |
| <i>Moxi Wang, Yalin Zhang, Yaohai Li, Ke Ma, Xu Cai</i> | |
| Accelerated Aging Test of Metallized Film Capacitors in Modular Multilevel Converter Based on Mission Profile Emulator | 1090 |
| <i>Xi Ling, Yalin Zhang, Xin Yu, Ke Ma</i> | |
| PMSG LVRT Strategy with Frequency Divided Droop Control of Supercapacitor .. | 1095 |
| <i>Junda Li, Zhen Li, Wenjie Guo, Zhenbin Zhang, Gefei Liu</i> | |
| Repeated Resonant Extended State Observer Based Active Disturbance Control for Power Conversion System with LLCL Filter | 1100 |
| <i>Shuo Zhang, Ning Gao, Weiming Wu</i> | |

| | |
|--|------|
| Indirect Frequency Control Method for Rotor Power Reduction of Large DFIG Individually Linked to Medium Voltage DC Grid | 1105 |
| <i>Xueshen Cui, Qiwei Zhang, Yongxin Liu, Qihui Liu, Chengyong Zhao</i> | |
| A Parameter Design Method for DRU-HVDC Integrated Offshore Wind Farm Concerning System Harmonic and Resonance Characteristics | 1111 |
| <i>Xinfang Ren, Haotian Yu, Xu Cai, Wenxin Feng, Zhichao Zhang, Guangqiang Peng</i> | |
| Integrated Grid Connected System for Offshore Wind and Marine Current Energy Generation | 1117 |
| <i>Yu Zhang, Guodong Chen, Tianzhen Wang</i> | |
| A Robust Predictive Current Control of T-Type Three-Level Power Converters Based on Adaptive Linear Neural Network | 1122 |
| <i>Yimin Zhang, Zhen Li, Haoyu Chen, Oluleke Babayomi, Mingyuan Zhang, Xinqing Zhang, Zhenbin Zhang</i> | |
| Three-phase partial power control converter based on SHEPWM | 1128 |
| <i>Wei Zhao, Lanfang Ma, Yin Lv, Lei Qi, Yibo Qi, Xiaofeng Sun</i> | |
| Design and Analysis of a Step-up Multi Port Converter for Energy Conversion in Photovoltaic Battery Systems | 1133 |
| <i>Siyuan Shi, Song Xu, Wei Jiang, Seiji Hashimoto</i> | |
| A Backflow Power Optimization Method for Three-level ANPC-DAB Converter | 1137 |
| <i>Haotian Deng, Yijun Wang, Jiachen Tian, Feng Wang, Fang Zhuo</i> | |
| A Design Method of Magnetic Component Parameters in Dual Active Bridge Converters for Efficiency Improvement Under Variable Load Conditions | 1143 |
| <i>Hongwei Zhang, Zeng Liu, Xujie Wang, Xin Zhang, Jinjun Liu</i> | |
| Charge-Discharge Management Strategy of Battery in Hybrid Power Generation System of Marine Clean Energy | 1149 |
| <i>Ying Liu, Guodong Chen, Tianzhen Wang, Shang Chen</i> | |
| A Distributed Frequency Support Control Strategy for Offshore Wind Farm Integration System via DRU-HVDC | 1154 |
| <i>Zhichao Zhang, Haotian Yu, Xu Cai, Wenxin Feng, Xinfang Ren, Xianghui Ma</i> | |
| Identifying Parameter of Boost Converter Based on Data and Mechanism Combination Method | 1159 |
| <i>Xiongjian Li, Fan Xie, Runnan Wang, Dongyuan Qiu, Wenxun Xiao</i> | |
| Remaining Useful Life Prediction of Li-ion Batteries Using an improved CNN-LSTM Model | 1164 |
| <i>Annuo Yu, Qingsong Wang, Xiaofeng Dong, Giuseppe Buja</i> | |
| A Deep Transfer Learning Framework for Li-ion Battery Temperature Prediction Based on LSTM Pretraining Model | 1170 |
| <i>Fei Ren, Dong Lu, Naxin Cui</i> | |

| | |
|---|------|
| Performance Modeling for Power Converters with Light Gradient Boosting Machine | 1176 |
| <i>Xinze Li, Fanfan Lin, Xin Zhang, Xueqi Liu, Hao Ma</i> | |
| A Fault Diagnosis Method Based on Gate Recurrent Unit Fully Convolutional Network for Power Router | 1180 |
| <i>Xin Gao, Xianzhe Pang, Alian Chen</i> | |
| A High-Efficient Single-Phase Cascaded ThreeLevel AC/DC Converter With Variable DC Bus Voltage | 1186 |
| <i>Hao Liu, Yuanbin He, Lijun Hang, Jinsheng Hu</i> | |
| A T-type Three-level DAB AC/DC Converter With Multi-mode Optimized Modulation Strategy | 1191 |
| <i>Lijun Song, Hangbin Yu, Lijun Hang, Yuanbin He, Sai Tang, Zhen He, Huipin Lin</i> | |
| Optimization Design of Contactor Driver for Electric Vehicle | 1195 |
| <i>Ao Gu, Qiang Zhang, Haitai Huang, Yongbin Hong</i> | |
| Current Balancing Scheme for Asymmetric Three-level/two-level Three-phase Dual-active Bridge Converter | 1199 |
| <i>Xiangfei Xiao, Ke Wu, Zhenghe Shu, Hanyu Wang, Xing Zhang</i> | |
| A Parameter Design Method for L-LLC Resonant Converter | 1205 |
| <i>Xinheng Zhou, Changsong Chen, Kang Ni, Huiyao Mi, Jiajun Yang, Tianhao Yang</i> | |
| Neutral-Point Voltage Control Strategy of Vienna Rectifiers Based on Hybrid DPWM | 1211 |
| <i>Jiajun Yang, Bangyin Liu, Huiyao Mi, Binrong Ji, Xinheng Zhou, Kang Ni</i> | |
| Hybrid Mode Optimal Asymmetric Duty Modulation for Dual Active Bridge Converter with DC Blocking Capacitors | 1216 |
| <i>Shuyu Liu, Siqi Dai, Shiqi Fang, Peng Dai</i> | |
| Research on low cross regulation multiple high voltage output converter based on magnetic decoupling | 1222 |
| <i>Gui Zhu, Xiaodong Liu, Zhiyuan Qin, Qianjin Zhang, Sucheng Liu, Wei Fang</i> | |
| LADRC-Based Large-Signal Stability Enhancement for Microgrid Energy Storage Converter | 1228 |
| <i>Honglong Zhang, Pingjuan Ge, Hailiang Xu, Zhuangzhuang Wan</i> | |
| An RMS Current Oriented Optimal Design Method for Bidirectional CLLC-DCX Converter | 1234 |
| <i>Lie Zhao, Yunqing Pei, Laili Wang, Long Pei, Zhixiang Li, Wei Cao</i> | |
| Multi-Winding Transformer and Series LC-Based Voltage Balancer for Photovoltaic MVDC Integration | 1239 |
| <i>Lang Liu, Xiaoquan Zhu, Jintao Hou, Penghui Hou</i> | |
| Research on Load Transfer Scheme and Control Strategy of Multi-terminal DC Distribution Network Based on Power Flow Controller | 1245 |
| <i>Yan Qiao, Weiyang Ren, Tiancheng Zhong, Xiaoyu Chen, Yiwei Xu, Yiming Shao, Weiye</i> | |

Diao, Jun Mei, Jiawei Guo

Optimization Study for the Influence of Parasitic Parameters in Aerospace Power Supply Based on GaN..... 1249

Cheng Peng, Yonggang Chen, Shubo Zhi, Mingming Ji, Huiyao Li, Zhipo Ji

A Hybrid Control Method for high power LLC Converter with Wide Output Voltage Range 1254

Junzhe Zhang, Changsheng Hu, Dehong Xu

Study on an Improved CLLC Converter for Wide Voltage Range Applications 1259

Hongjun Wang, Shaojun Xie

An Improved SWISS Rectifier Without DC Filter Inductance and Design Consideration on Its Transformer Parameters 1264

Ziwen Yang, Bo Zen, Lingjuan Tan, Jiahua Kang, Shaojun Xie

Ultra-low Voltage and Large Conversion Ratio DC-DC Converter for Electromagnetic Pump 1269

Yanzheng Yu, Shengdao Ren, Xu Yang, Ziteng Chen, Wanyuan Qu

A Noise-shaped Buck Converter Using a Noise-Coupled Second Order Delta-Sigma Modulator 1274

Lehan Xu, Zhangyong Chen, Xin Tong

Sampled-Data Modeling of Digitally Controlled Boost Converter With Trailing-Edge and Leading-Edge Modulations..... 1279

Xiaofei Yang, Ziyang Li, Lijun Hang, Yuanbin He, Sai Tang, Zhen He, Huipin Lin

Study of Different Control Strategies on a Novel Hybrid Switched-Capacitor Converter 1285

Shihang Sun, Wenjie Chen, Xin Meng, Ding Su, Yun Wang

Power Loss Minimization Control for Double-Clamped ZVS Buck-Boost Converter 1289

Yanglong Li, Guohua Zhou, Lunbo Deng

An Adaptive Model Predictive Control for Three-Level Flying Capacitor Boost Converter in Photovoltaic System 1295

Yuxuan Chen, Han Cao, Rui Li, Xuhui Song, Shangkun Li, Fan Zhang

Design Guidelines for Y Capacitance Based on CM Noise Caused by Line Frequency Switch of Totem-pole PFC..... 1299

Jiayi Zhang, Yanan Liu, Siliang Zhang, Xinke Wu, Junming Zhang

Flexible Mode Totem Pole PFC Rectifier With High Efficiency 1302

Hao Zhou, Xiaoguang Jin, Yuliang Liu, Liangliang Chen, Peng Xu

An Optimized SPWM Strategy Against Detuning Effect in UWPT System Based on FPGA 1307

Zeyu Fan, Yuan La, Yao Yuan, Linjie Zhao, Fanghui Yin, Xi Zhang, Jiahui Yang, Liming Wang

| | |
|---|------|
| Research on Wide Output Step-down Converter Based on One Cycle Control | 1311 |
| <i>Yongbin Hong, Qiang Zhang, Haitai Huang, Ao Gu</i> | |
| Optimization Design Method for Printed Circuit Board Self-resonant Coil | 1316 |
| <i>Yang Liu, Fuyao Yang, Yu Han, Jie Gao, Hao Sun, Cong Wang, Yueshi Guan, Ruiqing Sun</i> | |
| Redundancy design and reliability modeling of GaN-based flying capacitor multilevel converter | 1322 |
| <i>Tang Sai, Lijun Hang</i> | |
| A Novel Single-Phase Three-Wire Three-Level Power Inverter with a Balance Bridge | 1326 |
| <i>Yi Zhu, Huiqing Wen, Yong Yang</i> | |
| A Deep Deterministic Policy Gradient Algorithm Based Controller with Adjustable Learning Rate for DC-AC Inverters | 1331 |
| <i>Jian Ye, Sen Mei, Huanyu Guo, Di Zhao, Xinan Zhang</i> | |
| Parallel Operation Modulation Strategy Based on Three-Layer Objective Switching Sequence Design for Coupled Ten-Switch Inverter | 1337 |
| <i>Chuangping Wen, Hua Chen, Chang Liu, Xiangyang Xing</i> | |
| A Family of Single-Stage Multiport Inverters for Hybrid Renewable Energy Generation | 1342 |
| <i>Zhengqin Huang, Dehong Zhou, Zewei Shen, Jianxiao Zou</i> | |
| Multiperiodic Fractional-Order Selective Harmonic Repetitive Voltage Control Scheme of Three-phase Programmable AC Power Sources | 1348 |
| <i>Haoxiong Ke, Kelian Zhou, Chao Tang</i> | |
| Multi-frequency Grid-connected Inverter Topology and Control for Increasing Power Density | 1353 |
| <i>Bowen Li, Tingyun Gu, Yumin He, Yu Wang, Jiacheng Luo, Fan Xie, Bo Zhang, Yanfeng Chen</i> | |
| Mechanisms and Method for Active Power Sharing and Zero Frequency Deviation in Decentralized Control | 1358 |
| <i>Yu Jiang, Feng Gao</i> | |
| A Single-phase Off-line Inverter in Critical Conduction Mode using GaN Devices | 1364 |
| <i>Shaoliang An, Qiqi Zhang, Kejia Wang, Shaogang An, Yunhai Liu, Qi Zhang</i> | |
| A Control Strategy For Suppressing Common Mode Current | 1370 |
| <i>Dan Zhao, Yanjun Wei, Liqiao Wang, Cheng Wang</i> | |
| Pareto-Optimal Design of Passive Damping for Megawatt Grid-Connected Inverters | 1375 |
| <i>Guangda Ma, Chuan Xie, Cheng Li, Weijun Wang, Jianxiao Zou</i> | |
| A Three-Phase Si & SiC Hybrid Three-Level Hybrid Legs (Hybrid²) Inverter with Optimal Power Quality and Low Cost | 1381 |
| <i>Tianlun Xia, Lianjie Wang, Chushan Li, Huan Yang, Wuhua Li, Xiangning He</i> | |

| | |
|--|------|
| SiC and Si Hybrid Multilevel Current Source Inverter and its Space Vector Modulation Scheme | 1385 |
| <i>Meifang Li, Lianjie Wang, Tianlun Xia, Chushan Li, Wuhua Li, Xiangning He</i> | |
| PT Control Strategy Based on Differential Boost Inverter | 1390 |
| <i>Shiming Hu, Hao Qin, Jingyuan Wu, Yan Deng</i> | |
| Enhanced Adaptive Virtual Impedance Control Method for Harmonic Voltage Mitigation in Parallel Grid-Forming Inverters | 1395 |
| <i>Yidong Shi, Zeng Liu, Jiazhi Wang, Jinjun Liu</i> | |
| Operating Principles of Series-connected IGBTs Based on Active Clamping Circuit in Voltage Source Converters | 1400 |
| <i>Yumiao Yuan, Jinshuai Wang, Shuai Shao, Ying Huang, Junming Zhang</i> | |
| Sequence Impedance Modeling of VSG-Based Grid-Forming Direct-Drive PMSG Wind Turbine | 1406 |
| <i>Pingfan Duan, Yang Li, Xin Tian, Peizhe Yi, Zhenhua Yuan, Xiangfei Meng, Bin Liu, Xu Tian, Zhen Li</i> | |
| Research on Split-Source Two-Stage Matrix Converter and Its Modulation Strategy | 1413 |
| <i>Rutian Wang, Hao Wang, Shiqi Wang, Chuang Liu</i> | |
| A Modified Fractional Level Modulation Strategy for Fractional Level MMC | 1420 |
| <i>Xinyang Yu, Chen Wang, Yi Wang, Chuang Han</i> | |
| Arm Average Model and Operational Characteristics Analysis of MMC with Integrated Battery Energy Storage System | 1426 |
| <i>Xinyang Yu, Chen Wang, Yi Wang, Chuang Han</i> | |
| A Switched-Capacitor Nine-Level Inverter With Hybrid PWM Strategy and Inductive-Load Ability | 1432 |
| <i>Nengmou Xu, Guohua Zhou, Chuyi Shen</i> | |
| Performance Analysis of Asynchronous PWM at Low Carrier Ratios | 1436 |
| <i>Lingyun Chen, Cong Wen, Wenxi Yao</i> | |
| Multiple Complex Coefficient Filter Based Grid Impedance Estimation and Voltage Feedforward Method for Weak Grid Connected Three-phase Inverter | 1442 |
| <i>Peijie Zhang, Qiming Wang, Shuai Ma, Fanming Meng, Zixu Zhang, Jianliang Chen</i> | |
| Double-Time-Scale Active Thermal Control for Single Inverter with Variable Frequency SPWM | 1447 |
| <i>Kexin Bu, Tao Xu, Feng Gao, Jingyang Fang, Hao Tian, Wenqiang Lu</i> | |
| The Impact of Sampling Aliasing Introduced by Crystal Oscillator Frequency Errors on the Stability of the Droop Control System | 1453 |
| <i>Yayue Cao, Tao Xu, Feng Gao</i> | |
| A Splitting Modulation Strategy for Arm Multiplexing Modular Multilevel Converter | 1459 |
| <i>Chuang Han, Chen Wang, Yi Wang, Zhiyou Liu, Xinyang Yu, Yang Dong</i> | |

| | |
|---|------|
| A Precharge Control Strategy for Arm Multiplexing Modular Multilevel Converter | 1464 |
| <i>Chuang Han, Chen Wang, Yi Wang, Xinyang Yu, Yang Dong, Zhiyou Liu</i> | |
| Open-Circuit Fault-Tolerant Operation for Three-Level Quasi-Z-Source Active Neutral Point Clamped Inverter | 1469 |
| <i>Zixuan Yang, Ying Jiang, Haiyang Li, Xiushuo Wu</i> | |
| A Carrier-Based DPWM for T-Type Three-Level Inverter with ZSV Injected by Searching Neutral Point Current..... | 1475 |
| <i>Xuhui Song, Jie Tian, Lin Li, Shangkun Li, Yuze Zheng, Fan Zhang</i> | |
| Design of Compact High Efficiency Energy Storage Converters Based on Hybrid Three-Level Topology..... | 1481 |
| <i>Cong Chen, Hongzhou Chen, Yi Long, Xin Xiang, Wuhua Li, Xiangning He</i> | |
| The Interaction Between Active Power and Synchronization Loops of PMSG Within Electromechanical Timescale | 1486 |
| <i>Yayao Zhang, Meng Zhan</i> | |
| Small-Signal Model for Dual Active Bridge Resonant Converters..... | 1492 |
| <i>Xin Li, Yiming Zhang, Yi Tang, Wu Chen</i> | |
| Multi-frequency oscillation suppression method for DC bus voltages based on oscillation energy suppressor | 1496 |
| <i>Yongqiao Chen, Jipei Yang, Liangtao Weng, Ling Yang</i> | |
| Design of DC Voltage Controller for Master Station Based on System-Level Modeling in MTDC System | 1502 |
| <i>Xuan Dong, Chuyang Wang, Jiapeng Shen, Mengjie Zhang, Xinying Wang</i> | |
| VSG-based all-phase difference pre-synchronization strategy without grid-side phase-locked loop | 1506 |
| <i>Yichuan Zhong, Damin Zhang, Baosen Zhang, Jinping Huang, Yonghu Li, Weidong Xu</i> | |
| Enhancing Power Decoupling Control of Grid-Connected Inverters through Data-Driven Parameter Optimization | 1510 |
| <i>Jiangge Zhu, Gang Lin, Ningyi Dai</i> | |
| Stability Analysis and Enhancement of Grid-Forming Inverters under Stiff Grid Conditions | 1516 |
| <i>Wen Zou, Yuying He, Wenbo An</i> | |
| Closed-loop Current Components Control Strategy of Operational Test System for MMC Valves | 1521 |
| <i>Dunhui Chen, Chong Niu, Yutao Xu, Houyi Zhang, Xin Yan, Zhaofang Zhu</i> | |
| Research on Independent Modulation Strategy for Each Arm of Arm Multiplexing Modular Multilevel Converter | 1526 |
| <i>Yutao Xu, Dengjiang Xing, Dunhui Chen, Jikai Li, Houyi Zhang, Peipei Liang</i> | |

| | |
|---|------|
| Design of Passive Damping Filter for High-Frequency Oscillation Suppression of MMC | 1531 |
| <i>Meijuan Yang, Daoyang Li, Xinhe Liu, Linzhen Fan, Kuan Zheng, Qishen Chen</i> | |
| Study of Stability Analysis and Design Method for Grid-Connected Converter Connected to Three-phase Voltage Source Converter | 1536 |
| <i>Hongyang Li, Min Chen, Haoqing Cai, Changsheng Hu</i> | |
| Optimized adaptive three-phase active inductance considering multiple factors | 1542 |
| <i>Longling Shen, Guorong Zhu, Feng Liu, Haoran Wang, Qian Wang</i> | |
| Research on the Control Strategy of Low Voltage and Low Frequency Pulsed Loads | 1547 |
| <i>Yonghui Duan, Yang Zhao, Ang Shen, Yuke Gong, Xiaochun Li, Xinzheng Wang</i> | |
| Modelling and Design of LCL-Filtered T-Type Inverters for Common-Mode Resonance Current Suppression in High-Power Applications | 1553 |
| <i>Bei Liu, Xiangyang Xing, Rui Zhang, Chang Liu, Chuangping Wen</i> | |
| Impact of Power Control Parameters on the Passivity of Grid-forming Inverters .. | 1559 |
| <i>Yuying He, Guotao Wu, Xuehua Wang, Wen Zou</i> | |
| Detection Threshold Design for DC Islanding Detection with Static Disturbing Frequency | 1564 |
| <i>Tianling Shi, Yonghao Li, Boxin Liu, Jintao Lei, Fei Wang, Xin Xiang, Wuhua Li</i> | |
| Stability and Application Analysis of SAPF with PCC Harmonic Voltage Detection | 1569 |
| <i>Deshuo Yu, Hao Yi, Fang Zhuo, Yuguo Li, Xin Jiang, Yihan Xie</i> | |
| A Switching-Loss-Matching Model for Power Electronics Real-Time Simulation .. | 1574 |
| <i>Zhe Zhang, Wenwen Lyu, Shuang Yao, Huan Yang, Rongxiang Zhao, Ziqin Fang</i> | |
| Equivalent Physical Model of Modular Multilevel Converter Considering Internal Dynamics | 1580 |
| <i>Hongyi Chen, Heya Yang, Zhizhan Tang, Qian Zhang, Xin Xiang, Wuhua Li</i> | |
| Modeling and Stability Discrimination of High Permeability System Considering Fundamental Frequency Disturbance | 1586 |
| <i>Fei Li, Rui Gan, Jiaming Tan, Qiang Feng, Yuanze Zhang, Xing Zhang</i> | |
| Research on the Effects of Grid-forming Control on Islanding Detection Effectiveness of Distributed Energy Resources | 1592 |
| <i>Yuyang Liu, Xinbin Chen, Zefan Chen, Xiaojie Shi, Lei Lin, Zhiqiang Wang</i> | |
| Investigation on Fault Current Characteristics of Droop-Controlled Inverter With Virtual Impedance Emulation | 1599 |
| <i>Yajie Tang, Diyang Gong, Tao Liu, Zhihao Li, Xiaojie Shi, Lei Lin, Zhiqiang Wang</i> | |

| | |
|---|------|
| Model Prediction-based Virtual Synchronous Machine Control for Improving Transient Frequency Security and Stability of Wind Power Interconnected Power Systems | 1604 |
| <i>Peng Zhang, Ping Yang, Xu Lin, Zejian Liu, Junsheng Chen</i> | |
| Research on Multi-terminal Coordinated Control Strategy of Fractional Frequency Transmission System | 1610 |
| <i>Zihang Kang, Yongqing Meng, Tianyi Wang, Xiang Gao, Dandan Zhu, Qian Zhou</i> | |
| Simulation Method for Multiscale Failure of Optocoupler Based on Aging of Solder Layer in Photovoltaic MOSFET | 1615 |
| <i>Xuan Chen, Ran Yao, Hui Li, Wei Lai, Yuan Min, Cheng Yang, Zeyu Duan, Siyu Chen, Zhen Xing</i> | |
| An Improved Grid-Current-Feedback Active Damping Method for LCL-Type Grid Connected Inverter | 1620 |
| <i>Jingrong Fu, Jie Li, Xin Tang, Lingfeng Zhu, Yaoqin Jia</i> | |
| A Novel Droop Control of Grid Converter to Enhance Small Signal Stability of Fractional Frequency Wind Power System | 1624 |
| <i>Peiqi Zhao, Yongqing Meng, Boyang Song, Mengwei Ge, Dandan Zhu, Qian Zhou</i> | |
| An Improved Linear Active Disturbance Rejection Control for UPQR to Optimize Series Side THD | 1629 |
| <i>Ziyang Guo, Fan Zhang, Niepeng Zhang, Yichao Zhu, Hongjun Li</i> | |
| Dynamic Response Optimization Of A DABSRC Based On Feedforward Control | 1635 |
| <i>Kai Qiu, Pengyu Jia, Yiheng Zhang</i> | |
| Grounding Effectiveness Analysis and Overvoltage Characteristics Study of Distributed Photovoltaic System | 1640 |
| <i>Yuhao Zhou, Xiaojie Shi, Lei Lin, Zhiqiang Wang</i> | |
| Evaluation Bench with Voltage Balancing Capability for Series-connected High Voltage SiC MOSFETs | 1646 |
| <i>Qiuyang Tan, Saijun Mao, Fang Lv, Shuhao Yang, Qichun Cao, Yujie Ding</i> | |
| Comparative Study on Reliability and Application Features of SiC MOSFET | 1650 |
| <i>Yiding Wu, Miaoguang Bai, Qing Guo, Junliang Xu, Hai Lin</i> | |
| Development of 1200V 150A High Temperature High Current SiC JBS Diodes | 1655 |
| <i>Yehui Luo, Chengzhan Li, Changwei Zheng, Yafei Wang, Yun Bai, Yidan Tang</i> | |
| Simulation of Thermal Distribution in SiC Power Modules with Pinfin Heatsink Based on Lattice Boltzmann Method | 1659 |
| <i>Xiaoshuang Hui, Puqi Ning, Tao Fan, Kai Wang, Yunhui Mei, Guangyin Lei</i> | |
| An Adaptive On-state Voltage Measurement Circuit with Expandable Units for High Voltage IGBT Module | 1665 |
| <i>Letian Xiang, Yifan Wang, Mingquan Zeng, Ming Sun, Dong Hai, Haoze Luo</i> | |

| | |
|---|-------------|
| Online Junction Temperature Extraction With Gate Voltage for Thyristor Considering the Pressure Variation | 1670 |
| <i>Zhong Chen, Wei Yang, Di Hu, Weiping Guan, Jia Xie, Haoze Luo</i> | |
| The Influence of Packaging on the High Voltage SiC MOSFET Termination..... | 1676 |
| <i>Pengfei Wu, Yunlai An, Shuai Sun, Zhaocheng Liu, Zhibin Zhao, Xuebao Li</i> | |
| Sensitivity Analysis and Suppression Method on PETT Oscillations under Short Circuit Condition of High-Power IGBT Modules | 1680 |
| <i>Ankang Zhu, Letian Xiang, Fujun Zheng, Yuting Jin, Haoze Luo, Wuhua Li, Xiangning He</i> | |
| The Impact and Optimization of Parasitic Capacitance in Silicon Carbide Power Module Switching Characteristics | 1690 |
| <i>Dingkun Ma, Guochun Xiao, Tianshu Yuan, Lei Li, Peiyuan Sun, Qingshou Yang, Kai Gao, Laili Wang</i> | |
| Enhanced Thermal Performance of Power Module With Integrated AlN Ceramic Heatsink | 1695 |
| <i>Liang Wang, Mingyu Xu, Miaomiao Li, Jiakun Gong, Senhao Liang, Jiawei Zhang, Zheng Zeng</i> | |
| Transient Thermal Management of Press-Pack Thyristor using Stacked Structure and Phase Change Material | 1701 |
| <i>Honggang Chen, Jingpeng Cheng, Jinxiao Wei, Hao Feng, Li Ran</i> | |
| Factors Affecting Dynamic Voltage Imbalance in IGBT Series Connection Based on Behavior Mode | 1706 |
| <i>Huiyan Tian, Xingkang Bao, Wenxi Yao, Chushan Li, Wuhua Li, Xiangning He</i> | |
| The Influence of Parasitic Parameters of Power Modules on CM Current during Switching oscillation | 1711 |
| <i>Qingshou Yang, Laili Wang, Zaojun Ma, Xiaohui Lu, Haihua Wang, Dingkun Ma</i> | |
| Design and Demonstration of 3D-Stacked Packaging SiC Power Module With Low Parasitic Inductance and Low Thermal Resistance | 1715 |
| <i>Senhao Liang, Yuxi Liang, Peng Sun, Jiakun Gong, Mingrui Zou, Zheng Zeng</i> | |
| Design and Assessment of SiC Multi-Chip Power Module With Kelvin Source | 1720 |
| <i>Zhizhou Xu, Peng Sun, Mingrui Zou, Jiakun Gong, Zheng Zeng</i> | |
| Comparative Thermo-Fluid Assessment of Automotive Power Module With Elliptical Pin-Fin | 1725 |
| <i>Yiming Gong, Peng Sun, Mingrui Zou, Jiakun Gong, Zheng Zeng</i> | |
| Improvement of the Square Root t Method for Junction Temperature Measurement of SiC MOSFET Power Cycling Test | 1731 |
| <i>Hao Jin, Jin Zhang, Xiaofeng Jiang</i> | |
| A Hybrid EMI Filter Design for Motor Drive System Based on Common-Mode Impedance Optimization | 1737 |
| <i>Jianrui Liu, Dong Jiang, She Yan, Pengye Wang, Weiheng He, Qihong Liu</i> | |

| | |
|--|------|
| Spread spectrum modulation strategy for Vienna rectifiers to reduce EMI and switching losses | 1742 |
| <i>Hui Liu, Dong Jiang, Shuyu Zhang, Xuan Zhao, Jianan Chen</i> | |
| Modeling of Magnetic Field in Low-voltage Circuit Region of Medium-voltage H-bridge Module | 1746 |
| <i>Zili Zhu, Luchang Liu, Henglin Chen</i> | |
| Modeling and Analysis of Multi-source Spectrum in PV Inverter Considering EMI Accumulation Effect | 1750 |
| <i>Yi Yu, Peng Zhou, Xuejun Pei, Dingkun Zhao, Qichi Chen, Youwen Zhang</i> | |
| Design of Isolated Bi-Directional DC-DC Converter for Aerospace | 1757 |
| <i>Xiaohui Zeng, Chunzhi Chen, Lei Yang, Wei Chen, Qingbin Chen, Yuping Huang</i> | |
| A Current Doubler Rectifier Magnetic Integration With Improved Power Density .. | 1763 |
| <i>Molun Li, Wei Chen, Yipeng Kong</i> | |
| Research on Parameter Modeling and Turn Optimization Design Method of WPT Magnetically Coupled System | 1769 |
| <i>Binzhi Xie, Feng Fan, Xixian Guo, Qingbin Chen</i> | |
| Design consideration of magnetic coupling system and its optimization technique in wireless power transfer system | 1775 |
| <i>Xixian Guo, Zhibin Lu, Binzhi Xie, Qingbin Chen</i> | |
| Design of an Integrated Magnetic Structure for the CLLC Resonant Converter | 1782 |
| <i>Jianxiao Dai, Bin Zhao, Yang Gu, Gang Wang</i> | |
| Analysis of EMI Mixed-mode Noise Mechanism of Three-phase Motor Drive System | 1787 |
| <i>Yulin Liu, Wei Chen, Jinsheng Zhang</i> | |
| Design of Hybrid EMI Filter Based on Planar Magnetic Integration | 1793 |
| <i>Xudong Zhang, Yitao Liu, Zijian Lu</i> | |
| Effect of Core Thickness on Coil Loss and Temperature in WPT System | 1799 |
| <i>Yu Zeng, Wei Chen, Xiaohui Zeng</i> | |
| Measurement and Research of DC Magnetization Curves Based on DC Excitation Method | 1807 |
| <i>Peng Fan, Haowei Yao, Jinghui Wang, Shuo Tao, Wei Chen</i> | |
| Active EMI filters based on the fractional order compensation | 1814 |
| <i>Lu Fu, Ru Yang, Zhishen Wang, Hong Yang, Hui Liao</i> | |
| Investigation for Influence of Parasitic Inductances of Damping Resistors on Suppressing SiC MOSFET Switching Oscillation | 1819 |
| <i>Xiaodi Wang, Xin Yang, Guoyou Liu</i> | |
| Study on Common Mode EMI Characteristic Modeling Method of Planar Transformer | 1826 |
| <i>Ledong Hou, Subin Lin, Changchuan Peng</i> | |

| | |
|--|-------------|
| Development of an Inductor Design Tool based on Multi-Objective Optimization and Finite Element Simulation | 1831 |
| <i>Chengxiang Zhu, Wenxi Yao, Huiyan Tian, Wuhua Li</i> | |
| Analysis of Skin Effect Influence in Underwater AC Transmission System | 1836 |
| <i>Junzhao Zhang, Dong Jiang, Jiangan Guo, Cong Liu, Yanghui Ou</i> | |
| Study on Core Loss Model of Super High Frequency PWM Wave Excitation..... | 1839 |
| <i>Shuo Tao, Zhikang Fu, Jinghui Wang, Peng Fan, Wei Chen</i> | |
| A Novel CM Active EMI Filter based on Isolated Voltage Sensing Approach | 1846 |
| <i>Xin Meng, Wenjie Chen, Shihang Sun, Yun Wang, Ding Su</i> | |
| Conducted EMI Noise Analysis Model for PFC Converters Based on Modeling of EMI Receiver | 1850 |
| <i>Rui Cheng, Wenjie Chen, Wenxia Chen, Pengyuan Ren, Hanjie Qi, Changtao Chen</i> | |
| Radiated EMI Modeling of SMPS Device with Cables Considering Wiring Features | 1855 |
| <i>Junpeng Ji, Dengcai Zhang, Shan Lin, Fengjiao Cheng, Wenlong Gu, Tuo Li</i> | |
| Reliability Estimation of Power Converter in the Energy Storage System..... | 1860 |
| <i>Jun Zhang, Huixian Shen, Zhihuan Wang, Xing Ma</i> | |
| An Open-Circuit Fault Diagnosis for Three-Level Inverters based on S transform -SVD and IM-DBN..... | 1864 |
| <i>Xiaoyu Li</i> | |
| A PV Module Life Prediction Method with Flexible Consideration of Environmental Stress Coupling Weights | 1868 |
| <i>Zhuangzhuang Li, Mingyao Ma, Tianxia Han, Jianye Ma</i> | |
| Impact of Short-Circuit Events on the Threshold Voltage Instability of SiC MOSFETs | 1874 |
| <i>Kaiwei Li, Pengju Sun, Xing Ma, Xu Huang, Qiang Li, Lan Chen</i> | |
| Investigation of Short-circuit Failure Mechanism in 1.2kV SiC MOSFET..... | 1879 |
| <i>Houcai Luo, Huan Wu, Jingping Zhang, Bofeng Zheng, Xianping Chen</i> | |
| A Research on Internal Reactive Power Optimization of Large Photovoltaic Power Plants Based on Particle Swarm Algorithm | 1885 |
| <i>Panlan Wang, Mingyao Ma, Jiacheng Liang, Jianguan Li</i> | |
| IGBT Thermal Model Theory and Analysis for Device-To-System-Level Electrothermal Simulations..... | 1890 |
| <i>Yiping Lu, Enyao Xiang, Lin Zhu, Haoze Luo, Huan Yang, Rongxiang Zhao</i> | |
| Vegetation Shading Fault Diagnosis in Photovoltaic Power Stations Based on SVM | 1896 |
| <i>Zhao Wang, Mingyao Ma, Wenting Ma, Qian Xu, Rui Zhang</i> | |

| | |
|---|------|
| Capacitor Health Evaluation Method Considering Stochasticity from Multiple Independent Sources | 1901 |
| <i>Chunlin Lv, Jinjun Liu, Yan Zhang, Yang Li</i> | |
| Improved PSO-BPNN Multi-parameter Identification Method and Its Application in Battery Thermal Network Model | 1907 |
| <i>Tingzhi Jiang, Mingyao Ma, Qiong Hu, Qiwei Song</i> | |
| Open-Circuit Fault Diagnosis Method of ANPC Three-level Inverter based on Joint Optimized Echo State Network | 1912 |
| <i>Bing Li, Wenxin Lu, Zhongxin Xie</i> | |
| A Cost-Effective Three-phase AC Solid-State Circuit Breaker with A Single Gate Driver | 1916 |
| <i>Rui Xie, Bin Lin, Ouyang Xu, Xiaohu Wang, Guohua Ren, Jianliang Chen</i> | |
| A Novel Time-sharing Conduction Method for Improving SiC MOSFET Reliability | 1922 |
| <i>Yufeng Lan, Pengju Sun, Qiang Li, Yingpeng Hu, Xinbin Fang, Xing Ma</i> | |
| A Hierarchical Control Method for Pulse Power Loads-Oriented Airborne Hybrid Energy Systems | 1927 |
| <i>Guosheng Xu, Yu Wu, Weilin Li, Linke He, Siyang Liang</i> | |
| Capacitor Condition Monitoring for Cascaded H-Bridge Based on Recursive Least Squares Method | 1932 |
| <i>Ronglu Qiu, Jiawei Wu, Qinghua Chen, Hangyu Wang, Mingyao Ma</i> | |
| Gate-Oxide Degradation Monitoring of SiC MOSFET Based on the Third Quadrant Characteristics | 1938 |
| <i>Yinghui Yang, Pengju Sun, Xing Ma, Kaiwei Li, Minghang Xie, Wenyan Ouyang</i> | |
| Remaining Lifetime Estimation of Retired Batteries Based on Multiple Deep Neural Network Ensembles | 1942 |
| <i>Yuan Li, Jie Luan, Ye Yang, Zhijia Cen, Hanpeng Yang, Mingshuo Zhu</i> | |
| Electrical Fault Diagnosis of Servo Motor Misalignment Based on LSTM Model ... | 1945 |
| <i>Duoxiao Hu, Ming Yang, Boyang Ren, Dianguo Xu</i> | |
| Short Circuit Detection Method for GaN MIS-HEMT Power Devices based on Gate Leakage Charge | 1951 |
| <i>Yingpeng Hu, Pengju Sun, Yufeng Lan, Zou Can, Jianchao Zhou, Zidong Li</i> | |
| Full-Range Thermal-Optimal Modulation for Reactive Capacity Enhancement of Wind Power Converter during LVRT | 1957 |
| <i>Siyu Cao, Dangsheng Zhou, Sufei Wang, Tianhao Wu, Ke Ma</i> | |
| An AKF-Based Power Loss Observation Model of Power Devices | 1963 |
| <i>Bowen Liu, Ye Tian, Kaiyang Bu, Chushan Li, Wuhua Li, Xiangning He</i> | |
| An Online On-state Voltage Measurement Circuit With Controlled Current Source for Thyristors | 1968 |
| <i>Hui Meng, Luwei Zuo, Ankang Zhu, Letian Xiang, Haoze Luo, Zhen Xin</i> | |

| | |
|---|------|
| Reliability Analysis of Multi-terminal VSC-HVDC Based on Semi-Markov Process | 1972 |
| <i>Kang Li, Meng Huang, Xiaoming Zha</i> | |
| An Accurate Protection Strategy for High-Power Spacecraft Power System | 1976 |
| <i>Haijin Li, Xuelong Hou, Zhigang Liu, Xiaofeng Zhang, Yuanliang Jing, Longlong Zhang, Wencai Jiang</i> | |
| A Hybrid Harmonic Reduction Multi-Pulse Rectifier With a DC-Side Auxiliary Circuit | 1981 |
| <i>Yonghu Li, Damin Zhang, Yanyong Yang, Weidong Xu, Jinbo Wu, Yichuan Zhong</i> | |
| Electrolytic Failure Modeling of Aluminum Electrolytic Capacitor by Finite Element Method | 1987 |
| <i>Xinrui Chen, Ran Yao, Hui Li, Wei Lai, Yuan Min, Cheng Yang, Zeyu Duan, Siyu Chen</i> | |
| Remaining Lifetime Prediction of Lithium Battery based on Support Vector Machine Kalman Filter | 1992 |
| <i>Shiqi Nie, Yuan Li, Ye Yang, Xinyu Sun, Liu Pan, Jiaming Liang</i> | |
| Multi-Sensor Weighted Fusion Algorithm for High Voltage Transformer based on Neural Network | 1996 |
| <i>Meijun Bao, Hong Zheng, Jiangyang Zhan, Guowei Zhou</i> | |
| An Improved LLC Topology with High Fault Tolerance Ability | 2000 |
| <i>Qinghua Chen, Hanyu Wang, Mingyao Ma</i> | |
| Research on Backflow Power of Three-port Converter Applied to Optical Storage Straight Soft | 2006 |
| <i>Zhiyuan Qin, Xiaodong Liu, Zhenhui Li, Qianjin Zhang, Sucheng Liu, Wei Fang</i> | |
| A Fast Frequency Active Support Control Strategy for Multiple Wind Farms and Energy Storage | 2012 |
| <i>Shaojie Zhu, Yibin Tao, Longxiang Chen, Dawei Sun, Guanjun Li, Zhongqi Sun</i> | |
| Development on battery DC-DC active equalization algorithm based on microprocessor | 2018 |
| <i>Tonglin Liu, Guangze Sun, Qianhui Ma, Huiqing Wen</i> | |
| Grid-Connected Current Double Loop Feedback Suppression Strategy of Parallel Inverter in the Weak Grid | 2023 |
| <i>Xue Wang, Yinan Wang, Hongji Yang, Hongcai Dai</i> | |
| Modeling and Suppression Strategy Research on Frequency Coupling of Droop Control | 2029 |
| <i>Xingbiao Rong, Xiaohuan Wang, Yanmeng Li, Chunjiang Zhang</i> | |
| A Coordinated Control Method for DC Microgrid with PV and Energy Storage Based on Multi-voltage-loop Competition | 2035 |
| <i>Tianhao Yang, Changsong Chen, Xinheng Zhou, Kang Ni, Lin Gan, Bowen Cui</i> | |

| | |
|--|------|
| Cooperative Optimization of Hybrid Energy Storage in an Isolated Microgrid Considering Battery Grouping | 2040 |
| <i>Kang Ni, Changsong Chen, Xinheng Zhou, Bowen Cui, Tianhao Yang, Jiajun Yang</i> | |
| A Reactive Power Sharing Strategy of Parallel Inverters Based on Parameter Perturbation | 2046 |
| <i>Xinyuan Wu, Xing Zhang, Dingsuo Li, Xiangdui Zhan</i> | |
| Grid-forming Control of A Multi-terminal Flexible Interconnector and Interaction Stability Analysis With the Distribution Network | 2056 |
| <i>Anqi Song, Xinming Fan, Cheng Liu, Xin Li, Xianxi Chen, Jianqiao Zhou, Gang Shi, Jianwen Zhang</i> | |
| A Modulation Method to Realize Soft Switching for Three-Phase Matrix AC-DC Converter | 2061 |
| <i>Zhicheng Zhu, Rui Li</i> | |
| A High-precision Method of Online Battery Impedance Identification | 2065 |
| <i>Xinyue Liu, Zhicheng Zhu, Rui Li</i> | |
| Design of adaptive SOC balance control for multi-port power electronic transformer with battery energy storage system based on fuzzy theory | 2070 |
| <i>Xin Li, Kexu Zhao, Sheng Wang, Wei Jiang, Zhenhong Lai, Hao Yi, Fang Zhuo</i> | |
| An Optimized Neural Network Based Power Decoupling Strategy for Three-Port Isolated Bidirectional DC-DC Converters | 2075 |
| <i>Yiming Ma, Ke Wu, Zhenghe Shu, Hanyu Wang</i> | |
| Complex Transfer Function-Based Stability Criterion for Grid-Connected Converters | 2081 |
| <i>Teng Liu, Zhiyong Yuan, Weihuang Huang, Jinjun Liu</i> | |
| A Quasi-Trapezoidal Modulation Method with Zero-Voltage Switching for Single-Phase Inverters | 2088 |
| <i>Ruogu Yao, Chaofan Wei, Rui Li</i> | |
| Input Current Ripple Suppression of Single-stage Bidirectional DC-AC Converter in Battery Energy Storage System | 2093 |
| <i>Zhenzhao Jiang, Hanchao Zeng, Damin Zhang, Qiang Zhang, Xueqin Zheng</i> | |
| Principle of Operation and Magnetic Circuit Analysis of a Doubly Salient Homopolar Motor for Flywheel Energy Storage Systems | 2099 |
| <i>Shouyan Ju, Lei Mei, Jun Deng, Wei Liang, Yongnan Chen</i> | |
| Research and application of optimal control method for solar heat storage microgrid system | 2105 |
| <i>Zikai Feng, Tianjun Jing, Wei Guo, Chunguang He</i> | |
| Grid Impedance Estimation Technique for Grid-Connected Converters Based on Impedance Sensing by Recursive Least Squares | 2111 |
| <i>Fei Li, Chengyuan Peng, Qiang Feng, Xing Zhang</i> | |

| | |
|--|------|
| A Multi-input Single-output DC-DC Converter with Fuzzy Supervisor Controller for Hybrid Renewable Energy Applications | 2116 |
| <i>Lu Chen, Haimeng Wu, Yuchao Liu, Jie Yu</i> | |
| Inertia Response Characteristics of PMSG based WECS with VSG Control | 2123 |
| <i>Shizheng Wang, Bingyang Luo, Guorong Zhu, Chengzhen Jia, Jianghua Lu, Xiangtian Deng, Hua Geng</i> | |
| A Feedforward Pitch Control Strategy using LiDAR measurement considering Wind Evolution under Extreme Gust Conditions | 2128 |
| <i>Ruiqi Cai, Guorong Zhu, Xiangtian Deng, Jianghua Lu, Yanqin Huang, Chengzhen Jia, Hua Geng</i> | |
| A LiDAR-Assisted Reference Feedforward Bias Control Algorithm for Wind Turbines in the Transition Region | 2132 |
| <i>Yanqin Huang, Guorong Zhu, Xiangtian Deng, Jianghua Lu, Chengzhen Jia, Hua Geng</i> | |
| A dynamic compensation control strategy for maximum power point tracking based on Feedforward control by using LiDAR | 2138 |
| <i>Fenglei Zhu, Xiangtian Deng, Guorong Zhu, Jianghua Lu, Yuegong Li</i> | |
| A Reactive Power Substitution Control Strategy for Wind Farm Considering the Reactive Capacity of Wind Turbines | 2142 |
| <i>Yuegong Li, Guorong Zhu, Xiangtian Deng, Jianghua Lu, Hua Geng</i> | |
| Impedance Model Based Inverter Control Parameter Optimization with Stability Limits | 2148 |
| <i>Yanping Zhu, Wenhao Hou, Haoyu Jiang, Xiaofeng Sun, Lei Qi, Wei Zhao</i> | |
| Double Layer Load Shifting Method for Central Air Conditioning in High Speed Railway Station | 2153 |
| <i>Songsong Chen, Lei Hou, Xiwen Luo, Ying Zhou, Ke Chen, Xin Yang</i> | |
| Active Frequency Response Method of Variable Frequency Load for Power Balancing in Microgrid | 2158 |
| <i>Shiming Tian, Yuting Xu, Dan Wu, Kaiyu Zhang, Shanshan Shi, Yongjun Li</i> | |
| Active battery equalization system based on Extended Kalman filter and DC-DC bidirectional flyback converter | 2163 |
| <i>Guangze Sun, Qianhui Ma, Tonglin Liu, Huiqing Wen</i> | |
| Fault Current Limiting Method for MMC-HVDC Based on Virtual Inductance | 2169 |
| <i>Jiawei Guo, Jun Mei, Weiye Diao, Renfei Wo, Linyuan Wang, Ao Liu</i> | |
| A High Power Medium Frequency DC/DC Converter for MVDC Collection System | 2173 |
| <i>Kaixuan Guo, Wu Chen, Xinghe Fu</i> | |
| A Three-Level Three-Phase Sextuple-Voltage Dual-Active-Bridge Converter for Medium Voltage DC Transformer | 2179 |
| <i>Haoran Liu, Wu Chen</i> | |

| | |
|---|------|
| A Resonant Modular Multilevel DC Transformer with Quasi-Square-Wave Modulation Scheme | 2186 |
| <i>Dunhui Chen, Yutao Xu, Jikai Li, Zhukui Tan, Xuelei Meng</i> | |
| Research on partial discharge of polyimide of typical H³T insulation materials under high-frequency step waves | 2192 |
| <i>Ruitao Shao, Wu Chen, Jun Jiang, Zhibang Shen</i> | |
| Modeling and Defect Analysis of Transformer-less Multilevel Back-to-back Cascaded H-bridge Converter | 2198 |
| <i>Zhenhong Lai, Kexu Zhao, Hao Yi, Zhenxiong Wang, Fang Zhuo, Haoyan Zhuang</i> | |
| An Improved Control Strategy with Adaptive Dynamic Reference Control for DC Voltage Stabilization in Soft Open Point | 2203 |
| <i>Yi Zhao, Qifan Yang, Ningyi Dai, Ying Huang</i> | |
| Application of Resonant-type Modular Multilevel Converter in Distribution Networks | 2209 |
| <i>Boliang Li, Long Xu, Jing Sheng, Xin Xiang, Xiaotian Zhang, Wuhua Li</i> | |
| An Improved System Frequency Response Model Considering Load Rectifications | 2214 |
| <i>Binbin Chen, Heyu Luo, Lujie Yu, Jiebei Zhu</i> | |
| A Time-domain Unified Calculation Model for Power Transmission Characteristics of Dual Active Bridge Topology with TPS Modulation Strategy | 2219 |
| <i>Jinfeng Song, Guodong Chen, Chenyi Peng, Borong Wang, Rui Li</i> | |
| Transient Surge Current Limitation with Magneto-Controlled Transformer during Voltage Regulation | 2224 |
| <i>Jiayang Zheng, Yuanxin Zhang, Shiqi Ji</i> | |
| Optimization of Current RMS Modulation Strategy for DAB Converters Based on Vector Analysis | 2228 |
| <i>Qiao Wang, Heyang Sun, Xin Wang</i> | |
| Research on hierarchical cooperative voltage regulation strategy of new distribution network | 2233 |
| <i>Zhixin Zhao, Zongluo Zhao, Yonglin Duan, Ruifeng Li, Yabo Li, Qiangqiang Li, Tengfei Yu, Dongbo Guo, Chuang Liu</i> | |
| Research on voltage flexible control strategy of distribution network based on hybrid distribution transformer and OLTC coordination | 2240 |
| <i>Li Xu, Zongluo Zhao, Yang Du, Ruifeng Li, Qicheng Sun, Bo Zhou, Yabo Li, Qiangqiang Li, Dongbo Guo, Chuang Liu</i> | |
| Load-Side Voltage Flexible Control Based On Active Electric Spring | 2246 |
| <i>Zongluo Zhao, Xiang Xiang, Zhenxu Ma, Ruifeng Li, Yabo Li, Chuang Liu, Qiangqiang Li, Zhenning Chen, Dongbo Guo</i> | |
| Droop Control of Multi-Bus DC Microgrids Towards Economic Operation and Stability | 2254 |
| <i>Yuxin Zhu, Fei Wang, Zhengyu Lin, James Fleming</i> | |

| | |
|--|------|
| Principle Analysis and Parameter Design of resonant-current-assisted arcless soft switching DC circuit breaker | 2259 |
| <i>Shiyang Chang, Lei Pang, Weixi Gong, Jianxiang Lin, Qiaogen Zhang</i> | |
| A Modified Current-Mode Droop Control Scheme for building-scale DC Microgrids | 2265 |
| <i>Yong Chen, Chunxiaolu Yang, Jianbiao Li, Jianfu Chen, Fei Gao</i> | |
| Research on Speed Sensorless Control Based on Adaptive Fuzzy Double Compound Manifold | 2271 |
| <i>Zhimin He, Guifeng Feng, Peiyin Xiong, Changzhong Pan, Huifang Zeng</i> | |
| Reducing Average Capacitor Voltage to Alleviate Current Stress in Modular Multilevel Converter | 2275 |
| <i>Guanlong Jia, Mingshuo Li, Guohua Zhou, Binhao Shi, Jingru Shi</i> | |
| Filter Design for dv/dt and Leakage Current Reduction in SiC Motor Driving System | 2279 |
| <i>Shidong Wang, Yitao Liu</i> | |
| Improved Full-Speed Sensorless Control Strategy for Permanent Magnet Synchronous Motors | 2284 |
| <i>Zhuhang Xiao, Yitao Liu</i> | |
| An IGBT Thermal Resistance Estimation Method Based on the Optimized Miller Voltage Measurement Circuit | 2289 |
| <i>Yusong Hu, Shu Cheng, Chaoqun Xiang, Weicheng Li, Chang Liu, Weiyu Yuan</i> | |
| Research on Blind Zone Identification Method of IGBT Aliased Reflection Signals Based on STDR/SSTDR Signal Transmission Model | 2295 |
| <i>Chang Liu, Shu Cheng, Weiyu Yuan, Chaoqun Xiang, Tianjian Yu, Yusong Hu</i> | |
| Dynamic Sequential Model Predictive Control of Doubly Fed Asynchronous Wind Power System | 2301 |
| <i>Junda Li, Zhen Li, Wenjie Guo, Boci He, Zhenbin Zhang</i> | |
| Flux-Weakening control in an IMC-PMaSynRM System considering DC voltage disturbance | 2306 |
| <i>Yang Yang, Weizhang Song, Rui Wen, Yang Ge</i> | |
| A Positive and Negative Crosstalk Suppression Method for High Current Bridge Configuration | 2312 |
| <i>Wenqiang Lin, Shangzhi Pan, Jinwu Gong, Zisen Lin, Hui Zou, Xiaoming Zha</i> | |
| A Multi-harmonic Subspace Control of Open-end Winding Nine-phase PMSM With Third Harmonic Current Injection | 2317 |
| <i>Sheng Dang, Xiaoran Ma, Haifeng Wang, Xinzhen Wu</i> | |
| Research on sensorless control of double high frequency injection SynRM based on static shaft torque ripple suppression | 2322 |
| <i>Jianyuan Wang, Hanghui Jing, Yingjie Li, Haoyu Wang</i> | |

| | |
|---|------|
| Sliding Mode and Deadbeat Predictive Control of Permanent Magnet Synchronous Motor | 2328 |
| <i>Yu Wang, Ting Li, Jingtao Zhang, Peng Xiao</i> | |
| Combined Active Flux and High-Frequency Injection Methods for Sensorless Control of Synchronous Reluctance Machines | 2332 |
| <i>Fengjiao Lee, Zian Zhao, Yifan Wang, Chuanwen Shen</i> | |
| Towards a Better Integration of Solar Cells and Autonomous Mobile Platforms: A Critical Review | 2337 |
| <i>Hao Wen, Yong Chen, Tianci Wang, Zhiping Dong, Chunhua Liu</i> | |
| Electric Machine Emulator Adopting Voltage-Response Model Without Differentiator | 2343 |
| <i>Shihao Xia, Ke Ma</i> | |
| Vibration Analysis of Permanent Magnet Synchronous Motors Considering Rotor Position Error Caused by Resolver Static Eccentricity | 2348 |
| <i>Junnan You, Pengye Wang, Zicheng Liu, Dong Jiang</i> | |
| Application of Energy Storage System in Grid-forming Wind Turbines for Low Voltage Ride Through and Frequency Regulation | 2353 |
| <i>Yifan Liu, Han Wang, Yong Yang, Yao Qin, Wenfei Liu, Xu Cai</i> | |
| Flexible Power Injection Strategy for Transient Stability Enhancement | 2359 |
| <i>Chenhang Xu, Zhixiang Zou, Wu Chen, Zhenhua Lv, Qiang Li, Sen Zhang</i> | |
| Voltage Control Mode of SVG with Improved Current-Limiting Capability in the Weak Grid | 2367 |
| <i>Yingjie Peng, Zhenxiong Wang, Hao Yi, Xin Jiang, Wei Zhang, Qiru Li, Jingting Wu, Fang Zhuo</i> | |
| Short-circuit Current Capability Comparison of Three-Level Active Neutral-Point-Clamped Converter under Different Modulation Schemes | 2372 |
| <i>Rujing Zhang, Boxin Liu, Hongyi Chen, Jintao Lei, Xin Xiang, Wuhua Li</i> | |
| A dVOC-based mode-switching strategy for grid-forming converters | 2377 |
| <i>Jin Liu, Guanguan Zhang, Cheng Fu</i> | |
| Transient Stability Analysis of Paralleled VSGs Considering Damping Effect | 2381 |
| <i>Qiannan Qu, Jintao Lei, Aminfu, Xin Xiang, Wuhua Li, Xiangning He</i> | |
| GFL-GFM Dual-Mode Predictive Control of Power Converters for Stiffness-Varying Power Grids | 2387 |
| <i>Sijia Huang, Zhenbin Zhang, Qianli Xing, Yafei Yin, Zhen Li</i> | |
| Photovoltaic Generation Prediction under Hurricane Conditions Based on a Comprehensive Quantitative Model | 2393 |
| <i>Ke Zhou, Lifang Wu, Zhiyue Mo, Biyun Zhang</i> | |
| Probabilistic Power Flow Analysis of Distribution Networks Considering Multiple Photovoltaic Reactive Power Control Modes | 2399 |
| <i>Qingren Jin, Ke Zhou, Lifang Wu, Baihua Lu</i> | |

| | |
|---|------|
| Reduced-order Symbolic Admittance Model and Stability Analysis of Grid-following Converters | 2404 |
| <i>Ruokai Xu, Zhixiang Zou, Shuai Yuan, Wu Chen, Zheng Wang</i> | |
| Design of Stabilizing Control of Smart Transformer Using An Asymmetric Resonant Filter | 2410 |
| <i>Xingqi Liu, Zhixiang Zou, Yiyang Yao, Jian Tang, Wu Chen, Zheng Wang</i> | |
| Passivity-Based Current Control of Grid-Following Doubly-Fed Induction Generator System | 2415 |
| <i>Shan He, Liang Huang, Frede Blaabjerg, Fahad Harbi, Dao Zhou</i> | |
| Modeling and Stability Analysis of AC/DC Hybrid Microgrid with Bidirectional Inertia Support | 2420 |
| <i>Huoming Yang, Ming Peng</i> | |
| Fault protection of Series Active Power Compensation Scheme | 2425 |
| <i>Alexandros Boubaris, Symeon Fountoukidis, Nick Papanikolaou, Yongheng Yang</i> | |
| Calculation Method for Distributed Capacitance of Planar Spiral Coils in MHz Wireless Power Transfer System | 2430 |
| <i>Qing He, Yujie Lan, Xu Zhang, Fenggang Yang, Qingbin Chen, Wei Chen</i> | |
| Novel Frequency-Selective Surfaces for Printed Circuit Board-Based Wireless Power Resonators with High Quality Factors | 2436 |
| <i>Zhen Sun, Kaiyuan Wang, Yuan Mao, Jianghao Hu, Wenxing Zhong, Yun Yang</i> | |
| Balanced Design Method for LCL/LCL Compensation Achieving Wide Load Range and High Misalignment Tolerance | 2441 |
| <i>Shiyang Luo, Zirui Yao, Xuan Wei, Hao Ma</i> | |
| A Novel Loosely Coupled Transformers with High Misalignment Tolerance | 2446 |
| <i>Zeyu Zhang, Hao Ma</i> | |
| Deadtime period analysis of MHz LCC/S wireless power transfer system considering harmonic effects | 2452 |
| <i>Kaijie Zheng, Wanjun Lei, Zhangwei Xiang, Shuyuan Shao</i> | |
| A Switch Type RF Energy Harvesting and Management System | 2456 |
| <i>Hairong Jiang, Wenxun Xiao, Bo Zhang, Guiping Du, Dongyuan Qiu, Yanfeng Chen, Fan Xie</i> | |
| Technology of Evaluating Mutual Inductance and Load Resistance Based on Primary Side Information for Wireless Power Transfer Systems | 2461 |
| <i>Jiahao Zhao, Wenxun Xiao, Zheren Tang, Bo Zhang, Dongyuan Qiu, Fan Xie, Yanfeng Chen</i> | |
| Characteristic, Design and Implementation of Electric Field Distribution in Capacitive Power Transfer Coupler | 2466 |
| <i>Yundi Li, Xiaohui Qu, Jinghang Liu, Cheng Li</i> | |
| An Accurate Equivalent Circuit Model for Non-Intrusive Electromagnetic Energy Harvester | 2472 |
| <i>Liwen Hou, Han Peng</i> | |

| | |
|---|------|
| 10MHz High Power Density Isolated Power Supply With Planar Transformer | 2478 |
| <i>Hangyu Xu, Zhaoliang Guan, Weiwei Ma, Jinkun Ke, Jiancheng Bai</i> | |
| A Novel Isolated LED Driver With Passive Power Factor Correction | 2484 |
| <i>Minqiang Lao, Xiaogao Xie, Hanjing Dong</i> | |
| PCB Layout Evaluation of GaN HEMT Power Loop | 2490 |
| <i>Haoran Liu, Jiangfeng Wang, Boyu Zhang, Haocheng Jiang, Yuqing Wu</i> | |
| Research on Control Strategy of Phase Shifted Full Bridge Converter Based on Pulse Load Current Feedforward | 2495 |
| <i>Guitao Chen, Chenfei Song, Feifei Liu, Xiangdong Sun</i> | |
| ANSYS-based Simulation and Analysis of Contact Insertion and Temperature Characteristics of Contacts | 2501 |
| <i>Jiahui Qiu, Hongpeng Liu, Liangliang Chen, Zhenlan Dou</i> | |
| Frequency Support Capacity Assessment of Regional Power Grid Based on Inertia Ratio | 2507 |
| <i>Hao Cheng, Ziwei Zhang, Zhenqing Zhang, Xiao Wang, Kaiji Qian</i> | |
| Design of A Two-Stage LC Output Filter for Modular Multilevel DC Power Amplifier | 2514 |
| <i>Yanjun Shen, Linjie Han, Huaiguang Gu, Yiming Sun, Zhiyuan Wang, Binbin Li</i> | |
| Soft Switching Research of Dual-Active Bridge Converter Based Partial Power Processing for Electrolysis Application | 2519 |
| <i>Xingyu Fu, Lushuo Feng, Zhangcan Xu, Zhe Zhang, Xiaoqiang Guo</i> | |
| Multi-timescale Optimized Energy Management System of Microgrid considering User-side Building Thermal Inertia | 2526 |
| <i>Xiaoyu Zhang, Hengwei Lin, Chunjiang Zhang</i> | |
| Analysis and Comparison of Partial Power Converters Based on Dual Active Bridge and Isolated Full Bridge Boost in Hydrogen Production System | 2532 |
| <i>LuShuo Feng, Zhe Zhang, XingYu Fu, Xiaoqiang Guo</i> | |
| Life Prediction of Power Rectifier Diodes Based on GA-BP Algorithm | 2538 |
| <i>Yuanqi Liang, Zhaohui Gao, Xiaoning Li, Yanhui Wei, Huize Deng, Yongxin Wu</i> | |
| A Short-Term Prediction Method for PV Power Generation Based on SVM Weather Classification and PSO-BP Neural Network | 2544 |
| <i>Chenyang Huang, Yitong Li</i> | |
| Photovoltaic Module Hot Spot Detection Using Conditional Generative Adversarial Network | 2550 |
| <i>Lei Chen, Bo Liu, Kai Sun, Jian Zhao</i> | |
| Modeling of Dual Active Bridge Converter with Data Pruning for Optimal Current Stress Performance under EPS Modulation | 2555 |
| <i>Fanfan Lin, Xinze Li, Xin Zhang, Xueqi Liu, Hao Ma</i> | |

| | |
|--|------|
| Physical-information-based neural network grid-connected inverter impedance model | 2559 |
| <i>Jiixin Liu</i> | |
| A Novel Semi-Supervised Data-Driven Stability Monitoring Method Based on EMD and SGAN for DC Microgrids | 2563 |
| <i>Xiaohai Ge, Xueqi Liu, Xin Zhang, Bin Guo, Hao Ma</i> | |
| Nature Convection Heatsink Modeling and Optimization based on Nusselt Number Correlation | 2569 |
| <i>Baiqing Yin, Rulei Han, Kai Guo, Yuqiang Wang, Likai Gao, Chushan Li</i> | |
| Modeling and Control Design of Grid-Forming Cascaded H-Bridge Converter | 2574 |
| <i>Rulei Han, Chao Wang, Ming Zhong, Chen Gao, Yajie Tang, Chushan Li</i> | |
| Arm Phase-shift Conducting Modulation for T-Type Alternate Arm Multilevel Converter | 2579 |
| <i>Rulei Han, Zhihai Yan, Xingmeng Yang, Minfu A, Heya Yang</i> | |
| Modeling and Control of Modular Multilevel Converters under Asymmetric Grid Conditions | 2584 |
| <i>Zhizhan Tang, Hongyi Chen, Qian Zhang, Heya Yang, Xiang Xin</i> | |
| System Architecture Analysis of Cooperative Control for Large-scale All-DC Wind Power Plant Clusters | 2590 |
| <i>Xiaoyan Tian, Jinyu Wang, Min Ai, Bobo Zhang, Ziquan Wang, Junyi Sheng</i> | |
| Research on Transient Electric Field Distribution of High-Frequency Transformers based on COMSOL and SIMULINK Co-simulation | 2596 |
| <i>Jie Ming, Qian Wang, Rui Lu, Chushan Li</i> | |