

# **Mine Waste and Tailings Conference (MWT 2023)**

Brisbane, Australia  
27-29 March 2023

ISBN: 978-1-7138-9073-7

**Printed from e-media with permission by:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571



**Some format issues inherent in the e-media version may also appear in this print version.**

Copyright© (2023) by Australasian Institute of Mining & Metallurgy (AusIMM)  
All rights reserved.

Printed with permission by Curran Associates, Inc. (2025)

For permission requests, please contact Australasian Institute of Mining & Metallurgy (AusIMM)  
at the address below.

Australasian Institute of Mining & Metallurgy (AusIMM)  
P.O. Box 660  
Carlton South Victoria 3053  
Australia

Phone: 61 3 9658 6100  
Fax: 61 3 9662 3662

[publications@ausimm.com.au](mailto:publications@ausimm.com.au)

**Additional copies of this publication are available from:**

Curran Associates, Inc.  
57 Morehouse Lane  
Red Hook, NY 12571 USA  
Phone: 845-758-0400  
Fax: 845-758-2633  
Email: [curran@proceedings.com](mailto:curran@proceedings.com)  
Web: [www.proceedings.com](http://www.proceedings.com)

# CONTENTS

---

## **Commingling of tailings and coarse wastes**

- Co-disposed coal rejects and tailings strengths and existing co-disposal strategies review 2  
*J Li, D Payne, R Rosales and M Stimpfl*
- Feasibility study of co-disposal of tailings and mine waste rock 14  
*A Wanninayake and T Dixon*

## **Emergency response**

- Response to an emergency caused by a TSF failure 26  
*O Wennstrom*

## **Geochemical and geotechnical testing of mine wastes**

- Geotechnical characterisation and dump design of historic clay-rich coalmine spoil 42  
*J Ahn and K Young*
- Estimating *in situ* state of tailings using Panda Dynamic Cone Penetrometer 48  
*O Dudley and M Llano-Serna*
- Identification and analysis of a complex layer within the footprint of a tailings storage facility foundation utilising mini-block sampling 60  
*S H Lines, M Llano-Serna, R Rekowski and W Ludlow*
- A paradigm shift in CPTu testing of extremely soft tailings 80  
*A J McConnell, E J C Wassenaar and M K D Chapman*
- Analysis of the geotechnical characteristics of fibre reinforced tailings 91  
*S Quintero Olaya, D J Williams, C Zhang, M Llano-Serna and G Gomes Silva*
- Assessing seepage during settling of iron tailings 100  
*S Quintero Olaya, D J Williams, C Zhang, A Tran, H Pan and R Fan*
- On the accuracy of inferring residual undrained shear strengths from CPTu friction sleeve resistance 110  
*K Smith, R Fanni and D Reid*
- Assessing various *in situ* techniques to infer remoulded strength in coal tailings 128  
*B Tiwari, D Reid, F Urbina, A B Fourie, M K D Chapman and A J McConnell*
- Assessing the enhancement of settling, consolidation, and desiccation of bauxite residue after a combination of physical and chemical treatments 139  
*C Zhang, S Quintero Olaya, D J Williams and A Ranabhat*

## **Governance and standards**

|  |     |
|--|-----|
| Vale's roadmap for the future – integrating multiple tailings compliance frameworks<br><i>F da Silva, G Puro, S Wood, O Iwakun and S Fernandez</i> | 151 |
| TSM – driving continual improvement in tailings management and governance<br><i>S Fitzgerald and C Dumaresq</i>                                    | 161 |
| A critical review of the tailings dam design process<br><i>K T Mandisodza, D J Williams and C Zhang</i>  | 168 |
| The Engineer of Record role in a capital project framework – can we do better?<br><i>B Tiver</i>   | 177 |

## **Importance of site climatic, topographic, seismic and social settings**

|  |     |
|--|-----|
| Considerations in tailings storage expansions in tropical environs<br><i>C S Hogg and S V Tolu</i>   | 185 |
| In-pit waste rock dumping as a mitigating strategy for waste rock management<br><i>J Isarua and S Elit</i>                                       | 198 |
| Use of multi-criteria alternatives assessment for TSF option selection – lessons learned from recent applications<br><i>J Penman and J Casey</i> | 205 |

## **Innovative mine waste management**

|  |     |
|--|-----|
| Performance of a flow-through tailings dam<br><i>R Longey, D Tonks and E Salas</i>   | 219 |
| Mining waste in Chilean mines – a big challenge to solve<br><i>J Rayo</i>  | 229 |
| Dam safety and efficient tailings dewatering through enhanced and adapted drainage solutions<br><i>P Saunier, S Fourmont and A Warwick</i>             | 241 |
| Development of coal tailings-based aggregates for road construction<br><i>A Khazaie, D Osborne, S Jahandari, M Rahme, A Harriman, Z Chen and Z Tao</i> | 250 |
| Metal recovery for reduced environmental liability from VMS tailings<br><i>M Thorpe and B Hill</i>   | 257 |

## **Mine closure**

|   |     |
|---|-----|
| Mine closure – repurposing mine sites and tailings for solar power<br><i>A Bone and D Hng</i>   | 262 |
| Design and construction of a combination soil and water cover on a tailings storage facility in Tasmania<br><i>C Cahill, R Longey and D Tonks</i> | 276 |

|  |     |
|--|-----|
| Decommissioning and reclamation of the central tailings dam<br><i>F A R Do Carmo and Y M Azevedo</i>   | 286 |
| Conceptual study for the capping cover of a 10 ha in-pit tailings storage facility containing tailings with sub 10 kPa undrained shear strengths<br><i>A Shokouhi, M Llano-Serna and A Marta</i>   | 299 |
| Predicting the long-term erosional stability of regional cover designs using landscape evolution modelling<br><i>H G Vogler and T K Rohde</i>  | 313 |
| Numerical investigations of evaporation-driven salt uptake in store-release soil covers<br><i>W Zhang, C Zhang and D J Williams</i>  | 323 |
| <br><b>Monitoring and surveillance</b>   |     |
| Use of drone video for weekly surveillance at remote site tailings storage facilities<br><i>D Brett, F Daliri, J Belen, E Lim and R Medalla</i>  | 334 |
| Monitoring tailings storage facilities with muon tomography<br><i>M A McLean, F Scutti, R Seikel, S Krishnan, C Webster, S Collins, C Goss, S Palanisamy, P H Panchal, J Donovan and A R Duffy</i> | 342 |
| Instrumentation and monitoring systems in tailings dams' construction<br><i>M Ghamgosar, G Style and K Tehrani</i>   | 355 |
| A noise reduction algorithm for automatic interpretation of periodical survey data for tailings dam performance monitoring<br><i>C Han, K F Wong, W Ludlow and Z R Yung</i>                        | 365 |
| Monitoring the impact of mining-induced seismicity on LaRonde main tailings storage facility<br><i>E Masengo, E-P Ingabire, M R Julien, J Huza, M James and T Lépine</i>                           | 374 |
| Historical topographic surveys of Jagersfontein tailings dam produced from archive satellite images<br><i>S Rivet</i>  | 391 |
| <br><b>Operational aspects and case histories</b>  |     |
| Tailings deposition management plan – design and implementation including operational aspects and case history<br><i>B Batchelder and A Uz</i>   | 411 |
| Using a quantitative risk assessment to demonstrate opportunity for reduced buttressing for an upstream raised tailings storage facility<br><i>H Lewis, B Tiver, D Pham and S Sharma</i>           | 419 |
| Investigation of a coalmine spoil pile failure<br><i>J E Wilson, M Llano-Serna, L Díaz Amaya and D J Williams</i>  | 431 |
| Practical considerations for tailings infrastructure planning and the impact on project costs<br><i>J T Wylie, D W Wall and P G McDonald</i>   | 449 |

## **Selection of parameters for TSF and WRD design**

|   |     |
|---|-----|
| Advanced numerical approach for investigation of rock fill mechanical behaviour<br><i>R Asadi, B Ghahreman-Nejad and M M Disfani</i>                                  | 463 |
| Hollow cylinder testing systems – the case for their use in tailings engineering practice<br><i>R Fanni, D Reid and A B Fourie</i>                                    | 478 |
| A performance-based approach for calibration of fine tailings parameters used for closure design<br><i>C Han, W M Teh, M Llano-Serna, W Ludlow and Z R Yung</i>       | 492 |
| CPT interpretation for tailings dam stability analyses – considerations for defining tailings' undrained strength<br><i>J Rola, J Eldridge and P Barbieri</i>         | 501 |
| Selection of soil shear strength parameters based on integrated in situ tests, lab tests and numerical calibration approach<br><i>Z Song, R Truby and S Luo</i>       | 510 |
| Application of Bayesian methods to the estimation of shear strength parameters for slope stability analysis of a TSF<br><i>I Vernengo Lezica and L F Contreras</i>    | 519 |
| On the selection of appropriate tailings geotechnical characteristic values for design – common pitfalls and recommended approach<br><i>B Wentzinger and A Arenas</i> | 533 |

## **Tailings dam breach and runout assessment**

|  |     |
|--|-----|
| Adoption of non-Newtonian fluid routing in dam breach analysis for a closed tailings storage facility<br><i>Y Chen, Y Wang and T Matuschka</i>                                     | 545 |
| Flood failure sub-categories for tailings dam break failure impact and consequence category assessment<br><i>Z Lu and B Pirouz</i>   | 555 |
| Comprehensive tailings dam breach analyses – a framework for overcoming new challenges of adhering to competing industry requirements<br><i>N C Machado, H A Duarte and N Moon</i> | 565 |

## **Tailings dewatering and placement**

|  |     |
|--|-----|
| Impact of filter feed solids on filter sizing and equipment cost<br><i>C Braun and K Rahal</i>   | 577 |
| Investigation on the efficient selection of flocculants for dewatering of coal tailings<br><i>A Khazaie, B Samali and S Gilmour</i>                                  | 584 |
| Farming method and assessment of its application in bauxite residue using a scaled laboratory model<br><i>A Ranabhat, C Zhang, S Quintero Olaya and D J Williams</i> | 589 |

## **Tailings liquefaction and seismic response**

|   |     |
|---|-----|
| Evaluation of the triggering of static liquefaction of tailings dams considering the SWCC<br><i>F L Rivarola, N Tasso, K Bernardo, M Sottile and A Sfriso</i> | 598 |
| Characterisation of <i>in situ</i> saturation profile through tube measurements and SCPTu<br><i>E Coyle, B Otieno and D Reid</i>                              | 606 |
| Why is -0.05 state parameter the boundary between contractive and dilative behaviour?<br><i>D Reid, R Fanni and A B Fourie</i>                                | 615 |

## **Water and AMD management**

|   |     |
|---|-----|
| Multiphase gas flow model of a geomembrane covered buttress to inform hydrogeochemical TSF design<br><i>J Fourie, J Zheng, B Usher and J Durocher</i>   | 630 |
| Accurately forecasting the extra treatment cost associated with the removal of lesser regulated PFAS species in water<br><i>M Kearney and J Reardon</i> | 639 |
| Calibration of the water balance model for an inactive tailings storage facility using Sentinel-2 satellite imagery<br><i>M Liu and W Ludlow</i>        | 644 |
| Alternative treatment and management of mine influenced water<br><i>S Mancini and R James</i>   | 651 |
| Author Index  | 663 |