

Unified International Technical Conference on Refractories (UNITECR) 18th Biennial Worldwide Congress on Refractories

The Carbon Challenge: Steps and Leaps to
Master the Future

Frankfurt am Main, Germany
26 – 29 September 2023

ISBN: 978-1-7138-9382-0

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2023) by European Centre for Refractories (ECREF)
All rights reserved.

Printed with permission by Curran Associates, Inc. (2024)

For permission requests, please contact European Centre for Refractories (ECREF)
at the address below.

European Centre for Refractories (ECREF)
Rheinstraße 58
56203 Höhr-Grenzhausen
Germany

Phone: +49 2624 9433140

<https://www.ecref.eu/en/>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

2	WELCOME	
13	1 RAW MATERIALS	
14	Data-based carbon footprint of Imerys specialty minerals for refractories	
18	Sintering and thermo-mechanical characterization of a novel refractory grade bauxite	
22	Almatis Mission NeutrAL represents our sustainable commitment to the refractory raw materials industry	
26	Managing Performance of Calcined Aluminas through Manufacturing Process Modifications	
30	Influence of mineral composition on the processing of iron-rich bauxite raw materials by using hydrochloric acid leaching	
34	From lab to plant – from mine to refractory bricks: Making use of a new dolomite raw material source in Europe	
38	Designing eco-friendly alternative to the magnesia-chromite aggregates	
42	Development of novel DBM portfolio for Steel, Cement and Glass Refractories	
46	An eco-friendly Approach to Purify Natural Magnesite and to Densify Sintered Magnesia	
50	Enhanced performance of free CaO impurity containing magnesia with Al_2O_3 - TiO_2 composite powder	
54	The preparation of electrical-grade magnesia from microcrystalline magnesite	
57	Effect of calcinated conditions on the preparation of highly active magnesium oxide from microcrystalline magnesite	
59	Tailor-made Polycarboxylate Ethers to Improve Properties of Castable Mix Designs	
62	Innovative approaches for energy-intensive production processes of shaped refractory products for the steel industry	
63	Insights on numerical models to predict potential recyclability of spent refractories from steel making industry	
67	Carbonized wood and sunflower seed hull pellets as a substitution for natural graphite for the production of MgO-C refractories	
71	Squaring the Circle: Challenges & Opportunities in Recycling Refractory Minerals	
72	Latest advanced developments in the implementation of Circular Economy strategy in the refractory waste management	
76	Establishing circular economy for refractories in cement applications by advanced recycling technologies	
80	Investigation of the influence of impurities typical in secondary raw materials on the behavior of high alumina castables – Part I: design of the castables, setting properties and high temperature fracture behavior	
82	Investigation of the role of impurities typical in secondary raw materials on the behaviour of high alumina castables – part II: Influence on thermomechanical behaviour	3
86	The Properties of MgO-C refractories with a new recycled MgO-C raw material	
89	Technical challenges for recycling processing and utilization ramp-up	
93	A new approach to achieve robust and easy to use NCC	
97	What is really in there? Classification of aromatic compounds in carbon-based refractory bonds by high-resolution mass spectrometry and multivariate statistics	
101	Refractory cements containing Zr and Sr as alternatives to the CACs designed for the production of high performance monolithic refractories	
105	The Binding of non-cement refractory castables using the technology of <i>in-situ</i> Sol-Gel formation	
109	2 ADVANCES IN MONOLITHIC TECHNOLOGY	
110	Novel colloidal silica technology for MgO-containing refractories – Part I: Anti-hydroxylation binder	

- 112 Investigating the MgO castable's hydration mechanism by hydratable alumina substitution for calcium aluminate cement, and phase formation at high temperature using nano-MgAl₂O₄ additives
- 116 Novel colloidal silica technology for MgO-containing refractories – Part 2: „In situ” spinelization
- 118 The *in-situ* spinel formation in a magnesia alumina castable and the effect of selected additives on the properties of the castable
- 119 A novel approach to develop sustainable cement-free magnesia castables
- 125 Dry high-performance materials in the change of time
- 126 assessment of thermal-mechanical stress damage mechanisms of monocarbonate bonded aluminaspinel castables by high-temperature wedge splitting test
- 130 Use of Novel Refractory Design and Installation Techniques for Improved Energy Efficiency in Iron and Steel and Other Energy Intensive Industries
- 134 Influence of the type of phosphate additive on the setting kinetics of CA cement bonded refractory castables with special regard to the resulting pH value
- 136 Influence of deflocculants on the hydrate phase formation and technological properties of CAC-bonded castables during the first heating process
- 138 Impact of nano additives on the performance of low cement refractory castable
- 142 An holistic view and benefits based on a planned circulating fluidized bed boiler castable lining design
- 146 Influence of Sintering Additives and Sol-Gel Bonding Agents on Workability and Flexural Strength of Cement Free Castables
- 149 High Temperature Innovative Zirconia-alumina Ramming Mass
- 151 Development of Cement Free Dry-Gunning Mix and Its Application to Actual Furnaces
- 155 How the composition of self-flowing refractory castables influences their rheological properties
- 159 Development of a printable alumina-based composition of refractory castable for 3D printing preshaped parts
- 163 Adaptation of the contour-crafting process to refractories and investigation of material properties after the 3D printing process
- 167 Effect of firing temperature on thermo-mechanical properties of Low Cement Castables
- 169 Design of Self-Flow castable using SiO_x (TM) – Flow and its ageing analysis in tropical condition
- 172 Microstructure Design of a more Sustainable Alumina-spinel Refractory Castable
- 175 What if we did not have to dry trough and runners castables anymore?
- 179 Online drying monitoring system for refractory castbles
- 183 Permeability-Enhancing Drying Additives – A Perspective from *in-situ* Analysis
- 187 Practical experimentation and model development for the drying of monolithic refractory castables
- 188 Numerical modelling Analyses of steel ladle weep hole efficienca
- 192 Microwave sintering of ZnO-containing *in-situ* spinelized alumina-based castables
- 196 One sided dryout degradation
- 199 Observations on the strength and drying performance of SolCast castables
- 203 Effect of curing temperature and curing time on the properties of low cement bonded corundum – spinel castables for well block
- 207 Impact of curing temperatures and drying under hydrothermal conditions on phase composition and microstructure of cement bonded castables
- 211 CO₂-footprint reduction in dry tundish wear lining installation with respect to refractory material and electrical equipment (eMould) technology
- 215 Investigation of the Drying Behavior of Low Cement Castables
- 219 A novel type of anti-spalling natural straw fibers for refractory castables

- 224 Effect of H₂O₂ addition an anti-explosion performance of Alumina based castables bonded by hydratable Alumina
- 228 New method for the determination of the dynamic viscosity of castables
- 232 Rheology of refractory castables – Part 1: A novel 3D spread flow measuring device allows to determine more precisely the workability of refractory castables
- 236 Thermo-mechanical behavior of alumina-magnesia castables and its lining lifetime simulation
- 240 Rheology of refractory castables – Part 2: Influence of the mixing energy input in terms of mixing time and velocity on the spread measured with a new 3D-Spread-flow device with special regard towards the ambient working conditions.
- 245 **3 REFRACTORIES FOR IRON- AND STEELMAKING**
- 246 End of petroleum tar binder, new generation of tap-hole clay. Formaldehyde and PAH free technology
- 248 Comparative study between coal tar pitch and lower polycyclic aromatic hydrocarbon (PAH) alternative binders for use in taphole clays
- 250 Development of High Performance Tap Hole Clay
- 254 Behavior of carbon-based binders for blast furnace taphole clays focused on environment, safety, and performance
- 258 Improvement of Al₂O₃-SiC-C Bricks of the Hot Metal Ladle
- 262 Reduction of Heat loss in steelmaking process
- 266 Self-healing microstructure: the utmost refractory toughness mechanism
- 270 Recycling of Al₂O₃-SiC-C Refractory Brick for Repairing Torpedo Ladle Car
- 274 Refractory lining material in Iron Making Process – An overview with development and characterisation study of critical proprieties
- 278 Traditional refractory designs replaced by innovative refractory solutions in hot blast stoves
- 282 Corrosion mechanisms of Al₂O₃-SiC-SiO₂-C refractory castables by iron and slag based on post-mortem analysis of industrial samples
- 284 Development of high-performance silica refractory with low residual quartz for coke oven batteries
- 288 Online repairing of Blast furnace trough to enhance hot metal throughput
- 290 Influence of Pitch Type on Properties of Blast Furnace Trough Castable
- 292 Understanding how the binder system influences the properties and process performance indicators of taphole clays
- 295 Al₂O₃-SiC-C castable development with improved oxidation resistance
- 299 Innovation in Carbon Footprint reduction and sustainability in the manufacturing of Insulation firebricks for lining of blast furnace stove
- 301 Development of a Novel Taphole Clay with Toxicity-free and Odor-lighten
- 303 Refractory innovations under the target of carbon dioxide peaking and carbon neutrality in China
- 307 New Ways To Destroy Refractories – the Future of Green Steelmaking!
- 311 Transformation to hydrogen-based steel making and refractory challenges at thyssenkrupp Steel Europe AG in Duisburg
- 314 Decarbonisation of Steel Industry and its Impact on future slag
- 318 Innovative Design and Installation Technique for Slag Door of CONARC Furnace – A unique Approach for Performance Hike-up
- 324 Novel microporous MgO-based high-temperature thermal insulator
- 326 Next Generation Electric Arc Furnace Gunning Products for Improved Sustainability
- 330 Refractory solutions to “the Carbon Challenge”
- 334 Prefabricated slag door solution – to solve a well-known obstacle to increase EAF performance

- 338 Improve Furnace lifetime and operational safety by robotic gunning repair
- 342 Effect of Magnesia Grain Size Composition on Internal Pore Structure in Magnesia Carbon Refractory Bricks
- 345 Development of integrated methods for hot repair of converter lining based on Magnesian materials of "Gir-Refractories"
- 349 Development of low CO₂ emission repair material at basic oxygen furnace (BOF) application
- 351 Steel ladle lining management: comparison between different maintenance technologies to increase performance, reduce refractory consumption and waste disposal of used materials
- 355 The effect of MgO-C refractory materials on the inclusion population within steel
- 357 A novel member in the CMA-family of aggregates creating more sustainable A-MA steel ladle refractories
- 361 Castable matrix concept for robust behaviour in steel ladle bottom repair
- 364 Application of Unburned Magnesia Bricks for Steel Secondary Refining Processes
- 368 Application of high-calcium magnesia in ladle brick and its purification effect on molten steel
- 371 Steel ladle: capacity increase, lining concepts and recycling experience over 25 years
- 374 ECO-TAB – A new alumina aggregate for steel ladle lining
- 378 Recyclate-containing magnesia-carbon refractories – Influence on the non-metallic inclusions in steel
- 380 Effect of Different Carbon Sources on Ultra Low Carbon Bricks for Steel Applications
- 384 Unfired Zero C Brick for Energy Savings and Performance Increasing of Metal Line for Steel Ladle
- 388 Improved slag corrosion resistance of MgO-C refractories for ladle slag line
- 392 Interaction of molten secondary metallurgical ladle slag with MgO-C refractories
- 396 High Durability Ladle Treatment Lance for Steel Secondary Refining
- 400 Graphene added Carbon MgO-C for Slag zone in steel ladle
- 404 Effects of Calcium Magnesium Aluminate Binder on Properties of Alumina-Magnesia Castables for Steel Ladle
- 408 Chrome Free Baked Magnesia Brick – A Really Environmentally Friendly Product for RH Degassers
- 412 Effect of special carbon additive on the properties of dolomite-carbon refractories for steel ladle application
- 416 A study on the fluidity Improvement of quicklime for desulfurization agent used in bottom blowing furnace
- 419 Development of Al₂O₃-MgO-C refractories containing lightweight tabular alumina aggregates used for steel ladles
- 423 Analysis of corrosion mechanisms of non-cement and low-cement alumina-magnesia gunning mix with special calcined alumina in rotary slag test
- 425 Microstructural evolution and corrosion behavior of rebounded magnesia-chromite refractories used in steelmaking RH furnaces
- 428 Improvement of thermo-mechanical properties of direct bonded magnesia chrome refractories for RH Degasser
- 430 Performance improvement of steel ladle MgO-C refractories by using novel carbon additives
- 432 Study on Chrome-free purging plug for steel ladles
- 436 Improvement of gas holder system
- 438 KUMAS's New Generation MgO-C Brick Development
- 440 Mechanical and chemical behavior of MgO-C bricks under near-service conditions
- 441 The choice of magnesia-carbon refractories for steel ladle lining: a life cycle perspective
- 442 Formation of isolation layer between the refractory lining and molten steel/slag: Industrial trials in refining ladle

- 443 Effect of Tundish Plate Refractory Erosion on Steel Quality and Development of Erosion Measurement System
- 445 Mineralogical features of tundish MgO-spray and their influence on the reoxidation of Al-killed steel
- 449 The influence of Ca, Na-, and P-content of MgO-based resin-free vibratable dry tundish linings on the population of non-metallic inclusions in a steel melt
- 452 Reduction of large inclusions in billets by improving the cleanliness of tundish molten steel
- 455 Deterioration mechanism of Al₂O₃-MgO refractory castable in RH refining ladle
- 458 Development of unfired and non-impregnated slide gate plates as a contribution to reducing emissions of carbon bonded refractories
- 462 The effect of selected metallic additives on the properties of the Al₂O₃-C refractory material
- 465 Effect of recycled refractory, phenolic resin, and si powder on the Al₂O₃-C refractory for continuous casting
- 469 Development and implementation of holistic approach to address clogging phenomena in continuous casting of steel for Vesuvius flow control customer
- 470 Submerged Entry Nozzle preheating effect on its permeability
- 474 Inhibition of Abnormal Damage of CaO-ZrO₂-C Material for Submerged Entry Nozzles
- 478 Evaluation of oxide-based SEN and oxide-less SEN on Nozzle Clogging
- 482 Study of typical failure pattern in thin slab Caster SEN-Investigation & Finding
- 486 Casting of CaFe treated steel and its effect on recrystallization and lifetime of ZrO₂ metering nozzles
- 490 Simulating methods for Al₂O₃ cloggings on SEN
- 494 The development of the thermal insulation coating
- 497 Yttria magnesia co-stabilized zirconia refractories for application as functional components in continuous steel casting
- 501 Extruded cellular filter components for steel melt filtration in industrial continuous casting of steel
- 504 Development of Vibrocast Alumina-spinel Inner Nozzles for Vacuum Ingot Casting
- 507 Refractory Handling Manipulator for safe & better ergonomics
- 509 Modifications in Ladle Slide Gate System for improving Safety & Productivity
- 511 Development of olivine based precast castable for tundish weir and dam
- 513 Carbon bonded rods for measurement of molten steel velocity at the meniscus level in the continuous caster mould: from the lab to the plant trials
- 514 Pureblox 1400, how TRB take up the energy saving challenge while using safer products
- 516 The influence of alumina type on corrosion resistance of smart Al₂O₃-MgO monolithic refractories used in crucible induction furnaces
- 520 Performance of Novel Silica Dry Vibrating Refractory Lining Mixes without pure Boric Acid or Boron Oxide in Crucible Induction Furnaces in the Iron Foundries
- 522 Effects of spinel-calcium aluminate on properties of alumina-magnesia based dry ramming mixes
- 525 **4 REFRACTORIES FOR NON-FERROUS METALLURGY**
- 526 Flame-sprayed calcium aluminate-based coatings for application in the aluminium industry
- 530 New Generation Castables – A Contribution to the discussion of H₂-assisted smelting furnaces for secondary aluminium
- 531 Comparative post-mortem research on the corrosion resistance of chemically bonded castables in contact with molten aluminium
- 534 Steel Ceramic Composites resistant to long-term contact with Molten Aluminum Alloys
- 536 Influence of filter surface roughness on the pressure drop of ceramic foam filters

- 538 Interactions between the gas phase in a nickel flash smelting furnace and the refractory lining
- 542 Al_2O_3 - MgAl_2O_4 refractory material as a Cr-free alternative dedicated to the copper industry
- 546 Ceramic foam filters with a carbon-bonded alumina coating for aluminum melt filtration
- 549 Approaches to solving advanced problems of established refractory designs in non-ferrous metallurgy
- 551 **5 REFRACTORIES FOR NON-METAL INDUSTRIES**
- 552 Challenges for a Cement Producer
- 553 Near-customer engineering management for advanced applications in the cement industry
- 554 Effective CO_2 -Reduction for Rotary Kiln Burning Processes by Using Energy Efficient Linings
- 558 Energy-saving Refractory Bricks for Sustainable Lining of Rotary Kilns
- 561 Customized Linings for Upper Transition Zones of Rotary Kilns for Contemporary Cement Clinker Production Conditions
- 564 Refractory Linings for Cement Rotary Kilns Contributing to Environmental Impact Reduction
- 568 Solidification of two fused cast Al_2O_3 - ZrO_2 - SiO_2 Materials in an aero acoustic levitator
- 570 Study of the Microcracking effect in an alumina-Mullite-Zirconia refractory ceramic
- 574 Fused cast AZS blocks and their mineral phases after production, after annealing the furnace and in use
- 578 Fused Silica – The answer to challenging furnace conditions
- 579 Development of a high-temperature- TES system using refractory materials for long-term storage of renewable energy
- 583 The influence of firing parameters on the formation of nitride phases in nitride bonded silicon carbides
- 585 Development of high SiC fraction refractories with silica sol binder
- 588 A major step towards the replacement of chromium oxide in refractories for incinerators and other applications
- 592 Oxidation behaviors and mechanisms of SiC refractory materials used in municipal waste incinerators containing anti-oxidizing additives
- 596 Development of high chrome oxide gasifier refractories – one step ahead towards carbon neutrality
- 600 Premature refractory lining integrity deterioration in a syn-gas reforming furnace
- 603 Refractory Lining Condition Assessment and Integrity Management of Hydrocarbon Process Furnaces and Reactors
- 606 Microporous calcium silicate hydrate-based thermal insulators: A critical review
- 609 **6 MODELLING AND DIGITALIZATION**
- 610 Life cycle environmental and cost assessment of ladle refractories management according to circular economy criteria
- 614 Insulating Refractories as an Enabler to Carbon Sustainability, Demonstrated through Life Cycle Assessment.
- 618 Overview on LCA: challenges and opportunities for the refractory industry
- 622 Thermodynamics of interfaces in the refining of clean steels and its importance to the design of ceramic plugs
- 626 Thermodynamic simulation of slag-refractory-interactions in different metallurgical systems
- 630 A coupled thermo-chemo-mechanical approach to simulate the oxidation of SiC-based refractory castable
- 634 Design optimization of refractory castable panels for alumina calciner linings via finite element simulations
- 638 A novel design for flow stabilizer of tundish by CFD and Water model simulation
- 642 Remaining useful life and wear estimation of the refractory bricks of the ladle lining by Artificial Intelligence

- 646 Artificial Intelligence applied to enhance the thermal management of torpedo ladle cars
- 650 The use of numerical modelling for refractories optimisation in the reheating furnaces at Tata Steel Nederland
- 654 A new standard from WRA for digital exchange of refractories data
- 658 Converter on life-support: A structured approach to determine the governing parameters of refractory wear to stabilise and prolong the lining lifetime
- 662 Into the Unknown: Explaining and predicting slag line wear based on process parameters
- 666 Refractory Performance Tracking: from materials development to application monitoring
- 670 Application of Machine Learning in the assessment of the wear rate of MgO-C refractory materials dedicated for steel industry
- 674 Experimental and numerical investigation of a pilot steel ladle
- 678 Digitalization to realize an automatic and continuous refractory maintenance system SCANTROL™ 4.0 for the EAF
- 682 Advanced analytics applied to improve the energy efficiency of steel ladle logistics
- 684 Prediction of performance and assessment of reusability and recycling of refractory materials using non-destructive online evaluation and machine learning algorithms
- 687 Micro-mechanical modelling of heterogeneous materials containing microcracks with discrete element method
- 688 Development of an orthotropic elastic-visco-plastic behaviour law for the thermomechanical modelling of refractory masonries
- 692 FE modelling of refractories' material properties based on 3D microstructural analysis
- 695 Multiscale modeling of gas-slag-refractory interactions and degradation mechanisms
- 699 Estimation of refractory castable thermal conductivity: a manufacturer's perspective
- 701 Discrete Element Method (DEM) to support microstructure design of refractories
- 703 Combustion characteristics of methane air premixed fuel in ordered porous burners
- 705 Transmission conditions across a thin Thermoelastic interphase
- 707 **7 EDUCATION**
- 708 Reimagining refractories: How professional societies influence the perception of refractory technology and engineering
- 712 On Refractory Engineering Education Evolution
- 717 EU ATHOR project (2017-2022) – Direct impacts on international refractory community
- 721 EU CESAREF project (2022-2026) – A coming contribution to European Green Deal
- 725 Wetting behavior of CaO-Al₂O₃-SiO₂ molten slags on magnesia refractory under weak static magnetic field
- 729 From unpopular matter to smart subject: public funding of refractory research and PhD education by DFG research programs at TU Freiberg
- 731 Bachelor of ceramic science (Dual) at Koblenz University of Applied Science – an opportunity for the industry to overcome skills shortage
- 735 **8 TESTING AND STANDARDIZATION**
- 736 *In situ* high-temperature Raman spectroscopy: A powerful tool for studying refractory materials
- 740 Material characterization & product analysis of refractories via X-ray computed tomography
- 744 Fracture energy determination of carbon-containing refractories with consideration of the creep behaviour
- 748 Investigation of the simultaneous influence of mechanical loading and thermal gradient as occurring in refractory linings on the refractory microstructure and physical properties
- 752 Application of Ultra-High Speed Heating Test System – Evaluation of Thermal Conductivity –
- 756 European and International Standardization Work in Refractories

- 758 Young's Modulus of Refractories at High Temperatures: Comparison of different Testing Methods as Base for Masonry Modelling
- 762 Statistical Evaluation of influencing factors on various cold crushing strength determination methods
- 766 Evaluation of cold crushing strength methods on statistical values of various refractory brick grades
- 770 Bulk density determination of refractory raw materials – faster and better with a spin-dryer
- 773 Thermal conductivity: a modified high temperature panel method to speed up measures for lightweight and dense refractory materials
- 777 Characterization of inclusion populations in metal matrix using automated feature analysis
- 779 Improving the refractories selection regarding their thermal shock resistance (TSR) by using practice-oriented investigations promoting experimental thermal loading close to their service conditions
- 783 Thermal Shock Resistance of Alumina Foam Filters – a Comparative Study
- 785 Development of a novel thermal shock protocol of experiment of carbon-based refractory materials
- 786 Application of Ultra-High Speed Heating Test System – High Temperature Observation of SiC/Fe/Slag Systems –
- 788 Hot thermal shock testing using TOM_wave
- 791 **9 BASIC REFRACTORY SCIENCE AND TECHNOLOGY TRANSFER**
- 792 MgO-C refractories based on refractory recyclates and environmentally friendly binders
- 796 The Role of Andalusite in Refractory Castables and possible Substitutions Part 1: Thermal behaviour of Andalusite bearing Castables
- 797 The Role of Andalusite in Refractory Castables and possible substitutions Part 2: Changes in Ceramic Structure During Heat-Up
- 798 The role of andalusite in refractory castables and possibilities for its substitution. Part 3: First attempt to redesign required properties within the parameters of andalusite free castables
- 799 Refractory ink-coated porous insulators to prevent microwave plasma discharges for high-temperature microwave heating
- 801 High-temperature damage and mechanical behavior of niobium-alumina refractory composites under compression and bending
- 805 Comparison of solidification behavior of synthetic mullite and mullite-forming raw materials by aero-acoustic levitation
- 807 Carbon-free electrically heatable coarse-grained composite materials consisting of (Nb/Ta)-Al₂O₃ and alumina
- 809 Steel Ceramic Composite anodes based on recycled MgO-C lining bricks for applications in cryolite/aluminum melts
- 812 Engineered Refractory Aggregates Comprising Higher Grade Shell and Lower Grade Core
- 815 Preparation and Properties of Fiber/Whisker Composite Magnesia-alumina Spinel Refractory by *In-situ* Chemical Vapor Deposition
- 818 Compositional Complex Ceramic coatings for corrosion resistance of refractories
- 822 Dispersion of surface modified Nano additives by silanol groups and its effect on properties of Oxide and Oxide-C refractories
- 826 Thermophysical properties of Ca²⁺-Cr³⁺-Fe³⁺ doped LaAlO₃ high emissivity ceramic
- 828 High entropy transition metal diborides powders synthesized via molten salt method
- 829 Refractory composite aggregates based on Nb-Al₂O₃ using 3D printing technology
- 830 Use of metallurgical residues as potential raw materials for high performance refractory castables
- 831 Enhanced infrared radiation of LaAlO₃ ceramics via Co²⁺ doping
- 832 Effect of the impregnation with liquid glass on the properties of refractory castable

- 836 Numerical Analysis of Molten Steel Infiltration in Porous Bricks
- 840 CaO attack on refractory materials of the system $\text{SiO}_2\text{-Al}_2\text{O}_3$
- 844 Impact of hydrogen on carbon monoxide disintegration of refractories
- 848 Knowledge about the Carbon Deposition in the Microstructure of Refractory Materials
- 852 The influence of the gas permeability of refractory materials on carbon deposition in CO containing atmospheres
- 856 Exceptional "Highlights" of extreme Wear of Refractories
- 860 Degradation behavior of MgO-C refractory by Ar blowing in contact with liquid steel
- 863 Hydrogen: an issue and a new challenge for the durability of refractories
- 867 Status and challenges of hydrogen containing fuels on porous ceramic materials and protective systems in the energy industry
- 868 H_2 -Change: Refractories under attack of challenging atmospheres during transformation process
- 876 Switching to Hydrogen Based Fuels and their Effect on Refractory Linings and Processes
- 879 Phosphate-bonded refractories in hydrogen containing atmosphere
- 881 Hydrogen corrosion of refractory minerals and the impact of SiO-gas
- 885 Physical properties of refractory bricks and changes of oxide materials after heat treatment at a hydrogen atmosphere
- 888 Characterization of refractories with regard to the application in H_2 -containing atmospheres
- 889 Hydrogen induced attack of $\text{Al}_2\text{O}_3\text{-SiO}_2$ refractories – application of SEM techniques and thermodynamics