

2023 IEEE 29th International Conference on Parallel and Distributed Systems (ICPADS 2023)

**Ocean Flower Island, China
17-21 December 2023**

Pages 1-728



**IEEE Catalog Number: CFP23036-POD
ISBN: 979-8-3503-0813-6**

**Copyright © 2023 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

IEEE Catalog Number:	CFP23036-POD
ISBN (Print-On-Demand):	979-8-3503-0813-6
ISBN (Online):	979-8-3503-3071-7
ISSN:	1521-9097

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

2023 IEEE 29th International Conference on Parallel and Distributed Systems (ICPADS) **ICPADS 2023**

Table of Contents

Message from the General Chairs	lxiv
Message from the Program Chairs	lxv
Organizing Committee	lxvi
Program Committee	lxvii
Sponsors and Organizers	lxviii

Research Papers

Algorithms & Architecture (I)

Improved Label Fusion Method Based on D-S Evidence Theory Using Subjective and Objective Weights	1
<i>Yujie Shi (Nanjing University of Science and Technology, China) and Yongli Wang (Nanjing University of Science and Technology, China)</i>	
Near-Linear Scaling Data Parallel Training with Overlapping-Aware Gradient Compression	8
<i>Lin Meng (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Yuzhong Sun (Institute of Computing Technology, Chinese Academy of Sciences, China), and Weimin Li (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China)</i>	
Performance Evaluation of Distributed k-WTA on Dynamic Undirected Connected Graphs and Its Application to Task Allocation	16
<i>Kexin Liu (Jinan University, China) and Yinyan Zhang (Jinan University; Pazhou Lab, China)</i>	
Accelerating zk-SNARK with Group and Zone Optimization on GPU	24
<i>Runnan Shen (Beihang University, China), Liang Wang (Beihang University, China), Haotian Luo (Beihang University, China), Rui Yang (Beihang University, China), Jinqian Yang (Beihang University, China), Jinquan Wang (Beihang University, China), Qiancheng Sun (Beihang University, China), Limin Xiao (Beihang University, China), and Jin Dong (Beijing Academy of Blockchain and Edge Computing (BABEC), China)</i>	

Realistic Sketch Face Generation via Sketch-Guided Incomplete Restoration	32
<i>Zijie Liu (University of Shanghai for Science and Technology, China), Chunhua Gu (University of Shanghai for Science and Technology, China), Ying Xie (University of Shanghai for Science and Technology, China), Huichen Zhang (Traffic Management Research Institute of the Ministry of Public Security, China), and Songwen Pei (University of Shanghai for Science and Technology, China)</i>	

Identifying Performance Bottleneck in Shared In-Network Aggregation During Distributed Training	38
<i>Chang Liu (Nanjing University, China), Jiaqi Zheng (Nanjing University, China), Wenfei Wu (Peking University, China), Bohan Zhao (Tsinghua University, China), Wei Nie (Shenzhen University, China), Xiaoyu Yi (Zhejiang Lab, China), and Guihai Chen (Nanjing University, China)</i>	

Algorithms & Architecture (II)

AFL-CS: Asynchronous Federated Learning with Cosine Similarity-based Penalty Term and Aggregation	46
--	----

*Bingjie Yan (Institute of Computing Technology, Chinese Academy of
Sciences, China; Beijing Key Laboratory of Mobile Computing and
Pervasive Device, China; University of Chinese Academy of Sciences,
China), Xinlong Jiang (Institute of Computing Technology, Chinese
Academy of Sciences, China; Beijing Key Laboratory of Mobile Computing
and Pervasive Device, China; University of Chinese Academy of
Sciences, China), Yiqiang Chen (Institute of Computing Technology,
Chinese Academy of Sciences, China; Beijing Key Laboratory of Mobile
Computing and Pervasive Device, China; University of Chinese Academy
of Sciences, China), Chenlong Gao (Institute of Computing Technology,
Chinese Academy of Sciences, China; Beijing Key Laboratory of Mobile
Computing and Pervasive Device, China; University of Chinese Academy
of Sciences, China), and Xuequn Liu (Nanchang Aier Eye Hospital,
China)*

An Improved Affine Projection Sign Algorithm Based on Individual-Weighting Factors	54
--	----

*Xia Ni (Southwest University of Science and Technology, PR China), Ji
Zhao (Southwest University of Science and Technology, PR China), Qiang
Li (Southwest University of Science and Technology, PR China), Lingli
Tang (Southwest University of Science and Technology, PR China), and
Hongbin Zhang (University of Electronic Science and Technology of
China, PR China)*

SR2C: A Structurally Redundant Short Reads Collapser for Optimizing DNA Data Compression	60
---	----

*Hui Sun (Nankai University, China), Huidong Ma (Nankai University,
China), Yingfeng Zheng (Nankai University, China), Haonan Xie (Guangxi
University, China), Xiaofei Wang (Nankai University, China), Xiaoguang
Liu (Nankai University, China), and Gang Wang (Nankai University,
China)*

A Cooperative Co-evolutionary Salp Swarm Feature Selection Algorithm with Reverse Escape Strategy for Classification	68
---	----

*Zikang Yu (Harbin Engineering University, China), Hongbin Dong (Harbin
Engineering University, China), Jing Sun (Shijiazhuang Tiedao
University, China), and Bingxu Zhao (Harbin Engineering University,
China)*

An Efficient Network Flow Rules Compression Method Based on In-Network Computation on Cloud Computing	76
<i>Penghao Zhang (Shanxi University) and Xinyi Zhang (Computer Network Information Center, Chinese Academy of Sciences, China)</i>	

Algorithms & Architecture (III)

Information Entropy Composition Algorithms for Multipath Trust Relationships in Trust Propagation	84
<i>Xuefei Li (Inner Mongolia University, China), Lei Xu (Inner Mongolia University, China), and Ru Li (Inner Mongolia University, China)</i>	
ISADL: An Instruction Set Architecture Description Language for VLIW	92
<i>Xin Xiao (National University of Defense Technology, China) and Zhong Liu (National University of Defense Technology, China)</i>	
FGCache: Accelerating Aggregation Queries for OLAP Applications via Caching	100
<i>Can Wang (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), Yongping Luo (University of Science and Technology of China, China), Xiaoliang Wang (University of Science and Technology of China, China), and Shouhong Wan (University of Science and Technology of China, China)</i>	
Deep Learning-Based Digital Twin for Human Activity Recognition	106
<i>Jian Su (Nanjing University of Information Science and Technology, China), Zhenlong Liao (Zhejiang Wanli University, China), Qiankun Mao (Nanjing University of Information Science and Technology, China), Zhengguo Sheng (University of Sussex, U.K.), and Alex X. Liu (Michigan State University, USA)</i>	
Object-based Appearance-Motion Heterogeneous Network for Video Question Answering	112
<i>Feifei Xu (Shanghai University of Electric Power, China), Zheng Zhong (Shanghai University of Electric Power, China), Yitao Zhu (Shanghai University of Electric Power, China), Guangzhen Li (Shanghai University of Electric Power, China), Yingchen Zhou (Shanghai University of Electric Power, China), and Wang Zhou (Shanghai University of Electric Power, China)</i>	
Delay and Battery Degradation Optimization based on PPO for Task Offloading in RSU-assisted IoV	120
<i>Wei Zhao (Anhui University of Technology, China), Runhu Zhong (Anhui University of Technology, China), Cheng Wu (Anhui University of Technology, China), and Xinwei Xu (Anhui University of Technology, China)</i>	

Algorithms & Architecture (IV)

A Frequency-aware Grouping Strategy for Stateful Operators in Distributed Stream Processing Systems	126
<i>Dawei Sun (China University of Geosciences, China), Zhe Chen (China University of Geosciences, China), Weilong Lv (China University of Geosciences, China), Shang Gao (Deakin University, Australia), and Jia Rong (Monash University, Australia)</i>	

A Bit Level Acceleration of Mixed Precision Neural Network	132
<i>Dehui Qiu (Capital Normal University, China), Jing Wang (Renmin University of China, China), Yi Hou (Capital Normal University, China), Weigong Zhang (Capital Normal University, China), and Lan Gao (Capital Normal University, China)</i>	
Forward Difference Properties of the (n, k)-Star Graph and Some Other Interconnection Networks	138
<i>Eddie Cheng (Oakland University, USA), Ethan Gibbons (Brock University, Canada), Ke Qiu (Brock University, Canada), and Zhizhang Shen (Plymouth State University, USA)</i>	
ReQ-Tank: Fine-Grained Distributed Machine Learning Flow Scheduling Method	146
<i>Quanyi Xu (Nanjing University of Science and Technology, China), Kedong Yan (Nanjing University of Science and Technology, China), Dan Yin (Beijing Univ. of Civil Engineering and Architecture, China), Chanying Huang (Nanjing University of Science and Technology, China), Shan Xiao (Fiberhome Communication Tech. Co., China), and Yuxin Yang (Nanjing University of Science and Technology, China)</i>	
CDCP: A Framework for Accelerating Dynamic Channel Pruning Methods	153
<i>Zhaohong Xiang (Tongji University, China), Yigui Luo (Tongji University, China), Yin Xie (Tongji University, China), Haihong She (Tongji University, China), Weiming Liang (Tsinghua University, China), and Laigang Zhao (Aichi Automobile (Shanghai) Company Limited, China)</i>	
PCU-Net: An Enhanced U-Net by Combining PPM and CBAM for Medical Image Segmentation .	161
<i>Hejian Chen (University of South China, China), Zhongming Fu (University of South China, China), Li Liu (University of South China, China), Mengsi He (University of South China, China), Jiayi Deng (University of South China, China), and Zhuo Tang (Hunan University, China)</i>	

Algorithms & Architecture (V)

NREE: Nested Relation Extraction in the Economic Field	167
<i>Yifang Zhang (Wuhan University of Technology, China), Pengfei Duan (Wuhan University of Technology, China), Aoni Wu (Wuhan University of Technology, China), Wenyan Hu (Wuhan University of Technology, China), and Shengwu Xiong (Wuhan University of Technology, China)</i>	
A Caching Placement Strategy Based on Dynamic Router Hierarchy for Named Data Networking .	174
<i>Haotian Wang (Inner Mongolia University, China), Mingzhu Zhao (Inner Mongolia University, China), and Meiju Yu (Inner Mongolia University, China)</i>	
PFN: A Target Item-Enhanced Click-Through Rate Prediction via Parallel Fusion Network	180
<i>Lin Zhang (Shandong Normal University, China), Fang'ai Liu (Shandong Normal University, China), Yinghua Li (Shandong Normal University, China), Xuqiang Zhuang (Shandong Normal University, China), and Xiaohui Zhao (Shandong Normal University, China)</i>	

Three Preemption Approaches towards EDF Scheduling for Homogeneous Multiprocessors	186
<i>Peng Wu (Shanxi University, China), Zhi Li (Shanxi University, China), Zhicai Zhang (Hainan University, China), Tao Yan (Shanxi University, China), and Lu Chen (Shanxi University, China)</i>	
ISAA: Boost Repair Process by Constructing the Degree Constrained Optimal Repair Tree for Erasure-Coded Systems	194
<i>Xianzhi Du (Central South University), Bing Zhu (n/a), Zhihang Deng (Central South University), Kenneth W. Shum (The Chinese University of Hong Kong), and Weiping Wang (Central South University)</i>	
Accelerating the LZ-Complexity Algorithm	200
<i>Joel Ratsaby (Ariel University, Israel) and Alexander Timashkov (Ariel University, Israel)</i>	

Algorithms & Architecture (VI)

Parallel Truss Maintenance of Dynamic Graphs	208
<i>Longzhi Li (South China Normal University, China) and Yuncheng Jiang (South China Normal University, China)</i>	
A Bilateral Stable Matching Dispatching Method in Crowdsourcing Food Delivery Service	216
<i>Feihong Huang (University of Electronic Science and Technology of China, China) and Wei Jiang (University of Electronic Science and Technology of China, China)</i>	
EagerReuse: An Efficient Memory Reuse Approach for Complex Computational Graph	223
<i>Ruyi Qian (Capital Normal University, China), Bojun Cao (Capital Normal University, China), Mengjuan Gao (Capital Normal University, China), Qinwen Shi (Capital Normal University, China), Yida Wang (Capital Normal University, China), Yuanchao Xu (Capital Normal University; Institute of Computing Technology, CAS, China), Qirun Huo (Capital Normal University, China), and Keni Qiu (Capital Normal University, China)</i>	
An Auto-Parallel Method for Deep Learning Models Based on Genetic Algorithm	230
<i>Yan Zeng (Hangzhou Dianzi University, China; Key Laboratory for Modeling and Simulation of Complex Systems, Ministry of Education, China; Data Security Governance Zhejiang Engineering Research Center, China), ChengChuang Huang (Hangzhou Dianzi University, China), Yijie Ni (Hangzhou Dianzi University, China), ChunBao Zhou (Institute of Computer Network Information Center of the Chinese Academy of Sciences), JiLin Zhang (Hangzhou Dianzi University, China; Key Laboratory for Modeling and Simulation of Complex Systems, Ministry of Education, China; Data Security Governance Zhejiang Engineering Research Center, China), Jue Wang (Institute of Computer Network Information Center of the Chinese Academy of Sciences), MingYao Zhou (HuaWei), MeiTing Xue (Hangzhou Dianzi University, China; Key Laboratory for Modeling and Simulation of Complex Systems, Ministry of Education, China; Data Security Governance Zhejiang Engineering Research Center, China), and YunQuan Zhang (Institute of Computing Technology of the Chinese Academy of Sciences, China)</i>	

META: Motion Excitation With Temporal Attention for Compressed Video Action Recognition	236
<i>Shaojie Li (Inner Mongolia University, China), Jiaqi Li (Inner Mongolia University, China), Jinxin Guo (Inner Mongolia University, China), and Ming Ma (Inner Mongolia University, China)</i>	
Robust Optimization for Minimizing Total Tardiness on Unrelated Parallel Machine Scheduling	242
<i>Yibo Han (Hainan University, China), Qi Qi (Hainan University, China), Ni Li (Hainan Normal University, China), and Jinqing Li (Hainan University, China)</i>	

Algorithms & Architecture (VII)

Ensemble Distillation for Out-of-distribution Detection	248
<i>Dongdong Wang (University of Central Florida, USA), Jingyao Xu (Beijing Jiaotong University, China), Siyang Lu (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), and Liqiang Wang (University of Central Florida, USA)</i>	
Radio Environment Map Based Routing Protocol for UAV Networks	254
<i>Siyue Zheng (Nanjing University of Aeronautics and Astronautics, China), Xiaojun Zhu (Nanjing University of Aeronautics and Astronautics, China), Zhenrui Qin (Northwest Missouri State University, USA), and Chao Dong (Nanjing University of Aeronautics and Astronautics, China)</i>	
Demystifying Decentralized Matrix Communication Network: Ecosystem and Security	260
<i>Hao Li (Shandong University, China), Yanbo Wu (Chinese Academy of Sciences, Institute of Information Engineering; University of Chinese Academy of Sciences, China), Ronghong Huang (University of Science and Technology of China, China), Xianghang Mi (University of Science and Technology of China, China), Chengyu Hu (Shandong University, China), and Shanqing Guo (Shandong University; Quancheng Laboratory, China)</i>	
BEW-YOLO: An Improved Method for PCB Defect Detection Based on YOLOv7	268
<i>Zhiyao Li (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Aimin Li (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Yuechen Zhang (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Xiaotong Kong (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), and Wenqiang Li (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China)</i>	
A Self-Iteration Code Generation Method Based on Large Language Models	275
<i>Tianyou Chang (Tianjin University, China), Shizhan Chen (Tianjin University, China), Guodong Fan (Tianjin University, China), and Zhiyong Feng (Tianjin University, China)</i>	

Algorithms & Architecture (VIII)

LIFM: A Persistent Learned Index for Flash Memory	282
<i>Shuhao Song (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), Zhaole Chu (University of Science and Technology of China, China), Yongping Luo (University of Science and Technology of China, China), and Shouhong Wan (University of Science and Technology of China, China)</i>	
Few-Shot Message-Enhanced Contrastive Learning for Graph Anomaly Detection	288
<i>Fan Xu (University of Science and Technology of China, China), Nan Wang (Beijing Jiaotong University, China), Xuezhi Wen (Beijing Jiaotong University, China), Meiqi Gao (Beijing Jiaotong University, China), Chaoqun Guo (Beijing Jiaotong University, China), and Xibin Zhao (Tsinghua University, China)</i>	
AH-TDMA: An Adaptive Heterogeneous Tridiagonal Matrix Algorithm on the New Sunway Supercomputer	296
<i>Min Tian (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Qi Liu (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Yanlong Li (Jinan Institute of Supercomputing Technology), Wei Du (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Zenghui Ren (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), and Yue Liu (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science)</i>	
Personalized Federated Learning with Local Optimization Models	302
<i>Shenhai Zheng (Chongqing University of Posts and Telecommunications, China), Haihan Xu (Chongqing University of Posts and Telecommunications, China), Peng Han (Chongqing Research Center for Information and Automation Technology, China), Yuanyuan Li (Chongqing University of Posts and Telecommunications, China), Yufei Chen (Tongji University, China), and Qing Chen (Chongqing University of Posts and Telecommunications, China)</i>	
DTtree: A Novel Read/Write-Optimized Learned Index for Database Systems	308
<i>Zhuohan Yu (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), Zhaole Chu (University of Science and Technology of China, China), Yongping Luo (University of Science and Technology of China, China), Xiaoliang Wang (University of Science and Technology of China, China), and Shouhong Wan (University of Science and Technology of China, China)</i>	

Algorithms & Architecture (IX)

Anomaly Detection with Graph Attention Network for Multimodal IoT Data Monitoring	314
<i>Haoyu Li (Zhejiang University, China), Yi Gao (Zhejiang University, China), and Wei Dong (Zhejiang University, China)</i>	

Clustering Information-Guided Multi-View Contrastive Graph Clustering	320
<i>Yaliang Zhao (Henan University, China), Tianchi Zhang (Henan University, China), and Jinke Wang (Henan University, China)</i>	
D-CoA: Probability Density-Based Confidence Assignment Semi-Supervised Clustering Ensemble.	327
<i>Yaqi Li (University of Jinan, China; Quan Cheng Laboratory, China), Lizhi Peng (Quan Cheng Laboratory, China; University of Jinan, China), Yihang Hao (University of Jinan, China; China Telecom Network Security Technology Co., Ltd, China), Hui Li (University of Jinan, China; Quan Cheng Laboratory, China), Xiang Chen (Inspur Electronic Information Industry Co., Ltd, China), and Bo Yang (Quan Cheng Laboratory, China; University of Jinan, China)</i>	
Accelerating Look-Up Table Based Matrix Multiplication on GPUs	333
<i>Yuchen Zhao (Capital Normal University, China), Lan Gao (Capital Normal University, China), Weigong Zhang (Capital Normal University, China), Jing Wang (Renmin University of China, China), and Dehui Qiu (Capital Normal University, China)</i>	
PRODE: Interpretable APT Detection Method Based on Encoder-decoder Architecture	340
<i>Fengxi Zhou (Chinese Academy of Sciences, University of Chinese Academy of Sciences, China), Baoming Chang (Chinese Academy of Sciences, University of Chinese Academy of Sciences, China), Yu Wen (Chinese Academy of Sciences, University of Chinese Academy of Sciences, China), and Dan Meng (Chinese Academy of Sciences, China)</i>	

Big Data & Machine Learning Systems (I)

Recognizing Semantics-Consistent Subsequences for Sequential Recommendation	348
<i>Wenhui Zhu (Shanghai Jiao Tong University), Yanmin Zhu (Shanghai Jiao Tong University), Zhaobo Wang (Shanghai Jiao Tong University), Mengyuan Jing (Shanghai Jiao Tong University), and Qinghua Chen (Wenzhou Polytechnic)</i>	
An Optimized Lossless Graph Summarization for Large-Scale Graphs	355
<i>Meiquan Lai (Shenzhen University), Yaqi Huang (Shenzhen University), Zhidan Liu (Shenzhen University), and Kaishun Wu (Hong Kong University of Science and Technology (Guangzhou))</i>	
Self-Supervised Multi-Task Distillation for Few-Shot Classification	363
<i>Enze Ji (Computer Network Information Center, Chinese Academy of Sciences, China), Shi Chen (Hong Kong University of Science and Technology, China), Tiandong Ji (Dalian University of Technology, China), Jing Li (State Grid Liaoning Marketing Service Center, China), and Zhikui Chen (Dalian University of Technology, China)</i>	
Secure CNN Training and Inference Based on Multi-Key Fully Homomorphic Encryption	370
<i>Hong Qin (Wuhan University, China), Debiao He (Wuhan University, China), Qi Feng (Wuhan University, China), and Min Luo (Wuhan University, China)</i>	
ISUAM: Intelligent and Safe UAM with Deep Reinforcement Learning	378
<i>Cristiano P. Garcia (University of Brasilia), Li Weigang (University of Brasilia), Nina S. T. Hirata (University of São Paulo), and Clóvis Neumann (University of Brasilia)</i>	

An Effective Index for Truss-based Community Search on Large Directed Graphs	384
<i>Wei Ai (Central South University of Forestry and Technology, China), CanHao Xie (Central South University of Forestry and Technology, China), Tao Meng (Central South University of Forestry and Technology, China), Yinghao Wu (Central South University of Forestry and Technology, China), and Keqin Li (State University of New York, USA)</i>	

Big Data & Machine Learning Systems (II)

Fast Butterfly-Core Community Search For Large Labeled Graphs	390
<i>JiaYi Du (Central South University of Forestry and Technology, China), YingHao Wu (Central South University of Forestry and Technology, China), Wei Ai (Central South University of Forestry and Technology, China), Tao Meng (Central South University of Forestry and Technology, China), CanHao Xie (Central South University of Forestry and Technology, China), and Keqin Li (State University of New York, USA)</i>	
A Two-Stage Multimodal Emotion Recognition Model Based on Graph Contrastive Learning	397
<i>Wei Ai (Central South University of Forestry and Technology, China), FuChen Zhang (Central South University of Forestry and Technology, China), Tao Meng (Central South University of Forestry and Technology, China), YunTao Shou (Central South University of Forestry and Technology, China), HongEn Shao (Central South University of Forestry and Technology, China), and Keqin Li (State University of New York New Paltz, USA)</i>	
OL-CBBA: An Online Task Allocation Algorithm under Weak Communication Conditions	405
<i>Jun Li (National University of Defense Technology, China), Wanrong Huang (National University of Defense Technology, China), Honglin Wu (National University of Defense Technology, China), Zhongxuan Cai (National University of Defense Technology, China), and Yongjun Zhang (National University of Defense Technology, China)</i>	
Dynamic Priority Job Scheduling on a Hadoop YARN Platform	412
<i>Nana Du (Northwest University, China), Yudong Ji (Northwest University, China), Aiqin Hou (Northwest University, China), Chase Wu (New Jersey Institute of Technology, USA), and Weike Nie (Northwest University, China)</i>	
SDAN-YOLO:Self-attention domain adaptive network for YOLOv7	420
<i>Jian Zhang (Central South University, China), Youcao Xiong (Central South University, China), Haowei Li (Central South University, China), and Jianbiao He (Central South University, China)</i>	
RTCoder: An Approach based on Retrieve-template for Automatic Code Generation	428
<i>Tianyou Chang (Tianjin University, China), Shizhan Chen (Tianjin University, China), Guodong Fan (Tianjin University, China), and Zhiyong Feng (Tianjin University, China)</i>	

Big Data & Machine Learning Systems (III)

Pipelined Training and Transmission for Federated Learning	435
<i>Yihui Shen (Soochow University, China), Hong Zhang (Soochow University, China), Juncheng Jia (Soochow University; Collaborative Innovation Center of Novel Software Technology and Industrialization, China), Tao Deng (Soochow University, China), Zhenhua Wang (China Merchants New Intelligence Technology Co., Ltd., China), Zhiwei Teng (China Merchants New Intelligence Technology Co., Ltd., China), and Mianxiong Dong (Muroran Institute of Technology, Japan)</i>	
Weighted Sampled Split Learning (WSSL): Balancing Privacy, Robustness, and Fairness in Distributed Learning Environments	443
<i>Manish Osti (Saginaw Valley State University, University Center, USA), Aashray Thakuri (University of Michigan- Dearborn, USA), Basheer Qolomany (University of Nebraska at Kearney, USA), and Aos Mulahuwaish (Saginaw Valley State University, University Center, USA)</i>	
An Incentive Mechanism for Consortium Blockchain-based Cross-Silo Federated Learning	451
<i>Kai Li (Shanxi University, P. R. China), Zhicai Zhang (Hainan University, China; Shanxi University, P. R. China), and Fang Fu (Hainan University, China; Shanxi University, P. R. China)</i>	
Research on long and short-term social recommendation based on convolutional and gated recurrent units	459
<i>Zihe Jia (Qilu University of Technology, China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Peng Xue (Qilu University of Technology, China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Zhiqiang Dai (Qilu University of Technology, China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Qian Gao (Qilu University of Technology, China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), and Xiaomeng Zhang (Qilu University of Technology, China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China)</i>	
SGRU: A High-Performance Structured Gated Recurrent Unit for Traffic Flow Prediction	467
<i>Wenfeng Zhang (Shandong University, China), Xin Li (Shandong University, China), Anqi Li (Shandong University, China), Xiaoting Huang (Shandong University, China), Ti Wang (China Unicom Smart City Research Institute, China), and Honglei Gao (Shandong Cultural and Tourism Group Co., Ltd, China)</i>	
PPCE: Privacy-Preserving Contribution Evaluation for Fairness-Aware Federated Learning	474
<i>Ke Geng (Qingdao University of Science and Technology, China), Lingling Wang (Qingdao University of Science and Technology, China), Zhengyin Zhang (Qingdao University of Science and Technology, China), Zhongkai Lu (Qingdao University of Science and Technology, China), and Mei Huang (Qingdao University of Science and Technology, China)</i>	

Big Data & Machine Learning Systems (IV)

3D Single Target Tracking Algorithm Based on Dynamic Search Center	481
<i>Yanping Zhu (Changzhou University, China), Qi Chen (Changzhou University, China), Aimin Jiang (Hohai University, China), Chenyang Zhu (Changzhou University, China), Chang Liu (Hohai University, China), and Wenlong Chen (Changzhou University, China)</i>	
AL-Annotator: An Active Learning-Based Cervical Cell Annotation System	489
<i>Yangbo Jiang (Zhejiang University, China), Shuting Zhang (Zhejiang Sci-Tech University, China), Jinggen Wu (Zhejiang University, China), Xumei Zhu (Zhejiang Institute of Mechanical and Electrical Engineering, China), Xiao Liu (Beijing Huawei Digital Technology Co., Ltd., China), and Nenggan Zheng (Zhejiang University, China)</i>	
Variational Graph Autoencoder Based on High-Order Attention Mechanism	496
<i>Liang Ge (Chongqing University, China), Yiping Lin (Chongqing University, China), Haifeng Li (Chongqing University, China), and Junwei Xie (Chongqing University, China)</i>	
Fast RFM Analysis in Sequence Data	503
<i>Yanxin Zheng (Jinan University, China), Wensheng Gan (Jinan University, China; Pazhou Lab, China), Zefeng Chen (Jinan University, China), Pinlyu Zhou (Jinan University, China), and Xiangxiao Diao (Jinan University, China)</i>	
PM2.5 Pollution Prediction Service based on Mogrifier LSTM Model	511
<i>Jing Liu (Inner Mongolia University, China) and Ming Lian (Inner Mongolia University, China)</i>	
A PPO-Based Dynamic Asynchronous Semi-Decentralized Federated Edge Learning	517
<i>Yaqin Li (Shanxi University, China), Zhicai Zhang (Hainan University, China; Shanxi University, China), Fang Fu (Hainan University, China; Shanxi University, China), and Yan Wang (Shanxi University, China)</i>	

Big Data & Machine Learning Systems (V)

Mitigating Distribution Shifts in Pollen Classification from Microscopic Images Using Geometric Data Augmentations	525
<i>Nam Cao (Graz University of Technology, Austria; University of Technology and Education, University of Da Nang, Vietnam) and Olga Saukh (Graz University of Technology; CSH Vienna, Austria)</i>	
STDA-Meta: A Meta-Learning Framework for Few-Shot Traffic Prediction	534
<i>Maoxiang Sun (North China University of Technology, China), Weilong Ding (North China University of Technology, China), Tianpu Zhang (North China University of Technology, China), Zijian Liu (North China University of Technology, China), Mengda Xing (North China University of Technology, China), and Jihai Huang (Zhengzhou University of Technology, China)</i>	
Differentially Private Federated Learning via Alternating Direction Method of Multipliers	542
<i>Luyan Yang (Southern University of Science and Technology, China)</i>	

Hybrid Parallel Inference for Large Model on Heterogeneous Clusters for High Throughput	549
<i>Chaonong Xu (China University of Petroleum, China), Weiming Kong (China University of Petroleum, China), Min Liu (China University of Petroleum, China), Mingming Zhang (China University of Petroleum, China), Chao Li (Zhejiang Lab, Hangzhou, China), and Luqi Gong (Zhejiang Lab, Hangzhou, China; School of Computer Science(National Pilot Software Engineering School), BUPT, China)</i>	
ESIREOS: Efficient, Scalable, Internal, Relative Evaluation of Outliers Solutions	555
<i>William A. Alves (Universidade Federal de São Carlos, Brazil), Henrique O. Marques (University of Southern Denmark, Denmark), Murilo C. Naldi (Universidade Federal de São Carlos, Brazil), and Jörg Sander (University of Alberta, Canada)</i>	
Automatic Program Repair via Learning Edits on Sequence Code Property Graph	563
<i>Xiaoyu Li (Institute of Software, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Jingzheng Wu (Institute of Software, Chinese Academy of Sciences, China), Xiang Ling (Institute of Software, Chinese Academy of Sciences, China), Tianyue Luo (Institute of Software, Chinese Academy of Sciences, China), and Yanjun Wu (Institute of Software, Chinese Academy of Sciences, China)</i>	

Big Data & Machine Learning Systems (VI)

CP-Decomposition Based Federated Learning with Shapley Value Aggregation	571
<i>Chengqian Wu (Hainan University, China), Xuemei Fu (Hainan University, China), Xiangli Yang (Hainan University, China), Ruonan Zhao (Hainan University, China), Qidong Wu (Hainan University, China), and Tinghua Zhang (Hainan University, China)</i>	
Prospect Theory-Based Federated Learning Incentive Mechanism for Industrial IoT	578
<i>Fang Fu (Shanxi University, China; Hainan University, China), Yan Wang (Shanxi University, China), Zhicai Zhang (Hainan University, China; Shanxi University, China), and Yaqin Li (Shanxi University, China)</i>	
Tensor-Train-Based Lightweight Encryption in Federated Cloud Environments	586
<i>Jiangtao Ma (Hainan University, China), Yunfan Zhang (Hainan University, China), Huazhong Liu (Hainan University, China), Peng Tan (Hainan Credit Investigation Company Limited, China), Jihong Ding (Hainan University, China), and Qiao Pan (Donghua University, China)</i>	
Low-dose CT image denoising method based on prior drive and convolution neural network	594
Range-Aware Hand Gesture Recognition Using FMCW Radar and Deep Learning	602
<i>Yosuke Iida (Hosei University, Japan), Mingyang Fan (Hosei University, Japan), Walid Brahim (Hosei University, Japan), Jianhua Ma (Hosei University, Japan), Muxin Ma (Pontosense Inc., Canada), and Alex Qi (Pontosense Inc., Canada)</i>	

Security & Blockchain (I)

Performance Modeling of Blockchains of BFT-Type Consensus	610
<i>Bo Li (Institute of Computing Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Chenhao Jiang (Institute of Computing Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Hanwen Zhang (Institute of Computing Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Zhongcheng Li (Institute of Computing Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Yi Sun (Institute of Computing Technology, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	
Secure and Trusted Copyright Protection for Educational Data on Redactable Blockchains	617
<i>Li-e Wang (Guangxi Normal University, China), Yi Wei (Guangxi Normal University, China), Peng Liu (Guangxi Normal University, China), and Xianxian Li (Guangxi Normal University, China)</i>	
SecDFS: A Secure and Decentralized File System	623
<i>Shenglong Zhao (Shanghai Jiao Tong University, China), Zhichao Hua (Shanghai Jiao Tong University, China), and Yubin Xia (Shanghai Jiao Tong University, China)</i>	
Blockchain-Based Pricing Mechanism Research on IoT Data Transactions	631
<i>Shiqi Ding (Beijing University of Posts and Telecommunications, China), Shaoyong Guo (Beijing University of Posts and Telecommunications, China), Chang Liu (Beijing University of Posts and Telecommunications, China), and Zhili Wang (Beijing University of Posts and Telecommunications, China)</i>	
DTSAC: Smart Contract-Based Access Control with Delegation and Trust Management	639
<i>Junguo Liao (Hunan University of Science and Technology, China) and Qiong Wu (Hunan University of Science and Technology, China)</i>	

Security & Blockchain (II)

Game-Theoretic Analysis of (Non-)Refundable Fees in the Lightning Network	645
<i>Satwik Prabhu Kumble (TU Delft), Dick Epema (TU Delft), and Stefanie Roos (University of Kaiserslautern-Landau)</i>	
A High-Performance Smart Contract Vulnerability Detection Scheme Based on BERT	653
<i>Shengqiang Zeng (Tianjin University of Technology, China), Ruhuang Chen (Tianjin University of Technology, China), Hongwei Zhang (Tianjin University of Technology, China), and Jinsong Wang (Tianjin University of Technology, China)</i>	
A Comprehensive Robustness Analysis of Storj DCS Under Coordinated DDoS Attack	659
<i>Rohon Kundu (Lund University, Sweden), Christian Gehrman (Lund University, Sweden), and Maria Kihl (Lund University, Sweden)</i>	

S-Chain: A Shard-Based Blockchain Scheme for Cross-Chain Supervision	667
<i>Yuwei Xu (Southeast University, China; Purple Mountain Laboratories for Network and Communication Security, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Yuxing Song (Southeast University, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Junyu Zeng (Southeast University, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Ran He (Southeast University, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), and Jingdong Xu (Nankai University, China)</i>	

DarkTrans: A Blockchain-Based Covert Communication Scheme With High Channel Capacity and Strong Concealment	675
<i>Yuwei Xu (Southeast University, China; Purple Mountain Laboratories for Network and Communication Security, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Zehui Wu (Southeast University, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Jie Cao (Southeast University, China; Engineering Research Center of Blockchain Application, Supervision and Management, China), Jingdong Xu (Nankai University, China), and Guang Cheng (Southeast University, China; Purple Mountain Laboratories for Network and Communication Security, China)</i>	

Security & Blockchain (III)

SvaVoting: A Novel Secret Sharing-Based Verifiable and Anonymous E-Voting Scheme in Blockchain Systems	683
<i>Jingyu Zhang (Changsha University of Science & Technology, China; National University of Defense Technology, China), Chenghao Wu (Changsha University of Science & Technology, China), Jin Yang (Changsha University of Science & Technology, China), and Lailong Luo (National University of Defense Technology, China)</i>	

MoryFabric : Reducing Transaction Abort by Actual Validity Verification and Reordering	691
<i>Jinlong He (Henan University of Technology, China), Yang Liu (Henan University of Technology, China), Jingwen Chen (Henan University of Technology, China), Song Peng (Henan University of Technology, China), Yaoqi Wang (Henan University of Technology, China), and Miaomiao Zhang (Henan University of Technology, China)</i>	

Reputation-Based Streamlet: An Enhanced BFT Consensus Algorithm for Improved Performance and Scalability	699
<i>Bo Fang (Shenzhen University, China), Dancheng Zhao (Shenzhen University, China), Taotao Wang (Shenzhen University, China), Hao Wang (Monash University, Australia), Shengli Zhang (Shenzhen University, China), and Qing Yang (Shenzhen University, China)</i>	

SOID: Towards an Efficient Incremental Deployment Scheme for Source Address Validation	707
<i>Shu Yang (Shen Zhen University, China), Bingqian Song (Shen Zhen University, China), and Laizhong Cui (Shen Zhen University, China)</i>	

Distributed Key Derivation for Multi-Party Management of Blockchain Digital Assets	715
<i>Lin Zhong (New Huo Digital Limited, China), Yujue Wang (Hangzhou Innovation Institute of Beihang University, China), Yong Ding (Guilin University of Electronic Technology, China; Institute of Cyberspace Technology, HKCT Institute for Higher Education, China), Jun Du (New Huo Digital Limited, China), Kevin He (New Huo Digital Limited, China), and Andrew Zhang (New Huo Digital Limited, China)</i>	

HPCC (I)

DFAR: Dynamic-Threshold Fault-Tolerant Adaptive Routing for Fat Tree Networks	721
<i>Binyan Lan (National University of Defense Technology, China), Fei Lei (National University of Defense Technology, China), Dezun Dong (National University of Defense Technology, China), Ke Wu (National University of Defense Technology, China), and Xiaoyun Zhang (National University of Defense Technology, China)</i>	
A Reverse Auction-Based Incentive Mechanism for Cost-Effective Data Collection in Mobile Crowdsensing	729
<i>MingHe Zhang (Guilin University of Electronic Technology, China), BoTao Wang (Guilin University of Electronic Technology, China), Gang Liu (Shanghai University, China), and Jing Huang (Hunan University of Science and Technology, China)</i>	
Characterization of Large-Scale HPC Workloads With Non-Naïve I/O Roofline Modeling and Scoring	737
<i>Zhaobin Zhu (Goethe University Frankfurt, Germany) and Sarah Neuwirth (Johannes Gutenberg University Mainz, Germany; Jülich Supercomputing Centre, Forschungszentrum Jülich GmbH, Germany)</i>	

Job2Vec: A Self-Supervised Contrastive Learning Based HPC Job Power Consumption Prediction Framework	745
<i>Jie Zhang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Jian Song (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Xiang Li (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Xuesen Tian (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Zhigang Zhao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Lu Wu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), and Chunxiao Wang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China)</i>	
Accelerating Big Data Application by Eliminating Redundancy on Hadoop Cluster	751
<i>Kelun Lei (Beihang University, China), Shaokang Du (Beihang University, China), Xin You (Beihang University, China), Zhibo Xuan (Beihang University, China), Haoran Kong (Beihang University, China), Hailong Yang (Beihang University, China), Jing Shang (China Mobile Information Technology Center, China), Zhiwen Xiao (China Mobile Information Technology Center, China), Zhihui Wu (China Mobile Information Technology Center, China), Zhongzhi Luan (Beihang University, China), and Depei Qian (Beihang University, China)</i>	
Intermittent fault diagnosability of a class of hypercube-family networks under the PMC model	757
<i>Hao Feng (Hainan University, China), Jiong Wu (Hainan University, China), and Lin Chen (Hainan University, China)</i>	

HPCC (II)

SA_TRSM: A Shape-Aware Auto-Tuning Framework for Small-Scale Irregular-Shaped TRSM	765
<i>Rongyuan Guo (Guizhou University of Finance and Economics; Institute of Computing Technology, Chinese Academy of Sciences, China), Haipeng Jia (Institute of Computing Technology, Chinese Academy of Sciences, China), Yunquan Zhang (Institute of Computing Technology, Chinese Academy of Sciences, China), Mingsen Deng (Guizhou University of Finance and Economics, China), Cunyang Wei (PerfXLab (Beijing) Technology Co., Ltd., China), Wenbin Chang (Institute of Computing Technology, Chinese Academy of Sciences, China), and Xiang Zhao (Ocean University of China; Institute of Computing Technology, Chinese Academy of Sciences, China)</i>	

GraphPar: Efficient Workload-Aware Subgraph Matching System on Multiple GPUs	775
<i>Kewei Zhang (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences), Junmin Xiao (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences), Zhiheng Lin (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences), Ke Meng (Alibaba Group), Chaoyang Shui (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences), Mingyi Li (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences), and Guangming Tan (Institute of Computing Technology, Chinese Academy of Sciences, University of Chinese Academy of Sciences)</i>	
CustTest: An Effective Testbed for Testing Customized Routing in Integrated Heterogeneous Networks	783
<i>Jialei Zhang (Xidian University, China), Xiaoxuan Xie (Xidian University, China), Zheng Yan (Xidian University, China), Haiguang Wang (Shield Lab., Singapore Research Center Huawei Technologies, Singapore), and Tieyan Li (Shield Lab., Singapore Research Center Huawei Technologies, Singapore)</i>	
A Fine-Grained Packet Loss Management System Based on Programmable Network	791
<i>Yaru Shen (Xiamen University, China), Anbang Wan (Xiamen University, China), and Yuhui Chen (Xiamen University, China)</i>	
Characterizing Performance Impacts of Subnormal Numbers on Vector Instructions and Transcendental Functions	799
<i>Xudong Wang (Shanghai Jiao Tong University, China), James Lin (Shanghai Jiao Tong University, China), and Qiucheng Liao (Shanghai Jiao Tong University, China)</i>	
Formation Control Optimization via Virtual Leader Exploration with Deep Reinforcement Learning for Unmanned Aerial Vehicles	807
<i>Kangwei Zhao (Nanjing University of Aeronautics and Astronautics, China), Xiangping Bryce Zhai (Nanjing University of Aeronautics and Astronautics, China), Jing Zhu (Nanjing University of Aeronautics and Astronautics, China), and Chee Wei Tan (Nanyang Technological University, China)</i>	
 HPCC (III)	
Formalization and Verification of RocketMQ Using CSP	813
<i>Yiwen Liu (East China Normal University, China), Hongyan Mao (East China Normal University, China), Ning Qin (East China Normal University, China), and Kai Chen (East China Normal University, China)</i>	
DEDF: An Enhanced Differential Evolution Algorithm With Dynamic-Selection Framework in IIOT	820
<i>Zhou Zhou (Changsha University, China), Fangmin Li (Changsha University, China), and Huazhong Liu (Hainan University, China)</i>	

Spatial and Temporal Dual-Scale Adaptive Pruning for Point Cloud Videos	826
<i>Songyu Xie (Wuhan University of Science and Technology, China), Jing Liu (Wuhan University of Science and Technology, China), Cen Chen (South China University of Technology; Shenzhen Institute, Hunan University, China), and Zhongyao Cheng (Institute for Infocomm Research (I2R), Agency for Science, Technology and Research, China)</i>	
Fast Approximate LUT-Based Vector Multiplication in DRAM	832
<i>Ziming Chen (National University of Defense Technology, China; Key Laboratory of Advanced Microprocessor Chips and Systems), Quan Deng (National University of Defense Technology, China; Key Laboratory of Advanced Microprocessor Chips and Systems), and Yongwen Wang (National University of Defense Technology, China; Key Laboratory of Advanced Microprocessor Chips and Systems)</i>	
Distributed Training of Large Language Models	840
<i>Fanlong Zeng (Jinan University, China), Wensheng Gan (Jinan University, China; Pashou Lab, China), Yongheng Wang (Jinan University, China), and Philip S. Yu (University of Illinois Chicago, USA)</i>	
Dynamic management of processes and communicators in malleable MPI applications	848
<i>Javier Fernández Muñoz (Universidad Carlos III de Madrid, Spain), Alberto Cascajo García (Universidad Carlos III de Madrid, Spain), and Jesús Carretero Pérez (Universidad Carlos III de Madrid, Spain)</i>	

IoT & CPS (I)

UAV-based Reliable Optical Wireless Communication via Cooperative Multi-agent Reinforcement Learning Approach	856
<i>Jiangang Liu (Shandong University of Science and Technology, China), Hanjiang Luo (Shandong University of Science and Technology, China), Rukhsana Ruby (Shenzhen University, China), Haoran Wang (Shandong University of Science and Technology, China), Hang Tao (Shandong University of Science and Technology, China), and Kaishun Wu (The Hong Kong University of Science and Technology, China)</i>	
Full-Coverage Invisible Camouflage for Adversarial Targeted Attack	864
<i>Hongtuo Zhou (Nanjing University of Science and Technology, China) and Zhichao Lian (Nanjing University of Science and Technology, China)</i>	
Interpretable attribution based on concept vectors	872
<i>Lu Liu (Nanjing University of Science & Technology, China) and Zhichao Lian (Nanjing University of Science & Technology, China)</i>	
FedFC: An Efficient Personalized Federated Learning Method on Non-iid Data	878
<i>Yuxin Yang (Nanjing University of Science and Technology, China), Yifei Wang (Nanjing University of Science and Technology, China), Chanying Huang (Nanjing University of Science and Technology, China), Qianmu Li (Nanjing University of Science and Technology, China), and Shan Xiao (Fiberhome Communication Tech. Co., China)</i>	

FedMP: Robust and Communication-Efficient Federated Multi-Prototype Intrusion Detection Framework in IoT	884
<i>Minsheng Le (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Zhen Li (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Chang Liu (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Gaopeng Gou (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Gang Xiong (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Wei Xia (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)</i>	

IoT & CPS (II)

Generating Routes Less Fragile to Improve Disruption-Resilient Transport Protocol for Phasor Data in Optical IoT Networks of Power Transmission Grids	892
<i>Boyang Zhou (Zhejiang Lab; Hangzhou Institute for Advanced Study, UCAS, China), Tong Ye (Zhejiang Lab, China), Yinghui Nie (Zhejiang Lab, China), Wenjie Yu (Hangzhou Institute for Advanced Study, UCAS, China), and Chunming Wu (Zhejiang University, China)</i>	
Effective Severity Assessment of Parkinson's Disease using Wearable Sensors in Free-living IoT Environment	900
<i>Ziheng Li (Yunnan University, China), Yuting Zhao (Yunnan University, China), Jun Qi (Xi'an JiaoTong-Liverpool University, China), Xulong Wang (University of Sheffield, China), Yun Yang (Yunnan University, China), and Po Yang (University of Sheffield, UK)</i>	
FingerBLE: A Device Fingerprint Identification Scheme for BLE Devices	907
<i>Xikai Sun (Tsinghua University, China) and Fan Dang (Tsinghua University, China)</i>	
STGAT: Spatial-Temporal Graph Attention Networks for Traffic Flow Prediction	913
<i>Chang Ruan (Changsha University of Science & Technology, China), Xianchao Tan (Changsha University of Science & Technology, China), Zhuofan Liao (Changsha University of Science & Technology, China), Lidan Kuang (Changsha University of Science & Technology, China), and Ping Li (Changsha University of Science & Technology, China)</i>	
FirmCVI Taint Analysis-Based Component Version Identification Method for Large-Scale IoT Firmware	920
<i>Ying Zhang (National University of Defense Technology, China) and Bo Yu (National University of Defense Technology, China)</i>	

IoT & CPS (III)

- Enhancing Cybersecurity in Industrial Control System With Autonomous Defense Using Normalized Proximal Policy Optimization Model 928
Shoukun Xu (Changzhou University, China), Zihao Xie (Changzhou University, China), Chenyang Zhu (Changzhou University, China), Xueyuan Wang (Changzhou University, China), and Lin Shi (Changzhou University, China)
- Modeling Parkinson's Disease Aided Diagnosis with Multi-Instance Learning: An Effective Approach to Mitigate Label Noise 936
Zheyuan Xu (Yunnan University, China), Fengtao Nan (Yunnan University, China), Jun Qi (Xi'an JiaoTong-Liverpool University, China), Yun Yang (Yunnan University, China), Xulong Wang (University of Sheffield, UK), and Po Yang (University of Sheffield, UK)
- Batch Verification-Based Anonymous and Traceable Data Sharing Scheme in Industrial Internet of Things 944
Xiyang Liu (University of Electronic Science and Technology of China, China), Xiong Li (University of Electronic Science and Technology of China, China), Baojin Wang (University of Electronic Science and Technology of China, China), and Xiaosong Zhang (University of Electronic Science and Technology of China, China)
- FlowEmbed: Binary function embedding model based on relational control flow graph and byte sequence 950
YongPan Wang (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), ChaoPeng Dong (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), SiYuan Li (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), FuCai Luo (State Grid Fujian Electric Power Company, China), RenJie Su (State Grid Fujian Electric Power Company, China), ZhanWei Song (Institute of Information Engineering, Chinese Academy of Sciences, China), and Hong Li (Institute of Information Engineering, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China)
- A Lightweight CNN-based Mechanism to Efficiently Identify Electric Meters under Stealthy False Data Injection Attacks in Smart Power Grid 958
Tong Ye (Zhejiang Lab, China), Boyang Zhou (Zhejiang Lab, China; Hangzhou Institute for Advanced Study, UCAS, China), Yinghui Nie (Zhejiang Lab, China), and Zhen Zhu (Zhejiang Lab, China)

Cloud & Edge Computing (I)

- FedCD: A Hybrid Centralized-Decentralized Architecture for Efficient Federated Learning 964
Pengcheng Qu (University of Science and Technology of China, China), Jianchun Liu (University of Science and Technology of China, China), Zhiyuan Wang (University of Science and Technology of China, China), Qianpiao Ma (Purple Mountain Laboratories, China), and Jinyang Huang (Hefei University of Technology, China)

Multivariate Workload Aware Correlation Model for Container Workload Prediction	972
<i>Man Zhang (Inner Mongolia University, China), ChunYan An (Inner Mongolia University, China), and CongHao Yang (Inner Mongolia University, China)</i>	
Throughput Optimization VNF Placement in Cloud Datacenter Considering Time-Varying Workload and Multi-Tenancy	980
<i>Yi Yue (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application, China), Shiding Sun (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application, China), Zhiyan Zhang (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application, China), Xiongyan Tang (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application, China), Wencong Yang (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application; Zhengzhou University, China), and Xuebei Zhang (China Unicom Research Institute; National Engineering Research Center of Next Generation Internet Broadband Service Application, China)</i>	
Prefetching-based Adaptive Video Streaming Strategy on Edge Computing	988
<i>Xuanyu Yi (Jinan University, China) and Jipeng Zhou (Jinan University, China)</i>	
Parallel-Driven Edge Computing Task Offloading for Profit Maximization Based on DDPG	995
<i>Lequn Fu (Nanjing University of Aeronautics And Astronautics, China), Houming Qiu (Nanjing University of Aeronautics And Astronautics, China), and Kun Zhu (Nanjing University of Aeronautics And Astronautics, China)</i>	
OSMO: Enhanced Offloading for Data Stream Perception with Smoothness and Orderliness	1001
<i>Chaokun Zhang (Tianjin University, China; China Xiongan Group Digital City Technology Co., Ltd., China), Quan Fan (University of California, USA), Jinlong E (Renmin University of China, China; Engineering Research Center of Database and Business Intelligence, MOE, China), and Shen He (Tianjin University, China)</i>	

Cloud & Edge Computing (II)

ExpoNAS: Using Exposure-based Candidate Exclusion to Reduce NAS Space for Heterogeneous Pipeline of CNNs	1009
<i>Huijuan Duan (Northwestern Polytechnical University, China), Danghui Wang (Northwestern Polytechnical University, China), Xingting Zhao (Northwestern Polytechnical University, China), Kuizhi Mei (Xi'an Jiaotong University, China), and Jihe Wang (Northwestern Polytechnical University, China)</i>	

HSMS-ADP: Adaptive DNNs Partitioning for End-Edge Collaborative Inference in High-Speed Mobile Scenarios	1015
<i>Xiang He (Beijing Jiaotong University, China), Zhen Liu (Beijing Jiaotong University, China), Ze Kou (Beijing Jiaotong University, China), Ninghua Dong (Beijing Jiaotong University, China), Yiran Li (Beijing Jiaotong University, China), and Zeshuai Liu (Beijing Jiaotong University, China)</i>	
FaaSCom: Mitigate Cold Start Problem in FaaS via Function Community	1023
<i>Hairui Guo (Sun Yat-Sen University, China), Jialun Li (Sun Yat-Sen University, China), Yang Xu (Sun Yat-Sen University, China), Yujie Long (Sun Yat-Sen University, China), Jieying Zhou (Sun Yat-Sen University, China), and Weigang Wu (Sun Yat-Sen University, China)</i>	
Joint Optimization of CPU Scaling and Core Sharing in Container Clouds	1031
<i>Yepeng Zhang (Beijing University of Posts and Telecommunications, China), Haitao Zhang (Beijing University of Posts and Telecommunications, China), Yue Wu (Beijing University of Posts and Telecommunications, China), and Huadong Ma (Beijing University of Posts and Telecommunications, China)</i>	
Efficient Dynamic Multi-key FHE Scheme from LWE for Untrusted Cloud Environments	1039
<i>Shuchang Zeng (Central China Normal University, China), Chingfang Hsu (Central China Normal University, China), Jianqun Cui (Central China Normal University, China), Wei Xie (Central China Normal University, China), and Qihang Hou (Central China Normal University, China)</i>	
On-Board Federated Learning in Orbital Edge Computing	1045
<i>Mohammad Reza Jabbarpour (Western Sydney University, Australia), Bahman Javadi (Western Sydney University, Australia), Philip H.W. Leong (The University of Sydney, Australia), Rodrigo N. Calheiros (Western Sydney University, Australia), David Boland (The University of Sydney, Australia), and Chris Butler (AUCloud, Australia)</i>	

Cloud & Edge Computing (III)

MACC: A Heterogeneous Multi-Agent Mobile Edge Coding Caching Strategy for Reducing Traffic Load	1053
<i>Xuemei Yuan (Guangxi University, China) and Ningjiang Chen (Guangxi University, China)</i>	
Multi-Step Edge Cloud Load Prediction by Analyzing Behavior of Workload Groups	1061
<i>Xiaojun Wu (Xi'an Jiaotong University, China), Wenxing Huang (Xi'an Jiaotong University, China), Sheng Yuan (Xi'an Jiaotong University, China), and Jiahao Mi (Xi'an Jiaotong University, China)</i>	
Leveraging Edge Computing and Privacy-Enhanced Prediction Sharing for Urban Traffic Forecasting	1067
<i>Yiping Wang (Hainan University, China), Chunyang Ye (Hainan University, China), and Hui Zhou (Hainan University, China)</i>	

Research on Edge-Cloud Collaborative Data Sharing Method Based on Federated Learning in Internet of Vehicles	1075
<i>Xiaohui Ren (Inner Mongolia University, China), Yan Wang (Inner Mongolia University, China), Jun Zhang (Inner Mongolia University, China), and Zhiheng Han (Inner Mongolia University, China)</i>	
An Edge Resource Allocation Method based on Bundled Two-way Auction	1081
<i>Yan Wang (Inner Mongolia University, China), Hongze Yao (Inner Mongolia University, China), Jianwei Gao (Inner Mongolia University, China), and Minghui Liu (Inner Mongolia University, China)</i>	

Cloud & Edge Computing (IV)

Research on the Deployment Scheme of Edge Servers for Vehicle Task Offloading	1087
<i>Lu Yao (Inner Mongolia University, China), Liguang Ren (Inner Mongolia University, China), and Yan Wang (Inner Mongolia University, China)</i>	
Latency-Optimized Multi-User Task Offloading Scheme Using Dynamic Priority and Duplication in Edge Computing	1093
<i>Peng Bo (Southwest University of Science and Technology, China), Cheng Chen (Southwest University of Science and Technology, China), Qiang Li (Southwest University of Science and Technology, China), Shilin Peng (Southwest University of Science and Technology, China), and Xiang Lei (Southwest University of Science and Technology, China)</i>	
Industry-Oriented Lightweight Simulation System	1099
<i>Changwei Liu (South China University of Technology; Peng Cheng Laboratory, China), Hao Ren (Peng Cheng Laboratory, China), Nan Zhou (Peng Cheng Laboratory, China), Guoqiang Li (South China University of Technology, China), Xiaojun Liang (Peng Cheng Laboratory, China), Weihua Gui (Central South University, China), and Chunhua Yang (Central South University, China)</i>	
Privacy-Preserving Direction-Aware Why-Not Spatial Keyword Top-k Queries on Cloud Platform.....	1107
<i>Yiping Teng (Shenyang Aerospace University, China), Huan Wang (Shenyang Aerospace University, China), Jiawei Qi (Shenyang Aerospace University, China), Miao Li (Shenyang Aerospace University, China), Chunlong Fan (Shenyang Aerospace University, China), and Li Xu (Shenyang Aerospace University, China)</i>	
TPTO: A Transformer-PPO Based Task Offloading Solution for Edge Computing Environments ..	1115
<i>Niloofar Gholipour (École de Technologie Supérieure, University of Quebec, Canada), Marcos Dias de Assuncao (École de Technologie Supérieure, University of Quebec, Canada), Pranav Agarwal (École de Technologie Supérieure, University of Quebec, Canada), Julien Gascon-Samson (École de Technologie Supérieure, University of Quebec, Canada), and Rajkumar Buyya (The University of Melbourne, Australia)</i>	

Regular Research Papers

Algorithms & Architecture (X)

- Communication-Aware Quantization for Deep Learning Inference Parallelization on
Chiplet-Based Accelerators 1123
*Kaiwei Zou (Tsinghua University, China), Songyun Qu (Institute of
Computing Technology, Chinese Academy of Sciences, China), Wen Li
(Shanxi university, China), Ying Wang (Institute of Computing
Technology, Chinese Academy of Sciences, China), Huaawei Li (Institute
of Computing Technology, Chinese Academy of Sciences, China), and
Yongpan Liu (Tsinghua University, China)*
- GenBoost: Generative Modeling and Boosted Learning for Multi-hop Question Answering over
Incomplete Knowledge Graphs 1131
*Zhen Cheng (Beihang University, China), Jianwei Niu (Beihang
University, China), Shasha Mo (Beihang University, China), and Jia
Chen (Beihang University, China)*
- Slim-MY: A Lightweight Network for Power Line Defect Detection with FPGA Acceleration 1139
*Xiaoyang Zhang (East China Normal University, China), Wenjie Chen
(East China Normal University, China), Zihao Zhou (East China Normal
University, China), and Zhuowen Duan (East China Normal University,
China)*
- Binary Malware Detection via Heterogeneous Information Deep Ensemble Learning 1147
*Runhan Song (Institute of Information Engineering, Chinese Academy of
Sciences; University of Chinese Academy of Sciences, China), Lun Li
(Institute of Information Engineering, Chinese Academy of Sciences,
China), Lei Cui (Zhongguancun Laboratory, China), Qiqi Liu (Institute
of Information Engineering, Chinese Academy of Sciences; University of
Chinese Academy of Sciences, China), and Jin Gao (Institute of
Information Engineering, Chinese Academy of Sciences, China)*
- ER3D: An Efficient Real-Time 3D Object Detection Framework for Autonomous Driving 1157
*Haitao Meng (Technical University of Munich, Germany), Changcai Li (Sun
Yat-Sen University, China), Gang Chen (Sun Yat-Sen University, China),
Zonghua Gu (Umea University, Sweden), and Alois Knoll (Technical
University of Munich, Germany)*
- Robust Listwise Learning-to-Rank Approach for Database Query Optimizer 1165
*Xue Chen (University of Electronic Science and Technology of China,
China), Rui Xi (University of Electronic Science and Technology of
China, China), Yiheng Tang (University of Electronic Science and
Technology of China, China), and Mengshu Hou (University of Electronic
Science and Technology of China, China)*

Algorithms & Architecture (XI)

- Distributed Smart Multihome Energy Management Based on Federated Deep Reinforcement
Learning 1173
*Liwei Peng (Wuhan University of Technology), Fan He (Wuhan University
of Technology), Go Hasegawa (Tohoku University), Yanfen Cheng (Wuhan
University of Technology), and Xun Shao (Toyohashi University of
Technology)*

TOSA: Tolerating Stuck-At-Faults in Edge-Based RRAM Inference Accelerators	1181
<i>Shaofeng Zhao (Huazhong University of Science and Technology, China), Bo Liu (Zhengzhou University, China), Fang Wang (Huazhong University of Science and Technology, China), Dan Feng (Huazhong University of Science and Technology, China), and Xiang Chen (Zhengzhou University, China)</i>	
A Parallelizable Counterfactual Generation Method Based on Gradient Optimization	1191
<i>Haorun Ding (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science; Quan Cheng Laboratory, China) and Xuesong Jiang (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science; State Key Laboratory of High-end Server & Storage Technology, China)</i>	
SemLog: A Semantics-Based Approach for Anomaly Detection in Big Data System Logs	1199
<i>Xiaoman Tan (Southwest University, China), Ningning Han (Beijing Jiaotong University, China), Siyang Lu (Beijing Jiaotong University, China), Wu Chen (Southwest University, China), and Dongdong Wang (University of Central Florida, USA)</i>	
Multilingual Knowledge Graph Completion via Multimodal Decouple and Relation-Based Ensemble Inference	1207
<i>Xiaojing Liu (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Xuesong Jiang (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), and Fengge Yi (Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China)</i>	
MM-ABR: An Enhanced ABR Algorithm With Multi-Metric Information for QUIC-Based Video Streaming	1214
<i>Changjiang Cui (Nanjing University of Science and Technology, China), Yifei Lu (Nanjing University of Science and Technology, China), Zhen Wang (Nanjing University of Science and Technology, China), Zeqi Ruan (Nanjing University of Science and Technology, China), and Hongxiang Wang (Nanjing University of Science and Technology, China)</i>	

Algorithms & Architecture (XII)

A Study on Semi-Supervised Semantic Segmentation of Ship Flame Images	1222
<i>Junwei Wan (Wuhan University of Science and Technology, China), Yaojie Chen (Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China), and Xuecong Zheng (Wuhan University of Science and Technology, China)</i>	
LWSDP: Locality-Aware Warp Scheduling and Dynamic Data Prefetching Co-design in the Per-SM Private Cache of GPGPUs	1230
<i>Wanguang Wang (Sun Yat-sen University, China), Mingyu Wang (Sun Yat-sen University, China), Yicong Zhang (Sun Yat-sen University, China), Yukun Wei (Sun Yat-sen University, China), and Zhiyi Yu (Sun Yat-sen University, China)</i>	

Asynchronous and Adaptive Checkpoint for WAL-Based Data Storage Systems	1238
<i>Li Zhu (ShanghaiTech University, China), Yanpeng Hu (ShanghaiTech University, China), and Chundong Wang (ShanghaiTech University, China)</i>	
FedTAM: Decentralized Federated Learning with a Feature Attention Based Multi-teacher Knowledge Distillation for Healthcare	1246
<i>Tingting Mou (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Xinlong Jiang (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Jie Li (China Unicom Research Institute, China), Bingjie Yan (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Qian Chen (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Teng Zhang (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Wuliang Huang (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), Chenlong Gao (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China), and Yiqiang Chen (Institute of Computing Technology, Chinese Academy of Sciences; Beijing Key Laboratory of Mobile Computing and Pervasive Device; University of Chinese Academy of Sciences, China)</i>	
Class-Adaptive Threshold for Class Imbalanced Semi-Supervised Learning	1254
<i>Xiaoyu Liu (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), Jingjie Wang (Beijing Jiaotong University, China), Siyang Lu (Beijing Jiaotong University, China), and Weiwei Xing (Beijing Jiaotong University, China)</i>	

Algorithms & Architecture (XIII)

Probing Handwritten Manchu Word Recognition Foundation Model	1262
<i>Haoran Li (Beijing Jiaotong University, China), Siyang Lu (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), and Yingjun Qi (Dalian University of Foreign Languages, China)</i>	
The Art of Deception: Black-Box Attack Against Text-To-Image Diffusion Model	1270
<i>Yuetong Lu (Beijing Jiaotong University, China), Jingyao Xu (Beijing Jiaotong University, China), Yandong Li (University of Central Florida, US), Siyang Lu (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), and Wei Lu (Beijing Jiaotong University, China)</i>	

Robust Traffic Light Recognition Pipeline Based on YOLOv8 for Autonomous Driving Systems ...	1278
<i>Yuwei Zhang (Tongji University, China), Yan Wu (Tongji University, China), Junqiao Zhao (Tongji University, China), Yinghao Hu (Tongji University, China), Yufei He (Tongji University, China), and Jijun Wang (Tongji University, China)</i>	
A Decision-Making Subgraph Mining Algorithm for Structural Equation Modeling	1286
<i>Shuling Yang (Dongguan University of Technology, China), Ming Tao (Dongguan University of Technology, China), and Xueqiang Li (Dongguan University of Technology, China)</i>	
TSFCloNet: Clothing Classification Algorithm Based on Two-Stream Network Structure	1294
<i>Minghua Jiang (Wuhan Textile University, China), Xiaoxiao Liu (Wuhan Textile University, China), Yaxin Zhao (Wuhan Textile University, China), Li Liu (Wuhan Textile University, China), and Feng Yu (Wuhan Textile University, China)</i>	

Algorithms & Architecture (XIV)

A coarse-to-fine parallelizable surface defect detection approach for railway trackside equipment	1303
<i>Guanjia Zhang (Beijing Jiaotong University, China), Weitwei Xing (Beijing Jiaotong University, China), Shuzhong Yang (China Academy of Railway Sciences Corporation Limited, China), Weibin Liu (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), Jian Zhang (Beijing Jiaotong University, China), and Shunli Zhang (Beijing Jiaotong University, China)</i>	
FastOmniMVS: Real-Time Omnidirectional Depth Estimation From Multiview Fisheye Images ...	1311
<i>Yushen Wang (Sun Yat-sen University, China), Yang Yang (Sun Yat-sen University, China), Jiayi Deng (Sun Yat-sen University, China), Haitao Meng (Technical University of Munich, Germany), and Gang Chen (Sun Yat-sen University, China)</i>	
DTC: Addressing the long-tailed problem in intrusion detection through the divide-then-conquer paradigm	1319
<i>Chaoqun Guo (Beijing Jiaotong University, China), Nan Wang (Beijing Jiaotong University, China), Yuanlin Sun (Beijing Jiaotong University, China), and Dalin Zhang (Beijing Jiaotong University, China)</i>	
Fairness with adaptive weight in network attack detection	1327
<i>Xuezhi Wen (Beijing Jiaotong University, China), Nan Wang (Beijing Jiaotong University, China), Yuanlin Sun (Beijing Jiaotong University, China), Fan Xu (University of Science and Technology of China, China), Dalin Zhang (Beijing Jiaotong University, China), and Xibin Zhao (Tsinghua University, China)</i>	

Low-Dimensional Feature Representation with Hybrid Attention for Few-Shot Image Classification	1334
<i>Xin-Wei Yao (Zhejiang University of Technology, China; Taizhou Research Institute, Zhejiang University of Technology, China; Institute for Frontier and Interdisciplinary Sciences, Zhejiang University of Technology, China), Zhi-Heng Yuan (Zhejiang University of Technology, Hangzhou, China), Yu-Li Fang (Zhejiang University of Technology, Hangzhou, China), Chuan He (Zhejiang University of Technology, Hangzhou, China), Yu-Chen Zhang (Zhejiang University of Technology, Hangzhou, China), and Qiang Li (Zhejiang University of Technology, Hangzhou, China)</i>	

Algorithms & Architecture (XV)

What Appears Suboptimal May Surprise You: A Fixed-Rate Scheduling Policy for Geo-Distributed CoFlows	1342
<i>Haoyu Liu (Xiamen University, China), Feiyan Ding (Xiamen University, China), Yao Wang (Xiamen University, China), Qiao Xiang (Xiamen University, China), Jiwu Shu (Xiamen University, China), Haizhou Du (University of Electric Power of Shanghai, China), Linghe Kong (Shanghai Jiao Tong University, China), and Xue Liu (McGill University, Canada)</i>	
A Scalable Deadlock-Free Static Routing Algorithm for Chiplet-Based Systems	1350
<i>Xiaoran Zhang (Sun Yat-Sen University, China), Mingyu Wang (Sun Yat-Sen University, China), Yicong Zhang (Sun Yat-Sen University, China), Tao Lu (Sun Yat-Sen University, China), and Zhiyi Yu (Sun Yat-Sen University, China)</i>	
Lightweight Multi-Semantic Hierarchy-Aware Poincaré Knowledge Graph Embeddings	1358
<i>Dong Zhu (Guangzhou University, China), Yao Lin (Guangzhou University, China), Haonan Tan (Guangzhou University, China), Le Wang (Guangzhou University, China; Peng Cheng Laboratory, China), and Zhaoquan Gu (Harbin Institute of Technology (Shenzhen), China; Peng Cheng Laboratory, China)</i>	
Sequence-to-Sequence Knowledge Graph Completion Based On Gated Attention Unit	1365
<i>Fengge Yi (Qilu University of Technology (Shandong Academy of Sciences); Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Xiumei Wei (Qilu University of Technology (Shandong Academy of Sciences); Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), Xiaojing Liu (Qilu University of Technology (Shandong Academy of Sciences); Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science, China), and Xuesong Jiang (Qilu University of Technology (Shandong Academy of Sciences); Shandong Provincial Key Laboratory of Computer Networks, Shandong Fundamental Research Center for Computer Science; State Key Laboratory of High-end Server & Storage Technology, China)</i>	

TransFlowLog: Log Anomaly Detection Based on Transformer Encoder and Interflow Decoder ...	1371
<i>Zaichao Lin (Beijing Jiaotong University, China), Siyang Lu (Beijing Jiaotong University, China), Ningning Han (Beijing Jiaotong University, China), Dongdong Wang (University of Central Florida, USA), Xiang Wei (Beijing Jiaotong University, China), and Mingquan Wang (China Academy of Launch Vehicle Technology, China)</i>	

Big Data & Machine Learning Systems (VII)

Vehicle Motion Prediction Based on Selective Perception and Weak Lane Guidance	1379
<i>Xiaoliang Wang (Hunan University of Science and Technology, China), Shiqi Zheng (Hunan University of Science and Technology, China), Junkang Zou (Hunan University of Science and Technology, China), and Yuzhen Liu (Hunan University of Science and Technology, China)</i>	
Graph-Attention-Network-Based Cost Estimation Model in Materialized View Environment	1388
<i>Daobing Zhu (University of Electronic Science and Technology of China, China), Shuhuan Fan (University of Electronic Science and Technology of China, China), Xiaoyang Zeng (University of Electronic Science and Technology of China, China), Rui Xi (University of Electronic Science and Technology of China, China), and Mengshu Hou (University of Electronic Science and Technology of China, China)</i>	
Injecting Revenue-Awareness Into Cold-Start Recommendation: The Case of Online Insurance	1397
<i>Yu Li (Jilin University), Yi Zhang (Wesure Inc.), Helen He Chang (Ping An Technology Shenzhen Co., Ltd), and Qiang Li (Jilin University)</i>	
Learning Dynamic Spatial Graphs and Spatial Patterns for Accurate Traffic Prediction	1405
<i>Wenyong Duan (Nanchang University, China), Chen Lin (Nanchang University, China), Jiayi Zhu (Nanchang University, China), Xiaoxi He (University of Macau, China), Wei Huang (Nanchang University, China), and Hong Rao (Nanchang University, China)</i>	
APRG: A Fair Information Granule Model Based on Adaptive Probability Replacement Resampling	1413
<i>Jianghe Cai (Jinan University, China), Yuhui Deng (Jinan University, China), Jiande Huang (Jinan University, China), and Ke Wang (Jinan University, China)</i>	
Multi-Scale Sampling Based MLP Networks for Anomaly Detection in Multivariate Time Series ..	1421
<i>Haojie Li (National University of Defense Technology, China), Hongzuo Xu (National University of Defense Technology, China), Wei Peng (National University of Defense Technology, China), Chiran Shen (National University of Defense Technology, China), and Xianwen Qiu (National University of Defense Technology, China)</i>	

Big Data & Machine Learning Systems (VIII)

Multimodal Rumor Detection With Causal Graph Attention Network	1429
<i>Jiaven Huang (Xiamen University, China), Donglin Cao (Xiamen University, China), and Dazhen Lin (Xiamen University, China)</i>	

Generative Enhancement-Based Similarity Prediction Hashing for Image Retrieval	1437
<i>Yuan Cao (Ocean University of China, China), Fanlei Meng (Ocean University of China, China), Xiangyu Wu (Ocean University of China, China), and Zijie Wang (Ocean University of China, China)</i>	
An Improvement Paillier Algorithm Applied to Federated Learning	1445
<i>Chao Xu (Southeast University, China), Yun Wang (Southeast University, China), and Jing Wang (Southeast University, China)</i>	
A Correlation and Order-Aware Rule Learning Method for Knowledge Graph Reasoning	1452
<i>Yuefeng He (University of Electronic Science and Technology of China, China), Yang He (University of Electronic Science and Technology of China, China), Xu Zheng (University of Electronic Science and Technology of China, China), Bei Hui (University of Electronic Science and Technology of China, China), and Bin Tian (Naval University of Engineering, China)</i>	
A Federated Learning Scheme Based on Reputation Evaluation and Blockchain	1460
<i>Siyu Tang (Xi'an Jiaotong University, China), Jian An (Xi'an Jiaotong University, China), Xiangyan Sun (Xi'an Jiaotong University, China), Xiancheng Hu (Xi'an Jiaotong University, China), and Feifei Wang (Henan Jiaoyuan Engineering Technology Group Co., LTD, China)</i>	
PsyLink: User Identity Linkage via Psychological Characteristic Modeling	1468
<i>Xingkong Ma (National University of Defense Technology, China), Houjie Qiu (National University of Defense Technology, China), Shaoyong Li (National University of Defense Technology, China), Shujia Yao (Shanxi University, China), Bo Liu (Academy of Military Sciences, China), and Wangqun Lin (Academy of Military Sciences, China)</i>	

Big Data & Machine Learning Systems (IX)

A Cooperative Multi-AUV Mobile Scheme with Optical Communication via DDPG Approach	1476
<i>Mengzhen Li (Shandong University of Science and Technology, China), Hanjiang Luo (Shandong University of Science and Technology, China), Xiang Li (Shandong University of Science and Technology, China), Rukhsana Ruby (Shenzhen University, China), Hang Tao (Shandong University of Science and Technology, China), and Kaishun Wu (The Hong Kong University of Science and Technology (Guangzhou), China)</i>	
Data-Quality-Driven Federated Learning for Optimizing Communication Costs	1484
<i>Xuehong Fan (Chongqing University, China), Nanzhong Wu (Southwest University, China), Shukan Liu (Naval University of Engineering, China), Xianzhang Chen (Chongqing University, China), Duo Liu (Chongqing University, China), Yujuan Tan (Chongqing University, China), and Ao Ren (Chongqing University, China)</i>	
Multi-scale Spin Convolutional Neural Network for Typhoon Intensity Prediction	1492
<i>Longjie Li (Shanghai Jiao Tong University), Yanmin Zhu (Shanghai Jiao Tong University), Han Zhang (The Second Institute of Oceanography of China), Mengyuan Jing (Shanghai Jiao Tong University), Haoyu Zhang (Shanghai Jiao Tong University), Zhaobo Wang (Shanghai Jiao Tong University), and Tianzi Zang (Nanjing University of Aeronautics and Astronautics)</i>	

A Novel Gold Futures Price Prediction Model Based on PCA-AGRU	1500
<i>Jingyang Wang (Hebei University of Science and Technology, China), Tong Lu (Hebei University of Science and Technology, China), Jindian Liu (Hebei University of Science and Technology, China), Qihong Sun (Hebei University of Science and Technology, China; Shiga University, Japan), Lianyong Qi (China University of Petroleum (East China), China), and Xiaokang Zhou (Shiga University; RIKEN Center for Advanced Intelligence Project, Japan)</i>	
RPFL: Robust and Privacy Federated Learning Against Backdoor and Sample Inference Attacks ..	1508
<i>Di Xiao (Chongqing University, China), Zhuyang Yu (Chongqing University, China), and Lvjun Chen (Chongqing University, China)</i>	
A Time Series Clustering Method for Network Big Data	1516
<i>Yujia Zhu (University of Exeter, UK), Geyong Min (University of Exeter, UK), Yulei Wu (University of Exeter, UK), and Haozhe Wang (University of Exeter, UK)</i>	

Big Data & Machine Learning Systems (X)

Rating-Review Graph Contrastive Learning for Review-based Recommendation	1522
<i>Jiacheng Shi (Shanghai Jiao Tong University), Yanmin Zhu (Shanghai Jiao Tong University), Ke Wang (Shanghai Jiao Tong University), Mengyuan Jing (Shanghai Jiao Tong University), Tianzi Zang (Shanghai Jiao Tong University), Jiadi Yu (Shanghai Jiao Tong University), and Feilong Tang (Shanghai Jiao Tong University)</i>	
Cross-view Self-Supervised Learning with Graph Convolutional Networks for Group Recommendation	1530
<i>Dan Liu (Heilongjiang University, China), Nan Wang (Heilongjiang University, China), and Jinbao Li (Qilu University of Technology, China)</i>	
Dual Contrastive Learning for Multi-Behavior Recommendation	1538
<i>Jiahui Wang (Shanghai Jiao Tong University), Yanmin Zhu (Shanghai Jiao Tong University), Mengyuan Jing (Shanghai Jiao Tong University), Tianzi Zang (Nanjing University of Aeronautics and Astronautics), and Qinghua Chen (Wenzhou Polytechnic)</i>	
Cost Guarantee for Individual Fairness on Spectral Clustering	1546
<i>Zhijing Yang (Southwest University of Science and Technology, China), Hui Zhang (Southwest University of Science and Technology, China), Chunming Yang (Southwest University of Science and Technology, China), Yi Yang (Sichuan Institute of Standardization, China), and Bo Li (Southwest University of Science and Technology, China)</i>	
Decentralized Subgraph Learning for Spatial-Temporal Data Modeling	1554
<i>Haiquan Wang (Beihang University, P.R. China), Wei Yan (Beihang University, P.R. China), Jiejie Zhao (Zhongguancun Laboratory, P.R. China), Bowen Du (Beihang University; Zhongguancun Laboratory, P.R. China), Chenzhi He (Beihang University, P.R. China), Yanbo Ma (Pontosense Inc., Canada), and Runhe Huang (Hosei University, Japan)</i>	

What Determines the Price of NFTs?	1562
<i>Vivian Ziemke (ETH Zurich, University of Macau), Benjamin Estermann (ETH Zurich, University of Macau), Roger Wattenhofer (ETH Zurich, University of Macau), and Ye Wang (ETH Zurich, University of Macau)</i>	

Big Data & Machine Learning Systems (XI)

SemSBA: Semantic-Perturbed Stealthy Backdoor Attack on Federated Semi-Supervised Learning .	1569
<i>Yingrui Tong (Shanghai Jiao Tong University, China), Jun Feng (Huazhong University of Science and Technology, China), Gaolei Li (Shanghai Jiao Tong University, China), Xi Lin (Shanghai Jiao Tong University, China), Chengcheng Zhao (Shanghai Jiao Tong University, China), Xiaoyu Yi (Shanghai Jiao Tong University, China), and Jianhua Li (Shanghai Jiao Tong University, China)</i>	
RCSR: Robust Client Selection and Replacement in Federated Learning	1577
<i>Xuerui Li (University at Buffalo, USA), Yangming Zhao (University of Science and Technology of China, China), and Chunming Qiao (University at Buffalo, USA)</i>	
Knowledge Graph Recommendation Based on Structural Semantics and Collaborative Semantics	1585
<i>Bingnan Liu (Tianjin University, China), Baoliang Wang (Tianjin University, China), Mankun Zhao (Tianjin University, China), Jian Yu (Tianjin University, China), Mei Yu (Tianjin University, China), and Xuewei Li (Tianjin University, China)</i>	
IMA: Implicit Matching and Alignment for Multimodal Named Entity Recognition	1595
<i>Tianyu An (Northeast Branch of State Grid Corporation of China), Fei Peng (Northeast Branch of State Grid Corporation of China), Qingdong Meng (Northeast Branch of State Grid Corporation of China), Shi Chen (Hong Kong University of Science and Technology), and Shan Jin (Dalian University of Technology)</i>	
Enhancing Path Information with Reinforcement Learning for Few-shot Knowledge Graph Completion	1603
<i>Ruixi Ma (Dalian University of Technology, China), Mengfei Yu (Dalian University of Technology, China), Buyun Gao (Dalian University of Technology, China), Jiaqi Gou (Dalian University of Technology, China), Zhikui Chen (Dalian University of Technology, China), and Liang Zhao (Dalian University of Technology, China)</i>	
MCoT: Multi-Modal Vehicle-To-Vehicle Cooperative Perception With Transformers	1612
<i>Shanwei Shi (Tianjin University, China), Chaokun Zhang (Tianjin University, China; China Xiong'an Group Digital City Technology Co., Ltd., China), Aoja Lv (Tianjin University, China), and Shen He (Tianjin University, China)</i>	

Big Data & Machine Learning Systems (XII)

- Fusion of Dynamic Hypergraph and Clinical Event for Sequential Diagnosis Prediction 1620
Xin Zhang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Xueping Peng (University of Technology Sydney, Australia), Hongjiao Guan (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Long Zhao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Xinxiao Qiao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Wenpeng Lu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)
- FedSKG: Self-supervised Federated Learning with Structural Knowledge of Global Model 1628
Jun Li (Nanjing University of Science and Technology, China), Dan Luo (Nanjing University of Science and Technology, China), Kang Wei (The Hong Kong Polytechnic University, China), Zhen Mei (Nanjing University of Science and Technology, China), and Yumeng Shao (Nanjing University of Science and Technology, China)
- A Risk-Aware Multi-Objective Patrolling Route Optimization Method Using Reinforcement Learning 1637
Haowen Chen (Hangzhou City University, China), Yifan Wu (Hangzhou City University, China), Weikun Wang (Hangzhou City University, China; Zhejiang University, China), Zengwei Zheng (Hangzhou City University, China), Jianhua Ma (Hosei University, China), and Binbin Zhou (Hangzhou City University, China)
- Unsupervised Graph-Sequence Anomaly Detection for 5G Core Network Control Plane Traffic ... 1645
Min Wang (Wuhan University of Science and Technology; Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China), Peng Li (Wuhan University of Science and Technology; Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China), Zhang Cheng (NSFOCUS Technologies Group Co., Ltd.), Wenmao Liu (NSFOCUS Technologies Group Co., Ltd.), Lei Nie (Wuhan University of Science and Technology; Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China), Haizhou Bao (Wuhan University of Science and Technology; Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China), Qin Liu (Wuhan University, China), and Kai Zhang (Wuhan University of Science and Technology; Hubei Province Key Laboratory of Intelligent Information Processing and Real-time Industrial System, China)
- PGUD: Personalized Graph Universal Defense 1653
Zeming Gan (Guangxi Normal University, China), Linlin Su (Guangxi Normal University, China), Xianxian Li (Guangxi Normal University, China), and Jinyan Wang (Guangxi Normal University, China)

Big Data & Machine Learning Systems (XIII)

- Relaxed Graph Semi-Supervised Contrastive Learning for Node Classification 1661
Qiyu Li (Guangxi Normal University, China), Xianxian Li (Guangxi Normal University, China), Haodong Qian (Guangxi Normal University, China), De Li (Guangxi Normal University, China), and Jinyan Wang (Guangxi Normal University, China)
- STHGN: Citywide Crowd Flow Prediction in Irregular Regions using Hypergraph Convolutional Network 1671
Jintao Xing (Beijing Jiaotong University, China), Weiwei Xing (Beijing Jiaotong University, China), Xiang Wei (Beijing Jiaotong University, China), Jian Zhang (Beijing Jiaotong University, China), and Wei Lu (Beijing Jiaotong University, China)
- OOCL-DDQN: Online Evaluation and Offline Training-Based Clipped Double DQN for Automated Anesthesia Control 1676
Huijie Li (Macao Polytechnic University), Wei Lin (Shenzhen United Scheme Technology Co., Ltd), Jian Huo (Shenzhen United Scheme Technology Co., Ltd), and Wuman Luo (Macao Polytechnic University)
- Efficient ConvNet Optimization Through Width Modification Guided With Gaussian Processes .. 1684
Bilal Siddiqui (The University of Texas at San Antonio, USA), Adel Alaeddini (The University of Texas at San Antonio, USA), and Dakai Zhu (The University of Texas at San Antonio, USA)
- Parallel Algorithm Design and Optimization for Numerical Simulation Application of Ion Implantation in Silicon 1692
Ruixuan Qi (Hunan University, China), Wangdong Yang (Hunan University, China), Xiuwen Yan (The 48th Research Institute of China Electronic Technology Corporation, China), Honglu Li (Hunan University, China), Yifei Zhang (Hunan University, China), and Kenli Li (Hunan University, China)

Big Data & Machine Learning Systems (XIV)

- Analysis of Performance and Optimization in MindSpore on Ascend NPUs 1701
Bangchuan Wang (Zhejiang University, China), Chuying Yang (Zhejiang University, China), Rui Zhu (Zhejiang University, China), Xiao Liu (Beijing Huawei Digital Technology Co., Ltd., China), Mingyao Zhou (Hangzhou Huawei Communication Technology Co., Ltd., China), and Nenggan Zheng (Zhejiang University, China)
- Towards a Lightweight Stress Prediction Model: a Study on Dimension Reduction and Individual Models in HRV Analysis 1709
Zeyang Cui (The Hong Kong Polytechnic University, China), Yanbo Ma (Pontosense Inc., Canada), Muxin Ma (Pontosense Inc., Canada), Runhe Huang (Hosei University, Japan), and Bowen Du (Zhongguancun Laboratory, China; Beihang University, China)
- Question Classification Method based on Self- Attention Mechanism and BiLSTM-AlexNet Model..... 1717
Yumeng Wang (LiaoNing Petrochemical University, China) and Yinshan Jia (LiaoNing Petrochemical University, China)

Accelerating Point Clouds Classification in Dynamic Graph CNN with GPU Tensor Core	1725
<i>Haocheng Huang (Hunan University of Science and Technology, China), Yangfan Li (Central South University, China), and Xinlian Zhou (Hunan University of Science and Technology, China)</i>	
Knowledge Enhancement and Feature Purification for Single-Stage Joint Entity and Relation Extraction	1733
<i>Guohao Zhai (University of Shanghai for Science and Technology, China) and Songwen Pei (University of Shanghai for Science and Technology, China)</i>	

Security & Blockchain (IV)

SLCSA: Scalable Layered Cooperative Service Attestation Scheme in Cloud-Edge-End Cooperation Environments	1741
<i>Jie Cui (Anhui University, China), Qipeng Chen (Anhui University, China), Li Han (Anhui University, China), Yang Li (Anhui Province Key Laboratory of Cyberspace Security Situation Awareness and Evaluation, China), Qingyang Zhang (Anhui University, China), Lu Liu (University of Leicester, U.K.), and Hong Zhong (Anhui University, China)</i>	
VI-Store: Towards Optimizing Blockchain-Oriented Verifiable Ledger Database	1751
<i>Chenlu Wang (Zhejiang University, China), Liang Cai (Zhejiang University, China), Fanglei Huang (Hyperchain, China), Weiwei Qiu (Hyperchain, China), and Chaolin Li (Zhejiang University, China)</i>	
Money Laundering Detection on Ethereum: Applying Traditional Approaches to New Scene	1759
<i>Yunmei Yu (Sun Yat-Sen University, China), Jiajing Wu (Sun Yat-Sen University, China), Dan Lin (Sun Yat-Sen University, China), and Qishuang Fu (Sun Yat-Sen University, China)</i>	
GNIDP: Gaussian-Noise-based Information Diffusion Prediction Model	1767
<i>Yiran Wang (University of Electronic Science and Technology of China, China), Yin Zhang (University of Electronic Science and Technology of China, China), Ranran Wang (University of Electronic Science and Technology of China, China), Zhaokang Zhang (University of Electronic Science and Technology of China, China), and Wenchao Wang (University of Electronic Science and Technology of China, China)</i>	
Secure Multi-Keyword Retrieval with Integrity Guarantee for Outsourced ADS-B Data in Clouds	1777
<i>Shangru Yang (Guilin University of Electronic Technology, China), Yong Ding (Guilin University of Electronic Technology, China; HKCT Institute for Higher Education, China), Yujue Wang (Hangzhou Innovation Institute of Beihang University, China), Hai Liang (Guilin University of Electronic Technology, China), Changsong Yang (Guilin University of Electronic Technology, China), and Huiyong Wang (Guilin University of Electronic Technology, China)</i>	

Security & Blockchain (V)

- Data Rights Verification in the Industrial Internet: A Securing Progressive Scheme With
Locked-NFTs and Adaptive Federated Learning 1785
Chenhao Zhang (Tianjin University of Technology, China), Jiameng Cheng (Tianjin University of Technology, China), Hongwei Zhang (Tianjin University of Technology, China), Jinsong Wang (Tianjin University of Technology, China), and Kai Shi (Tianjin University of Technology, China)
- DW-LRC: A Dynamic Wide-Stripe LRC Codes for Blockchain Data Under Malicious Node Scenarios...
1793
Mizhipeng Zhang (Shanghai Jiao Tong University, China), Chentao Wu (Shanghai Jiao Tong University, China), Jie Li (Shanghai Jiao Tong University, China), and Minyi Guo (Shanghai Jiao Tong University, China)
- Swarm: A High-Performance Asynchronous BFT Protocol Adapted to High Network Delay 1801
Jianyu Han (Tianjin University, China), Xiulong Liu (Tianjin University, China), and Keqiu Li (Tianjin University, China)
- CACluster: A Clustering Approach for IoT Attack Activities Based on Contextual Analysis 1809
Huiran Yang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yan Zhang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Yueyue Dai (Huazhong University of Science and Technology, China), Jiyan Sun (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Huajun Cui (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), Can Ma (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China), and Weiping Wang (Institute of Information Engineering, Chinese Academy of Sciences, China; University of Chinese Academy of Sciences, China)
- BrokerFi: A DeFi dApp Built upon Broker-based Blockchain 1817
Jian Zheng (University of Aizu, Japan), Qinde Chen (Sun Yat-sen University, China), Chunhua Su (University of Aizu, Japan), and Huawei Huang (Sun Yat-sen University, China)

HPCC (IV)

- Performance Evaluation of MindSpore and PyTorch Based on Ascend NPU 1826
Zeling Zhu (Ocean University of China, China), Bangchuan Wang (Zhejiang University, China), Chuying Yang (Zhejiang University, China), Rui Zhu (Zhejiang University, China), Mingyao Zhou (Hangzhou Huawei Communication Technology Co., Ltd., China), and Nenggan Zheng (Zhejiang University, China)
- Characterize and Optimize Dense Linear Solver on Multi-core CPUs 1833
Xiao Fu (National University of Defence Technology, China), Xing Su (National University of Defence Technology, China), Dezun Dong (National University of Defence Technology, China), and Weiling Yang (National University of Defence Technology, China)

Randomized Testing Framework for Dissecting NVIDIA GPGPU Thread Block-To-SM Scheduling Mechanisms	1843
<i>Chongxi Wang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Penghao Song (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Haoyu Zhao (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Fuxin Zhang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Jian Wang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), and Longbing Zhang (Institute of Computing Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China)</i>	
dBFC: Destination-based Backpressure Flow Control for Incast	1853
<i>Zewei Guan (Tianjin University, China), Wenxin Li (Tianjin University, China), Xin He (Tianjin University, China), Song Zhang (Tianjin University, China), and Keqiu Li (Tianjin University, China)</i>	
WAN-INT: Cost-Effective In-Band Network Telemetry in WAN With A Performance-Aware Path Planner	1861
<i>SiMian Chen (Shenzhen University), Dongbiao He (Sangfor Technologies Inc), Xiaopeng Ma (China National Tobacco Corporation Anhui Province), Zhongxing Ming (Guangdong Laboratory of Artificial Intelligence and Digital Economy (SZ)), and Laizhong Cui (Shenzhen University; Guangdong Laboratory of Artificial Intelligence and Digital Economy (SZ))</i>	
Efficient Deep Molecular Dynamic Model Training on Heterogeneous System	1869
<i>Shaokang Du (Beihang University, China), Xin You (Beihang University, China), Hailong Yang (Beihang University, China), Jing Shang (China Mobile Information Technology Center, China), Zhiwen Xiao (China Mobile Information Technology Center, China), Zhihui Wu (China Mobile Information Technology Center, China), Zhongzhi Luan (Beihang University, China), and Depei Qian (Beihang University, China)</i>	

HPCC (V)

Improving Disaster Communication With MP-NMSA: Message-Prioritized DTN Routing Based on Node Mobility and Social Attributes	1877
<i>Long Tan (Heilongjiang University, China) and Zhihao Sun (Heilongjiang University, China)</i>	
SmartPipe: Intelligently Freezing Layers in Pipeline Parallelism for Distributed DNN Training	1885
<i>Nadia Niknam (Temple University, USA), Abdalaziz Sawwan (Temple University, USA), and Jie Wu (Temple University, USA)</i>	

LeanKV: Efficient Garbage Collection for LSM-Based Key-Value Stores on ZNS SSDs through Lifetime-Based SSTable Clustering	1895
<i>Yishun Xu (University of Science and Technology of China, China), Peiquan Jin (University of Science and Technology of China, China), Mingchen Lu (University of Science and Technology of China, China), and Xiaoliang Wang (University of Science and Technology of China, China)</i>	
TH-Allreduce: Optimizing Small Data Allreduce Operation on Tianhe System	1903
<i>Peng Liu (National University of Defense Technology, China), Jintao Peng (National University of Defense Technology, China), Jie Liu (National University of Defense Technology, China), and Lihua Chi (Hunan Guoke Chaosuan Technology Company, China)</i>	
Efficiently Running SpMV on Multi-Core DSPs for Block Sparse Matrix	1912
<i>Deshun Bi (National University of Defense Technology, China), Xiaowen Tian (China University of Petroleum-Beijing, China), Shengguo Li (National University of Defense Technology, China), and Dezun Dong (National University of Defense Technology, China)</i>	
Joint Optimization of Trajectory and Image Transmission in Multi-UAV Semantic Communication Networks	1920
<i>Xiancai Yao (Academy of Military Science of PLA, China), Jianchao Zheng (Academy of Military Science of PLA, China), Xin Zheng (Academy of Military Science of PLA, China), Huadong Dai (Academy of Military Science of PLA, China), and Xiaolong Yang (Beijing Information Science and Technology University (BISTU), China)</i>	

HPCC (VI)

DPBC-VCP: A Network-On-Chip Prioritization Mechanism Combined With VCP for CPU-GPU Heterogeneous Systems	1927
<i>Juan Fang (Beijing University of Technology, China), Haoyu Chen (Beijing University of Technology, China), Zhichao Wei (Beijing University of Technology, China), and Huijing Yang (Beijing University of Technology, China)</i>	
In-Network Key-Value Cache with Linearizability	1935
<i>Yuxuan Qin (Hong Kong University of Science and Technology), Weize Gao (Peking University), ChonLam Lao (Harvard University), Wenfei Wu (Peking University), and Kai Chen (Hong Kong University of Science and Technology)</i>	
Automatic Deep Learning Operator Fusion on Sunway SW26010 Many-Core Processor	1943
<i>Wei Gao (Tsinghua University, China), Wenxiang Zhang (Tsinghua University, China), Wenzhao Wu (National Supercomputing Center in Wuxi, China), Yanjie Zhen (Tsinghua University, China), Wenlai Zhao (Tsinghua University, China), and Guangwen Yang (Tsinghua University, China)</i>	
MUSE: A Programmable Metadata Load Estimation Interface for Ceph File System	1951
<i>Xinyang Shao (University of Science and Technology of China, China), Cheng Li (University of Science and Technology of China, China), and Yinlong Xu (University of Science and Technology of China, China)</i>	

Toward Reproducible Benchmarking of PGAS and MPI Communication Schemes	1959
<i>Niklas Bartelheimer (Goethe University Frankfurt, Germany) and Sarah Neuwirth (Johannes Gutenberg University Mainz, Germany; Jülich Supercomputing Centre, Forschungszentrum Jülich GmbH, Germany)</i>	

HPCC (VII)

A Hybrid Approach for Detecting Bugs in HPC Workloads	1968
<i>Sonam Sherpa (Washington State University, USA) and Xinghui Zhao (Washington State University, USA)</i>	
BB-ML: Basic Block Performance Prediction using Machine Learning Techniques	1975
<i>Hamdy Abdelkhalik (New Mexico State University, USA), Shamminuj Aktar (New Mexico State University, USA), Yehia Arafa (New Mexico State University, USA; Qualcomm Inc, USA), Atanu Barai (New Mexico State University, USA; Intel Corporation, USA), Gopinath Chennupati (New Mexico State University, USA; Amazon Inc, USA), Nandakishore Santhi (Los Alamos National Laboratory, USA), Nishant Panda (Los Alamos National Laboratory, USA), Nirmal Prajapati (Los Alamos National Laboratory, USA), Nazmul Haque Turja (New Mexico State University, USA), Stephan Eidenbenz (Los Alamos National Laboratory, USA), and Abdel-Hameed A. Badawy (New Mexico State University, USA)</i>	
Accelerating SAT Solving using Switching ASICs	1983
<i>Zhenpei Huang (Xiamen University, China), Xiwen Fan (Xiamen University, China), Jinghui Jiang (Xiamen University, China), Mingyuan Song (Xiamen University, China), Lu Tang (Xiamen University, China), Qiao Xiang (Xiamen University, China), and Jiwu Shu (Xiamen University, China)</i>	
VideoBack: High Quality Video Backscatter With Ambient WiFi	1991
<i>Yuxin Ding (University of Science and Technology of China, China), Shanyue Wang (University of Science and Technology of China, China), Yachen Mao (University of Science and Technology of China, China), Yubo Yan (University of Science and Technology of China, China), and Panlong Yang (University of Science and Technology of China, China)</i>	
Glow Model-Based Latent Vector Optimization for Generative Image Steganography in Edge and Cloud Computing Environment	1999
<i>Zhipeng Bao (Nanjing University of Information Science and Technology, China), Zhili Zhou (Guangzhou University, China), Xutong Cui (Nanjing University of Information Science and Technology, China), Weixuan Tang (Guangzhou University, China), and Chengsheng Yuan (Nanjing University of Information Science and Technology, China)</i>	

IoT & CPS (IV)

A Framework for Industrial Identifier Addressing Considering Compatibility and Efficiency	2007
<i>Yifan Xu (Tsinghua University), Fan Dang (Tsinghua University), Jingao Xu (Tsinghua University), Xu Wang (Tsinghua University), and Yunhao Liu (Tsinghua University)</i>	

Cyber-Physical Systems Design in An Uncertain Environment with Time Uncertainty Concern ...	2015
<i>Si Chen (Hunan University; Research Institute of Hunan University in Chongqing, China), Lida Huang (Hunan University, China), Xiongren Xiao (Hunan University, China), Yan Liu (Hunan University; Research Institute of Hunan University in Chongqing, China), Guoqi Xie (Hunan University; Research Institute of Hunan University in Chongqing, China), and Renfa Li (Hunan University, China)</i>	
Transparent File Deduplication With Reduced Update Cost on Encryption Enabled Mobile Devices	2025
<i>Junbin Ren (Nanjing University of Science and Technology, China), Cheng Ji (Nanjing University of Science and Technology, China), Weiwei Jin (Guangdong Oppo Mobile Telecommunications Corp., Ltd), Chao Yu (Guangdong Oppo Mobile Telecommunications Corp., Ltd), Weichao Guo (Guangdong Oppo Mobile Telecommunications Corp., Ltd), Yajuan Du (Wuhan University of Technology, China), and Zongwei Zhu (University of Science and Technology of China, China)</i>	
VibCamera: mmWave and Camera Fusion for Multi-point Vibration Monitoring	2033
<i>Xiulong Liu (Tianjin University, China), Zhihua Yang (Tianjin University, China), Hankai Liu (Tianjin University, China), Xin Xie (Tianjin University, China), and Xinyu Tong (Tianjin University, China)</i>	
Towards Adaptive Adjusting and Efficient Scheduling Coflows Based on Deep Reinforcement Learning	2041
<i>Zichao Wang (Nanjing University of Science and Technology, China), Kedong Yan (Nanjing University of Science and Technology, China), Guanxin Chang (Nanjing University of Science and Technology, China), Chanying Huang (Nanjing University of Science and Technology, China), Shan Xiao (Fiberhome Communication Technology Co., LTD, China), and Yuxin Yang (Nanjing University of Science and Technology, China)</i>	
Exploring Wi-Fi Privacy Disclosure: A Novel Approach to User Identity Prediction Based on Traffic Multi-level Information	2049
<i>Yiwen Li (University of Jinan, China), Shanshan Wang (University of Jinan; Quan Cheng Laboratory, China), Zhenxiang Chen (University of Jinan, China), Xueyang Cao (University of Jinan, China), and Yadi Han (University of Jinan, China)</i>	

IoT & CPS (V)

Dynamic Uploading Scheduling in mmWave-Based Sensor Networks via Mobile Blocker Detection	2057
<i>Yifei Sun (Southern University of Science and Technology; The University of Hong Kong, China), Bojie Lv (Southern University of Science and Technology, China), Rui Wang (Southern University of Science and Technology, China), Haisheng Tan (University of Science and Technology of China, China), and Francis C. M. Lau (The University of Hong Kong, China)</i>	

Minimizing Cost and Delay for Video Datacenters Using Efficient Fuzzy Dominance-Based Particle Swarm Optimization	2067
<i>Zi Yang (Nanjing University of Science and Technology, China), Jin Wang (Nantong University, China), Jingwen Zhang (Nanjing University of Science and Technology, China), Yi Zhang (Nanjing University of Science and Technology, China), and Jin Sun (Nanjing University of Science and Technology, China)</i>	
LWSA: A Learning-Based Workflow Scheduling Algorithm for Energy-Efficient UAV Delivery System	2075
<i>Jiali Wang (East China Normal University, China), Yutong Ye (East China Normal University, China), Ting Wang (East China Normal University, China), and Mingsong Chen (East China Normal University, China)</i>	
ATL: A Link Failure Recovery Method with Fast Recovery Speed, Low Interruption Rate, and Small TCAM Consumption in SDN	2083
<i>Xinyu Zhang (Shanghai University of Engineering Science, China) and Jue Chen (Shanghai University of Engineering Science, China)</i>	
FedLRS: A Communication-Efficient Federated Learning Framework With Low-Rank and Sparse Decomposition	2091
<i>MingKai Luo (Tongji University, China), Dan Meng (OPPO Research Institute, China), Jun Wang (OPPO Research Institute, China), Yu Fang (Tongji University, China), and JiangYong Ying (E-surfing Digital Life Technology Co., Ltd, China)</i>	
Want Predictable GPU Execution? Beware SMIs!	2100
<i>Rohan Wagle (University of North Carolina at Chapel Hill), Zelin Tong (University of North Carolina at Chapel Hill), Richard L. Sites (Google Emeritus), and James H. Anderson (University of North Carolina at Chapel Hill)</i>	

IoT & CPS (VI)

Gradient and Self-Attention Enabled Convolutional Neural Network for Crack Detection in Smart Cities	2110
<i>Renping Xie (Dongguan University of Technology, China), Mengyao Chen (Dongguan University of Technology, China), Ming Tao (Dongguan University of Technology, China), Kai Ding (Dongguan University of Technology, China), and HaoHan Chen (Dongguan University of Technology, China)</i>	
RAMMM: A Rapid Attention-Based Multimodal Modification Model for Massive Image Generation ...	2118
<i>Zhenyuan Xu (Nanjing Audit University, China), Xuewen Chen (Nanjing Audit University, China), Taotao Wang (Nanjing Audit University, China), Wei Quan (Nanjing Audit University, China), and Yi Zhu (Nanjing Audit University, China)</i>	
Encrypted Image Retrieval Scheme Based on Neural Network and LBP Mapping	2126
<i>Lan Wang (Jiangsu College of Finance and Accounting, China), Tian Wang (Jiangsu College of Finance and Accounting, China), and Zheng Wang (Jiangsu College of Finance and Accounting, China)</i>	

Delay-masquerading Technique Upheld StrongBox: A Reinforced Side-Channel Protection	2135
<i>Jiaxuan Wu (Technical University of Denmark, Denmark), Shuoqiang Zeng (Technical University of Denmark, Denmark), Wei-Yang Chiu (Technical University of Denmark, Denmark), Peichen Liu (Technical University of Denmark, Denmark), Weizhi Meng (Technical University of Denmark, Denmark), and Brooke Lampe (Technical University of Denmark, Denmark)</i>	
Anomalous Behavior Identification with Visual Federated Learning in Multi-UAVs Systems	2143
<i>Pengfei Wang (Dalian University of Technology, China), Xinrui Yu (Dalian University of Technology, China), Yefei Ye (Dalian University of Technology, China), Heng Qi (Dalian University of Technology, China), Shuo Yu (Dalian University of Technology, China), Leyou Yang (Northeastern University, China), and Qiang Zhang (Dalian University of Technology, China)</i>	
Deep Frame-Point Sequence Consistent Network for Handwriting Trajectory Recovery	2151
<i>Yu-Jie Xiong (Shanghai University of Engineering Science, China), Yu-Fan Dai (Shanghai University of Engineering Science, China), and Dan Meng (OPPO Research Institute, China)</i>	

IoT & CPS (VII)

AoI-Sensitive Relay-Assisted Data Collection via Multi-UAV in the Large-Scale Disaster Area	2159
<i>ZeZhi Zeng (Hainan University, China) and Yang Gao (Hainan University, China)</i>	
Edge Computing Scheduling Method for Related Tasks of Industrial Internet of Things	2169
<i>Aiping Tan (Liaoning University, China), Chang Wang (Liaoning University, China), Chenglong Dong (Liaoning University, China), and Yan Wang (Liaoning University, China)</i>	
Exploiting Spatial and Temporal Features for Deep Learning Based Human Activity Recognition	2177
<i>Wenyong Cao (Tianjin University, China), Gaotao Shi (Tianjin University, China), and Tieguan Zhang (Tianjin University, China)</i>	
Joint Optimization of Model Partitioning and Resource Allocation for Edge Computing With Intermittently Operating Devices	2186
<i>Qi Wu (Nanjing University of Science and Technology, China), Yi Zhang (Nanjing University of Science and Technology, China), Chenxi Yang (Nanjing University of Science and Technology, China), and Jin Sun (Nanjing University of Science and Technology, China)</i>	
Secure and Dynamic Public Audit Scheme Based on Blockchain and Red-Black Tree	2194
<i>Longxia Huang (Jiangsu University, China), Xi Peng (Jiangsu University, China), and Mengmeng Yang (Data61, Commonwealth Scientific and Industrial Research Organisation, Australia)</i>	

IoT & CPS (VIII)

SigFeaDet: Signal Features-based UAV GPS Spoofing Detection using Machine Learning	2202
<i>Xiaomin Wei (Xidian University, China) and Luyao Wang (AVIC Aircraft Strength Research Institute of China, China)</i>	

Detection of Covert Tunnel over Internet Control Message Protocol Based on Baseline Features	2210
<i>Haiying Duan (Beihang University, China) and Baohui Wang (Beihang University, China)</i>	
Practical Earphone Eavesdropping with Built-in Motion Sensors	2219
<i>Mengzhen Gao (Northwestern Polytechnical University, China), Helei Cui (Northwestern Polytechnical University, China), Yanze Xie (Northwestern Polytechnical University, China), Yaxing Chen (Northwestern Polytechnical University, China), Zhiwen Yu (Northwestern Polytechnical University, China), Bin Guo (Northwestern Polytechnical University, China), and Xingliang Yuan (Monash University, Australia)</i>	
Sketch-Based Real-Time Intrusion Detection Framework for Industrial Internet of Things	2227
<i>Mengda Lyu (University of Jinan; Quan Cheng Laboratory, China), Lizhi Peng (Quan Cheng Laboratory; University of Jinan, China), Hui Li (University of Jinan; Quan Cheng Laboratory, China), Bo Yang (Quan Cheng Laboratory; University of Jinan, China), and Xiang Chen (Inspur Electronic Information Industry Co., Ltd, China)</i>	
A Discrete Grey Wolf Optimizer Metaheuristic for Task Offloading in Multi-Server MEC with Batteryless Devices	2235
<i>Yinyin Tang (Nanjing University of Science and Technology, China), Guichang Yin (Nanjing University of Science and Technology, China), Peijin Cong (Nanjing University of Science and Technology, China), Jin Sun (Nanjing University of Science and Technology, China), and Junlong Zhou (Nanjing University of Science and Technology, China)</i>	

Cloud & Edge Computing (V)

Video Streaming Caching and Transcoding for Heterogeneous Mobile Users	2243
<i>Jinbo Cai (University of Science and Technology of China, P. R. China), Mingjun Xiao (University of Science and Technology of China, P. R. China), He Sun (University of Science and Technology of China, P. R. China), Junjie Shao (University of Science and Technology of China, P. R. China), Yu Zhao (University of Science and Technology of China, P. R. China), and Tongxiao Zhang (Northeastern University at Qinhuangdao, P. R. China)</i>	
EAVA: Adaptive and Fast Edge-Assisted Video Analytics on Mobile Device	2251
<i>Yingying Su (Shanghai University, Purple Mountain Laboratories, China), Chenhong Cao (Shanghai University, Purple Mountain Laboratories, China), Jiangtao Li (Shanghai University, Purple Mountain Laboratories, China), and Yufeng Li (Shanghai University, Purple Mountain Laboratories, China)</i>	
When CPN Meets AI: Resource Provisioning for Inference Query upon Computing Power Network ...	2261
<i>Mingtao Ji (State Key Laboratory for Novel Software Technology, Nanjing University, China), Zhuzhong Qian (State Key Laboratory for Novel Software Technology, Nanjing University, China), and Baoliu Ye (State Key Laboratory for Novel Software Technology, Nanjing University, China)</i>	

CARE: A Cost-AwaRe Eviction Strategy for Improving Throughput in Cloud Environments	2269
<i>Xiyuan Liang (University of Science and Technology of China), Lulu Yao (University of Science and Technology of China), Si Wu (University of Science and Technology of China), Yongkun Li (University of Science and Technology of China), and Yinlong Xu (University of Science and Technology of China)</i>	
Efficient Storage and Retrieval of Similar Data in Edge Computing Systems	2277
<i>Yuanfeng Liu (Tianjin University, China), Junjie Xie (Institute of Systems Engineering, AMS, China), Hanlong Liao (National University of Defense Technology, China), Sheng Chen (Tianjin University, China), Xiulong Liu (Tianjin University, China), and Deke Guo (National University of Defense Technology, China)</i>	
Joint Service Placement and Container Retention for Serverless-Based Vehicular Edge Computing	2286
<i>Shihong Hu (Hohai University), Zhihao Qu (Hohai University), Bin Tang (Hohai University), and Baoliu Ye (Nanjing University)</i>	

Cloud & Edge Computing (VI)

Online Function Caching in Serverless Edge Computing	2295
<i>Xuan Zhang (University of Science and Technology of China, China), Hongjun Gu (Anhui Normal University, China), Guopeng Li (University of Science and Technology of China, China), Xin He (Anhui Normal University, China), and Haisheng Tan (University of Science and Technology of China, China)</i>	
Microless: Cost-Efficient Hybrid Deployment of Microservices on IaaS VMs and Serverless	2303
<i>Jiagan Cheng (Shanghai Jiao Tong University, China), Yilong Zhao (Shanghai Jiao Tong University, China), Zijun Li (Shanghai Jiao Tong University, China), Quan Chen (Shanghai Jiao Tong University, China), Weihao Cui (Shanghai Jiao Tong University, China), and Minyi Guo (Shanghai Jiao Tong University, China)</i>	
EdgeAnchor: A Rapid and Balanced File Storage Strategy at the Network Edge	2311
<i>Han Liu (National University of Defense Technology, China), Xingrui Xie (National University of Defense Technology, China), Zhuopu Zhang (National University of Defense Technology, China), Geyao Cheng (National University of Defense Technology, China), Lailong Luo (National University of Defense Technology, China), and Deke Guo (National University of Defense Technology, China)</i>	
TFS-index-based Multi-keyword Ranked Search Scheme Over Cloud Encrypted Data	2320
<i>Yinfu Deng (Nanjing University of Post and Telecommunication, China), Hua Dai (Nanjing University of Post and Telecommunication, China), Yuanlong Liu (Nanjing University of Post and Telecommunication, China), Zhangchen Li (Nanjing University of Post and Telecommunication, China), Geng Yang (Nanjing University of Post and Telecommunication, China), and Xun Yi (Royal Melbourne Institute of Technology University, Australia)</i>	

DSUTO: Differential Rate SAC-Based UAV-Assisted Task Offloading Algorithm in Collaborative Edge Computing	2328
<i>Longxin Zhang (Hunan University of Technology, China), Runti Tan (Hunan University of Technology, China), Minghui Ai (Hunan University of Technology, China), Huazheng Xiang (Hunan University of Technology, China), Cheng Peng (Hunan University of Technology, China), and Zhihao Zeng (Hunan University of Technology, China)</i>	
A Reliability and Robustness-Driven Approach for Optimizing VM Placement in Clouds	2336
<i>Yuheng Zhu (University of Science and Technology of China, China), Jiawei Liu (University of Science and Technology of China, China), Gongming Zhao (University of Science and Technology of China, China), Hongli Xu (University of Science and Technology of China, China), and Huaqing Tu (Zhejiang Lab, China)</i>	

Cloud & Edge Computing (VII)

N-MlpE: Optimizing Multilayer Perceptron Network-Based Knowledge Graph Embedding Model With Neighborhood Information	2344
<i>Qing Xu (National University of Defense Technology, China), Xiaoli Ren (National University of Defense Technology, China), Kaijun Ren (National University of Defense Technology, China), Jiarun Lin (National University of Defense Technology, China), and Xiaoyong Li (National University of Defense Technology, China)</i>	
A Improved Consistent Hash Algorithm in Heterogeneous Edge Computing	2353
<i>Ruonan Chai (Beijing Jiaotong University, China), Shuai Gao (Beijing Jiaotong University, China), and Zhenghao Hu (Beijing Jiaotong University, China)</i>	
SIC-TFRF: Sea Ice Classification with Textural Features and Random Forest	2361
<i>Ruixin Cao (National University of Defense Technology, China), Xiang Zhu (National University of Defense Technology, China), Hui Zhang (National University of Defense Technology, China), Kefeng Deng (National University of Defense Technology, China), Xiaoli Ren (National University of Defense Technology, China), and Xiaoyong Li (National University of Defense Technology, China)</i>	
Optimizing Space-Borne Computation: A Reliability Enhancement Framework for LEO Constellation	2371
<i>Lipei Yang (Beijing University of Posts and Telecommunications, China), Ao Zhou (Beijing University of Posts and Telecommunications, China), Xiao Ma (Beijing University of Posts and Telecommunications, China), Yiran Zhang (Beijing University of Posts and Telecommunications, China), and Shangguang Wang (Beijing University of Posts and Telecommunications, China)</i>	
An Adaptive Teacher-Student Framework for Real-time Video Inference in Multi-User Heterogeneous MEC Networks	2379
<i>Yuan Lu (Tianjin University, China), Shuxin Ge (Tianjin University, China), Weixu Wang (Tianjin University, China), Xiaobo Zhou (Tianjin University, China), and Tie Qiu (Tianjin University, China)</i>	

A Hash-Based Multidimensional Graph Neural Network Approach for Zero Trust Oriented Access Control Security	2387
<i>Fengfan Shi (University of Electronic Science and Technology of China, China), Sheng Cao (University of Electronic Science and Technology of China, China), and Xiaosong Zhang (University of Electronic Science and Technology of China, China)</i>	

Cloud & Edge Computing (VIII)

Brownfield Measurement: A Practical Grey Failure Identification and Localization Method in Incremental Deployment Network	2395
<i>Jiaqi Liu (National University of Defense Technology, China), Peng Xun (National University of Defense Technology, China), and Baosheng Wang (National University of Defense Technology, China)</i>	
Digital Twin Empowered Task Offloading for Vehicular Edge Computing	2403
<i>Chaogang Tang (China University of Mining and Technology, China), Huaming Wu (Tianjin University, China), Chunsheng Zhu (Shenzhen Technology University, China), and Shuo Xiao (China University of Mining and Technology, China)</i>	
ODRL: Reinforcement Learning in Priority Scheduling for Running Cost Optimization	2410
<i>Cheng Kuang (China Mobile (Suzhou) Software Technology Co., Ltd, China), Meng Duan (China Mobile (Suzhou) Software Technology Co., Ltd, China), Tao Lv (China Mobile (Suzhou) Software Technology Co., Ltd, China), Yingjun Wu (China Mobile (Suzhou) Software Technology Co., Ltd, China), Li Li (China Mobile (Suzhou) Software Technology Co., Ltd, China), and Luping Wang (Suzhou University of Science and Technology, China)</i>	
Profit-Driven Optimization of Server Deployment and Service Placement in Multi-User Mobile Edge Computing	2420
<i>Juan Fang (Beijing University of Technology, China), Shen Wu (Beijing University of Technology, China), and Shuaibing Lu (Beijing University of Technology, China)</i>	
MiddleCache: Accelerating TCP Based In-Memory Key-Value Stores using eBPF	2428
<i>Yiren Pang (Tianjin University, China), Sheng Chen (Tianjin University, China), Wenxin Li (Tianjin University, China), Hao Liu (Tianjin University, China), Yulong Li (Tianjin University, China), Xin He (Tianjin University, China), Song Zhang (Tianjin University, China), Zewei Guan (Tianjin University, China), Lide Suo (Tianjin University, China), and Yuan Liu (Tianjin University, China)</i>	
Efficient Microservice Deployment With Dependencies in Multi-Access Edge Computing	2436
<i>Shuaibing Lu (Beijing University of Technology, China), Ran Yan (Beijing University of Technology, China), and Jie Wu (Temple University, USA)</i>	

Cloud & Edge Computing (IX)

Adaptive Overlap Padding and Resolution Selection for Frame Split-Based Edge Video Analytics	2444
<i>Haopeng Zhu (Southeast University, China), Zhaowu Huang (Southeast University, China), Xiaolin Guo (Southeast University, China), Mengyang Liu (Southeast University, China), Baijun Chen (Southeast University, China), and Fang Dong (Southeast University, China)</i>	
PMR: Priority Memory Reclaim to Improve the Performance of Latency-Critical Services	2452
<i>Bo Liu (Shanghai Jiao Tong University, China), Kaihao Bai (Alibaba Group, China), Pu Pang (Shanghai Jiao Tong University, China), Quan Chen (Shanghai Jiao Tong University, China), Yaoxuan Li (Shanghai Jiao Tong University, China), Zhuo Song (Alibaba Group, China; Shanghai Jiao Tong University, China), Baolin Wang (Alibaba Group, China), and Minyi Guo (Shanghai Jiao Tong University, China)</i>	
An Intrusion Detection Method Based on Hash Function for Industrial Cloud Data	2460
<i>Yinchu Wang (Jiangsu Ocean University, China), Yan Ren (Jiangsu Ocean University, China), Heng Zhang (Jiangsu Ocean University, China), Hongran Li (Jiangsu Ocean University, China), and Jian Zhang (Jiangsu Ocean University, China)</i>	
Fine-Grained Task Scheduling Based on Graph Neural Network and Federated Learning in Vehicle Edge Computing	2467
<i>Gaowei Zhang (Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Junping Song (Chinese Academy of Sciences, China), Yahui Hu (China University of Mining and Technology, China), Pengfei Fan (Chinese Academy of Sciences, China), Chong Li (Chinese Academy of Sciences, China), and Xu Zhou (Chinese Academy of Sciences, China)</i>	
PORTEND: A Joint Performance Model for Partitioned Early-Exiting DNNs	2475
<i>Maryam Ebrahimi (University of Toronto), Alexandre da Silva Veith (Nokia Bell Labs), Moshe Gabel (York University), and Eyal de Lara (University of Toronto)</i>	
Knowledge-aware Multi-view Cross Learning for Edge-based Collaborative Recommendation	2483
<i>Yang Dai (Nanjing University of Science and Technology, China), Shunmei Meng (Nanjing University of Science and Technology; Nanjing University, China), Huanhuan Gu (Nanjing Sinovatio Technology Co., Ltd., China), Nan Liu (Nanjing University of Science and Technology, China), and Longchuan Tu (Nanjing University of Science and Technology, China)</i>	

Cloud & Edge Computing (X)

A Novel Robust Reinforcement Learning-based Dependent Task Offloading Algorithm for Mobile Edge Intelligence	2491
<i>Xu Deng (Fudan University; Innovation Platform for Academicians of Hainan Province, China), Peng Sun (Duke Kunshan University, China), Kun Yang (Fudan University, China), Gaoyun Fang (Fudan University, China), Azzedine Boukerche (University of Ottawa, Canada), and Liang Song (Fudan University; Innovation Platform for Academicians of Hainan Province, China)</i>	

WebInf: Accelerating WebGPU-based In-browser DNN Inference via Adaptive Model Partitioning.....	2499
<i>Bing Dong (Southeast University), Tianen Liu (Southeast University), Borui Li (Southeast University), Xiaolei Zhou (National University of Defense Technology), Shuai Wang (Southeast University), and Zhao-Dong Xu (Southeast University)</i>	
CoCV: Heterogeneous Processors Collaboration Mechanism for End-To-End Execution of Intelligent Computer Vision Tasks on Mobile Devices	2507
<i>Ye Wan (Southeast University, China), Mengyang Liu (Southeast University, China), Guangtong Li (Southeast University, China), and Fang Dong (Southeast University, China)</i>	
Cost-Efficient Cloud-Edge Video Analytics With Hybrid IaaS and FaaS Resources	2515
<i>Jing Peng (Sun Yat-sen University, China), Zhi Zhou (Sun Yat-sen University, China), Kongyange Zhao (Sun Yat-sen University, China), Huirong Ma (Sun Yat-sen University, China), and Xu Chen (Sun Yat-sen University, China)</i>	
A Fog-based Smart Agriculture System to Detect Animal Intrusion	2523
<i>Jinpeng Miao (University of Colorado Boulder, USA), Dasari Rajasekhar (IIITDM Kancheepuram, India), Shivakant Mishra (University of Colorado Boulder, USA), Sanjeet Kumar Nayak (IIITDM Kancheepuram, India), and Ramanarayan Yadav (IITRAM, Ahmedabad, India)</i>	
Secure Parallel Outsourcing Scheme for Large-Scale Matrix Multiplication on Distributed Cloud Servers	2531
<i>Yinlong Wang (Shandong University, China), Yunting Tao (College of Information Engineering, Binzhou Polytechnic, China), Fanyu Kong (Shandong University, China; Shandong Sansec Information Technology Co., Ltd, China), Zhaoquan Gu (Harbin Institute of Technology (Shenzhen), China), Jia Yu (Qingdao University, China), and Hanlin Zhang (Qingdao University, China)</i>	

Cloud & Edge Computing (XI)

Neighborhood Attention-Based Transformer Line Segment Detector With Edge Computing	2539
<i>Haoran Guo (Nanjing University of Information Science and Technology, China) and Mingyue Shi (Nanjing University of Information Science and Technology, China)</i>	
Intelligent Recognition of Antigen Detection Reagent for Corona virus based on Improved Text Recognition	2546
<i>Jin Han (Nanjing University of Information Science and Technology, China), Tianhao Wang (Nanjing University of Information Science and Technology, China), Zhanman Deng (Hu'nan Meteorological Disaster Prevention Technology Center, China), Bingbing Huang (Nanjing University of Information Science and Technology, China), Linbo Shao (Nanjing University of Information Science and Technology, China), and Xia Zhou (Jinling Institute of Technology, China)</i>	

A feature-matching algorithm for web data based on word vector space indexing	2554
<i>Jin Han (Nanjing University of Information Science and Technology, China), Linbo Shao (Nanjing University of Information Science and Technology, China), Zhanman Deng (Hu'nan Meteorological Disaster Prevention Technology Center, China), Bingbing Huang (Nanjing University of Information Science and Technology, China), and Tianhao Wang (Nanjing University of Information Science and Technology, China)</i>	
Deep Learning Cognitive Diagnostic Model Based on State Machines and Knowledge Graphs	2563
<i>Jin Han (Nanjing University of Information Science and Technology, China), Bingbing Huang (Nanjing University of Information Science and Technology, China), Yao Tang (Hu'nan Meteorological Disaster Prevention Technology Center, China), Tianhao Wang (Nanjing University of Information Science and Technology, China), and Linbo Shao (Nanjing University of Information Science and Technology, China)</i>	
Game Theoretic Resource Allocation for Information Freshness in Mobile Edge Computing	2571
<i>Jingjing Gu (Beijing Jiaotong University, China), Di Zhang (Beijing Jiaotong University, China), Hongcheng Bao (Beijing Jiaotong University, China), Weiwei Xing (Beijing Jiaotong University, China), Xindong Zheng (Fudan University, China), and Xun Shao (Toyohashi University of Technology, Japan)</i>	
A Drug Box Recognition System Based on Deep Learning and Cloud-Edge Collaboration for Pharmacy Automation	2579
<i>Honglei Zhu (Qilu University of Technology (Shandong Academy of Sciences), China), Anming Dong (Qilu University of Technology (Shandong Academy of Sciences), China; Big Data Institute, Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Jiguo Yu (Big Data Institute, Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)</i>	

Cloud & Edge Computing (XII)

Accelerating Federated Learning with Adaptive Extra Local Updates upon Edge Networks	2588
<i>Yitao Fan (Nanjing University, China), Mingtao Ji (Nanjing University, China), and Zhuzhong Qian (Nanjing University, China)</i>	
A Blockchain-enabled Secure Access Management Method in Edge Computing	2596
<i>Xutong Jiang (Nanjing University, China), Guoming Zhang (Nanjing University, China), Hao Tian (Nanjing University, China), Haolong Xiang (Macquarie University, Australia), Xuyun Zhang (Macquarie University, Australia), and Wanchun Dou (Nanjing University, China)</i>	
A Budget-Constrained Service Deployment Strategy Based on Cost Allocation in Cloud-Edge Environment	2604
<i>Zhilian Zhang (Donghua University, China), Pengwei Wang (Donghua University, China), and Zhaohui Zhang (Donghua University, China)</i>	
CAC: Content-Aware Adaptive Configuration for Edge Video Analytics	2612
<i>Zhihan Cao (Shanghai University, China)</i>	

Federated Anomaly Detection with Isolation Forest for IoT Network Traffics	2622
<i>Junyan Li (Macquarie University, Australia), Xuyun Zhang (Macquarie University, Australia), Haolong Xiang (Macquarie University, Australia), and Amin Beheshti (Macquarie University, Australia)</i>	

Cloud & Edge Computing (XIII)

Latency, Energy and Carbon Aware Collaborative Resource Allocation with Consolidation and QoS Degradation Strategies in Edge Computing	2630
<i>Emmanuel Wedan Gribga (Univ. Rennes, Inria, CNRS, IRISA, France), Anne Blavette (Univ. Rennes, ENS Rennes, CNRS, SATIE lab, France), and Anne-Cécile Orgerie (Univ. Rennes, Inria, CNRS, IRISA, France)</i>	
FLASH: Low-Latency Serverless Model Inference With Multi-Core Parallelism in Edge	2640
<i>Yanbo Li (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences; Southern University of Science and Technology), Yanying Lin (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Shijie Peng (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences; University of Chinese Academy of Sciences), Yingfei Tang (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences), Tian Xiang (Intelligent Robot Research Center, Zhejiang Laboratory), Wei Song (Intelligent Robot Research Center, Zhejiang Laboratory), and Kejiang Ye (Shenzhen Institute of Advanced Technology, Chinese Academy of Sciences)</i>	
Hierarchical Collaborative Resource Scheduling in Industrial Internet of Things based on Graph Neural Networks and Deep Reinforcement Learning	2647
<i>Qifeng Meng (Beijing University of Post and Telecommunications, China), Zihui Luo (Beijing University of Post and Telecommunications, China), Xiaolong Zheng (Beijing University of Post and Telecommunications, China), Liang Liu (Beijing University of Post and Telecommunications, China), and Huadong Ma (Beijing University of Post and Telecommunications, China)</i>	
Resource Configuration for Cross-Server Deployment of Application-Oriented Microservices in Cloud-Edge Continuum with SLO Constraints	2655
<i>Dong Wang (Sun Yat-sen University, China), Hong Shen (Central Queensland University, Australia; Sun Yat-sen University, China), and Hui Tian (Griffith University, Australia)</i>	
Edge Intelligence-Driven Meteorological Knowledge Graph for Real-Time Decision-Making	2663
<i>Zheng Yu (Nanjing University of Information Science and Technology, China), Jielin Jiang (Nanjing University of Information Science and Technology, China), Bingkun He (Wuhan University, China), Muhammad Bilal (Lancaster University, United Kingdom), and Dongqing Liu (Nanjing Meteorological Observatory, Nanjing Meteorological Bureau, China)</i>	

HPC for Underwater Applications

- LDVNet: Lightweight and Detail-Aware Vision Network for Image Recognition Tasks in Resource-Constrained Environments 2673
Yuchen Liu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Hu Liang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Ran Qiu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Shengrong Zhao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)
- GAF-GAN: Gated Attention Feature Fusion Image Inpainting Network Based on Generative Adversarial Network 2682
Ran Qiu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Hu Liang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Yuchen Liu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Shengrong Zhao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)
- Multi-View Super Resolution for Underwater Images Utilizing Atmospheric Light Scattering Model 2690
Jin Hao (Hainan University, China), Wenli Duan (Hainan University, China), Guangfei Li (Hainan University, China), Shiyuan Chen (Hainan University, China), Wenhui Wu (Shenzhen University, China), and Hua Li (Hainan University, China)
- A Signal Contour Extraction Algorithm Based on Canny Operator and Its Application in Bionic Communication 2698
Xiangdang Huang (Hainan University, China), Jiangyi Zhang (Hainan University, China), Pengcheng Li (Hainan University, China), Shihao Chan (Hainan University, China), Kaiwei Lian (Hainan University, China), and Yanxia Chen (Hainan University, China)
- A Trajectory Tracking System for Zebrafish Based on Embedded Edge Artificial Intelligence 2706
Chuanhao Zang (Qilu University of Technology (Shandong Academy of Sciences), China), Anming Dong (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Jiguo Yu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)

PIOD: An Efficient Parallel Iterative Algorithm for Solving Over-Determined Equations	2714
<i>Min Tian (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Zhenguo Wei (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Yanlong Li (Jinan Institute of Supercomputing Technology), Wei Du (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Lei Xiao (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), and Chaoshuai Xu (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science)</i>	

Poster Papers

Privacy-enhanced Lossless Federated Recommendation with client-selection	2720
<i>Fang Ting (Nanjing University of Science and Technology, China), Wang Yong Li (Nanjing University of Science and Technology, China), and Sha Xue Qi (Nanjing University of Science and Technology, China)</i>	
Function Clustering to Optimize Resource Utilization on Container Platform	2724
<i>Chao-Yu Lee (National Taiwan University, Taiwan), Ding-Yong Hong (Institute of Information Science, Academia Sinica, Taiwan), Pangfeng Liu (National Taiwan University, Taiwan), and Jan-Jan Wu (Institute of Information Science, Academia Sinica, Taiwan)</i>	
Accelerate Dense Matrix Multiplication on Heterogeneous-GPUs	2726
<i>Jianan Sun (Institute of Automation, Chinese Academy of Sciences; University of Chinese Academy of Sciences, China), Mingxue Liao (Institute of Automation, Chinese Academy of Sciences, China), Yongyue Chao (Institute of Automation, Chinese Academy of Sciences, China), and Pin Lv (Institute of Automation, Chinese Academy of Sciences, China)</i>	
A Latency Guaranteed Scheduling Strategy under Performance Constraints in Big Data Stream Computing Environments	2730
<i>Dawei Sun (China University of Geosciences, China), Chengjun Guan (China University of Geosciences, China), Yinuo Fan (China University of Geosciences, China), Jia Rong (Monash University, Australia), and Shang Gao (Deakin University, Australia)</i>	
GraphUnet: Graph Make Strong Encoders for Remote Sensing Segmentation	2734
<i>YunTao Shou (Central South University of Forestry and Technology, China), Wei Ai (Central South University of Forestry and Technology, China), Tao Meng (Central South University of Forestry and Technology, China), FuChen Zhang (Central South University of Forestry and Technology, China), and KeQin Li (State University of New York, USA)</i>	
Meta-Inspired Homomorphic Capability Selection Algorithm	2738
<i>Anyi Zhang (Beijing University of Posts and Telecommunications, China), Peng Xu (Beijing University of Posts and Telecommunications, China), and Yunxuan Wang (Beijing University of Posts and Telecommunications, China)</i>	

Constraint-Forcing Recursive Generalized Maximum Correntropy Algorithm with Forgetting Factor for Adaptive Filtering	2740
<i>Wenyue Li (Southwest University of Science and Technology, PR China), Ji Zhao (Southwest University of Science and Technology, PR China), Qiang Li (Southwest University of Science and Technology, PR China), Lingli Tang (Southwest University of Science and Technology, PR China), and Hongbin Zhang (University of Electronic Science and Technology of China, PR China)</i>	
Network Contention-Aware Cluster Scheduling With Reinforcement Learning	2742
<i>Junyeol Ryu (Seoul National University, Korea) and Jeongyoon Eo (Seoul National University, Korea)</i>	
Balanced Offloading of Multiple Task Types in Mobile Edge Computing	2746
<i>Ye Zhang (Inner Mongolia University, China), Xingyun He (Inner Mongolia University, China), Jin Xing (Inner Mongolia University, China), Wuyungerile Li (Inner Mongolia University, China), and Winston K.G. Seah (Victoria University of Wellington, New Zealand)</i>	
Detecting Ethereum Phishing Scams via Multi-Transaction-View Graph Attention Network	2748
<i>Shaoxuan Zhuo (Sun Yat-sen University, China), Guang Li (Sun Yat-sen University, China), Weigang Wu (Sun Yat-sen University, China; Guangdong Province Key Laboratory of Big Data Analysis and Processing, Chain), and Jing Bian (Sun Yat-sen University, China)</i>	
Combined Coding Technique for Bionic Covert Underwater Acoustic Communication Based on the Cetacean Click Group	2750
<i>Qiuling Yang (Hainan University, China), Tian Li (Hainan University, China), Pengcheng Li (Hainan University, China), Jiaqi Shen (Hainan University, China), and Yanxia Chen (Hainan University, China)</i>	
Ancient Chinese Character Image Retrieval Based on Fusing Deep Features and Skeleton Features	2752
<i>Xinhui Wang (Hebei University, China) and Xuedong Tian (Hebei University)</i>	
Multi-Layer Authentication Scheme Based on Blockchain for Cloud-Edge-End	2756
<i>Jian Wu (Capital Normal University, China) and Lei Zhang (Capital Normal University, China)</i>	
Rately: Accurate Data Center CC Based on One-Way Delay	2759
<i>Guannan Zhang (National University of Defense Technology, China), Dinghuang Hu (National University of Defense Technology, China), and Dezun Dong (National University of Defense Technology, China)</i>	
A Truth Inference Algorithm Using Bidirectional Convolution Autoencoder for Crowdsourcing Image Segmentation	2761
<i>Yueyang Li (Qufu Normal University, China), Zhaoan Dong (Qufu Normal University, China), Guangshun Li (Qufu Normal University, China), Sifeng Wang (Qufu Normal University, China), Xiaofan Wang (Qufu Normal University, China), Zhibin Liu (Qufu Normal University, China), Zhenqiang Li (Qufu Normal University, China), and Boyong Wang (Qufu Normal University, China)</i>	

Subscription-Based State Access for Cross-Chain Smart Contracts	2763
<i>Zhihao Hou (South China Normal University, China; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China), Jinji Yang (South China Normal University, China; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China), Ruilin Lai (South China Normal University; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China), Yale He (South China Normal University; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China), Zefeng Mo (South China Normal University; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China), and Gansen Zhao (South China Normal University; Key Lab on Cloud Security and Assessment Technology of Guangzhou, China)</i>	
PI-Parking: A Physics Informed Neural Network Approach for Parking Availability Prediction....	2767
<i>Yijun Dong (Sun Yat-Sen University, China), Haoxuan Kuang (Sun Yat-Sen University, China), and Jun Li (Sun Yat-Sen University, China)</i>	
Optimal Factored LT Codes for Distributed Matrix Multiplication	2771
<i>Lei Zhang (Capital Normal University, China) and Jie Liu (Capital Normal University, China)</i>	
A Two-stage Abdominal Lymph Node Detection Algorithm Based on Multi-scale 2.5D Input	2775
<i>Junyi Le (East China Normal University, China), Wenxin Hu (East China Normal University, China), and Kun Yu (East China Normal University, China)</i>	
To Broadcast or Not to Broadcast: Decision-Making Strategies for Mining Empty Blocks	2779
<i>Chon Kit Lao (University of Macau, China), Rui Jiang (University of Macau, China), Luyao Zhang (Duke Kunshan University, China), Fan Zhang (Yale University, USA), and Ye Wang (University of Macau, China)</i>	
Optimizing Transformer Training Based on Computation and Accessing Memory Features With Deep Learning Processor	2781
<i>Zhou Lei (Shanghai University; Ningbo Zhongke Intelligent Computing Technology Co., Ltd, China), Qin Fang (Shanghai University; Ningbo Zhongke Intelligent Computing Technology Co., Ltd, China), Jingfeng Qian (Shanghai University, China), Shengbo Chen (Shanghai University; Ningbo Zhongke Intelligent Computing Technology Co., Ltd, China), Qingguo Xu (Shanghai University; Ningbo Zhongke Intelligent Computing Technology Co., Ltd, China), and Ninghua Yang (Ningbo Zhongke Intelligent Computing Technology Co., Ltd, China)</i>	
ABi-BFS: A High-Performance Parallel Breadth-First Search on Shared-Memory Systems	2785
<i>Jifan Shi (University of Science and Technology of China, China) and Yun Xu (University of Science and Technology of China, China)</i>	
UPR-AECS: An Active Edge Caching Strategy Integrating User Preference Representation	2789
<i>Hao Wen (Capital Normal University, China) and Lei Zhang (Capital Normal University, China)</i>	
Efficient NTTRU Implementation on ARMv8	2793
<i>Zhuo Zhang (Fudan University, China), Jieyu Zheng (Fudan University, China), and Yunlei Zhao (Fudan University, China)</i>	

OSIS: Obstacle-Sensitive and Initial-Solution-First Path Planning	2795
<i>Kaibin Zhang (Nanjing University of Aeronautics and Astronautics, China), Liang Liu (Nanjing University of Aeronautics and Astronautics, China), Wenbin Zhai (Nanjing University of Aeronautics and Astronautics, China), Youwei Ding (Nanjing University of Chinese Medicine, China), and Jun Hu (Nanjing University of Aeronautics and Astronautics, China)</i>	
Improving Iteration-Based Non-Autoregressive Language Model With Time Step Awareness	2798
<i>Hang Jiang (Guilin University of Electronic Technology, China), Guoyong Cai (Guilin University of Electronic Technology, China), and Xiaolu Tang (Guilin University of Electronic Technology, China)</i>	
Realtime Intrusion Detection In Unmanned Aerial Vehicles Using Active Learning and Generative Adversarial Networks	2802
<i>Qingli Zeng (University of Missouri-Kansas City), Kailynn Barnt (University of Missouri-Kansas City), Luke Ragan (University of Missouri-Kansas City), and Farid Nait-Abdesselam (University of Missouri-Kansas City)</i>	
Addressing Client Heterogeneity in Synchronous Federated Learning: The CHAFL Approach	2804
<i>Miri Yu (Ajou University, Republic of Korea), Oh-Kyoung Kwon (Korea Institute of Science and Technology Information, Republic of Korea), and Sangyoon Oh (Ajou University, Republic of Korea)</i>	
GLEXP Allreduce: Optimization for medium and small message of Allreduce on Tianhe system	2806
<i>Peng Liu (National University of Defense Technology, China), Jintao Peng (National University of Defense Technology, China), Jie Liu (National University of Defense Technology, China), Min Xie (National University of Defense Technology, China), and Lihua Chi (Hunan Guoke Chaosuan Technology Company, China)</i>	
Hierarchical Scheduling of Hybrid DNN Tasks in Embedded Real-Time Systems	2810
<i>Jiaxin Feng (Nanjing University of Aeronautics and Astronautics, China), Kun Zhu (Nanjing University of Aeronautics and Astronautics, China), and Tong Zhang (Nanjing University of Aeronautics and Astronautics, China)</i>	
GA-Net: Gated Attention Mechanism Based Global Refinement Network for Image Inpainting	2812
<i>Ran Qiu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), Shengrong Zhao (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China), and Hu Liang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science, China)</i>	
Optimal Station Placement and Assignment for Electric Vehicle Battery Swapping	2814
<i>Yichao Gao (University of Science and Technology of China), Tao Wu (National University of Defense Technology), Xiaochen Fanz (The Centre for Assessment and Demonstration Research, Academy of Military Science), Xianrui Pan (University of Science and Technology of China), and Panlong Yang (University of Science and Technology of China)</i>	
Vertical Heterogeneous Channelling Consensual Systems	2816
<i>Yuqiang Wen (Macao Polytechnic University, China) and K. L. Eddie Law (Macao Polytechnic University, China)</i>	

pFedTD: Personalized federated learning using global and local knowledge distillation	2820
<i>Haitao Zhou (Chongqing University of Posts and Telecommunications, China), Zhiqin Zhu (Chongqing University of Posts and Telecommunications, China), Long Zhang (Chongqing University of Posts and Telecommunications, China), and Yuanyuan Li (Chongqing University of Posts and Telecommunications, China)</i>	
A Highly Accurate Statistical Attack against Searchable Symmetric Encryption	2823
<i>Ruizhong Du (Hebei University, China), Yuchi Tai (Hebei University, China), and Mingyue Li (Hebei University, China)</i>	
FedMPM: A Personalized Federated Learning With Mixed Multi-Stage Private Models	2827
<i>Yuqi Gan (Chongqing University of Posts and Telecommunications, China), Peng Han (Chongqing Research Center for Information, China), Yuanyuan Li (Chongqing University of Posts and Telecommunications, China), and Xin Huang (Chongqing University of Posts and Telecommunications, China)</i>	
A Multi-Source Time-Series Data Storage Strategy for Open-Channel SSDs	2831
<i>Bo Peng (Southwest University of Science and Technology, China), Xiangcen Yu (SouthWest University of Science and Technology, China), Qiang Li (Southwest University of Science and Technology, China), and Jiankui Weng (Southwest University of Science and Technology, China)</i>	
CD-Net: Cross-Domain Description and Detection for 2D-3D Learning Local Features	2833
<i>Junhua Wu (Qufu Normal University, China), Zhenqiang Li (Qufu Normal University, China), Haoyang Wu (Qufu Normal University, China), and Guangshun Li (Qufu Normal University, China)</i>	
Exploiting Fine-Grained Structured Pruning for Efficient Inference on CNN Model	2835
<i>Cheng-Hung Wu (National Taiwan University), Ding-Yong Hong (Institute of Information Science, Academia Sinica), Pangfeng Liu (National Taiwan University), and Jan-Jan Wu (Institute of Information Science, Academia Sinica)</i>	

A Global Task Scheduling Method Based on Network Measurement and Prediction in Computing Power Networks	2837
<i>Chuanfu Zhang (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Wen Li (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Jing Chen (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Jing Ge (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Di Wang (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Na Li (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), Hao Sun (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China), and Yudong Geng (Shandong Computer Science Center, (National Supercomputer Center in Jinan), Qilu University of Technology (Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science, China)</i>	
Research on Fine-Grained Security Sharing Model of Medical Information Based on Blockchain... ..	2840
<i>Bo Cui (Inner Mongolia University, China) and Zeyu Chen (Inner Mongolia University, China)</i>	
Optimizing CNNs Throughput on Bandwidth-Constrained Distributed Multi-FPGA Architectures	2842
<i>Yuzhu Zhou (Southwest University of Science and Technology, China), Bo Peng (Southwest University of Science and Technology, China), Qiang Li (Southwest University of Science and Technology, China), Maosong Lin (Southwest University of Science and Technology, China), Xiang Lei (Southwest University of Science and Technology, China), and Qiao Wang (Southwest University of Science and Technology, China)</i>	
Reinforcement Learning Based Transmission Optimization for V2V Unicast Communication	2844
<i>Long Tan (Heilongjiang University, China) and Yu Wang (Heilongjiang University, China)</i>	
AOP: Towards Adaptive Offloading Point Approach in a Federated Learning Framework for Edge AI Applications	2846
<i>Khoa Tran (National Institute of Information and Communications Technology, Japan), Do-Van Nguyen (National Institute of Information and Communications Technology, Japan), Minh Son Dao (National Institute of Information and Communications Technology, Japan), and Koji Zettsu (National Institute of Information and Communications Technology, Japan)</i>	

Cloud-Edge-End Collaboration Personalized Semi-supervised Federated Learning for Visual Localization	2848
<i>Qixiang Ma (Nanjing University of Aeronautics and Astronautics, China), Zhe Zhang (Nanjing University of Aeronautics and Astronautics, China), Zhenhan Zhu (Nanjing University of Aeronautics and Astronautics, China), and Yanchao Zhao (Nanjing University of Aeronautics and Astronautics, China)</i>	
GPR-Net: Geometric Dynamic Graph Convolutional Neural Network for Low Overlap Point Cloud Registration	2850
<i>Siwen Li (Sichuan Normal University, China), Shihao Xing (Southwest Petroleum University, China), Lin Feng (Sichuan Normal University, China), Ziqiang Li (Sichuan Normal University, China), Fancheng Yang (Sichuan Normal University, China), and Bowen Deng (Sichuan Normal University, China)</i>	
Developing a proxy application for an industrial unstructured CFD software: preliminary results	2853
<i>Qingsong Wang (National University of Defense Technology, China), Chuanfu Xu (National University of Defense Technology, China), Jian Zhang (China Aerodynamics Research and Development Center, China), Liang Deng (China Aerodynamics Research and Development Center, China), Ze Dai (China Aerodynamics Research and Development Center & Computational Aerodynamics Institute, China), Haozhong Qiu (National University of Defense Technology, China), Weixi Dai (National University of Defense Technology, China), Yongzhen Lin (National University of Defense Technology, China), Yue Ding (National University of Defense Technology, China), and Yonggang Che (National University of Defense Technology, China)</i>	
GreDedup: A Greedy-Based Application-Aware Data Routing Strategy for Distributed Deduplication	2855
<i>Jun Su (Sun Yat-Sen University, China), Yinjin Fu (Sun Yat-Sen University, China), Nong Xiao (Sun Yat-Sen University, China), and Yingjin Qian (Data Direct Networks, China)</i>	
Understanding Power Consumption Metric on Heterogeneous Memory Systems	2859
<i>Andr�s Rubio Proa�o (RIKEN R-CCS, Japan) and Kento Sato (RIKEN R-CCS, Japan)</i>	
SPM-GCN: An Adaptive Reordering Algorithm for Sparse LU Factorization via GCN	2863
<i>Min Tian (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Huazeng Liu (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Junjie Wang (Shaanxi Key Laboratory of Large Scale Electromagnetic Computing, Xidian University, China), Qi Liu (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), Wei Du (Qilu University of Technology(Shandong Academy of Sciences); Shandong Fundamental Research Center for Computer Science), and Zanjun Zhang (Qilu University of Technology(Shandong Academy of Sciences); Shaanxi Key Laboratory of Large Scale Electromagnetic Computing, Xidian University, China)</i>	

Hay: Enhancing GPU Sharing Performance With Two-Level Scheduling for Ray	2865
<i>Lianghong Huang (Sun Yat-sen University), Zejia Lin (Sun Yat-sen University), Wei Liu (China Electronic Product Reliability and Environmental Testing Research Institute (CEPREI)), and Xianwei Zhang (Sun Yat-sen University)</i>	
Fake Review Detection Using Deep Neural Networks With Multimodal Feature Fusion Method ..	2869
<i>Xin Li (Inner Mongolia University, China) and Lirong Chen (Inner Mongolia University, China)</i>	
hcaPCG: A Heterogeneous and communication-avoid PCG with Jacobi preconditioner on SW26010-Pro architecture	2873
<i>Min Tian (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science), Yue Liu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science), Li Wang (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science), Yanyan Chen (Jinan Key Laboratory of High Performance Computing, Jinan Institute of Supercomputing Technology), Qi Liu (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science), and Jingshan Pan (Qilu University of Technology (Shandong Academy of Sciences), China; Shandong Fundamental Research Center for Computer Science)</i>	
A Lightening Fine-Grained Access Control Scheme Supporting Full Policy Hiding in Cloud Storage	2875
<i>Jiaoli Shi (Jiujiang University, China), Chao Hu (Jiangxi University of Finance and Economics, China), Shimao Yao (Jiujiang Key Lab. of Network and Information Security, China), Zhuolin Mei (Jiujiang University, China), Bin Wu (Jiujiang University, China), and Hui Li (Peking University, China)</i>	
A Research on Emotion Recognition in Conversations Based on Hierarchical Networks and Commonsense Knowledge	2879
<i>Jiawei Zheng (Shenyang University of Technology, China), Lianqiang Niu (Shenyang University of Technology, China), and Ye Yuan (Shenyang University of Technology, China)</i>	
Accelerating Distributed Training through In-network Aggregation with Idle Resources in Data Centers	2885
<i>Ge Wang (University of Science and Technology of China, China), Huaqing Tu (Zhejiang Lab, China), Gongming Zhao (University of Science and Technology of China, China), and Hongli Xu (University of Science and Technology of China, China)</i>	

Author Index