

Third European Conference on the Structural Integrity of Additively Manufactured Materials (ESIAM23)

Procedia Structural Integrity Volume 53

Porto, Portugal
4 – 6 September 2023

ISBN: 978-1-7138-9501-5

Printed from e-media with permission by:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571



Some format issues inherent in the e-media version may also appear in this print version.

Copyright© (2023) The Authors. Published by Elsevier Ltd.
Creative Commons Attribution 4.0 International License.
License details: <http://creativecommons.org/licenses/by/4.0/>.

No changes have been made to the content of these proceedings. There may be changes to pagination, and minor adjustments for aesthetics.

Printed with permission by Curran Associates, Inc. (2024)

For permission requests, please contact the publisher:

Elsevier B.V.
Radarweg 29
Amsterdam 1043 NX
The Netherlands

Phone: +31 20 485 3911
Fax: +31 20 485 2457

<http://www.elsevierpublishingsolutions.com/contact.asp>

Additional copies of this publication are available from:

Curran Associates, Inc.
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: 845-758-0400
Fax: 845-758-2633
Email: curran@proceedings.com
Web: www.proceedings.com

TABLE OF CONTENTS

| | |
|---|-----|
| Editorial..... | 1 |
| <i>Filippo Berto, Francesco Iacoviello, Abilio De Jesus, Jan Torgersen, Sabrina Vantadori</i> | |
| Fatigue Life Estimation of Additively Manufactured AISI 316L Stainless Steel | 3 |
| <i>Andrea Zanichelli, Andrea Carpinteri, Camilla Ronchei, Daniela Scorza, Sabrina Vantadori</i> | |
| Improved Surface Quality and Fatigue Life of High-Strength, Hybrid Particle Reinforced (Ti+B4C)/Al-Cu-Mg Metal Matrix Composite Processed by Dual-Laser Powder Bed Fusion | 12 |
| <i>S. Senol, A. Cutolo, D. Ordnung, A. Datye, K. Vanmeensel</i> | |
| Dissipative Energy as a Fatigue Parameter of Additively Manufactured AISi10Mg Samples | 29 |
| <i>Martin Matuš, Jan Papuga, Jakub Rosenthal, Jan Šimota, Luis Reis</i> | |
| Tensile and Nanoindentation Tests Analysis of Ti6Al4V Alloy Manufactured by Laser Powder Bed Fusion | 37 |
| <i>David Liovic, Marina Franulovic, Nenad Gubelj, Ervin Kamenar, Emanuele Vaglio</i> | |
| Theory of Critical Distances and Notched Filament-Based 3D-Printed Components: Lessons Learned from Polymers and Concrete | 44 |
| <i>Luca Susmel</i> | |
| Hydrogen Embrittlement of AISI 316L Steel Produced by Selective Laser Melting | 52 |
| <i>L. B. Peral, A. Díaz, P. Ebrahimzadeh, I. Fernández-Pariente, I. I. Cuesta</i> | |
| Parametric Predictions of Fatigue Life of Printed Samples from MS1 and 316L Materials | 58 |
| <i>Martin Stepanek, Miroslav Zetek, Ivana Zetkova, Miloslav Kepka Jr., Miloslav Kepka</i> | |
| Production and Characterization of Lattice Samples with Solid Shell in 17-4 PH Stainless Steel by Laser Powder Bed Fusion Technology | 65 |
| <i>Francesco Cantaboni, Marialaura Tocci, Paola S. Ginestra, Annalisa Pola, Elisabetta Ceretti</i> | |
| A Unified Treatment of the Fatigue Limit of Components Weakened by Stress Raisers, Subject to Multiaxial Mode I, II, and III Loading | 74 |
| <i>Francesco Collini, Daniele Rigon, Giovanni Meneghetti</i> | |
| Evaluation of the Structural Strength of Anisotropic PLA Components Manufactured by 3D Printing..... | 81 |
| <i>Armando Ramalho, Dino Freitas, Henrique Almeida</i> | |
| The Influence of Layer Height in the Orthotropic Elastic Properties of PLA Material Obtained by Additive Processes | 89 |
| <i>Luís Gonçalves, Gonçalo Couto, Armando Ramalho</i> | |
| Fatigue Investigation of 3D-Printed Notched PLA Specimens by Thermographic Methods with FEM Simulation Integration | 97 |
| <i>Reza Ahmadi, Danilo D'Andrea, Dario Santonocito, Giacomo Risitano</i> | |
| A Novel Procedure for the Fatigue Behaviour Assessment of AM Metals with Defects..... | 112 |
| <i>Camilla Ronchei, Andrea Carpinteri, Daniela Scorza, Andrea Zanichelli, Sabrina Vantadori</i> | |

| | |
|---|-----|
| Development of DED Process Parameters for Deposition of Bronze and Evaluation of Its Wear Properties Under Dry Sliding Conditions..... | 119 |
| <i>Sunil Raghavendra, Sasan Amirabdollahian, Matteo Perini, Marco Chemello, Matteo Benedetti</i> | |
| Fatigue Crack Growth in Ti-6Al-4V EBMed Samples: Impact of Powder Recycling | 129 |
| <i>Costanzo Bellini, Rosario Borrelli, Vittorio Di Cocco, Stefania Franchitti, Larisa Patricia Mocanu</i> | |
| Joining Dissimilar Steels by Means of Selective Laser Melting: Material Microstructure and Interfacial Characteristics | 136 |
| <i>Daniele Cortis, Daniela Pilone, Francesca Campana, Giovanni Broggiato, Donato Orlandi</i> | |
| Effect of Heat Treatment on Fatigue Performance of Notched and Unnotched Samples of AlSi10Mg Manufactured by LPBF Under Variable Loading Amplitudes | 144 |
| <i>R. F. Fernandes, J. S. Jesus, L. Borrego, J. A. M. Ferreira, J. D. M. Costa</i> | |
| Enhancing the Fatigue Life Approach by the Usage of Representative Structural Elements | 151 |
| <i>Rainer Wagener, Marvin Kiel</i> | |
| Deriving Representative Structural Elements for the Fatigue Approach of Wire Arc Additively Manufactured Components | 161 |
| <i>Rainer Wagener, Marvin Kiel</i> | |
| Influence of Building Direction on the Fatigue Crack-Growth of Ti6Al4V Specimens Made by EBM | 172 |
| <i>Venanzio Giannella, Stefania Franchitti, Rosario Borrelli, Raffaele Sepe</i> | |
| Investigation on Tensile Properties of FFF PEEK: Effects of Printing Parameters and Post-Processing Treatment..... | 178 |
| <i>Alessandro Greco, Alessandro De Luca, Raffaele Sepe, Salvatore Gerbino</i> | |
| Fatigue Crack-Growth Behavior of Wrought and Additively Manufactured 17 - 4 PH Stainless Steel Specimens..... | 185 |
| <i>America Califano, Flavia Bollino, Filippo Berto, Sepe Raffaele</i> | |
| Development and Fatigue Assessment of Wire Arc Additively Manufactured Hollow Structures Made of AA6063 as a Basis for Functional Integrated Sections Applied to a Motorcycle Handlebar | 190 |
| <i>Benjamin Möller, Marvin Kiel, Rainer Wagener, Enrico Taliani, Rudolf Gradinger</i> | |
| The Corrosion Resistance of Maraging Steel 1.2709 Produced by L-PBF in Contact with Molten Al-Alloys..... | 203 |
| <i>Luca Marchini, Pietro Tonolini, Lorenzo Montesano, Marcello Gelfi, Annalisa Pola</i> | |
| Cavitation Erosion Resistance of 1.2709 Alloy Produced Via Laser-Powder Bed Fusion | 212 |
| <i>Luca Marchini, Pietro Tonolini, Lorenzo Montesano, Marialaura Tocci, Marcello Gelfi</i> | |
| Fatigue Behaviour of 3d Printed Auxetic Materials: An Overview | 221 |
| <i>J. M. Parente, P. N. B. Reis</i> | |
| Additive Process Effect on the Characteristics of Lattice Structures Made Through EBM | 227 |
| <i>Costanzo Bellini, Rosario Borrelli, Vittorio Di Cocco, Stefania Franchitti, Luca Sorrentino</i> | |
| Development of a Life Prediction Model of Ti-6Al-4V Obtained by Additive Manufacturing | 236 |
| <i>João Alves, Teresa Morgado, Ivan Galvão, António Pereira, Manuel Pereira</i> | |

| | |
|---|-----|
| Improving Corrosion Resistance of Additively Manufactured Ti6Al4V Titanium Alloy by Post Heat Treatment..... | 246 |
| <i>Serhii Lavrys, Mariia-Olena Danyliak, Iryna Pohrelyuk, Oleh Tkachuk</i> | |
| Additive Manufacturing of Aluminium Alloys in the Aeronautical Sector – a Bibliometric Analysis..... | 254 |
| <i>Carla M. Ferreira, Luís Reis, Maria J. Carmezim, Ricardo Cláudio</i> | |
| Effects of Geometry and Thermal Aging on the Strength of 3D-Printed Polymer Parts | 264 |
| <i>Mohammad Reza Khosravani, Tamara Reinicke</i> | |
| Additively Manufactured Milling Tools for Enhanced Efficiency in Cutting Applications | 270 |
| <i>Francisco Matos, Henrique Coelho, Omid Emadinia, Rui Amaral, Ana Reis</i> | |
| Effect of Heat Accumulation on the Microstructural Evolution in Inconel 625 Superalloy Printed by DED Process..... | 278 |
| <i>Omid Emadinia, Fahad Zafar, Felipe Fiorentin, Ana Reis</i> | |
| Additive Manufacturing in the Railway Rolling Stock: Current and Future Perspective..... | 285 |
| <i>Vitor M. G. Gomes, Abilio M. P. De Jesus</i> | |
| Superfinishing of Hardened Steel for the Moulding Industry of Automotive Lighting Parts | 291 |
| <i>Bruno Sousa, Tiago Silva, Vitor Sousa, Daniel Figueiredo, Abilio De Jesus</i> | |
| Evaluation of Durability of 3D-Printed Multi-Material Parts for Potential Applications in Structures Exposed to Marine Environments | 299 |
| <i>C. T. Duarte, H. F. M. De Queiroz, J. S. S. Neto, D. K. K. Cavalcanti, M. D. Banea</i> | |
| Characterization of a 3D Printed Composite Under Monotonic and Cyclic Tensile Loading | 309 |
| <i>P. N. B. Reis, J. A. M. Ferreira, J. D. M. Costa</i> | |
| Experimental Evaluation of the Fatigue Notch Factor in As-Built Specimens Produced by Wire and Arc Additive Manufacturing..... | 315 |
| <i>E. Zancato, D. Leonetti, G. Meneghetti, J. Maljaars</i> | |
| Architected Metallic Cellular Materials with Random Pore Features: Computer Design, LPBF Fabrication and Mechanical Properties | 327 |
| <i>S. Leonardi, C. Dupuy, P. Peyre, A-L. Helbert, M. G. Tarantino</i> | |
| Numerical Evaluation of Damage in Laminated Composite Tubes Under Low-Speed Impacts | 338 |
| <i>A. Neto, S. Santos, M. L. Alves</i> | |
| CVD-Coated Tungsten Carbide Solutions for Turning Inconel 718..... | 352 |
| <i>A. Teixeira, V. F. C. Sousa, T. E. F. Silva, D. Figueiredo, A. Reis</i> | |
| Investigating Interfacial Bonds in Multi-Component Molding: Polymer-Polymer and Polymer-Metal Adhesion..... | 367 |
| <i>João Soeiro, Tiago Silva, João Figueiredo, Luís Pereira, Ana Reis</i> | |
| Drilling of CFRP/Al Multi-Material Stacks Using WC-Co CVD Diamond Coated Tools | 376 |
| <i>R. D. F. S. Costa, J. N. S. Duro, V. F. C. Sousa, T. E. F. Silva, A. M. P. Jesus</i> | |
| Upcycling a Tool Steel Residue for Additive Manufacturing Application | 386 |
| <i>Mariana Cunha, Fahad Zafar, Rui Amaral, Ana Reis, Omid Emadinia</i> | |
| Qualification Process of Additive Manufactured Attachment Supports for the Space Rider Body Flap Assembly | 397 |
| <i>Stefania Franchitti, Rosario Borrelli, Angelo De Fenza, Roberto Fauci, Giuseppe Rufolo</i> | |

Feasibility Study of Defect Repair Processes in Tram Rails Using Printed Laser Techniques 407
Daniel R. Galán-Rivera, Diego Manzano-Palacios, José A. Arancón

Author Index