

2024 15th Global Symposium on Millimeter-Waves & Terahertz (GSMM 2024)

**Hong Kong
20-22 May 2024**



**IEEE Catalog Number: CFP2477D-POD
ISBN: 979-8-3503-8496-3**

**Copyright © 2024 by the Institute of Electrical and Electronics Engineers, Inc.
All Rights Reserved**

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

****** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.***

| | |
|-------------------------|-------------------|
| IEEE Catalog Number: | CFP2477D-POD |
| ISBN (Print-On-Demand): | 979-8-3503-8496-3 |
| ISBN (Online): | 979-8-3503-8495-6 |
| ISSN: | 2380-9515 |

Additional Copies of This Publication Are Available From:

Curran Associates, Inc
57 Morehouse Lane
Red Hook, NY 12571 USA
Phone: (845) 758-0400
Fax: (845) 758-2633
E-mail: curran@proceedings.com
Web: www.proceedings.com

CURRAN ASSOCIATES INC.
proceedings
.com

TABLE OF CONTENTS

| | |
|--|----|
| Wideband Circularly Polarized Transmitarray Antenna with Linearly Polarized Feed | 34 |
| <i>Qin Zhou, Ruihua Liu, Xue Ren</i> | |
| Millimeter-Wave 3D Printing High-Gain Shorted Patch Antenna with Enhanced Bandwidth..... | 36 |
| <i>Qinghai Wang, Yunfei Cao</i> | |
| On the Use of 3D Printing Technique for 5G mmWave Antenna Development | 39 |
| <i>Muhammad F. Maulana, Zulfi, Sulistyaningsih, Fajri Darwis, Winy Desvasari, Achmad Munir</i> | |
| An Integrated Sensing and Communication Architecture using Reconfigurable Intelligent Surfaces for 6G Wireless Networks | 42 |
| <i>Baiyang Liu, Jinyu Wu, Qingfeng Zhang, Hang Wong</i> | |
| A Wideband Reconfigurable Reflective Metasurface..... | 45 |
| <i>Jiachen Du, Baiyang Liu, Chi Hou Chan, Qingfeng Zhang</i> | |
| Design of a Four-Channel Crossover in Ridge- Gap-Waveguide Technology for Millimeter-Wave Applications..... | 48 |
| <i>Yang Liu, Ji-Wei Lian, Chuhan Wei, Chun Geng, Dazhi Ding</i> | |
| A Low-Cost Chip to Waveguide Transition for W-Band Wireless Transmission with Wire-Bonding | 50 |
| <i>Rui Zhou, Jixin Chen, Siyuan Tang, Wei Hong</i> | |
| Indoor Stationary Human Detection and Localization Based on FMCW Radar | 53 |
| <i>Ningsi Cai, Jun Yang, Ruyun Ma, Xiuyin Zhang, Youjun Xiang</i> | |
| Accurate and Efficient Computation for Irregular Reflectarray Antenna | 56 |
| <i>Peng-Fa Li, Shi-Wei Qu</i> | |
| Wide Beamwidth Multi-Band Circularly Polarized Quadrifilar Helix Antenna with Multi-Coil Arms | 58 |
| <i>Suiyuan Yu, Shaowei Liao, Wenquan Che, Quan Xue</i> | |
| A 17.7-21.2 GHz Antenna Element for SATCOM Phased-Array Receiver | 61 |
| <i>Hao Jiang, Mei Qian, Shaowei Liao, Quan Xue</i> | |
| Millimeter-Wave Fabry-Pérot Antenna Featuring Frequency Reconfigurable Capability..... | 64 |
| <i>Min Li, Di Wu</i> | |
| A Wideband Monostatic Co-Circularly Polarized Simultaneous Transmit and Receive Antenna using Metasurface..... | 67 |
| <i>Di Wu, Yaxin Li, Yu-Xiang Sun, Ruina Lian, Bing Xiao, Min Li</i> | |
| Dual-Band Shared-Aperture Antenna Array with Dual Polarization using Metasurface Absorber | 73 |
| <i>Feng Du, Yunfei Cao</i> | |
| A Wideband Bowtie Antenna Fed with CPW for 5G mmWave Applications | 76 |
| <i>Yunyi Jiang, Zhiqi Ke, Kai Lu, Nan Yang</i> | |
| A Broadband Millimeter-Wave Antenna-In-Package Made of Low-Profile Magnetolectric Dipole | 79 |
| <i>Mengyuan Chu, Zhiqi Ke, Kai Lu, Nan Yang</i> | |
| A Wideband Dielectric Resonator Antenna with Omnidirectional Radiation..... | 82 |
| <i>Tiannan Ni, Jin Shi, Kai Xu</i> | |

| | |
|---|-----|
| Analysis of the Influence of Special-Shaped Reflector on Antenna Radiation Pattern and FBR | 85 |
| <i>Shuang Qiu, Chao Wu, Jinghui Qiu, Olensandr Denisov, Vasyi Molebny</i> | |
| A 35-GHz Planar Aperture Rectenna for Wireless Power Transmission | 88 |
| <i>Ken Zhang, Shaowei Liao, Wenquan Che, Quan Xue</i> | |
| Millimeter-Wave Dual-Polarization End-Fire Dielectric Resonator Antenna | 91 |
| <i>Xu Zhou, Peng F. Hu, Kwok W. Leung</i> | |
| A Gain Filtering Reflectarray Unit Based on 1-Bit Magnetolectric Dipole..... | 94 |
| <i>Fulin Xue, Chenyang Meng, Guangyin Feng, Hao Chen, Yin Li, Sai-Wai Wong</i> | |
| Filtenna-to-Filtenna-Based Frequency Selective Surfaces with Improved Performances | 97 |
| <i>Huawei Lin, Sai-Wai Wong, Kam W. Tam</i> | |
| A Multifunctional Reflectarray Based on Resistance Modulation..... | 100 |
| <i>Chenyang Meng, Fulin Xue, Guangyin Feng, Hao Chen, Yin Li, Sai-Wai Wong</i> | |
| Wide-Scanning Reflector-Based Holographic Metasurfaces with Open-Stopband Suppression | 102 |
| <i>Song Xue, Yizhu Shen, Ziyu Xu, Sanming Hu</i> | |
| What is the Nyquist Sampling Frequency for Amplitude-Only Planar Near-Field Tests?..... | 107 |
| <i>Junhao Zheng, Zhengpeng Wang, Xiaoming Chen</i> | |
| On the Gap Between the Amplitude and Phase Modulation Layers in a Transmitarray Collimator..... | 110 |
| <i>Jiazhi Tang, Xiaoming Chen, Bingyi Qian, Jianchuan Wei, Guan-Long Huang, Anxue Zhang</i> | |
| On the Possibility of Polarization Switching for 5G mmWave Antenna | 113 |
| <i>Elmi Cahyaningsih, Trasma Yunita, Achmad Munir</i> | |
| An Omnidirectional Antenna-in-Package Based on FOWLP for THz Chip-to-Chip Wireless Interconnect Applications | 116 |
| <i>Gang Zhuang, Ya Fei Wu, Yang Chai, Yu Jian Cheng</i> | |
| A Wideband Metasurface Linear Polarization Converter | 119 |
| <i>Xin-Zhi Bo, Bu-Yun Yu, Hao Chen, Lu Ju, Wei-Bing Lu, Zhen-Guo Liu</i> | |
| Improved Resolution for a 1-Bit Transmitarray in Near-Field Focusing Applications..... | 121 |
| <i>Manting Wang, Geng-Bo Wu, Chi H. Chan</i> | |
| Design and Experimental Demonstration of a Low-Profile Differential-Fed Tri-Band Filtering Antenna | 124 |
| <i>Xinzhou Huang, Dajiang Li, Ming-Chun Tang, Kun-Zhi Hu, Yang Wang, Richard W. Ziolkowski</i> | |
| Electronically Controlled 1-Bit Reconfigurable Broadband Circular-Polarized Reflective Metasurface | 127 |
| <i>Yao Li, Hai Xin, Jianing Yang, Mei Li, Da Yi, Ming-Chun Tang</i> | |
| High-Isolation Wide-Angle Scanning Antenna Array using Heterogeneous Metasurface Elements with Ability of Integrating Millimeter-Wave Array | 130 |
| <i>Li Wei, Wanchen Yang, Jinghao Li, Quan Xue, Wenquan Che</i> | |
| Dual-Band and Dual-Polarized Millimeter-Wave Leaky-Wave Antenna | 133 |
| <i>Qing L. Zhang</i> | |

| | |
|---|-----|
| A Compact Spearhead-Shaped Antenna with Super-Wideband Characteristics..... | 136 |
| <i>Agus D. Prasetyo, Sulistyaningsih, Elmi Cahyaningsih, Achmad Munir</i> | |
| A Wideband Vivaldi Antenna with Modified Planar Marchand Balun for mmWave V2X Communications..... | 139 |
| <i>Zulfi, Levy O. Nur, Sarah Rahayu, Achmad Munir</i> | |
| A Dual-Polarized Metalens with Wide Field-of-View and Broad Bandwidth for 77GHz Radar Applications..... | 145 |
| <i>Xiaoluo He, Alex M. H. Wong</i> | |
| Accurate Noncontact Sleep Apnea-Hypopnea Detection using a K-Band Biomedical Radar..... | 148 |
| <i>Shuqin Dong, Bo Wang, Changzhan Gu, Yongxin Guo</i> | |
| A GaN MMIC Inverse Class-F Power Amplifier using Co-Designed Bias Network and LC Resonator..... | 153 |
| <i>Jie Shi, Xiaohu Fang, Xinyu Zhou, Xu Yan, Wei Lin, Luyu Zhao</i> | |
| Integrated Circuits of RF Front-End with Antenna for Millimeter-Wave Receiver..... | 156 |
| <i>Wen-Cheng Lai</i> | |
| Optimization Design Methodology for High Efficiency Power Amplifiers | 159 |
| <i>Ni Zhongpeng, Qi Jianwei, Xia Jing</i> | |
| 2D-Scalable CMOS Phased Array Transmitter at 140GHz with $\lambda/2$ Element Spacing | 162 |
| <i>Jicong Zhang, Bingli Dai, Yi Hu, Bo Zhang, Cheng Wang, Zhi Chen</i> | |
| Broadband GaN MMIC Asymmetric Doherty Power Amplifier Employing Complex Load Impedance | 165 |
| <i>Ruibin Gao, Shuang Liu, Zhijiang Dai, Weimin Shi, Mingyu Li, Jingzhou Pang</i> | |
| Design of Fully Integrated GaN Dual-Band Doherty Power Amplifier for 5G Wireless Communication | 168 |
| <i>Shuang Liu, Ruibin Gao, Zhijiang Dai, Weimin Shi, Mingyu Li, Jingzhou Pang</i> | |
| A D-Band Energy-Efficient Compact Receiver with Current Reuse Technique for 6G Array System | 171 |
| <i>Junyuan Tu, Guohao He, Zhantao He, Yuxin Yang, Xiang Yi, Haoshen Zhu, Pei Qin, Wen Yang, Wenquan Che, Quan Xue</i> | |
| Cryogenic Receiver Frontends of High Sensitivity for Terahertz Communication Applications | 174 |
| <i>Xiang Gao, Jia Du, Jianping An</i> | |
| Millimeter-Wave Three-Way Coupler Based on Ridge Gap Waveguide Technology | 180 |
| <i>Chuhan Wei, Ji-Wei Lian, Yang Liu, Chun Geng, Dazhi Ding</i> | |
| A Broadband 1-Bit Reconfigurable Reflectarray Antenna for 5G Millimeter Wave | 183 |
| <i>Yunli Li, Zhi Hao Jiang, Fan Wu, Wei Hong, Dongze Zheng, Zhang-Cheng Hao</i> | |
| Investigation on Beam Scanning Speed of Hybrid Leaky-Wave Antenna for Millimeter-Wave Application..... | 186 |
| <i>Peiwen Tang, Hang Wong</i> | |
| Comparative Studies of Beam-Squinting Effects Between Leaky-Wave and Phased Array Antennas | 189 |
| <i>Dongze Zheng, Zhi H. Jiang, Fan Wu, Wei Hong</i> | |

| | |
|--|-----|
| A Single-Channel Detection Method with Multi-Order Matched Filters for Wideband Linear Frequency Modulation Harmonic Signals | 192 |
| <i>Yu Xia, Anjie Cao, Xiaonan Zhao, Tong Wu, Ronghong Jin, Jingfeng Chen</i> | |
| FMCW Detection Based on Harmonic Characteristic Analysis Method Without Velocity-Direction Coupling | 195 |
| <i>Tong Wu, Xiaonan Zhao, Zhenji Liu, Yu Xia, Ronghong Jin, Jingfeng Chen</i> | |
| Evaluation of the Effective Degree of Freedom for Multiport Antenna Element | 198 |
| <i>Qian Zhu, Genze Jiang, Rui Ni, Shanchi Wu, Ganghua Yang, Nan Yang</i> | |
| Generating Multi-Mode OAMs with Broadened Common Bandwidth Based on PIN Diodes-Loaded Archimedean Spiral Antenna | 201 |
| <i>Zhipeng Zhang, Yang Yang, Haoxiang Chen, Fei Shen</i> | |
| A Broadband Dual-Polarized Dielectric Resonator Antenna for Millimeter-Wave Communication | 204 |
| <i>Zi-Jian Deng, Ke Deng, Zhe Chen, Tao Yuan, Qin-Juan Zhang</i> | |
| A Millimeter-Wave Filtering Fabry-Pérot Cavity Antenna Utilizing PRFS | 212 |
| <i>Shi-Feng Nie, Huanlong Qin, Qing-Yi Guo</i> | |
| Adaptive Beamforming Based on Space- Time Coding Metasurface Antenna with Hadamard Codes..... | 214 |
| <i>Zuqi Fang</i> | |
| Millimeter Wave Fall Detection System Based on Finite Human Node Scattering Model | 216 |
| <i>Weihua Yu, Didi Xu, Yufeng Wang, Mengjun Chen, Yaze Cui</i> | |
| Terahertz Plasmonic Instability of a Double-Layer Two-Dimensional Electron System | 219 |
| <i>Shengpeng Yang, Hongyang Guo, Mi Tian, Shaomeng Wang, Yubin Gong</i> | |
| The Influence of Calibration Materials' Dielectric Properties on Deembedding Accuracy for Liquid Characterization..... | 222 |
| <i>Minghe Du, Zeyu Wang, Lili Fang, Xiue Bao</i> | |
| Towards Porous Si THz Planar Waveguides in Ultra-Low-Resistivity Substrates | 225 |
| <i>Shiqi Ma, Massinissa Nabet, Romain Hanus, Jean-Pierre Raskin, Laurent A. Francis, Dimitri Lederer</i> | |
| A GaN-Based Doherty Power Amplifier for 5G Basestation Applications | 228 |
| <i>Yi-Fan Tsao, Heng-Tung Hsu, Jiun-Jie Huang</i> | |
| A 18-to-22 GHz 22.8 dBm P_{SAT} 18.2 dB Gain Power Amplifier in 0.13- μ m CMOS SOI | 231 |
| <i>Guiyue Mao, Fanyi Meng</i> | |
| Dual Gate HEMT: Compact Cascode for Low-Noise Amplification | 234 |
| <i>Giorgio Bonomo, Filippo Ciabattini, Tamara Saranovac, Fran Kostelac, Sara Hamzeloui, Diego Marti, Ralf Flückiger, Olivier J. S. Ostinelli, Colombo R. Bolognesi</i> | |
| 94 GHz Two-Way-Combined Power Amplifiers with 14.2 dBm Peak Output Power in 300-nm InP/GaAsSb DHBT Technology..... | 237 |
| <i>Sara Hamzeloui, Akshay M. Arabhavi, Filippo Ciabattini, Mojtaba Ebrahimi, Giorgio Bonomo, Olivier Ostinelli, Colombo Bolognesi</i> | |
| An Accuracy Improving Method of Error Vector Magnitude Measurement System for 78 GHz Broadband Modulated Signals..... | 240 |
| <i>Peijun Xu, Pengwei Gong, Hongmei Ma, Tingting Xie, Chenxi Wang, Luo Zhao, He Jiang, Chuntao Yang</i> | |

| | |
|---|-----|
| A Directional Interpolation Pattern for Multilevel Green's Function Interpolation Method..... | 243 |
| <i>Shidong Jiang, Haogang Wang</i> | |
| A Dual-Band Bandpass Mode-Composite Cavity Filter with Large Frequency Ratio | 246 |
| <i>Chengkun Hu, Yujian Li, Junhong Wang</i> | |
| D-Band Dual-Polarized Array Antenna Based on Turnstile-Junction Orthomode Transducer with High Isolation..... | 249 |
| <i>Sen Lu, Yizhu Shen, Ziyu Xu, Sanming Hu</i> | |
| A Two-Chip-Cascaded 4D Millimeter-Wave Imaging Radar Aiming for Automotive SLAM..... | 252 |
| <i>Wogong Zhang, Nannan Li, Congzhi Li, Dongdong Dong, Cheng Wang, Erich Kasper</i> | |
| Terahertz Spoof Plasmonic Sensor with Resonance Sensing Capability for Wood Moisture Detection | 255 |
| <i>Asad Aziz, Shuting Fan, Zhengfang Qian</i> | |
| Feature Extraction for Machine Learning-Based Alignment of W-Band Higher-Order Mode Generator..... | 258 |
| <i>Edrick Bajjukya, Eunmi Choi</i> | |
| A Terahertz Dual-Channel Radar Transceiver in 22 nm CMOS with 60 GHz Bandwidth..... | 261 |
| <i>Xinjie Zhang, Yuri Lu, Chunqi Shi, Leilei Huang, Long Xu, Runxi Zhang</i> | |
| Nano-Scale Rough Surface Imaging with THz-s-SNOM..... | 264 |
| <i>Shuqi Ge, Dehai Zhang, Zhaomin Peng, Li Wang, Hao Li</i> | |
| Investigation of the Effects of the Slot Parameters on a Patch Antenna at 28 GHz Related to the Operating Wavelength | 267 |
| <i>Baris G. Hakanoglu, Mustafa Turkmen</i> | |
| A 55 GHz Single-Stage RC Polyphase Filter with LC Matching Network for Low Insertion Loss..... | 270 |
| <i>Toshiaki Abe, Shinsuke Hara, Akifumi Kasamatsu, Yohtaro Umeda, Kyoya Takano</i> | |
| Compact Multibeam Antenna Fed by Dual-Layer Substrate Integrated Waveguide Butler Matrix for 5G Millimeter-Wave Application | 273 |
| <i>Ziyu Xu, Yizhu Shen, Song Xue, Sen Lu, Sanming Hu</i> | |
| A Novel Flexible Broadband Transmission Line with Low Loss..... | 279 |
| <i>Tingting Xie, Pengwei Gong, Chuntao Yang, Wen Xie, He Jiang</i> | |
| Crossed-Dipole-Shaped Metasurface Transmissive Linear-To-Circular Polarization Converter | 282 |
| <i>Cho H. S. Nkimbeng, Heesu Wang, Ikmo Park</i> | |
| Dual-Band Decoupling Method for Millimeter-Wave High-Isolation Wide-Angle Scanning Phased Array Antenna | 285 |
| <i>Jinghao Li, Wanchen Yang, Qianguang Liu, Li Wei, Quan Xue, Wenquan Che</i> | |
| A High-Gain Sleeve Loaded Dielectric Rod Antenna for Millimeter-Wave Applications | 288 |
| <i>Minjun Wu, Yujian Li, Junhong Wang</i> | |
| Design and Analysis of Staggered Double Vane Structure with Bragg Resonators for 200 GHz TWT | 291 |
| <i>Junyoung Lee, Wonjin Choi, Yoonseon Choi, Eunmi Choi</i> | |
| Determination of Orbital Angular Momentum Modes with Double Slit Experiments in W-Band..... | 294 |
| <i>Seokju Moon, Dongho Yu, Eunmi Choi</i> | |

G-Band Load-Pull Characterization of High-Efficiency Emitter-Fin InP/GaAsSb DHBTs..... 297
*Filippo Ciabattini, Sara Hamzeloui, Akshay M. Arabhavi, Mojtaba Ebrahimi, Olivier
Ostinelli, Colombo R. Bolognesi*

A 220 GHz Mixer Based on Dual Circuit-Port Technique Utilizing Planar Schottky Diodes..... 300
Baochen Du, Yihui Wang, Yu Gan, Hongfu Meng

Author Index