2024 IEEE Joint International Symposium on Electromagnetic Compatibility, Signal & Power **Integrity: EMC Japan / Asia-Pacific International Symposium on Electromagnetic Compatibility** (EMC Japan/APEMC Okinawa 2024)

Ginowan, Okinawa, Japan 20-24 May 2024



**IEEE Catalog Number: CFP2478I-POD ISBN:** 

979-8-3503-4949-8

Copyright © 2024, Institute of Electronics, Information and Communication Engineers (IEICE)
All Rights Reserved

\*\*\* This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP2478I-POD

 ISBN (Print-On-Demand):
 979-8-3503-4949-8

 ISBN (Online):
 978-4-88552-347-2

ISSN: 2162-7673

#### Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA

Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



### **Table of Contents**

## Program Day 1 : May 20 (Mon.)

[MonPM1A.2] Extraction of Audio Information From EM Emission Caused by Loose Connectors
[MonPM1C.1] Comparisons of Equalization Performances and CM Suppression on NRZ and PAM4 Signals Using Wideband DME-CMF Yu-Ren Chen, Yi-Ting Lin and Tzong-Lin Wu (National Taiwan University, Taiwan)
[MonPM1C.2] Normal and Antenna Mode Coupling Due to Mode Impedance Mismatch in Two-Conductor Transmission Line
[MonPM1C.3] Study on Design of Bend Differential-Paired Lines With Low Common-Mode Noise Using Topology Optimization
[MonPM1D.1] A Universal Software Defined Radio Setup for Measuring Airport NavCom
Infractures  Robert Geise (HTWK University of Applied Science Leipzig & Technische Universität Braunschweig, Germany); Anne Lena Vaske, Björn Neubauer, Altan Akar and Alexander Weiß (Technische Universität Braunschweig, Germany); Torsten Fritzel (Aeroxess GmbH, Germany); Rüdiger Strauß and Hans-Juergen Steiner (Aeroxess UG, Germany)
[MonPM1D.2] Evaluation of Electromagnetic Shielding of Small Shield Bag for Aircraft
[MonPM1D.4] Functionality Introduction of Japanese Customized ILS Simulator
[MonPM1D.5] Considerations for Transient Voltage and Current Induced to Signal Line in Aircraft Bundles

Norihisa Shionoya (MPAT, Japan); Naruto Yonemoto (Electronic Navigation Research Institute, MPAT, Japan)	
[MonPM1D.6] Electromagnetic Interference Issues of Aircraft Radio Altimeters Due to Sub-6 Band 5G Mobile Communications Systems in Japan	15
[MonPM2A.1] Challenges in Feasible Simulation of Side-Channel Attack Resistance for Cryptographic Hardware	9
[MonPM2A.2] Fundamental Study on Electromagnetic Analysis Attack Detection Using Oscillation Shift of Ring Oscillator	;3
[MonPM2A.4] Measured Traces Reduction Using SNR of Leakage for Tolerance Evaluation to Deep Learning-Based Side-Channel Attack	:8
[MonPM2C.1]  Mode Impedance Measurement of Black Box System Using Two Probe  Analysis	12
[MonPM2C.2] Application of the Impedance Balance Method to Electric Compressor System With an Integrated Mechanical and Electrical Structure	i6
[MonPM2C.3] Field-And-Circuit Co-Analysis of Mode Conversion Caused by Continuous Imbalance Factor Changes in Three-Conductor System	'0
[MonPM2D.1] Accelerated EMC Site Validation Testing From 30 MHz to 200 MHz With a Reduced Number of Measurement Heights Using the Matrix Pencil Method	'4
[MonPM2D.2] Reference Measurement for Inter-Laboratory Comparison of Electric Field Uniformity for Radiated Immunity Testing	'8

#### [MonPM2D.3] Round-Robin Test of Site VSWR Validation for 18-40 GHz Band in Japan ......82 Jerdvisanop Chakarothai and Katsumi Fujii (National Institute of Information and Communications Technology, Japan); Noriyuki Mitsuzuka (Telecom Engineering Center, Japan); Toshiki Shimasaki (VCCI & VCCI Council, Japan); Hidenori Muramatsu (VCCI Council, Japan); Shinichi Okuyama (NEC Platforms, Ltd., Japan); Masaru Yoshihara (Riken Environmental System Co., Ltd., Japan); Hironari Tanaka (Ohtama Calibration Service Co., Ltd., Japan); Katsunori Miura (Japan Quality Assurance Organization, Japan); Takeshi Yamanaka (Intertek Japan, Japan); Masashi Takabe and Kimihiro Tajima (NTT Advanced Technology Corporation, Japan) Program Day 2 : May 21 (Tue.) [TueAM1A.1] Effects of Air as Transmission Medium on Wave Propagation and Possibility of Generalization......85 Jan Nemec (Tomas Bata University in Zlin, Czech Republic); Stanislav Kovar (Tomas Bata University in Zlín & Faculty of Applied Informatics, Czech Republic); Martin Pospisilik and Milan Adamek (Tomas Bata University in Zlín, Faculty of Applied Informatics, Czech Republic) [TueAM1A.2] Characterization of Architectural Glasses by Free-Space Method in 24 GHz Yuki Masuko (Aoyama Gakuin University, Japan); Tetsuo Endo and Koji Yamguchi (Taisei Corporation, Japan); Osamu Hashimoto and Ryosuke Suga (Aoyama Gakuin University, Japan) [TueAM1A.3] DVOR - Evaluation and Improvement of the Original Scattering Model and Practical Implications ......92 Björn Neubauer (Technische Universität Braunschweig, Germany); Robert Geise (HTWK University of Applied Science Leipzig & Technische Universität Braunschweig, Germany); Georg Zimmer (Röders GmbH, Germany) [TueAM1A.4] In-Situ Investigation of Antenna Behavior in Close Proximity to Objects: A Practical Approach.......96 Rheyuniarto Sahlendar Asthan (Institut Teknologi Sumatera, Indonesia & Institut Teknologi Bandung, Indonesia); Ridvan Aba and Robert Vogt-Ardatjew (University of Twente, The Netherlands); Deny Hamdani (School of Informatics and Electrical Engineering, Bandung Institute of Technology, Indonesia); Achmad Munir (Institut Teknologi Bandung, Indonesia); Frank Leferink (University of Twente, The Netherlands) [TueAM1A.5] 13 Reasons Why: Rationale and Preliminary Statistical Approach for Classifying Electromagnetic Disturbances in Healthcare Environments......100

Nandun Senevirathna (Philips Medical Systems Nederland B.V. & Eindhoven University of Technology, The Netherlands); Rob Kleihorst (Philips Medical

Systems Nederland B.V., The Netherlands)

[TueAM1B.1] Direct Current Mode Stirred, a Road Map to a New EMC Standard	04
[TueAM1B.2] A New Experimental System for Mechanism Research on Electrostatic Discharge	08
[TueAM1B.3] Estimation of Small Sample EMC Test Data Based on Grey Bootstrap and Uncertain Rational Number	.11
[TueAM1B.4] Weighting of Interference Through the Ages of Radio	15
[TueAM1C.1] Calibration of Broadband Antenna Using the Standard Field Method With VNA Considering the Near Field	₁19
[TueAM1C.3] Influence of Electrode Surface Roughness on Radiated Electromagnetic Field Strength Due to Micro-Gap ESD	23
[TueAM1C.4] Revision Status and Further Study Issue of International Standard on System Level ESD Immunity Testing	26
[TueAM1D.1] Wireless Communication System Use in Medical Hospitals and Management of the Electromagnetic Environment	30
[TuePMPo.1] Partial Image Expansion Applied to Real Near-Field Measurement Data Modeling	38
Milano, Italy); Karl-Friedrich J Wolf (European Space Agency (ESA) & ESTEC, The Netherlands); Flavia Grassi (Politecnico di Milano, Italy)  [TuePMPo.2]  Accurate Extraction for Inductance of Position Indicator Coil in Noisy  Environment Using DC Coil	42

(South)); Jangyong Ahn (Electronics and Telecommunications Research Institute, Korea (South)); Wonho Lee and Jinseok Park (Kepco EnC, Korea (South)); Seungyoung Ahn (Korea Advanced Institute of Science and Technology, Korea (South))	
[TuePMPo.3] A Study on Detectable Conditions for Rusted Reinforcing Bar in Concrete Structure Using a 24-GHz Doppler Sensor	145
[TuePMPo.7] Evaluation of a Non-Intrusive SDR-Based In-Situ Shielding Effectiveness Measurement Technique Miguel Loureiro Figueirinhas, Rídvan Aba, Robert Vogt-Ardatjew and Frank Leferink (University of Twente, The Netherlands)	151
[TuePMPo.9] EMI Noise Analysis Using Frequency Domain Simulation Considering Dynamic Semiconductor Characteristics in Flyback Converter Circuits Taiki Kai, Tatsuki Kashihara and Koji Kobayashi (Sanden Corporation, Japan)	156
[TuePMPo.10] A Novel Intelligent Antenna Synthesis Method Based on Deep Neural Network Longyi Zhan, Dan Shi, Xiaoya Zhou and Yi Gou (Beijing University of Posts and Telecommunications, China)	159
[TuePMPo.11] Numerical Evaluation of ElectroMagnetic Effects for Different Types of Shield Connection	163
[TuePMPo.13] Analysis of Electrical Stress of Switched-Mode Power Supply (SMPS) on Conductive Electromagnetic Pulses	168
[TuePMPo.14]  EMC of Linear and Non-Linear Loads in Different EM Environments; An Issue of Power Quality	172
[TuePM1A.1]  Design Methodology of Through-Silicon via for Crosstalk Optimization Based on Impedance  Hyunwoong Kim, Seonghi Lee and Seungyoung Ahn (Korea Advanced Institute of Science and Technology, Korea (South))	176
[TuePM1A.2] Mitigating Crosstalk in High-Speed Digital Interconnect Systems Using High-Impedance Surface With Embedded Metal Protrusions  Bing-Jia Zhong, Cheng-Yi Zhuang and Ding-Bing Lin (National Taiwan University of Science and Technology, Taiwan); Nick K. H. Huang (Hewlett Packard Enterprise, Taiwan)	180

Sanguk Lee (Korea Advanced Institute of Science and Technology, Korea

[TuePM1A.3] Experimental Studies of High Frequency Performances of Plated Through Hole and Coaxial via in Printed Circuit Boards Up to 110 GHz	183
Chien-Chang Huang, Pin-Xian Liu and Yu-Chen Liu (Yuan Ze University, Taiwan)  [TuePM1A.4]  Investigation of Calculation Accuracy for Line Constants of Transmission Line Constructed With Cable and Ground Plane	186
Nobuo Kuwabara, Tohlu Matsushima, Yuki Fukumoto and Ryouya Enoki (Kyushu Institute of Technology, Japan)	
[TuePM1A.5] An Improved Methodology for Passive Channel Signal Integrity Performance Characterization	190
[TuePM1A.6]	
Closed-Loop Structure for Mitigating Jitter-Induced Noise of Clock Source in High-Bandwidth Signal Sampling	194
Haojie Wu, Xiangyu Meng, Qidong Bao and Wenrui Wang (Zhejiang University, China); Yin Sun (Missouri University of Science and Technology, USA); Xinglin Sun (Zhejiang University, China)	
[TuePM1C.1] Improvement of Functional Printed Patterns for Electrical Over Stress	
Protection and Its Performance Evaluation	198
[TuePM1C.2] Impedance Dependencies of TVS Diode's Response Against ESD Stress Taoyu Ma and Takahiro Yoshida (Tokyo University of Science, Japan)	202
[TuePM1C.3] Characteristics of a Long Duration Noise Induced on a Wearable Devices by Potential Drop of a Charged Proximity Object Caused by ESD	206
Takehiro Hagimoto and Takahiro Yoshida (Tokyo University of Science, Japan)  [TuePM1C.4]	
Malfunction of a Wearable Device Caused by Potential Drop of a Charged	210
Sosuke Matsumoto and Takahiro Yoshida (Tokyo University of Science, Japan)	
[TuePM1D.3] Noise Suppression Sheet Embedded in Printed Circuit Boards Ken'ichi Chata'ni (TOKIN Corporation, Japan); Toshiyuki Igarashi (Tokin	216
Corporation, Japan); Koichi Kondo and Masashi Ikeda (TOKIN Corporation, Japan)	
[TuePM2A.1] Signal Integrity Analysis and Design for Cascaded Wire Bonding of Low-Power Double Data Rate (LPDDR)	221
Seunghun Ryu, Hyunwoong Kim, Gagyeong Park, Seonghi Lee, Dongryul Park, Sanguk Lee and Jaewon Rhee (Korea Advanced Institute of Science and Technology, Korea (South)); Jongwook Kim (SK hynix, Korea (South)); Seungyoung Ahn (Korea Advanced Institute of Science and Technology, Korea (South))	
[TuePM2A.2]	
Detection Sensitivity Improvement in Sequence Time Domain Reflectometry by Removing Pulse Reflected at Nodes in Bus Network	225

Takashi Kakiuchi, Kengo lokibe and Yoshitaka Toyota (Okayama University, Japan)	
[TuePM2A.3] Transfer Learning Based High-Speed Link Transient Modeling Method Jiarui Qiu, Hanzhi Ma, Fengzhao Zhang, Guangyu Sheng and Er-Ping Li (Zhejiang University, China)	229
[TuePM2A.4] Al Workbench - Conceptual Workflow to Develop Al Models for SI/PI- Applications in PCB Development	233
Program Day 3 : May 22 (Wed.)	
[WedAM1A.1] A Novel Reconfigurable Metasurface With Expanded Tuning Range for Electromagnetic Interference Shielding Yudi Fan, Da Li, Hanzhi Ma and Er-Ping Li (Zhejiang University, China)	237
[WedAM1A.5] Oblique Incident Reflection Characteristic Evaluation of EM Wave Absorber for 28 GHz Without Metal Backing Shinnosuke Kagekawa and Morimichi Itoh (Osaka Research Institute of Industrial Science and Technology, Japan); Shinichiro Yamamoto (University of Hyogo, Japan); Hiroshi Igarashi (Keeper Corporation Co. Ltd., Japan)	243
[WedAM1B.1] Quad-Port MIMO Antenna Design With Low SAR for 3.5 GHz 5G and 5.8 GHz	247
[WedAM1B.3] Compliance Evaluations of Inductive WPT Systems With Basic Restrictions by Computational Methods  Niels Kuster (Foundation for Research on Information Technologies in Society, IT'IS Foundation, Switzerland); Jingtian Xi and Andreas Christ (IT IS Foundation, Switzerland)	251
[WedAM1C.3]  Dual Inductive Probe Concept for Impedance Measurements From 9 kHz to 120  MHz in Presence of High DC-Bias Current - Part One	259
[WedAM1C.4] Dual Inductive Probe Concept for Impedance Measurements From 9 kHz to 120	

MHz in Presence of High DC-Bias Current - Part Two	263
[WedAM1D.1] Research and Analysis of Electromagnetic Compatibility Radiated Emission Testing Methods for Automotive Dynamic Driving Conditions Zhiduo Xiao (China Automotive Technology and Research Center, China); Zhang Chen (CATARC, China); Zaiyuan Wu (China Automotive Technology & Research Center Co., Ltd., China); Xuan Feng (China Automotive Technology and Research Center Co., Ltd., China); Qingfeng Kong and Jiqiang Gao (CATARC, China)	267
[WedAM1D.2] Statistical Modeling of Automotive Component Noise-Source in Accordance With the Load Change	271
[WedAM1D.3] Conducted Emission Evaluation of 1000BASE-RH Optical Ethernet Transceivers	275
[WedAM1D.4] Immunity Evaluation Method of Transceiver ICs for In-Vehicle CAN-FD Miyuki Mizoguchi (SOKEN, INC., Japan); Takeshi Yoneyama (Toyota Motor Corporation, Japan); Shinji Ohoka (SOKEN, Japan); Koji Ichikawa (Nagoya Institute of Technology, Japan)	279
[WedAM1D.5] Circuit Model Construction for Simulating ESD Discharge Current Flowing Through CMCs and ESD Suppression Devices Hironori Ito, Shoma Ishihara, Yusuke Yano and Jianqing Wang (Nagoya Institute of Technology, Japan)	283
[WedAM2C.1]  Double Screened Test Setup for Discontinuous Radiated Emissions From GaN  HEMT Devices in the Frequency Range of 30 MHz - 40 GHz  Krzysztof Sieczkarek, Adam Mackowiak, Michal Rokossowski, Tomasz Warzynski, Bartlomiej Nagorny and Radoslaw Szczepanski (Lukasiewicz - Poznan Institute of Technology, Poland)	296
[WedAM2C.2] Analysis of Conducted and Radiated Emission on a Self-Oscillating Capacitive Touch Sensing Circuit  Subramaniam Saravana Sankar and Stanislav Kovar (Department of Security Engineering, Faculty of Applied Informatics, Tomas Bata University in Zlin, Czech Republic); Martin Pospisilik (Department of Electronics and Measurements Faculty of Applied Informatics, Tomas Bata University in Zlin, Czech Republic); Michael Galda (Systems Engineering, NXP Semiconductors, Roznov p.R., Czech Republic)	300
[WedAM2C.4] Investigation of Wideband Spline-Based Spearhead-Shaped Printed Antenna for EMC Radiated Emission Testing	305
[WedAM2C.5] Impact of Antenna Polarization on Radiated Emissions Measurement	N/A

Vienna, Austria & Center for Material and Technical Products, Indonesia); Achmad Munir (Institut Teknologi Bandung, Indonesia)	
[WedAM2D.1] Electromagnetic Integration of a Symmetrical LCL-EMI Filter for Grid-	040
Connected Voltage-Source Converters	313
[WedAM2D.2] Worst-Scenario Prediction for Field-To-Cable Coupling Under Continuous	
Intentional Electromagnetic Interference Attack  Huamin Jie and Eng Kee Chua (Nanyang Technological University, Singapore); Zhenyu Zhao (National University of Singapore, Singapore); Yongqi Chang and Changdong Wang (Harbin Institute of Technology, China); Kye Yak See (Nanyang Technological University, Singapore)	317
[WedAM2D.3] Investigation of Mode Transformation in Motor Control System of Unmanned	
Aerial Vehicle Exposed to Intentional Electromagnetic Interference	321
[WedAM2D.4] Vulnerability Assessment of a Protection Relay in Electrical Substation to	
Radiated Intentional EMI.  Fei Fan (Nanyang Technological University, Singapore); Zhenyu Zhao (National University of Singapore, Singapore); Huamin Jie and Kye Yak See (Nanyang Technological University, Singapore); Wee Jin Koh (DSO National Laboratories, Singapore)	325
[WedAM2D.5] Improved Neural Network-Based High-Frequency Behavioral Modeling of	
Induction Motors  Xianzhe Wu (Nanyang Technological University, Singapore); Zhenyu Zhao (National University of Singapore, Singapore); Huamin Jie, Quqin Sun and Kye Yak See (Nanyang Technological University, Singapore)	329
[WedPM1A.1] Analysis of Mode Conversion Using Modal Equivalent Circuits for Immunity	
Evaluation of High-Speed Communication Equipment	333
[WedPM1A.3] Study on Crosstalk and Mode Conversion of Two Pairs of Differential-Paired	220
Lines With Different Distances  Hayato Komiya (Graduate School of Informatics and Engineering, the University of Electro-Communications, Japan); Yoshiki Kayano (The University of Electro-Communications, Japan); Yoshio Kami (University of Electro-Communications, Japan); Fengchao Xiao (The University of Electro-Communications, Japan); Hiroya	338

Elmi Cahyaningsih (Institut Teknologi Bandung, Indonesia); Muhammad Naufal Arira (Bandung Institute of Technology, Indonesia); Wisnu Ananda (University of

Ueyama (Murata Manufacturing Co., Ltd., Japan); Naoki Iida (Murata Manufacturing Co. Ltd., Japan)	
[WedPM1A.4] Analysis of Electrical Characteristics of Twinax Cable With Asymmetric Structures	ı
Wei-Hsiu Tsai (National Taiwan University of Science and Technology & BizLink International Corporation, Taiwan); Ding-Bing Lin (National Taiwan University of Science and Technology, Taiwan); Tzu-Fang Tseng (Bizlink Internation Corporation, Taiwan); Chang-Hsun Ho (National Taiwan University of Science and Technology, Taiwan)	-
[WedPM1A.6] Hybrid Fast Modeling of Via-Connected Traces in Multilayer Electronic	
Packages	.7
[WedPM1C.1] Suppression Effect of Ringing in Contact Discharge Waveform From Two	
Different ESD Generators via Ferrite Core Attached Return Current Cable	7
[WedPM1C.2]  Development of Malfunction Simulation Technology in Electrostatic Discharge36  Shigeo Masai and Naoto Ishibashi (Panasonic, Japan); Masanori Sawada (Hanwa Electronic Ind. Co., Ltd., Japan)	; <b>1</b>
[WedPM1C.3]  Dust Figure Guided Modeling of Corona Discharge on Touchscreen Surface36  Zhekun Peng (Missouri University of Science and Technology, USA); Jianchi Zhou and Darryl Kostka (Apple, USA); David Pommerenke (TU Graz, Austria); Daryl Beetner (Missouri University of Science and Technology, USA)	5
[WedPM1C.4] Application of the Three-Dimentional FDTD Method to the Analysis of Lightning-Induced Surges in Secondary Circuits of a Substation Owing to a Lightning Impulse Current	9
[WedPM1C.5] Surge Characteristics Induced in the Secondary Circuits by a Lightning Impulse Current Injected Into the Grounding Grid: An Experimental Study	'2
[WedPM1C.6] Design and Analysis of EMP Simulator Using Different Simulation	
Configurations	6

[WedPM1D.1] Modeling of Common-Mode Noise Equivalent Circuit for Solid-State Transformer Based on ISOP Configuration	380
[WedPM1D.2] Circuit Modeling and Simulation of EMI Filter for High Current Power Converters	384
[WedPM1D.3]  Development of Passive Common-Noise Canceller Placed on DC Side of Inverters  Koji Orikawa (Hokkaido University, Japan); Kakiemon Tanabe (Japan Freight Railway, Japan); Satoshi Ogasawara (Hokkaido University, Japan)	388
[WedPM2A.1] Uncertainty Quantification in PEEC Method: A Physics-Informed Neural Networks-Based Polynomial Chaos Expansion Ping Yuan (The University of Hong Kong, Hong Kong); Yanming Zhang (The Chinese University of Hong Kong, Hong Kong); Lijun Jiang (Missouri University of Science and Technology, USA & EMC Lab, USA)	395
[WedPM2A.3] Causality Assessment of Channels With Long Delay	400
[WedPM2C.1] Analysis of Magnetic Core Winding of Inductive Coupler for Pulsed Current Injection(PCI) Lizhi Qiu, Wei Zhao and Shiping Tang (Southeast University, China)	409
[WedPM2C.2] Correlation Between Conducted Injection and Near-Field Scan Immunity in the L-Band Nicolas Castagnet (INSA Toulouse & CEA Gramat, France); Alexandre Boyer (LAAS-CNRS, France); Fabien Escudie (CEA Gramat, France)	413
[WedPM2C.3] Multiple Transient Voltage Suppressor Diodes-Based Protection Circuits With Decreasing Loading Effect Under High-Power Microwave Pulses Yue Zhang (Shanghai Jlaotong University, China); Liang Zhou (Shanghai Jiao Tong University, China)	417
[WedPM2C.4] Two-Dimensional Numerical Simulation Study on the Synergistic Effects of Transient Ionizing Radiation and Electromagnetic Pulse on Bipolar Junction Transistor	421

# Program Day 4 : May 23 (Thu.)

[ThuAM1A.2] Evaluation of Electromagnetic Interference Between Electromagnetic Noise From an Autonomous Vehicle and GPS Signals Hiraku Uehara (Kobe University, Japan); Koh Watanabe (National Institute of Information and Communications Technology, Japan); Ryota Sakai, Sosuke Ashida, Satoshi Tanaka and Makoto Nagata (Kobe University, Japan)	426
[ThuAM1A.3] Development of Emulator Simulating Transmission of Undersea Radio Communication	429
Takuto Semba (Kyushu Institute of Technology, Japan); Ayumu Kawamoto (Kyushu Institute of Technology & Electronic Engineering Course, Japan); Tohlu Matsushima, Yuki Fukumoto and Kazuhiro Eguchi (Kyushu Institute of Technology, Japan); Toshiyuki Wakisaka (Panasonic, Japan)	
[ThuAM1A.4] Communication Speed Estimation of Undersea Wavelet-OFDM Communication	
Under EM Noise Environment	. 433
[ThuAM1A.5] Analysis of Degradation of Transmission Characteristics of Underwater	
Antenna Due to Metal Enclosure of Autonomous Underwater Vehicle	.437
[ThuAM1B.1] Review on NF Magnetic Scanning Probe for PCB Radiated Emission	
Assessment  Hongchuan Jia and Fayu Wan (Nanjing University of Information Science and Technology, China); Valery Tikhvinskiy (Radio Research & Development Institute (NIIR), Russia & International Information Technology University (Kazakhstan), Kazakhstan); Vladimir Mordachev and Eugene Sinkevich (BSUIR, Belarus); Glauco Fontgalland (UFCG, Brazil); Blaise Ravelo (NUIST, China)	N/A
[ThuAM1B.2] Noise Coupling Prediction Inside a Small Shielding Box Based on Phaseless	
Near-Field Scanning Liang Wen-Tao, Yu Tian, Han Dong-Hao, Ming-Jie Pang and Xing-Chang Wei (Zhejiang University, China)	.445
[ThuAM1B.3] Design of a Wi-Fi-Compatible Common-Mode Noise Filter Using Dual-Band	
Matching Network	449

[ThuAM1B.5] Experimental Study on Common Mode Choke for Conducted Noise Reduction From Differential Line to Ground Plane	453
[ThuAM1C.1] Comparison of the Dependence of Wiring Lengths of Radiated Immunity of Harnesses Connecting Automotive Communication Equipment Akito Kagawa, Mao Inoue, Tohlu Matsushima and Yuki Fukumoto (Kyushu Institute of Technology, Japan)	457
[ThuAM1C.2] A Modeling Method of Receivers for Conducted Emission Noise Test and Its Validation With an Electric Vehicle Charger  Chung Hyun Lee (Hyundai Mobis Company, Korea (South)); Chiuk Song (Hyundai Mobis Co., Ltd., Korea (South)); Heon Jin Park and Jun Ho Kim (Hyundai Mobis Company, Korea (South))	461
[ThuAM1C.3] Conducted Noise Emission Analysis of Interleaved Totem-Pole Bridgeless PFC Circuit With Power Line Impedance for EV Charger Chiuk Song and Jonghyun Park (Hyundai Mobis Co., Ltd., Korea (South))	464
[ThuAM1C.5]  Design of High Voltage Ripple Immunity Test Protection Based on Coupling  Mechanism	469
[ThuAM2A.2] TxRx EMI Experimental Analysis From SNR of Nonlinear Microwave Power Amplifier	478
[ThuAM2A.3] Application of the Model From CISPR 16-4-4 for the Derivation of Limits for Power Drive Systems  Bernd Jaekel (Siemens AG, Germany); Ana V. Vučković and Dusan M. Vučković (University of Niš, Serbia)	482
[ThuAM2B.1] An Approach to the Problem of Balancing a Symmetrical Antenna Circuit Fed by Symmetrical and Asymmetrical Lines	487

[ThuAM2B.2] Innovative 4-Terminal Capacitor: A Versatile Solution for Enhanced EMC/SI Performance and Layout Efficiency
[ThuAM2B.3] Study on Influence of Leakage Flux Dependence on Winding Position of Common-Mode Choke Coil Using Toroidal Core
[ThuAM2B.4] Experimental Studies About Patch Interval Dependency of as Notch-Filter Properties in Frequency-Selective Sheets
[ThuAM2C.1] An EMI Immune Daisy Chain Interface for Battery Management System Communication
[ThuAM2C.2] Impedance Determination of DUT by Use of Line Injector Measurement Method505 Patrick Koch, Leonardo C Malburg, Niek Moonen and Frank Leferink (University of Twente, The Netherlands)
[ThuAM2C.3] Disturbance Property of Common-Mode Current Circuit for Photovoltaic Applications
[ThuAM2C.4] Underdefined Power Quality in Rural DC Energy Systems
[ThuAM2C.5] Analysis of the Impact of Near-Field Disturbance on Secondary Equipment of 500kV Series Compensation
[ThuPMPo.1] Novel Comprehensive Resilience Strategy for Modern Substations
[ThuPMPo.2] Tolerance Evaluation Against Deep Learning Side-Channel Attack on AES in Automotive Microcontroller With Uncertain Leakage Model

[ThuPMPo.3] A Quantitative Channel Pre-Evaluation Method Using Eye Aperture for Low-Power Double Data Rate (LPDDR)	532
Seonghi Lee and Dongryul Park (Korea Advanced Institute of Science and Technology, Korea (South)); Seunghun Ryu (Korea Advanced Institute Science and Technology (KAIST), Korea (South)); Duksoo Kim and Hyunsik Kim (SK Hynix, Korea (South)); Jongwook Kim (SK hynix, Korea (South)); Seungyoung Ahn (Korea Advanced Institute of Science and Technology, Korea (South))	
[ThuPMPo.4] The Estimation of Cable Input Impedance Through Analytical Techniques Mohammad Khorramizadeh, Laurens A. Bronckers and Anne Roc'h (Eindhoven University of Technology, The Netherlands)	536
[ThuPMPo.5] Time and Frequency Domains Evaluation of Crosstalk on Differential Lines With Meander Structure	540
Yuki Akatsuka (National Institute of Technology, Nagano College, Japan); Taiki Kitazawa and Yuichi Hayashi (Nara Institute of Science and Technology, Japan); Takashi Kasuga (National Institute of Technology, Nagano College, Japan)	
[ThuPMPo.6] The Impact of Choosing Different Reference Impedances on Calibration Results Po-Chen Kuo and Chiu-Chih Chou (National Central University, Taiwan); Wei-Chun Wang and Yu-Hsun Cho (LUXSHARE-ICT, Taiwan)	544
[ThuPMPo.7] Analysis of Crosstalk Between a Microstrip Line and Two Ground Slots Placed Both Sides Teruo Tobana and Kohei Akimoto (Akita Prefectural University, Japan)	548
[ThuPMPo.8]  Modeling Power-Bus Structures With Physics-Informed Neural Networks  Kazuhiro Fujita (Saitama Institute of Technology, Japan)	552
[ThuPMPo.9] Novel Power Grid Design Architecture to Improve IR Voltage Drop and EMI Shield	556
Rishi Bhooshan and Shreyans Jain (NXP Semiconductor, Noida, India); Ajay Kumar Sharma (NXP Semiconductor Noida, India); Douglas Reber (NXP Semiconductor Inc, Austin, USA)	
[ThuPMPo.10] Augmented Genetic Algorithm v3 for Multi-Objective PDN Decap Optimization Haran Manoharan and Jack Juang (Missouri University of Science and Technology, USA); Hanfeng Wang, Jingnan Pan, Xu Gao and Kelvin Qiu (Google, USA); Chulsoon Hwang (Missouri University of Science and Technology, USA)	560
[ThuPM1A.1] Circuit Modeling of Arbitrary Crystal Oscillator for EMC and SI Analysis Ludovica Illiano, Xiaokang Liu, Xinglong Wu, Flavia Grassi, Giordano Spadacini and Sergio A Pignari (Politecnico di Milano, Italy)	566
[ThuPM1A.2] Explanation of Convolutional Neural Network for Automotive Wire Harness Using Gradient-Weighted Class Activation Mapping	

T. Miura (Shizuoka University, Japan)
[ThuPM1A.3] Comparison of S-Parameter Low Frequency Interpolation Methods
[ThuPM1A.4] Statistical Eye Diagram for Nonideal Decision Feedback Equalizer (DFE)578 Junyong Park and DongHyun Kim (Missouri University of Science and Technology, USA)
[ThuPM1B.1] Analysis of Radiated Emission in High-Voltage Junction Box Using Conductive Plastic Material in Electric Vehicles
[ThuPM1B.2] Electronic Board Emission Model and Its Application for Microcontroller Emission
[ThuPM1B.3] Passive Cancellation Method for Common-Mode Noise Based on a Nonlinear Model
[ThuPM1B.4] An Algorithm to Find Interval Solution Ranges and Its Use to Improve Prediction Accuracy in Multi-Objective Optimal Design
[ThuPM1B.5] Radiated Emissions of a Shielded Cable Excited by a Differential Voltage
[ThuPM1B.6] Simulation Analysis of Front Door Coupling of High Power Microwave to RF Channel
[ThuPM1C.1] Radiation Characteristics of TEM Horn and Broadband Sleeve Antennas Used for Near-Field Radiated Immunity Test
[ThuPM1C.2] Effects of lonising Radiation on the Electromagnetic Immunity Behaviour of

Integrated Circuits	609
[ThuPM1C.3] A Resonant Magnetic Field Probe With Enhanced Sensitivity Using Quarter-Wavelength Impedance Transformer	613
[ThuPM1C.4] Time-Resolved High Frequency Near-Magnetic Field Imaging System Using Magneto-Optical Effect and Femto-Second Laser Shuichiro Hashi (Tohoku Gakuin University, Japan); Yuichi Saito (Lancuster University, United Kingdom (Great Britain)); Kazushi Ishiyama (Tohoku University, Japan)	617
[ThuPM1C.5] DUT Response to Radiated Electromagnetic Fields in a Continuously Stirred Reverberation Chamber Lukas Oppermann, Henriette Reineke and Matthias Weidemeier (TU Braunschweig, Germany)	621
Program Day 5 : May 24 (Fri.)	
[FriAM1A.1] Conducted Emission Simulation With ICEM Modeling and Measurement for HV Buck Integrated Circuit	631
[FriAM1A.2] Multi-Point Time Domain Computation for Crosstalk Prediction in Printed Circuit Board	635
[FriAM1A.3] Uncertainty Quantification and Sensitivity Analysis of Crosstalk in PCB Lines via the Combination of Machine Learning and Polynomial Chaos Expansion	639
[FriAM1A.4] Efficient Terminal Response Simulation of Shielded Cable Excited by an Electromagnetic Plane Wave	643
[FriAM1A.5] EMC Modeling of a Class-D Amplifier IC and Radiated Emission Correlation	

Studies for Its Evaluation Board	646
[FriAM1B.1] An Electromagnetic Interference Compensation Method for Dense Antenna Arrays	650
Jinyan Ma and Da Li (Zhejiang University, China); Ruifeng Li (ZJU, China); Er-Ping Li (Zhejiang University, China)	
[FriAM1C.1] Cost-Efficient Snubbers for Boost Converters Yeu-Torng Yau and Thanh-Phu Luu (National Chin-Yi University of Technology, Taiwan)	657
[FriAM1C.2] A Novel Method for Testing the Electromagnetic Immunity of the Short Circuit Protection Function of Smart Power Switches  Daniel Kircher and Bernd Deutschmann (Graz University of Technology, Austria);	661
Heinrich Helldorff (Kompetenzzentrum Automobil Und Industrieelektronik, Austria)  [FriAM1C.3]  Morris Sensitivity Analysis on Conducted Emissions of an Inverting Buck-Boost Converter  Ko Odreitz, Markus Musil and Bernd Deutschmann (Graz University of Technology, Austria)	665
[FriAM1C.4] Optimal Common Mode Target Impedance for Conducted Emission Noise Suppression in Motor Driver Circuits	669
[FriAM1C.5] In-Circuit Noise Source Impedance Using Double Impedances Insert Loss Approach	673
[FriAM1D.1] Proposal of Components Level Test for HPEM Tetsuya Tominaga (NTT Advanced Technology Corporation & EMC Center, Japan)	677
[FriAM1D.2] Immunity Test Result and Consideration of Open-Source Flight-Controller Mounting UAV for Applying IEMI Protection Device Takuya Hoshino (NTT Advanced Technology Corporation, Japan)	681
[FriAM1D.3] A Numerical Analysis on Electro-Magnetic Coupling of Printed Circuit Board and High-Frequency Radiated Field	685

Shimizu, Toshihiko Nishimori and Jun Yasui (Mitsubishi Heavy Industries, Ltd.) [FriAM1D.4] Varistor Voltage Behavior of Metal Oxide Varistors Stressed by Electromagnetic Pulse .......689 Kensuke Kondo (Otowa Electric Co., Ltd., Japan); Naoyuki Tsukamoto (Otowa Electric Co., Japan) [FriAM1D.5] Withstand Performance of Varistors Against High Altitude Electromagnetic Minoru Tsukazaki (OTOWA ELECTRIC, Japan) [FriAM2A.2] Study of a Statistical Risk-Analysis Tool for Evaluating Interference Impact on an ECG Signal.......698 Marc Kopf (Eindhoven University of Technology, The Netherlands); Tiago P. Nunes and Hugo Placido da Silva (PLUX Wireless Biosignals S.A., Portugal); Hugo Gamboa (LIBPhys - NOVA, Portugal); Anne Roc'h (Eindhoven University of Technology, The Netherlands) [FriAM2A.3] Neural Network for the Prediction of Electric Field Intensity Applied to a Simple Sebastian Mauricio Salas Laurens (Eindhoven University of Technology, The Netherlands); Jean-David Bertaux (Inoveos, France); Anne Roc'h (Eindhoven University of Technology, The Netherlands) [FriAM2A.4] Quantum Optimization of Microwave Filters ......706 Gabriel Felipe Martinez and Alessandro Niccolai (Politecnico di Milano, Italy); Eleonora L. Zich (Politecnico di Torino, Italy); Riccardo Enrico Zich (Politecnico di Milano, Italy) [FriAM2B.1] Predicting Electromagnetic Sensitivity in Multi-Waveform L-DACS1 Receivers Through Spectral Feature Extraction ......710 Haobo Geng, Yaoyao Li, Houpu Xiao, Haoting Yan and Youwei Meng (Beihang University, China) [FriAM2B.2] A Universal Interference-Simulator for Digitally Modulated Communication Standards.......714 Robert Geise (HTWK University of Applied Science Leipzig & Technische Universität Braunschweig, Germany); Michael Einhaus (HTWK Leipzig, Germany); Kurt Hemmerlein, Nikola Kiwull and Thilo Kootz (Bundesnetzagentur, Germany) [FriAM2B.3] **Experimental Study Results of EMC 5G Network Transmitters and Fixed** Service Receivers for Sharing Utilization of 4.4-5.0 GHz Band ......718 Valery Tikhvinskiy (Radio Research & Development Institute (NIIR), Russia & International Information Technology University (Kazakhstan), Kazakhstan); Victor Koval (GEYSER-TELECOM, Ltd, Russia); Pavel Korchagin (Geyser-Telecom LTD, Russia): Alexander Pastukh (Radio Research and Development Institute (NIIR). Russia); Roman Umanskiy (Moscow Technical University of Communications and Informatics (MTUCI), Russia)

[FriAM2C.2] Volume Reduction of Traction Power Inverter EMI Filter Based on Mitigation Techniques at the Source723
Markeljan Fishta and Franco Fiori (Politecnico di Torino, Italy)
[FriAM2C.3] Research on Background Noise Test Method of EV-Chamber
[FriAM2C.4] Impact of Dead Time Effect on Common Mode Electromagnetic Interference in
PMSM Drives
[FriAM2C.5] Efficient Shielding of the Noise Coupling to the Grid Cable in Motor Drives735 Stanislav Skibin (ABB Switzerland & Unaffiliated, Switzerland); Bernhard Wunsch (ABB Switzerland Ltd, Switzerland); Ville Forsstrom (ABB Oy Drives, Finland); David Baumann (ABB Switzerland, Switzerland)
[FriAM2D.2] A Study on Reverberation Chamber Using Parallel-Plate TEM Antenna740 Masataka Midori (TDK, Japan); Hiroyuki Nedate (TDK Corporation, Japan); Hiroshi Kurihara (TDK Corporation & Electronic Components Business Company, Japan)
[FriAM2D.5] Research on Electromagnetic Compatibility Validation Scheme for ADAS in Reverberation Chamber
Xu Zhang (CATARC Automotive Test Center(Tianjin) Co., Ltd, China); Daming Chen (CATARC & Civil Aviation University of China, China); Hao Yan (CATARC, China); Yunlei Zhang (China Automotive Technology & Research Center, China); Yan Fan (China Automotive Technology and Research Center Co., Ltd., China); Jiqiang Gao (CATARC, China)